



# BREM

RADIATORS FOR ARCHITECTURE

PRICE LIST  
N°25  
MADE IN ITALY  ITALIAN LIFESTYLE



# TECHNICAL CATALOGUE & PRICE LIST N° 25

VAT ESCLUDED

## CATALOG PRICE INDEX N°25

|                                   |      |     |
|-----------------------------------|------|-----|
| <b>LAME COLLECTIONS</b>           | page | 9   |
| LAME                              | page | 10  |
| LAME-UP                           | page | 12  |
| HERG                              | page | 14  |
| META                              | page | 16  |
| REGULAR                           | page | 22  |
| SBARRA SBARRA-UP                  | page | 24  |
| TORRI                             | page | 26  |
| GUEST                             | page | 28  |
| HERG-OT                           | page | 30  |
| HERG'S                            | page | 32  |
| HOOK                              | page | 34  |
| KUO                               | page | 36  |
| LAMATH                            | page | 38  |
| LAME SLIM                         | page | 40  |
| <b>CrossFRAME COLLECTIONS</b>     | page | 43  |
| CROSS-Q                           | page | 44  |
| CROSS-G                           | page | 46  |
| CROSS-V                           | page | 50  |
| ALIS-ONE                          | page | 52  |
| ASYMM ASYMP                       | page | 54  |
| CROSS                             | page | 56  |
| CROSS-Q                           | page | 60  |
| CROSS GILDEN/SILVER LEAF          | page | 62  |
| CROSS Bicolor Tricolor            | page | 62  |
| CROSS-CROM                        | page | 63  |
| CROSS-R                           | page | 66  |
| CROSS-RV                          | page | 68  |
| ESSEN                             | page | 70  |
| FIT                               | page | 72  |
| FREE                              | page | 74  |
| KORE PLUS                         | page | 76  |
| PIT                               | page | 78  |
| QUAR                              | page | 80  |
| VISION                            | page | 82  |
| <b>PANELS COLLECTIONS</b>         | page | 85  |
| CLAK                              | page | 86  |
| C-PROLUX®                         | page | 90  |
| EGON                              | page | 94  |
| LAMINA                            | page | 98  |
| OPEN                              | page | 102 |
| PHUL                              | page | 106 |
| SO-FLEX                           | page | 108 |
| S-PLATT                           | page | 110 |
| SUIT                              | page | 114 |
| CAMEO                             | page | 120 |
| CLARK                             | page | 122 |
| CUBICO                            | page | 124 |
| DUO                               | page | 126 |
| FLAG                              | page | 128 |
| GEOMETRICA-T GEO-O                | page | 130 |
| GEOMETRICA-Q GEO-R                | page | 132 |
| HOT                               | page | 134 |
| LOGGIA Design/Timeless            | page | 136 |
| MANT                              | page | 138 |
| PLATT COLOR                       | page | 140 |
| PLATT INOX                        | page | 142 |
| PLATT Gilden/Silver leaf          | page | 143 |
| UNI-PLATT                         | page | 144 |
| VELETTA                           | page | 146 |
| <b>TubesDESIGN COLLECTIONS</b>    | page | 149 |
| CHEM                              | page | 150 |
| FORM                              | page | 152 |
| GRATA                             | page | 156 |
| RING                              | page | 160 |
| WIND                              | page | 164 |
| CANNUCCIA                         | page | 168 |
| CHEM-M                            | page | 170 |
| CHEM-S                            | page | 172 |
| FRAC                              | page | 174 |
| KUAD                              | page | 176 |
| MAHN                              | page | 178 |
| MAHN-AIR                          | page | 180 |
| PLANK                             | page | 182 |
| PLANK-AIR                         | page | 184 |
| PLUS 12                           | page | 186 |
| PLUS 18                           | page | 188 |
| PLUS-AIR                          | page | 190 |
| RAW verticales                    | page | 192 |
| RAW horizontal                    | page | 194 |
| SHAR                              | page | 196 |
| SHAR-AIR                          | page | 198 |
| START START CURVO                 | page | 200 |
| DIVIS dividers towel-rails        | page | 202 |
| <b>ELECTRICAL COLLECTION</b>      | page | 205 |
| <b>VALVES COLLECTION</b>          | page | 265 |
| <b>ADVANCED wifi SYSTEM</b>       | page | 275 |
| <b>BREM'ART COLLECTIONS after</b> | page | 280 |
| <b>CONDITIONS OF SALE</b>         | page | 308 |

## ALPHABETICAL INDEX

|                            |      |     |
|----------------------------|------|-----|
| ALIS-ONE                   | page | 52  |
| ASYMM ASYMP                | page | 54  |
| C-PROLUX®                  | page | 90  |
| CAMEO                      | page | 120 |
| CANNUCCIA                  | page | 168 |
| CHEM                       | page | 150 |
| CHEM-M                     | page | 170 |
| CHEM-S                     | page | 172 |
| CLAK                       | page | 86  |
| CLARK                      | page | 122 |
| CROSS                      | page | 56  |
| CROSS Bicolor Tricolor     | page | 62  |
| CROSS-CROM                 | page | 63  |
| CROSS GILDEN/SILVER LEAF   | page | 62  |
| CROSS-G                    | page | 46  |
| CROSS-Q radiator           | page | 144 |
| CROSS-Q towel-rails        | page | 60  |
| CROSS-R                    | page | 66  |
| CROSS-RV                   | page | 68  |
| CROSS-V                    | page | 50  |
| CUBICO                     | page | 124 |
| DIVIS dividers towel-rails | page | 202 |
| DUO                        | page | 126 |
| EGON                       | page | 94  |
| ESSEN                      | page | 70  |
| FIT                        | page | 72  |
| FLAG                       | page | 128 |
| FORM                       | page | 152 |
| FRAC                       | page | 174 |
| FREE                       | page | 74  |
| GEOMETRICA-T GEO-O         | page | 130 |
| GEOMETRICA-Q GEO-R         | page | 132 |
| GRATA                      | page | 156 |
| GUEST                      | page | 28  |
| HERG                       | page | 14  |
| HERG-OT                    | page | 30  |
| HERG'S                     | page | 32  |
| HOOK                       | page | 34  |
| HOT                        | page | 134 |
| KORE PLUS                  | page | 76  |
| KUAD                       | page | 176 |
| KUO                        | page | 36  |
| LAMATH                     | page | 38  |
| LAME                       | page | 10  |
| LAME SLIM                  | page | 40  |
| LAME-UP                    | page | 12  |
| LAMINA                     | page | 98  |
| LOGGIA Design/Timeless     | page | 136 |
| MAHN                       | page | 78  |
| MAHN-AIR                   | page | 180 |
| MANT                       | page | 138 |
| META                       | page | 16  |
| OPEN                       | page | 102 |
| PHUL                       | page | 106 |
| PIT                        | page | 78  |
| PLANK                      | page | 182 |
| PLANK-AIR                  | page | 184 |
| PLATT COLOR                | page | 140 |
| PLATT F. ORO/FA            | page | 143 |
| PLATT INOX                 | page | 142 |
| PLUS 12                    | page | 186 |
| PLUS 18                    | page | 188 |
| PLUS-AIR                   | page | 190 |
| QUAR                       | page | 80  |
| RAW vertical               | page | 192 |
| RAW horizontal             | page | 194 |
| REGULAR                    | page | 22  |
| RING                       | page | 160 |
| S-PLATT                    | page | 110 |
| SBARRA SBARRA-UP           | page | 24  |
| SHAR                       | page | 196 |
| SHAR-AIR                   | page | 198 |
| SO-FLEX                    | page | 108 |
| START START CURVO          | page | 200 |
| SUIT                       | page | 114 |
| TORRI                      | page | 26  |
| UNI-PLATT                  | page | 44  |
| VELETTA                    | page | 146 |
| VISION                     | page | 82  |
| WIND                       | page | 164 |
| ZOOM                       | page | 263 |

|                                   |      |       |
|-----------------------------------|------|-------|
| <b>ELECTRICAL COLLECTION</b>      | page | 205   |
| THERMOSTATS WiFi                  | page | 208   |
| e.ALIS                            | page | 210   |
| e.ASYMM e.ASYMP                   | page | 211   |
| e.CAMEO                           | page | 212   |
| e.CANNUCCIA STRAW                 | page | 213   |
| e.CHEM e.CHEM-M                   | page | 214   |
| e.CHEM-S                          | page | 215   |
| e.CLAK                            | page | 216   |
| e.CLARK                           | page | 217   |
| e.CROSS                           | page | 218   |
| e.CROSS-Crom.-Gilden/Silver leaf  | page | 219   |
| e.CROSS-G                         | page | 220   |
| e.CROSS-Q                         | page | 221   |
| e.CROSS-R                         | page | 222   |
| e.CROSS-V                         | page | 220   |
| e.CUBICO                          | page | 223   |
| e.DUO                             | page | 224   |
| e.ESSEN                           | page | 225   |
| e.FIT                             | page | 226   |
| e.FLAG                            | page | 227   |
| e.FRAC                            | page | 228   |
| e.FREE                            | page | 229   |
| e.GEOMETRICA-T ...O               | page | 230   |
| e.GEOMETRICA-Q ...R               | page | 231   |
| e.GUEST                           | page | 232   |
| e.HAND                            | page | 233   |
| e.HERG-OT                         | page | 234   |
| e.HERG'S e.HERG                   | page | 235   |
| e.HOOK                            | page | 236   |
| e.KORE PLUS                       | page | 237   |
| e.KUAD                            | page | 238   |
| e.KUO                             | page | 239   |
| e.LAMATH                          | page | 240   |
| e.LAME                            | page | 241   |
| e.LAME SLIM                       | page | 242   |
| e.LAME-UP                         | page | 243   |
| e.MAHN                            | page | 244   |
| e.MAHN-AIR                        | page | 245   |
| e.MANT                            | page | 246   |
| e.PHUL                            | page | 247   |
| e.PIT                             | page | 248   |
| e.PLANK e.PLANK-AIR               | page | 249   |
| e.PLATT                           | page | 250   |
| e.PLUS 12                         | page | 251   |
| e.PLUS 18 e.PLUS-AIR              | page | 252   |
| e.QUAR                            | page | 253   |
| e.RAW                             | page | 254   |
| e.REGULAR                         | page | 255   |
| e.SBARRA e.SBARRA-UP              | page | 256   |
| e.SHAR                            | page | 257   |
| e.SHAR-AIR                        | page | 258   |
| e.START e.START CURVO             | page | 259   |
| e.UniPLATT                        | page | 260   |
| e.VELETTA                         | page | 261   |
| e.VISION                          | page | 262   |
| e.ZOOM                            | page | 263   |
| <b>BREM'ART COLLECTIONS after</b> | page | 280   |
| BACCU MANDARA                     | page | V     |
| CAPITONNÉ                         | page | VI    |
| CIRCO D'IDEE                      | page | XI    |
| CONTINUUM TRE SIPAR W             | page | VIII  |
| EAGLE                             | page | XVI   |
| ERUZIONE                          | page | IX    |
| FILL&FERRU                        | page | IV    |
| FIRE                              | page | XIV   |
| GRAFFI                            | page | XX    |
| GRAFFI DI LUNA                    | page | XXI   |
| GRID                              | page | XVII  |
| MUN                               | page | VII   |
| NOSTOS                            | page | XIII  |
| PIET                              | page | XXII  |
| PINAK HOT                         | page | XV    |
| SCUDO DI ERACLE                   | page | XII   |
| SHANG                             | page | XVIII |
| SPAZIO CHIUSO                     | page | III   |
| STROP'                            | page | X     |
| TERRA LUNARE TERRA                | page | XIX   |
| VIRGO                             | page | XXIII |



# THE COLLECTIONS


page

LAME  
RADIATORS WITH ELEMENTS



9

CrossFRAME  
RADIATORS WITH FRAMES




43

PANELS  
RADIATORS WITH FLAT TUBES



85

TubesDESIGN  
RADIATORS WITH TUBES



149

ELECTRIC MODELS RADIATORS & TOWEL HEATER

205

Valves&Accessories

265

BREM'ART  
ARTIST'S RADIATORS



I-XXIV after 280



# BREM. INNOVATION AND TRADITION

HEATING ELEMENTS THROUGH RESEARCH, EXPERIMENTATION AND INNOVATIVE DESIGN WITH RESPECT FOR TRADITION

BREM IS THE PRODUCT OF MEN AND WOMEN,  
NOT ONLY TECHNOLOGY AND MACHINES,  
SKILLED PEOPLE WHO CAN COMPLETE EVEN THE  
MOST DEMANDING PROJECTS ON TIME AND  
TRAINED IN THE TRANSFORMATION OF STEEL  
INTO PRODUCTS OF THE HIGHEST QUALITY  
AND WITH A HIGH AESTHETIC VALUE.

BREM: THE COLLECTION 2024

- 24 RADIATOR MODELS
- 55 HEATED TOWEL RAIL MODELS
- 3 CHROME-PLATED HEATED TOWEL RAILS
- 100.000 STANDARD SERIES DIMENSIONS
- 60 ELECTRIC TOWEL-RAILS and Radiators
- BREM'ART: RADIATOR ART
- VALVES, ACCESSORIES AND SUPPORTS

## STRENGTHS

Specialized in the design and production of radiators and heated towel rails using steel tubes, BREM operates at the top end of the market thanks to the superior quality, original aesthetics, and many other distinctive features of its products.

### QUALITY OF MATERIALS

High-quality steel produced to strict international standards; impeccable, high-precision working; secure, invisible welding; high gloss, bright and even paint treatment.

### DESIGN

Manifolds with particular shapes; slender, flattened columns; tubes with exclusive shapes; adjustable brackets integrated into the radiator.

### FUNCTIONALITY

The countless standard series versions possible (high, slender, long, wide, flat, etc.), permit the optimum insertion of the heating element in any space at all.

### RANGE

A complete collection composed of 24 radiator models and 55 heated towel rail models ensures the most appropriate aesthetic solution for every interior.

### MADE-TO-MEASURE VERSIONS

The elevated productive flexibility and constructive process of the radiators guarantee response to even the most unusual requests with a virtually unlimited number of applications.

## CHARACTERISTICS

In the context of elevated aesthetic content, all BREM products meet the needs of living comfort, economical use, practical management, and easy installation.

### REDUCED WEIGHT

Weight up to 1/3 lower than traditional tube heating elements and up to 1/8 lower than cast-iron radiators thanks to the use of slender tubes that also facilitate shipping and installation.

### LOW WATER CONTENT

Reduction of up to 1/3 of the quantity of water required by traditional radiators.

### INSTANT HEATING

The programmed temperature is reached rapidly thanks to the quality of steel used and the quick circulation of the small quantity of water contained.

### COMFORTABLE ENVIRONMENT

Immediate stopping of heat emission by thermostat for greater comfort at constant temperature.

### ENERGY SAVINGS

Lower energy consumption (thanks to lower volume of water to be heated) required for optimum heat emission.

### COMFORTABLE WARMTH

Heating takes place by irradiation and convection. The sensation of wellbeing is guaranteed by the high percentage of heat irradiated.

## ADVANTAGES

Depending on the model, BREM radiators permit:

- more rational installation without limits of any kind for more uniform heat distribution;
  - larger radiating surfaces that increase the quantity of heat transmitted through irradiation for greater comfort;
  - higher protection against cold walls and better ascending convection movement thanks to the larger surface area on the back;
  - original solutions. Thanks to their design, radiators can be installed in any setting;
  - to fit radiators into any available space from floor-to-ceiling, next to windows restricting the heat loss;
  - optimum use of space under the regular or large windows.
- Using different types of feet and support, BREM frees radiators from their traditional position on the wall to let them live in greater freedom through creative positioning elsewhere in the room, such as:
- partition walls or screens in the center of the room
  - railings for stairways or balconies
  - in corners with two or more radiators
  - as a vertical arch on the wall
  - curved or in all the creative shapes technically possible.



# TECHNICAL DATA

## TECHNICAL DATA

### Symbols

|                |                                      |
|----------------|--------------------------------------|
| H              | height                               |
| L              | length / width                       |
| p              | depth                                |
| ▲▼             | tapping centres (t.c.)               |
| PE             | element step                         |
| A              | surface                              |
| V              | volume                               |
| M              | weight empty                         |
| Q <sub>n</sub> | nominal calorific power              |
| Q              | heat output                          |
| S              | surface of heat output               |
| n              | exponent                             |
| ck             | correction factor for Q <sub>n</sub> |
| m              | flow rate                            |
| EHE            | Electric Heating Element             |

### Unit

|                 |
|-----------------|
| cm              |
| cm              |
| mm              |
| mm              |
| mm              |
| m <sup>2</sup>  |
| dm <sup>3</sup> |
| kg              |
| W               |
| W               |
| S               |
| —               |
| —               |
| kg/s            |
| W               |

## COEFFICIENT OF TRANSFORMATION

1 W = 0,86 kcal / h  
1 kcal / h = 1,16 W

## NOMINAL QN INDEX

Nominal heat output index in Watts  $\Delta t^n = 50K$   
According to the EN 442 regulations, the heat output of a radiator is calculated according to the following conditions:

|                |                                  |                             |
|----------------|----------------------------------|-----------------------------|
| t <sub>i</sub> | inlet temperature                | 75°C                        |
| t <sub>e</sub> | outlet temperature               | 65°C                        |
| t <sub>m</sub> | average water temperature        | 70°C                        |
| t <sub>r</sub> | reference air temperature        | 20°C                        |
| K              | water temperature                | 10 K                        |
| $\Delta t$     | air-water temperature difference | 50 K                        |
| $\Delta t$     | different from 50 K              | $Q = Q_n (\Delta t / 50)^n$ |

## CORRECTION FACTORS ( $\Delta t$ different from 50K)

| $\Delta t^n$ | 1,20  | 1,22  | 1,24  | 1,26  | 1,28  | 1,30  |
|--------------|-------|-------|-------|-------|-------|-------|
| 30k          | 0,542 | 0,536 | 0,530 | 0,526 | 0,520 | 0,514 |
| 40k          | 0,766 | 0,762 | 0,759 | 0,755 | 0,751 | 0,748 |
| 50k          | 1     | 1     | 1     | 1     | 1     | 1     |
| 60k          | 1,245 | 1,248 | 1,253 | 1,258 | 1,263 | 1,267 |
| 70k          | 1,498 | 1,507 | 1,518 | 1,527 | 1,538 | 1,549 |


## AMBIENT TEMPERATURE different from 20°

To increase or to decrease the temperature of a room, apply the index defined in the catalogue to the following theoretical coefficients:

| temperatures | 24°C | 22°C | 20°C | 18°C | 15°C | 12°C |
|--------------|------|------|------|------|------|------|
| multiplier   | 0,81 | 0,90 | 1,00 | 1,04 | 1,10 | 1,17 |

To make the connections without the radiator, use a template with the distance

between the tapping centres marked on it.




## CONNECTING THE RADIATOR





As standard, Brem radiators are supplied with  $\varnothing 3/8'' - \varnothing 1/2''$  attachment points.

In the instructions for each model a formula is shown to define the distance between centres of the connections.  
(eg. model FH: tapp. centres = width - 40 mm)

When replacing old radiators, make sure that there are no "siphons" created when installing the new fittings.



## RECOMMENDED INSTALLATION HEIGHTS



## INSTALLATION AND EFFICIENCY

Always respect the position of the delivery and return fittings when connecting BREM radiators.

If EG fittings, the delivery must be at the bottom, on the left; if the position of the delivery is inverted ("G"), the radiator will not heat up completely.

A central heating plant providing pressure of 1.5/1.8 bar ensures that the radiators work evenly and efficiently.

If there is not enough pressure, hot water will not reach all points and the radiators will not warm up completely.

Check the pressure in column radiator systems, especially in residential blocks.

Make sure that there are no throttled pipes in the plant.

Bleed the air completely from the radiator.

Balance the plant by partially closing the water outlet valve.



## INDEX: RADIATORS

LAME p.10  
e.LAME p.241

LAME-UP p.12  
e.LAME-UP p.243

HERG p.14  
e.HERG p.235

META p.16

REGULAR p.22  
e.REGULAR p.255

SBARRA p.24  
SBARRA-UP p.24  
e. SBARRA p.256

TORRI p.26

CROSS-Q p.44  
e.CROSS-Q p.221

CROSS-G p.46  
e. CROSS-G p.220

CROSS-V p.50  
e.CROSS-V p.220

ALIS-ONE p.52  
e.ALIS-ONE p.210

CROSS p.56  
e.CROSS p.218

CROSS-Q p.60  
e.CROSS-Q p.221

ASYM p.54  
e.ASYM p.211

ASYMP p.54  
e.ASYP p.211

CROSS-R p.66  
e.CROSS-R p.222

CLAK p.86  
e.CLAK p.216

EGON p.94

OPEN p.102

SO-FLEX p.108

C-Prolux® p.90

LAMINA p.98

PHUL p.106  
e.PHUL p.247

S-PLATT p.110

SUIT p.114

CAMEO p.120  
e.CAMEO p.212

CUBICO p.124  
e.CUBICO p.223

CLARK p.122  
e.CLARK p.217

DUO p.126  
e.DUO p.224

CHEM p.150  
e.CHEM p.214

GRATA p.156

WIND p.164

FORM p.152

RING p.160

CANNUCCIA p.168  
e.CANNUCCIA p.213

CHEM-M p.170  
e.CHEM-M p.214

FRAC p.174  
e.FRAC p.228


CHEM-S p.172  
e.CHEM-S p.215

KUAD p.176  
e.KUAD p.238



## ELECTRIC Radiators


page 205-263



**BREM'ART**

pages I-XXIV, after page 264

RAM p.277



VALVES  
page 265





ACCESSORIES  
page 276






# TOWEL HEATERS




HAND p.233



**ELECTRIC**  
**Towel heaters**  
page 205-263

MAGNET p.277



KNOBS  
page 277



SPECIAL VERSIONS  
page 276

TEMPERATURE CONTROL  
Wi-Fi page 275

FITTINGS  
page 278-279

**BREM'ART**

pages I - XXIV after page 264



# THE COLLECTIONS


page

LAME  
RADIATORS WITH ELEMENTS



9

CrossFRAME  
RADIATORS WITH FRAMES




43

PANELS  
RADIATORS WITH FLAT TUBES



85

TubesDESIGN  
RADIATORS WITH TUBES



149

ELECTRIC MODELS RADIATORS & TOWEL HEATER

205

Valves & Accessories

265

BREM'ART  
ARTIST'S RADIATORS



I-XXIV after 264



# INDEX LAME

RADIATORS WITH ELEMENTS

## RADIATORS COLLECTION

|           | page |
|-----------|------|
| LAME      | 10   |
| LAME-UP   | 12   |
| HERG      | 14   |
| META      | 16   |
| REGULAR   | 22   |
| SBARRA .. | 24   |
| TORRI     | 26   |

## TOWEL HEATER COLLECTION

|           | page |
|-----------|------|
| GUEST     | 28   |
| HERG-OT   | 30   |
| HERG'S    | 32   |
| HOOK      | 34   |
| KUO       | 36   |
| LAMATH    | 38   |
| LAME SLIM | 40   |





# LAME

design Davide Brembilla

LAME is composed of rectangular tubes connected by round bars. The heating

elements cut the air like knives and stand alongside one another in light to create

a new heating shape like no other and enliven modern sculpture for interior décor.


## DIMENSIONS

Heights: 190 / 210 / 230 cm

Widths: 11 / 17 / 23 / 29 / 35 / 41 / 47 cm

Depth: 8 cm

Depth from wall: 9,5 cm



|          |              | EN 442 Watt $\Delta t$ 50K ( $\Delta t$ 40K = $W \times 0,755$ ) ( $\Delta t$ 30K = $W \times 0,526$ ) |                |                 |                 |                  |                  |                  |  | DUAL FUEL VERSION       |      |        |
|----------|--------------|--------------------------------------------------------------------------------------------------------|----------------|-----------------|-----------------|------------------|------------------|------------------|--|-------------------------|------|--------|
| MODEL    | L cm (n°el.) | 11 (2)                                                                                                 | 17 (3)         | 23 (4)          | 29 (5)          | 35 (6)           | 41 (7)           | 47 (8)           |  | with E.H.E. and sleeve  |      |        |
| H        | L' cm        | 8                                                                                                      | 14             | 20              | 26              | 32               | 38               | 44               |  | Model                   | Watt | €      |
| cm       | ▲▼ cm        | 6                                                                                                      | 6              | 12              | 18              | 24               | 30               | 36               |  |                         |      |        |
| LAME 190 | €            | 625,00<br>350w                                                                                         | 768,40<br>496w | 911,80<br>652w  | 1055,30<br>788w | 1198,50<br>953w  | 1341,90<br>1109w | 1485,10<br>1255w |  | LAME 190-11             | 400  | 127,40 |
|          |              |                                                                                                        |                |                 |                 |                  |                  |                  |  | LAME 190-17             | 500  | 129,60 |
| LAME 210 | €            | 661,90<br>389w                                                                                         | 824,10<br>554w | 986,20<br>730w  | 1148,60<br>885w | 1310,60<br>1070w | 1472,60<br>1245w | 1634,80<br>1411w |  | LAME 190-23             | 650  | 131,80 |
|          |              |                                                                                                        |                |                 |                 |                  |                  |                  |  | LAME 190-29             | 800  | 136,60 |
| LAME 230 | €            | 697,10<br>428w                                                                                         | 876,50<br>613w | 1055,60<br>807w | 1234,60<br>982w | 1415,20<br>1187w | 1592,80<br>1381w | 1770,20<br>1566w |  | LAME 190-35             | 900  | 140,20 |
|          |              |                                                                                                        |                |                 |                 |                  |                  |                  |  | LAME 210-41             | 1200 | 148,50 |
|          |              |                                                                                                        |                |                 |                 |                  |                  |                  |  | LAME 210-47             | 1500 | 159,40 |
|          |              |                                                                                                        |                |                 |                 |                  |                  |                  |  | Other models on request |      |        |
|          |              |                                                                                                        |                |                 |                 |                  |                  |                  |  | Thermostats p.208-209   |      |        |

Available in Stock

E.g.: LAME 210-35, EG  $\varnothing$  1/2", SB3061

## STANDARD PRODUCTION

White sablé SB9016 paintwork - Brackets B15  
Tolerance  $\pm$  3mm - Air vent  $\varnothing$  1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list (colored B15  
brackets)

Electric version eLame,

+15/25%  
page 241

## STANDARD FITTING

EG  $\varnothing$  1/2"


On request fitting  $\varnothing$  3/8"

Special fittings, page 278






## TAPPING CENTRES




## MIXED VERSIONS



## FIXINGS


B15 brackets included,  
B27 with remote fittings  
and B35 Lame ...11



## RECOMMENDED VALVES


CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16




ANGLED QUADRA VALVES KIT  
page 271 Art. KQS

180,10€  
53,40€



ANGLED CYL VALVES KIT with THERMOSTATIC  
option, page 273 Art. KCS

149,90€  
53,40€



ANGLED TON VALVES KIT with THERMOSTATIC  
Head, page 269 Art. KTS


190,30€

## SPECIAL FINISHES

page 267  
Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

## REMOTE FITTINGS

Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲ ▼ EG  
DISTANT Valves page 274



LAME 210-6

# LAME-UP

LAME-Up is free-standing radiator designed by Davide Brembilla, its heating body

acting like a totem pole in the centre of a room. The fins, arranged vertically, produce


*design Davide Brembilla*  
a new, versatile and highly functional way to exploit the available volumes.

## DIMENSIONS


H from floor: 200 / 230 cm

L: 15 cm


Depth: 19 / 23 / 27 / 31 cm




LAME-UP 4




LAME-UP 5




LAME-UP 6



LAME-UP 7



LAME-UP 8



| MODEL         | H - n°<br>cm tubes | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442          |                 |   | ▲ ▼<br>t.c.<br>cm | Height<br>cm | Width<br>cm | Depth<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | EN 442 Watt Δt 50K (Δt 40K = Wx0,755 - Δt 30K = Wx0,526) |        |
|---------------|--------------------|--------------------------------------|-----------------|-----------------|-----------------|---|-------------------|--------------|-------------|-------------|-------------------|--------------------|----------------------------------------------------------|--------|
|               |                    |                                      |                 | Δt 40 K<br>watt | Δt 30 K<br>watt |   |                   |              |             |             |                   |                    | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt €    |        |
| LAME-UP 200-4 | 200-4              | 1032,60                              | 641             | 473             | 333             | 9 | 9                 | 200          | 15          | 19          | 18,9              | 8,0                | 650                                                      | 131,80 |
| LAME-UP 200-5 | 200-5              | 1279,00                              | 809             | 597             | 421             | 9 | 9                 | 200          | 15          | 23          | 23,7              | 10,1               | 800                                                      | 136,60 |
| LAME-UP 200-6 | 200-6              | 1449,80                              | 935             | 690             | 486             | 9 | 9                 | 200          | 15          | 27          | 27,3              | 11,7               | 900                                                      | 140,20 |
| LAME-UP 200-7 | 200-7              | 1645,30                              | 1082            | 799             | 563             | 9 | 9                 | 200          | 15          | 27          | 31,5              | 13,5               | -                                                        | -      |
| LAME-UP 200-8 | 200-8              | 1862,70                              | 1250            | 923             | 650             | 9 | 9                 | 200          | 15          | 31          | 36,3              | 15,6               | 1200                                                     | 148,50 |
| LAME-UP 230-4 | 230-4              | 1119,20                              | 767             | 566             | 399             | 9 | 9                 | 230          | 15          | 19          | 22,5              | 9,6                | 800                                                      | 136,60 |
| LAME-UP 230-5 | 230-5              | 1381,20                              | 966             | 713             | 502             | 9 | 9                 | 230          | 15          | 23          | 28,2              | 12,0               | 900                                                      | 140,20 |
| LAME-UP 230-6 | 230-6              | 1572,40                              | 1124            | 830             | 584             | 9 | 9                 | 230          | 15          | 27          | 32,7              | 14,0               | 1200                                                     | 148,50 |
| LAME-UP 230-7 | 230-7              | 1782,50                              | 1302            | 961             | 677             | 9 | 9                 | 230          | 15          | 27          | 37,8              | 16,2               | 1200                                                     | 148,50 |
| LAME-UP 230-8 | 230-8              | 2010,00                              | 1502            | 1108            | 781             | 9 | 9                 | 230          | 15          | 31          | 43,5              | 18,7               | 1500                                                     | 159,40 |

► Available in Stock

Δt different from 50 K: consult technical data Brem

Thermostats p.208-209

## FREESTANDING VERSION

Fittings on floor (t.c. ▲ ▼ 9 cm)

e.g. LAME-UP 200-4, EG ø 1/2", SB9005

Extra

Art. Lame-UPC 136,90€

## STANDARD PRODUCTION

White "sablé" SB9016 paintwork

Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list +15/25%

n.1 spotlight LED 1 W Art. F.LED1 65,00€

n.2 spotlight LEDS 1 W Art. F.LED2 108,20€

## STANDARD FITTINGS

EG ø 1/2"

Electric version e.Lame-UP p. 243















## TAPPING CENTRES ▲▽ = 9 cm

Standard position  
on the short side

Position on the long side  
Art. LAME-UPL 72,50€  
(extra)



- Delivery
- Return
- Electric Heating Element
- LED on request




LAME-UP 200-4

## RECOMMENDED VALVES

CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16



ANGLED MINI VALVES KIT  
Art. KMS

page 270  
124,00€

WALL POSITION  
with angled valves



FREESTANDING POSITION  
Art. LAME-UPC with straight valves



# HERG

design Luigi Brembilla

HERG is a new radiator with parallel steel fins rising from the floor up to the ceiling and

set at a distance of either 50 or 80 mm, as requested. It features large rectangular tubes

arranged in regular patterns altering the heat output depending on their step and height.

## DIMENSIONS

H (HG/HGB): 177/197/217/237/257 cm

(HGS): 180/200/220/240 cm


Width: from 17 to 98 cm

Depth: 12 cm

### Element STEP 50 (PE50)



### Element STEP 80 (PE80)



|            |            | EN 442 Watt $\Delta t$ 50K ( $\Delta t$ 40K = $W \times 0,755$ ) ( $\Delta t$ 30K = $W \times 0,526$ ) |         |         |         |         |         |         |         |         |         |         |         |         |         |
|------------|------------|--------------------------------------------------------------------------------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| MOD'25     | n°elements | 4                                                                                                      |         | 5       |         | 6       |         | 7       |         | 8       |         | 9       |         | 10      |         |
|            | step mm    |                                                                                                        |         |         |         |         |         |         |         |         |         |         |         |         |         |
| H cm       | L cm       | /50                                                                                                    | /80     | /50     | /80     | /50     | /80     | /50     | /80     | /50     | /80     | /50     | /80     | /50     | /80     |
| HG..177/.. | €          | 790,90                                                                                                 | 901,00  | 1011,20 | 1121,30 | 1231,40 | 1341,50 | 1451,60 | 1561,60 | 1671,70 | 1781,90 | 1891,80 | 2001,90 | 2111,90 | 2221,90 |
|            | w          | 540                                                                                                    | 638     | 675     | 798     | 810     | 957     | 945     | 1117    | 1080    | 1276    | 1215    | 1436    | 1350    | 1595    |
| HG..197/.. | €          | 825,90                                                                                                 | 940,40  | 1054,70 | 1169,30 | 1283,70 | 1398,30 | 1512,60 | 1627,10 | 1741,50 | 1855,80 | 1970,10 | 2084,40 | 2198,70 | 2313,00 |
|            | w          | 601                                                                                                    | 710     | 751     | 888     | 901     | 1065    | 1051    | 1243    | 1202    | 1420    | 1352    | 1598    | 1502    | 1775    |
| HG..217/.. | €          | 860,80                                                                                                 | 979,80  | 1098,30 | 1217,20 | 1336,00 | 1454,90 | 1573,60 | 1692,30 | 1811,20 | 1930,10 | 2049,00 | 2167,90 | 2286,80 | 2405,70 |
|            | w          | 662                                                                                                    | 782     | 828     | 978     | 993     | 1173    | 1159    | 1369    | 1324    | 1564    | 1490    | 1760    | 1655    | 1955    |
| HG..237/.. | €          | 895,70                                                                                                 | 1018,90 | 1142,10 | 1265,20 | 1388,20 | 1511,40 | 1634,50 | 1757,70 | 1880,80 | 2004,00 | 2127,10 | 2250,30 | 2373,40 | 2496,50 |
|            | w          | 723                                                                                                    | 854     | 904     | 1068    | 1084    | 1282    | 1265    | 1495    | 1446    | 1709    | 1626    | 1922    | 1807    | 2136    |
| HG..257/.. | €          | 930,70                                                                                                 | 1058,20 | 1185,60 | 1313,00 | 1440,70 | 1568,10 | 1695,60 | 1823,00 | 1950,50 | 2077,50 | 2204,50 | 2331,50 | 2458,50 | 2585,50 |
|            | w          | 784                                                                                                    | 926     | 980     | 1158    | 1176    | 1390    | 1372    | 1621    | 1568    | 1853    | 1764    | 2084    | 1960    | 2316    |
| HGS 180/.. | €          | 851,40                                                                                                 | 976,60  | 1102,00 | 1227,20 | 1352,40 | 1477,60 | 1602,80 | 1727,90 | 1853,20 | 1978,50 | 2103,80 | 2229,10 | 2354,40 | 2479,70 |
|            | w          | 574                                                                                                    | 678     | 717     | 847     | 860     | 1016    | 1004    | 1186    | 1147    | 1355    | 1291    | 1525    | 1434    | 1694    |
| HGS 200/.. | €          | 886,40                                                                                                 | 1016,00 | 1145,40 | 1275,10 | 1404,70 | 1534,40 | 1663,80 | 1793,50 | 1922,90 | 2052,40 | 2181,90 | 2311,40 | 2440,90 | 2570,40 |
|            | w          | 634                                                                                                    | 750     | 793     | 937     | 952     | 1124    | 1110    | 1312    | 1269    | 1499    | 1427    | 1687    | 1586    | 1874    |
| HGS 220/.. | €          | 921,30                                                                                                 | 1055,40 | 1189,00 | 1323,10 | 1457,00 | 1591,00 | 1724,80 | 1858,60 | 1992,60 | 2126,70 | 2260,80 | 2394,90 | 2529,00 | 2663,10 |
|            | w          | 696                                                                                                    | 822     | 870     | 1028    | 1043    | 1233    | 1217    | 1439    | 1391    | 1644    | 1565    | 1850    | 1739    | 2055    |
| HGS 240/.. | €          | 956,10                                                                                                 | 1094,50 | 1232,80 | 1371,00 | 1509,20 | 1647,50 | 1785,70 | 1924,00 | 2062,30 | 2200,60 | 2338,90 | 2477,20 | 2615,50 | 2753,80 |
|            | w          | 756                                                                                                    | 894     | 946     | 1118    | 1135    | 1341    | 1324    | 1565    | 1513    | 1788    | 1702    | 2012    | 1891    | 2235    |

Intermediate heights, every 10 cm, by interpolation. Made-to-measure heights on request.

$\Delta t$  different from 50 K: consult technical data Brem



Mod. HG

E.g. : HG 197/50-5el AC 1/2"



Mod. HGB

E.g. : HGB 197/80-5el REG 1/2"



Mod. HGS

E.g. : HGS 180/50-10el EG 1/2"

## STANDARD PRODUCTION

White sablé SB9016 paintwork with brackets

Tolerance  $\pm$  3mm - Air vent  $\varnothing$  1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list (with colored

brackets) +15/25%

Electric version mod. e.HGS p.235

## STANDARD FITTING

AC  $\varnothing$  1/2" - BD on request


Mod. HGB: REG  $\varnothing$  1/2"

Mod. HGS: EG  $\varnothing$  1/2"






## TAPPING CENTRES MOD. HG





Standard side fittings in AC  $\Delta \nabla = 5$  cm  
in BD (right) fitting on request without extra, p. 278

## TAPPING CENTRES MOD. HGB



REG fittings, from  $L > 21$  cm, with angled valves  
from  $L > 30$  cm with angled valves or reverse valves  
Mod. HGB ..4el. ( $L = 17$  cm) only fittings AC


## TAPPING CENTRES MOD. HGS



## RECOMMENDED VALVES

CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer  $\varnothing 16$ , copper  $\varnothing 12$ , 14)
- n°2 Chrome wall plates  $\varnothing 48$ , hole  $\varnothing 16$




ANGLED QUADRA VALVES KIT  
page 271 Art. KQS  
Extra for BREM color list

180,10€  
53,40€

## SPECIAL FINISHES



page 267  
Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€



ANGLED CYL VALVES KIT with THERMOSTATIC  
option, page.273 Art. KCS 149,90€  
Extra for BREM color list 53,40€

## REMOTE FITTINGS

Art. REM 42,10€  
Tapping centres: at the rear of radiator  $\Delta \nabla$  EG  
DISTANT Valves page 274



ANGLED TON VALVES KIT with THERMOSTATIC  
Head, page 269 Art. KTS 190,30€



HERG HG 237-5el

# META

META is constructed with the columns welded to the section of the manifold with an ES

(element step) that can be varied from 30 to 70 mm at 5 mm intervals.

The heating element can be composed using columns of 50 or 70 mm depth.

## DIMENSIONS

Width: from 10,5 cm to 6m


Height: from 21 to 220 cm

Depth: M1000: 8,2/10,2 cm

M2000: 12,9/16,9 cm

Depth from wall: M1000: 11,5/13,5 cm

M2000: 15,5/19,5 cm





Widths from 3 elements to 6 m

$L = (\text{no. of elements} - 1) \times \text{PE (step)} + 45 \text{ mm}$

PE = step between elements:

30 - 35 - 40 - 45 - 50 - 55 - 60 - 65 - 70 mm



## STANDARD PRODUCTION

White sablé SB9016 paintwork white brackets

Tolerance  $\pm 3 \text{ mm}$  - Air vent  $\varnothing 3/8"$

MAXIMUM OPERATING PRESSURE 6 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with colored brackets

+15/25%

Special versions, by estimate H max 2,2 m

## STANDARD FITTING

EG  $\varnothing 1/2"$


Special fittings page 278







## TAPPING CENTRES

MODEL M..1000 with single column  
standard fitting EG  $\varnothing 1/2"$




MODEL M..2000 with double column  
standard fittings EG  $\varnothing 1/2"$



## RECOMMENDED VALVES

CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer  $\varnothing 16$ , copper  $\varnothing 12$ , 14)
- n°2 Chrome wall plates  $\varnothing 48$ , hole  $\varnothing 16$




ANGLED QUADRA VALVES KIT  
page 271 Art. KQS  
Extra for BREM color list

180,10€  
53,40€

## SPECIAL FINISHES

Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€



ANGLED CYL VALVES KIT with THERMOSTATIC  
option, page.273 Art. KCS  
Extra for BREM color list

149,90€  
53,40€


## FIXED FOOT

META feet are built from the heating element's tube  
and welded to the radiator (H=15cm)

|                        |          |         |
|------------------------|----------|---------|
| M 1000                 | Art. P1N | 139,90€ |
| M 2000 (in the middle) | Art. P1N | 139,90€ |



META M5 1220/50-10 el




ANGLED TON VALVES KIT with THERMOSTATIC  
Head, page 269 Art. KTS 190,30€

# META M7 STEP 50 SINGLE COLUMN

EN 442 Watt  $\Delta t$  50K ( $\Delta t$  40K =  $W \times 0,755$ ) ( $\Delta t$  30K =  $W \times 0,526$ )


| M7 MODEL<br>LOW | (n° el)<br>L cm<br>▲▼ | 10 el.<br>49,5<br>40 | 12 el.<br>59,5<br>50 | 14 el.<br>69,5<br>60 | 16 el.<br>79,5<br>70 | 18 el.<br>89,5<br>80 | 20 el.<br>99,5<br>90 | 22 el.<br>109,5<br>100 | 24 el.<br>119,5<br>110 | 26 el.<br>129,5<br>120 | 28 el.<br>139,5<br>130 | 30 el.<br>149,5<br>140 |
|-----------------|-----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
| H cm            |                       |                      |                      |                      |                      |                      |                      |                        |                        |                        |                        |                        |
| M7 1050/50      | €                     | 295,00               | 333,60               | 372,00               | 410,70               | 449,10               | 487,60               | 526,10                 | 564,80                 | 603,20                 | 641,90                 | 680,30                 |
| H 50            | w                     | 372w                 | 446w                 | 521w                 | 595w                 | 670w                 | 744w                 | 818w                   | 893w                   | 967w                   | 1042w                  | 1116w                  |
| M7 1060/50      | €                     | 313,30               | 353,90               | 394,30               | 434,90               | 475,40               | 516,00               | 556,60                 | 597,10                 | 637,70                 | 678,30                 | 718,90                 |
| H 60            | w                     | 438w                 | 526w                 | 613w                 | 701w                 | 788w                 | 876w                 | 964w                   | 1051w                  | 1139w                  | 1226w                  | 1314w                  |
| M7 1075/50      | €                     | 346,50               | 393,90               | 441,00               | 488,30               | 535,40               | 582,70               | 629,90                 | 677,10                 | 724,40                 | 771,50                 | 818,90                 |
| H 75            | w                     | 530w                 | 636w                 | 742w                 | 848w                 | 954w                 | 1060w                | 1166w                  | 1272w                  | 1378w                  | 1484w                  | 1590w                  |
| M7 1090/50      | €                     | 371,20               | 423,20               | 475,40               | 527,70               | 579,70               | 631,90               | 684,00                 | 736,20                 | 788,20                 | 840,50                 | 892,70                 |
| H 90            | w                     | 636w                 | 763w                 | 890w                 | 1018w                | 1145w                | 1272w                | 1399w                  | 1526w                  | 1654w                  | 1781w                  | 1908w                  |




META 1000

| M7 MODEL<br>HIGH | (n° el)<br>L cm<br>▲▼ | 5 el.<br>24,5<br>15 | 6 el.<br>29,5<br>20 | 7 el.<br>34,5<br>25 | 8 el.<br>39,5<br>30 | 9 el.<br>44,5<br>35 | 10 el.<br>49,5<br>40 | 11 el.<br>54,5<br>45 | 12 el.<br>59,5<br>50 | 13 el.<br>64,5<br>55 | 14 el.<br>69,5<br>60 | 15 el.<br>74,5<br>65 |
|------------------|-----------------------|---------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| H cm             |                       |                     |                     |                     |                     |                     |                      |                      |                      |                      |                      |                      |
| M7 1160/50       | €                     | 320,60              | 362,50              | 404,60              | 446,40              | 488,50              | 530,40               | 572,70               | 614,70               | 656,70               | 698,60               | 740,60               |
| H 160            | w                     | 535W                | 642W                | 749W                | 856W                | 964W                | 1070W                | 1177W                | 1284W                | 1391W                | 1499W                | 1605W                |
| M7 1180/50       | €                     | 342,80              | 389,40              | 435,90              | 482,50              | 529,00              | 575,50               | 621,90               | 668,50               | 714,80               | 761,40               | 808,00               |
| H 180            | w                     | 602w                | 722w                | 843w                | 963w                | 1084w               | 1204w                | 1324w                | 1445w                | 1565w                | 1686w                | 1806w                |
| M7 1200/50       | €                     | 364,70              | 415,40              | 466,20              | 517,20              | 568,10              | 619,00               | 669,80               | 720,60               | 771,40               | 822,40               | 873,10               |
| H 200            | w                     | 652w                | 782w                | 912w                | 1042w               | 1173w               | 1303w                | 1433w                | 1564w                | 1694w                | 1824w                | 1955w                |
| M7 1220/50       | €                     | 400,10              | 458,20              | 516,00              | 574,00              | 631,90              | 689,90               | 747,80               | 805,80               | 863,80               | 921,60               | 979,70               |
| H 220            | w                     | 715w                | 857w                | 1000w               | 1143w               | 1286w               | 1429w                | 1572w                | 1715w                | 1858w                | 2001w                | 2144w                |

$\Delta t$  different, consult Technical data Brem



META 1000




All sizes listed on pages 20-21

Model META column depth single column H cm step mm no. el  
M 7 1 200/50- 8 el



# META M7 STEP 50 DOUBLE COLUMN


| M7 MODEL<br>LOW    | (n° el)<br>L cm<br>H cm | 10 el.<br>49,5<br>40 | 12 el.<br>59,5<br>50 | 14 el.<br>69,5<br>60 | 16 el.<br>79,5<br>70 | 18 el.<br>89,5<br>80 | EN 442 Watt $\Delta t$ 50K ( $\Delta t$ 40K = $W \times 0,755$ ) ( $\Delta t$ 30K = $W \times 0,526$ ) |                        |                        |                        |                        |                        |
|--------------------|-------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|--------------------------------------------------------------------------------------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|
|                    |                         |                      |                      |                      |                      |                      | 20 el.<br>99,5<br>90                                                                                   | 22 el.<br>109,5<br>100 | 24 el.<br>119,5<br>110 | 26 el.<br>129,5<br>120 | 28 el.<br>139,5<br>130 | 30 el.<br>149,5<br>140 |
| M7 2050/50<br>H 50 | €<br>w                  | 517,60<br>627w       | 593,60<br>752w       | 669,90<br>878w       | 746,10<br>1003w      | 822,40<br>1129w      | 898,40<br>1254w                                                                                        | 974,60<br>1379w        | 1051,00<br>1505w       | 1127,10<br>1630w       | 1203,20<br>1756w       | 1279,50<br>1881w       |
| M7 2060/50<br>H 60 | €<br>w                  | 563,80<br>741w       | 649,30<br>889w       | 734,90<br>1037w      | 820,20<br>1186w      | 905,70<br>1334w      | 991,30<br>1482w                                                                                        | 1076,70<br>1630w       | 1162,20<br>1778w       | 1247,60<br>1927w       | 1333,10<br>2075w       | 1418,60<br>2223w       |
| M7 2075/50<br>H 75 | €<br>w                  | 630,40<br>911w       | 729,40<br>1093w      | 828,00<br>1275w      | 927,00<br>1458w      | 1025,70<br>1640w     | 1124,60<br>1822w                                                                                       | 1223,30<br>2004w       | 1322,00<br>2186w       | 1420,80<br>2369w       | 1519,70<br>2551w       | 1618,50<br>2733w       |
| M7 2090/50<br>H 90 | €<br>w                  | 700,00<br>1091w      | 812,80<br>1309w      | 925,30<br>1527w      | 1038,10<br>1746w     | 1150,80<br>1964w     | 1263,50<br>2182w                                                                                       | 1376,20<br>2400w       | 1489,00<br>2618w       | 1601,60<br>2837w       | 1714,40<br>3055w       | 1827,10<br>3273w       |



META 2000

| M7 MODEL<br>HIGH    | (n° el)<br>L cm<br>H cm | 5 el.<br>24,5<br>15 | 6 el.<br>29,5<br>20 | 7 el.<br>34,5<br>25 | 8 el.<br>39,5<br>30 | 9 el.<br>44,5<br>35 | 10 el.<br>49,5<br>40 | 11 el.<br>54,5<br>45 | 12 el.<br>59,5<br>50 | 13 el.<br>64,5<br>55 | 14 el.<br>69,5<br>60 | 15 el.<br>74,5<br>65 |
|---------------------|-------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
|                     |                         |                     |                     |                     |                     |                     |                      |                      |                      |                      |                      |                      |
| M7 2160/50<br>H 160 | €<br>w                  | 577,50<br>927W      | 665,90<br>1112W     | 753,90<br>1298W     | 842,40<br>1483W     | 930,50<br>1668W     | 1018,80<br>1853W     | 1107,00<br>2039W     | 1195,30<br>2224W     | 1283,40<br>2410W     | 1371,60<br>2595W     | 1459,80<br>2780W     |
| M7 2180/50<br>H 180 | €<br>w                  | 623,30<br>1043w     | 720,60<br>1251w     | 817,90<br>1460w     | 915,30<br>1668w     | 1012,60<br>1877w    | 1109,90<br>2085w     | 1207,50<br>2294w     | 1304,80<br>2502w     | 1402,10<br>2711w     | 1499,50<br>2919w     | 1596,80<br>3128w     |
| M7 2200/50<br>H 200 | €<br>w                  | 668,80<br>1157w     | 775,60<br>1388w     | 881,80<br>1620w     | 988,30<br>1851w     | 1094,80<br>2083w    | 1201,30<br>2314w     | 1307,60<br>2545w     | 1414,30<br>2777w     | 1520,80<br>3008w     | 1627,30<br>3240w     | 1733,60<br>3471w     |
| M7 2220/50<br>H 220 | €<br>w                  | 713,70<br>1272w     | 829,30<br>1526w     | 944,60<br>1780w     | 1060,30<br>2034w    | 1175,60<br>2289w    | 1291,20<br>2543w     | 1406,50<br>2797w     | 1521,90<br>3052w     | 1637,50<br>3306w     | 1752,80<br>3560w     | 1868,40<br>3815w     |

$\Delta t$  different, consult Technical data Brem



All sizes listed on pages 20-21

## HOW TO ORDER

State: model, column (whether single or double), height in cm, step in mm, number of elements; fitting and color  
e.g.: M7 2 200-70 6 el, AC  $\varnothing$  1/2" BR 0033

Model  
META

column  
depth

double  
column


H  
cm

step  
mm

no.  
el

M 7 2 180/50- 14el

META 2000



# META 1000

## FULL LIST OF THERMAL OUTPUTS AND PRICES

| MOD.       | step<br>column<br>H | ..30  |       | ..35  |       | ..40  |       | ..45  |       | ..50  |       | ..55  |       | ..60  |       | ..65  |       | ..70  |       | EN 442 Watt $\Delta t$ 50K ( $\Delta t$ 30K = $W \times 0,526$ ) |             | PRICE |  |
|------------|---------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------------------------------------------------------------------|-------------|-------|--|
|            |                     | M5    | M7    | M5    | M7    | M5    | M7    | M5    | M7    | M5    | M7    | M5    | M7    | M5    | M7    | M5    | M7    | M5    | M7    | element                                                          | fixed price |       |  |
|            |                     | w/el. | w/el. | w/el. | w/el. | w/el. | w/el. | w/el. | w/el. | w/el. | w/el. | w/el. | w/el. | w/el. | w/el. | w/el. | w/el. | w/el. | w/el. | w/el.                                                            | € x n°el.   | + €   |  |
| M..1030-.. |                     | 18,6  | 21,6  | 19,3  | 22,4  | 20,0  | 23,2  | 20,9  | 24,0  | 21,7  | 24,8  | 22,5  | 25,7  | 23,3  | 26,6  | 24,1  | 27,4  | 24,9  | 28,1  | 16,7                                                             | 102,2       |       |  |
| M..1035-.. |                     | 20,9  | 25,1  | 21,7  | 25,9  | 22,5  | 26,8  | 23,4  | 27,7  | 24,2  | 28,5  | 25,0  | 29,4  | 25,8  | 30,3  | 26,6  | 31,1  | 27,4  | 31,9  | 17,1                                                             | 102,3       |       |  |
| M..1040-.. |                     | 23,0  | 27,1  | 23,8  | 28,1  | 24,7  | 29,0  | 25,6  | 29,8  | 26,5  | 30,5  | 27,3  | 31,7  | 28,2  | 32,9  | 29,0  | 33,9  | 29,9  | 34,9  | 17,7                                                             | 102,3       |       |  |
| M..1045-.. |                     | 25,7  | 30,1  | 26,6  | 31,0  | 27,4  | 32,0  | 28,2  | 33,1  | 29,1  | 34,2  | 29,8  | 35,0  | 30,6  | 35,8  | 31,4  | 37,2  | 32,2  | 38,6  | 18,4                                                             | 102,3       |       |  |
| M..1050-.. |                     | 28,0  | 32,3  | 28,9  | 33,6  | 29,8  | 34,9  | 30,7  | 36,0  | 31,6  | 37,2  | 32,5  | 38,4  | 33,3  | 39,5  | 34,1  | 40,6  | 35,0  | 41,6  | 19,3                                                             | 102,4       |       |  |
| M..1055-.. |                     | 30,9  | 35,3  | 31,8  | 36,6  | 32,8  | 37,9  | 33,7  | 39,4  | 34,6  | 40,8  | 35,4  | 41,7  | 36,2  | 42,5  | 37,1  | 43,9  | 38,0  | 45,3  | 19,6                                                             | 102,5       |       |  |
| M..1060-.. |                     | 33,0  | 38,2  | 34,0  | 39,5  | 35,0  | 40,8  | 35,9  | 42,3  | 36,9  | 43,8  | 37,8  | 45,0  | 38,6  | 46,2  | 39,5  | 47,2  | 40,5  | 48,3  | 20,3                                                             | 110,5       |       |  |
| M..1065-.. |                     | 35,3  | 41,0  | 36,4  | 42,4  | 37,4  | 43,8  | 38,5  | 45,6  | 39,6  | 47,5  | 40,6  | 48,3  | 41,6  | 49,2  | 42,6  | 50,6  | 43,6  | 52,0  | 21,4                                                             | 110,6       |       |  |
| M..1070-.. |                     | 37,3  | 43,2  | 38,5  | 45,0  | 39,8  | 46,7  | 41,0  | 48,6  | 42,2  | 50,4  | 43,4  | 51,7  | 44,5  | 52,9  | 45,7  | 54,3  | 46,9  | 55,7  | 22,5                                                             | 110,5       |       |  |
| M..1075-.. |                     | 39,6  | 46,1  | 40,8  | 47,9  | 42,1  | 49,7  | 43,4  | 51,5  | 44,7  | 53,3  | 45,9  | 54,6  | 47,0  | 55,9  | 48,3  | 57,3  | 49,5  | 58,6  | 23,6                                                             | 110,3       |       |  |
| M..1080-.. |                     | 42,3  | 49,0  | 43,5  | 50,8  | 44,8  | 52,6  | 46,0  | 54,8  | 47,2  | 57,0  | 48,2  | 58,3  | 49,3  | 59,6  | 50,5  | 61,0  | 51,7  | 62,3  | 24,8                                                             | 110,5       |       |  |
| M..1090-.. |                     | 46,8  | 55,7  | 48,3  | 57,4  | 49,7  | 59,2  | 51,2  | 61,4  | 52,7  | 63,6  | 54,0  | 64,9  | 55,3  | 66,2  | 56,7  | 67,6  | 58,2  | 69,0  | 26,1                                                             | 110,5       |       |  |
| M..1100-.. |                     | 52,6  | 61,3  | 54,0  | 63,2  | 55,4  | 65,1  | 56,7  | 67,2  | 58,1  | 69,4  | 59,3  | 71,1  | 60,4  | 72,8  | 61,8  | 74,3  | 63,1  | 75,7  | 28,1                                                             | 110,5       |       |  |
| M..1110-.. |                     | 57,6  | 67,1  | 59,0  | 69,0  | 60,5  | 70,9  | 62,0  | 73,4  | 63,5  | 75,9  | 64,8  | 77,7  | 66,0  | 79,5  | 67,5  | 81,3  | 69,0  | 83,1  | 30,7                                                             | 110,6       |       |  |
| M..1120-.. |                     | 61,9  | 72,2  | 63,5  | 74,5  | 65,1  | 76,7  | 66,7  | 79,6  | 68,3  | 82,4  | 69,6  | 84,3  | 71,0  | 86,1  | 72,6  | 87,9  | 74,2  | 89,7  | 32,7                                                             | 110,4       |       |  |
| M..1150-.. |                     | 77,7  | 88,7  | 79,5  | 91,4  | 81,3  | 94,2  | 83,1  | 97,7  | 84,9  | 101,1 | 86,3  | 103,5 | 87,8  | 105,9 | 89,6  | 107,8 | 91,5  | 109,6 | 38,4                                                             | 110,6       |       |  |
| M..1160-.. |                     | 81,2  | 93,7  | 83,3  | 96,8  | 85,4  | 99,9  | 87,6  | 103,8 | 89,7  | 107,6 | 91,5  | 110,0 | 93,2  | 112,5 | 95,4  | 114,7 | 97,6  | 117,0 | 42,0                                                             | 110,3       |       |  |
| M..1175-.. |                     | 89,2  | 103,0 | 91,3  | 106,2 | 93,5  | 109,3 | 95,6  | 113,1 | 97,8  | 116,9 | 99,5  | 119,4 | 101,2 | 122,0 | 103,5 | 124,3 | 105,8 | 126,6 | 44,2                                                             | 110,5       |       |  |
| M..1180-.. |                     | 92,1  | 106,0 | 94,2  | 109,1 | 96,4  | 112,2 | 98,6  | 116,3 | 100,8 | 120,4 | 102,6 | 123,0 | 104,3 | 125,6 | 106,6 | 127,9 | 108,9 | 130,3 | 46,5                                                             | 110,5       |       |  |
| M..1190-.. |                     | 97,1  | 111,8 | 99,4  | 114,8 | 101,7 | 117,9 | 104,1 | 120,9 | 106,4 | 124,0 | 108,2 | 128,1 | 110,0 | 132,3 | 112,5 | 135,8 | 114,9 | 139,3 | 48,8                                                             | 110,6       |       |  |
| M..1200-.. |                     | 102,2 | 117,6 | 104,6 | 120,8 | 107,0 | 124,0 | 109,5 | 127,1 | 111,9 | 130,3 | 113,8 | 134,7 | 115,7 | 139,1 | 118,4 | 142,9 | 121,0 | 146,6 | 50,9                                                             | 110,5       |       |  |
| M..1210-.. |                     | 107,2 | 123,4 | 109,8 | 126,7 | 112,3 | 130,1 | 114,9 | 133,4 | 117,5 | 136,6 | 119,5 | 141,3 | 121,5 | 146,0 | 124,2 | 149,9 | 127,0 | 153,9 | 53,3                                                             | 110,4       |       |  |
| M..1220-.. |                     | 112,2 | 129,2 | 114,9 | 132,7 | 117,6 | 136,1 | 120,3 | 139,5 | 123,1 | 142,9 | 125,1 | 147,9 | 127,2 | 152,8 | 130,1 | 157,0 | 133,1 | 161,2 | 57,9                                                             | 110,5       |       |  |


The radiator heat output is determined by multiplying the heat output of a single column by the number of elements.

The cost of the column is determined only by its height and does not depend on its depth or step between elements.

The cost of the radiator is determined by multiplying the unit price of one column by the number of elements and then adding this to the fixed price.

Model META    column depth    single column    H cm    step mm    no. el.

M 7    1200/70- 8 el



**How to choose the META radiator**  
Given the number of Watts necessary to heat a room (e.g. 1175 W) with a radiator at a height of 200 cm, find the number of elements by varying the step as required by the space available:

| MODEL      | el. | l(cm) | W    | €      |
|------------|-----|-------|------|--------|
| M7 1200/70 | 8   | 53,5  | 1173 | 517,70 |
| M7 1200/50 | 9   | 44,5  | 1173 | 568,60 |
| M7 1200/30 | 10  | 31,5  | 1176 | 619,50 |

### WIDTHS OF RADIATORS

| WIDTHS OF RADIATORS |      | number of elements |      |      |      |      |       |       |       |       |       |       |       |       |       |       |
|---------------------|------|--------------------|------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| element             | step | 5 el               | 6 el | 7 el | 8 el | 9 el | 10 el | 11 el | 12 el | 13 el | 14 el | 15 el | 16 el | 17 el | 18 el | 19 el |
| M.../30             | L cm | 16,5               | 19,5 | 22,5 | 25,5 | 28,5 | 31,5  | 34,5  | 37,5  | 40,5  | 43,5  | 46,5  | 49,5  | 52,5  | 55,5  | 58,5  |
| M.../35             | L cm | 18,5               | 22,0 | 25,5 | 29,0 | 32,5 | 36,0  | 39,5  | 43,0  | 46,5  | 50,0  | 53,5  | 57,0  | 60,5  | 64,0  | 67,5  |
| M.../40             | L cm | 20,5               | 24,5 | 28,5 | 32,5 | 36,5 | 40,5  | 44,5  | 48,5  | 52,5  | 56,5  | 60,5  | 64,5  | 68,5  | 72,5  | 76,5  |
| M.../45             | L cm | 22,5               | 27,0 | 31,5 | 36,0 | 40,5 | 45,0  | 49,5  | 54,0  | 58,5  | 63,0  | 67,5  | 72,0  | 76,5  | 81,0  | 85,5  |
| M.../50             | L cm | 24,5               | 29,5 | 34,5 | 39,5 | 44,5 | 49,5  | 54,5  | 59,5  | 64,5  | 69,5  | 74,5  | 79,5  | 84,5  | 89,5  | 94,5  |
| M.../55             | L cm | 26,5               | 32,0 | 37,5 | 43,0 | 48,5 | 54,0  | 59,5  | 65,0  | 70,5  | 76,0  | 81,5  | 87,0  | 92,5  | 98,0  | 103,5 |
| M.../60             | L cm | 28,5               | 34,5 | 40,5 | 46,5 | 52,5 | 58,5  | 64,5  | 70,5  | 76,5  | 82,5  | 88,5  | 94,5  | 101,0 | 107,0 | 113,0 |
| M.../65             | L cm | 30,5               | 37,0 | 43,5 | 50,0 | 56,5 | 63,0  | 69,5  | 76,0  | 82,5  | 89,0  | 95,5  | 102,0 | 108,5 | 115,0 | 121,5 |
| M.../70             | L cm | 32,5               | 39,5 | 46,5 | 53,5 | 60,5 | 67,5  | 74,5  | 81,5  | 88,5  | 95,5  | 102,5 | 109,5 | 116,5 | 123,5 | 130,5 |



# META 2000

## FULL LIST OF THERMAL OUTPUTS AND PRICES

| MOD.       | stepPE<br>column<br>H | ...30       |             | ...35       |             | ...40       |             | ...45       |             | ...50       |             | ...55       |             | ...60       |             | ...65       |             | ...70       |             | PRICE                |                    |
|------------|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|----------------------|--------------------|
|            |                       | M5<br>w/el. | M7<br>w/el. | M5<br>w/el. | M7<br>w/el. | M5<br>w/el. | M7<br>w/el. | M5<br>w/el. | M7<br>w/el. | M5<br>w/el. | M7<br>w/el. | M5<br>w/el. | M7<br>w/el. | M5<br>w/el. | M7<br>w/el. | M5<br>w/el. | M7<br>w/el. | M5<br>w/el. | M7<br>w/el. | element<br>€ x n°el. | fixed price<br>+ € |
| M..2030-.. |                       | 31,0        | 36,2        | 32,1        | 37,3        | 33,3        | 38,5        | 34,5        | 39,7        | 35,7        | 40,9        | 36,9        | 42,1        | 38,0        | 43,3        | 39,1        | 44,3        | 40,2        | 45,3        | 30,4                 | 143,0              |
| M..2035-.. |                       | 35,6        | 42,8        | 36,8        | 44,0        | 38,0        | 45,2        | 39,1        | 46,4        | 40,3        | 47,5        | 41,3        | 48,7        | 42,3        | 49,8        | 43,3        | 50,8        | 44,3        | 51,7        | 33,0                 | 142,9              |
| M..2040-.. |                       | 39,4        | 46,5        | 40,7        | 47,9        | 41,9        | 49,2        | 43,2        | 50,5        | 44,4        | 51,8        | 45,5        | 53,1        | 46,5        | 54,4        | 47,6        | 55,5        | 48,7        | 56,6        | 33,6                 | 142,9              |
| M..2045-.. |                       | 44,4        | 51,9        | 45,6        | 53,3        | 46,7        | 54,7        | 47,8        | 56,1        | 49,0        | 57,5        | 49,9        | 58,9        | 50,9        | 60,4        | 51,9        | 61,5        | 52,9        | 62,7        | 36,1                 | 136,3              |
| M..2050-.. |                       | 48,4        | 55,9        | 49,7        | 57,6        | 51,0        | 59,4        | 52,3        | 61,1        | 53,5        | 62,7        | 54,6        | 64,5        | 55,7        | 66,3        | 56,8        | 67,8        | 58,0        | 69,2        | 38,1                 | 136,7              |
| M..2055-.. |                       | 53,7        | 61,2        | 55,0        | 63,0        | 56,3        | 64,9        | 57,5        | 66,7        | 58,8        | 68,4        | 59,9        | 70,4        | 61,0        | 72,3        | 62,2        | 73,9        | 63,3        | 75,4        | 40,4                 | 136,5              |
| M..2060-.. |                       | 57,5        | 66,4        | 58,9        | 68,3        | 60,3        | 70,3        | 61,7        | 72,2        | 63,0        | 74,1        | 64,2        | 76,2        | 65,4        | 78,2        | 66,7        | 79,9        | 67,9        | 81,6        | 42,7                 | 136,4              |
| M..2065-.. |                       | 61,6        | 71,6        | 63,2        | 73,8        | 64,8        | 75,8        | 66,4        | 78,0        | 68,0        | 80,1        | 69,4        | 82,4        | 70,7        | 84,6        | 72,2        | 86,5        | 73,7        | 88,3        | 44,8                 | 136,4              |
| M..2070-.. |                       | 65,3        | 75,6        | 67,2        | 78,1        | 69,1        | 80,6        | 71,0        | 83,1        | 72,9        | 85,5        | 74,5        | 88,2        | 76,1        | 90,9        | 77,9        | 93,1        | 79,6        | 95,3        | 47,4                 | 136,6              |
| M..2075-.. |                       | 69,4        | 80,9        | 71,5        | 83,5        | 73,5        | 86,0        | 75,5        | 88,6        | 77,5        | 91,1        | 79,2        | 93,9        | 80,9        | 96,7        | 82,8        | 99,1        | 84,7        | 101,4       | 49,4                 | 136,4              |
| M..2080-.. |                       | 74,6        | 86,3        | 76,5        | 89,1        | 78,4        | 91,8        | 80,2        | 94,5        | 82,1        | 97,2        | 83,7        | 100,2       | 85,3        | 103,2       | 87,1        | 105,8       | 88,9        | 108,3       | 51,9                 | 136,4              |
| M..2090-.. |                       | 82,7        | 98,3        | 85,1        | 101,0       | 87,4        | 103,7       | 89,8        | 106,5       | 92,1        | 109,1       | 94,2        | 112,2       | 96,2        | 115,3       | 98,5        | 117,9       | 100,7       | 120,5       | 56,4                 | 136,5              |
| M..2100-.. |                       | 93,2        | 108,7       | 95,5        | 111,6       | 97,7        | 114,5       | 99,9        | 117,4       | 102,1       | 120,3       | 103,9       | 123,7       | 105,8       | 127,2       | 107,9       | 130,0       | 110,0       | 132,7       | 60,9                 | 136,4              |
| M..2110-.. |                       | 102,3       | 119,1       | 104,7       | 122,4       | 107,2       | 125,5       | 109,7       | 128,8       | 112,1       | 132,0       | 114,2       | 135,8       | 116,2       | 139,6       | 118,6       | 142,9       | 121,0       | 146,1       | 65,5                 | 136,4              |
| M..2120-.. |                       | 110,6       | 129,0       | 113,1       | 132,5       | 115,6       | 135,9       | 118,1       | 139,4       | 120,6       | 142,7       | 122,6       | 146,8       | 124,5       | 150,9       | 126,9       | 154,3       | 129,3       | 157,6       | 70,0                 | 136,6              |
| M..2150-.. |                       | 140,7       | 160,6       | 143,1       | 164,3       | 145,5       | 168,0       | 147,8       | 171,6       | 150,2       | 175,2       | 151,8       | 179,9       | 153,4       | 184,6       | 155,7       | 188,3       | 157,9       | 192,1       | 83,6                 | 136,3              |
| M..2160-.. |                       | 147,9       | 170,6       | 150,7       | 174,6       | 153,4       | 178,5       | 156,1       | 182,3       | 158,8       | 186,0       | 160,7       | 191,0       | 162,6       | 196,0       | 165,2       | 200,0       | 167,8       | 203,9       | 88,2                 | 136,6              |
| M..2175-.. |                       | 163,4       | 188,8       | 166,0       | 192,4       | 168,5       | 195,9       | 170,9       | 199,2       | 173,3       | 202,5       | 174,8       | 207,2       | 176,3       | 212,0       | 178,6       | 215,6       | 180,9       | 219,2       | 92,9                 | 136,5              |
| M..2180-.. |                       | 169,8       | 195,4       | 172,1       | 198,9       | 174,4       | 202,3       | 176,6       | 205,4       | 178,8       | 208,5       | 180,0       | 213,3       | 181,2       | 217,9       | 183,3       | 221,4       | 185,4       | 224,7       | 97,4                 | 136,4              |
| M..2190-.. |                       | 180,2       | 207,4       | 182,4       | 210,8       | 184,6       | 214,0       | 186,8       | 217,0       | 188,8       | 220,0       | 189,8       | 224,7       | 190,8       | 229,4       | 192,8       | 232,8       | 194,7       | 236,0       | 102,0                | 136,3              |
| M..2200-.. |                       | 190,7       | 219,5       | 192,8       | 222,7       | 194,9       | 225,8       | 196,9       | 228,7       | 198,8       | 231,4       | 199,6       | 236,2       | 200,3       | 240,9       | 202,2       | 244,1       | 203,9       | 247,1       | 106,5                | 136,5              |
| M..2210-.. |                       | 201,3       | 231,7       | 203,3       | 234,8       | 205,3       | 237,7       | 207,1       | 240,3       | 208,9       | 242,8       | 209,4       | 247,6       | 209,8       | 252,2       | 211,5       | 255,3       | 213,1       | 258,2       | 111,0                | 136,4              |
| M..2220-.. |                       | 212,0       | 244,1       | 213,9       | 247,0       | 215,7       | 249,6       | 217,4       | 252,0       | 218,9       | 254,3       | 219,1       | 258,9       | 219,3       | 263,5       | 220,7       | 266,4       | 222,1       | 269,1       | 115,5                | 136,7              |

Δt different from 50 K: consult Technical data Brem

Model  
META

column  
depth


double  
column

height  
cm

step  
mm

n°  
el

M 7 2 180/70- 20 el



META 2000

### How to choose the META radiator

Given the number of Watts necessary to heat a room (e.g. 1620 W) with a radiator at a height of 75 cm, find the number of elements by varying the step as required by the space available:

| MODEL      | el. | l(cm) | W    | €       |
|------------|-----|-------|------|---------|
| M7 2075/70 | 16  | 109,5 | 1622 | 926,80  |
| M7 2075/50 | 18  | 89,5  | 1640 | 1025,60 |
| M7 2075/30 | 20  | 61,5  | 1618 | 1124,40 |

| numbers of elements |       |       |       |       |       |       |       |       |       |       |       | Widths with 3 elements only with side fittings |                             |
|---------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------------------------------------------------|-----------------------------|
| 20 el               | 21 el | 22 el | 23 el | 24 el | 25 el | 26 el | 27 el | 28 el | 29 el | 30 el | 31 el | 32 el                                          | MOD. from 33 el. to 6 m     |
| 61,5                | 64,5  | 67,5  | 70,5  | 73,5  | 76,5  | 79,5  | 82,5  | 85,5  | 88,5  | 91,5  | 94,5  | 97,5                                           | M.../30 (n°el -1) x 30 + 45 |
| 71,0                | 74,5  | 78,0  | 81,5  | 85,0  | 88,5  | 92,0  | 95,5  | 99,0  | 102,5 | 106,0 | 109,5 | 113,0                                          | M.../35 (n°el -1) x 35 + 45 |
| 80,5                | 84,5  | 88,5  | 92,5  | 96,5  | 100,5 | 104,5 | 108,5 | 112,5 | 116,5 | 120,5 | 124,5 | 128,5                                          | M.../40 (n°el -1) x 40 + 45 |
| 90,0                | 94,5  | 99,0  | 103,5 | 108,0 | 112,5 | 117,0 | 121,5 | 126,0 | 130,5 | 135,0 | 139,5 | 144,0                                          | M.../45 (n°el -1) x 45 + 45 |
| 99,5                | 104,5 | 109,5 | 114,5 | 119,5 | 124,5 | 129,5 | 134,5 | 139,5 | 144,5 | 149,5 | 154,5 | 159,5                                          | M.../50 (n°el -1) x 50 + 45 |
| 109,0               | 114,5 | 120,0 | 125,5 | 131,0 | 136,5 | 142,0 | 147,5 | 153,0 | 158,5 | 164,0 | 169,5 | 175,0                                          | M.../55 (n°el -1) x 55 + 45 |
| 118,5               | 124,5 | 130,5 | 136,5 | 142,5 | 148,5 | 154,5 | 160,5 | 166,5 | 172,5 | 178,5 | 184,5 | 190,5                                          | M.../60 (n°el -1) x 60 + 45 |
| 128,0               | 134,5 | 141,0 | 147,5 | 154,0 | 160,5 | 167,0 | 173,5 | 180,0 | 186,5 | 193,0 | 199,5 | 206,0                                          | M.../65 (n°el -1) x 65 + 45 |
| 137,5               | 144,5 | 151,5 | 158,5 | 165,5 | 172,5 | 179,5 | 186,5 | 193,5 | 200,5 | 207,5 | 214,5 | 221,5                                          | M.../70 (n°el -1) x 70 + 45 |

# REGULAR

REGULAR is a new radiator with parallel steel fins set at a distance of either 50 or 80

mm, as requested. It features large rectangular tubes arranged in regular

patterns, altering the heat output depending on their step.

## DIMENSIONS


Height: 53/65/75/85/  
157/177/197/217/237 cm  
Width: from 22 to 202 cm  
Depth: 8 cm  
Depth from wall: 9,5 cm

## ELEMENT STEP 50


L = (n° el. x step 5 cm) - 3 cm

## ELEMENT STEP 80


L = (n° el. x step 8 cm) - 6 cm




STEP 50




STEP 80




5,5



STEP 50



STEP 80



5,5


| MOD.    |    | n° el<br>step mm | 8       |         | 10      |          | 12        |           | 14        |           | 16        |           | 18      |     | 20  |     | 22  |     | 24  |     | 25  |     | 30  |     |  |
|---------|----|------------------|---------|---------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
|         |    |                  | /50     | /80     | /50     | /80      | /50       | /80       | /50       | /80       | /50       | /80       | /50     | /80 | /50 | /80 | /50 | /80 | /50 | /80 | /50 | /80 | /50 | /80 |  |
|         |    | H                | L       |         |         |          |           |           |           |           |           |           |         |     |     |     |     |     |     |     |     |     |     |     |  |
|         |    | cm               | cm      | ▲       | ▽       | cm       | cm        |           |           |           |           |           |         |     |     |     |     |     |     |     |     |     |     |     |  |
| R 53/.. | 53 | €                | 535,90  | 627,30  | 718,60  | 809,80   | 901,00    | 992,40    | 1083,60   | 1174,90   | 1266,00   | 1357,40   | 1540,00 |     |     |     |     |     |     |     |     |     |     |     |  |
|         |    | w                | 334 393 | 417 491 | 500 589 | 584 687  | 667 786   | 751 884   | 834 982   | 917 1080  | 1001 1178 | 1084 1277 | 1251    |     |     |     |     |     |     |     |     |     |     |     |  |
| R 65/.. | 65 | €                | 559,20  | 654,80  | 750,30  | 846,00   | 941,60    | 1037,30   | 1133,00   | 1228,30   | 1324,20   | 1419,80   | 1611,00 |     |     |     |     |     |     |     |     |     |     |     |  |
|         |    | w                | 410 482 | 512 602 | 614 722 | 717 843  | 819 963   | 922 1084  | 1024 1204 | 1126 1324 | 1229 1445 | 1331 1565 | 1536    |     |     |     |     |     |     |     |     |     |     |     |  |
| R 75/.. | 75 | €                | 594,00  | 696,80  | 799,70  | 902,60   | 1005,30   | 1108,20   | 1211,10   | 1314,00   | 1416,70   | 1519,70   | 1725,50 |     |     |     |     |     |     |     |     |     |     |     |  |
|         |    | w                | 472 556 | 590 695 | 708 834 | 826 973  | 944 1112  | 1062 1251 | 1180 1390 | 1298 1529 | 1416 1668 | 1534 1807 | 1770    |     |     |     |     |     |     |     |     |     |     |     |  |
| R 85/.. | 85 | €                | 628,70  | 738,80  | 849,00  | 959,20   | 1069,20   | 1179,10   | 1289,30   | 1399,40   | 1509,50   | 1619,60   | 1839,80 |     |     |     |     |     |     |     |     |     |     |     |  |
|         |    | w                | 535 630 | 669 787 | 803 944 | 937 1102 | 1070 1259 | 1204 1417 | 1338 1574 | 1472 1731 | 1606 1889 | 1739 2046 | 2007    |     |     |     |     |     |     |     |     |     |     |     |  |

Intermediate or higher values by interpolation

| MOD.        | n° el   |    | 5        |    | 6         |    | 7         |    | 8         |    | 9         |    | 10        |    | 11        |    | 12        |    | 13        |    | 15      |    |
|-------------|---------|----|----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|-----------|----|---------|----|
|             | step mm |    | /50 /80  |    | /50 /80   |    | /50 /80   |    | /50 /80   |    | /50 /80   |    | /50 /80   |    | /50 /80   |    | /50 /80   |    | /50 /80   |    | /50     |    |
|             | H       | L  |          |    |           |    |           |    |           |    |           |    |           |    |           |    |           |    |           |    |         |    |
|             | cm      | cm |          |    |           |    |           |    |           |    |           |    |           |    |           |    |           |    |           |    |         |    |
|             | ▲       | ▽  | cm       | cm | 22        | 34 | 27        | 42 | 32        | 50 | 37        | 58 | 42        | 66 | 47        | 74 | 52        | 82 | 57        | 90 | 62      | 98 |
|             |         |    |          |    | 15        | 24 | 20        | 32 | 25        | 40 | 30        | 48 | 35        | 56 | 40        | 64 | 45        | 72 | 50        | 80 | 55      | 88 |
|             |         |    |          |    |           |    |           |    |           |    |           |    |           |    |           |    |           |    |           |    |         | 65 |
| R 160/..157 | €       |    | 825,70   |    | 924,10    |    | 1022,70   |    | 1121,20   |    | 1219,80   |    | 1318,10   |    | 1416,60   |    | 1515,20   |    | 1613,70   |    | 1810,70 |    |
|             | w       |    | 599 708  |    | 718 849   |    | 838 991   |    | 958 1132  |    | 1077 1274 |    | 1197 1415 |    | 1317 1557 |    | 1436 1698 |    | 1556 1840 |    | 1796    |    |
| R 180/..177 | €       |    | 864,90   |    | 967,60    |    | 1070,50   |    | 1173,50   |    | 1276,40   |    | 1379,20   |    | 1482,00   |    | 1584,90   |    | 1687,80   |    | 1893,40 |    |
|             | w       |    | 675 798  |    | 810 957   |    | 945 1117  |    | 1080 1276 |    | 1215 1436 |    | 1350 1595 |    | 1485 1755 |    | 1620 1914 |    | 1755 2074 |    | 2025    |    |
| R 200/..197 | €       |    | 904,10   |    | 1011,40   |    | 1118,70   |    | 1225,80   |    | 1332,90   |    | 1440,10   |    | 1547,30   |    | 1654,70   |    | 1761,80   |    | 1976,10 |    |
|             | w       |    | 751 888  |    | 901 1065  |    | 1051 1243 |    | 1202 1420 |    | 1352 1598 |    | 1502 1775 |    | 1652 1953 |    | 1802 2130 |    | 1953 2308 |    | 2253    |    |
| R 220/..217 | €       |    | 943,30   |    | 1054,90   |    | 1166,60   |    | 1278,00   |    | 1389,60   |    | 1501,10   |    | 1612,80   |    | 1724,10   |    | 1835,80   |    | 2058,90 |    |
|             | w       |    | 828 978  |    | 993 1173  |    | 1159 1369 |    | 1324 1564 |    | 1490 1760 |    | 1655 1955 |    | 1821 2151 |    | 1986 2346 |    | 2152 2542 |    | 2483    |    |
| R 240/..237 | €       |    | 982,60   |    | 1098,40   |    | 1214,30   |    | 1330,20   |    | 1446,10   |    | 1562,10   |    | 1677,90   |    | 1793,90   |    | 1909,70   |    | 2141,60 |    |
|             | w       |    | 904 1068 |    | 1084 1282 |    | 1265 1495 |    | 1446 1709 |    | 1626 1922 |    | 1807 2136 |    | 1988 2350 |    | 2168 2563 |    | 2349 2777 |    | 2711    |    |

Intermediate heights, every 10 cm, by interpolation. Made-to-measure heights on request.

Δt different from 50 K: consult Technical data Brem



Eg.: R 220/50 - 4el - EG ø 1/2" - SB 3061

## STANDARD PRODUCTION

White sablé SB9016 paintwork - Brackets B15  
Tolerance ± 3mm - Air vent ø 1/8"  
MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list (colored brackets B15)  
+15/25%  
Electric version, e.Regular p.255

## STANDARD FITTING


EG ø 1/2"  
On request fittings ø 3/8"  
Special fittings, page 278







## TAPPING CENTRES

## REGULAR STEP 50 mm




## REGULAR STEP 80 mm



## RECOMMENDED VALVES

## CHROME VALVES KIT with:


- n°2 Valves with tailpieces
- n°2 Fittings (multilayer  $\varnothing 16$ , copper  $\varnothing 12, 14$ )
- n°2 Chrome wall plates  $\varnothing 48$ , hole  $\varnothing 16$



ANGLED QUADRA VALVES KIT  
page 271 Art. KQS  
Extra for BREM color list

## SPECIAL FINISHES



page 267  
Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€



ANGLED CYL VALVES KIT with THERMOSTATIC  
option, page.273 Art. KCS 149,90€  
Extra for BREM color list 53,40€

## REMOTE FITTINGS

Art. REM 42,10€  
Tapping centres: at the rear of radiator  $\Delta \nabla$  EG  
DISTANT Valves page 274



ANGLED TON VALVES KIT with THERMOSTATIC  
Head, page 269 Art. KTS 190,30€

# SBARRA SBARRA-UP

design Luigi Brembilla


The SBARRA and SBARRA-Up models are ideal where the needs of the available space

require exploiting every centimeter. With their minimalist design they can be used in

any environment, camouflaging themselves or, with colour, being protagonists.


## DIMENSIONS

Width: 120/160 cm  
Height: 8 / 18 / 28 cm  
Depth: 5,8 cm  
Depth from wall 9/11,5 cm



## DIMENSIONS

Width: 8 / 18 / 28 cm  
Height: 180 / 200 / 220 cm  
Depth: 5,8/8 cm  
Depth from wall: 9/11,5 cm




EN 442 Watt  $\Delta t$  50K ( $\Delta t$  40K =  $W \times 0,755$ ) ( $\Delta t$  30K =  $W \times 0,526$ )

| MODEL    | HL<br>cm | Standard white<br>sabré SB 9016<br>€ | EN 442<br>$\Delta t$ 50K<br>watt | ▲ ▼<br>t.c.<br>cm | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt € |        |
|----------|----------|--------------------------------------|----------------------------------|-------------------|-------------------------------------------------------|--------|
| SBARRA-1 | 8-120    | 401,10                               | 138                              | 4,5               | -                                                     | -      |
| SBARRA-1 | 8-160    | 451,60                               | 184                              | 4,5               | -                                                     | -      |
| SBARRA-1 | 18-120   | 508,30                               | 265                              | 14                | 250                                                   | 125,10 |
| SBARRA-1 | 18-160   | 568,20                               | 353                              | 14                | 400                                                   | 127,40 |
| SBARRA-1 | 28-120   | 615,80                               | 380                              | 24                | 400                                                   | 127,40 |
| SBARRA-1 | 28-160   | 684,40                               | 507                              | 24                | 500                                                   | 129,60 |
| SBARRA-2 | 8-120    | 790,70                               | 226                              | 4,5               | 250                                                   | 125,10 |
| SBARRA-2 | 8-160    | 873,90                               | 301                              | 4,5               | 300                                                   | 126,20 |
| SBARRA-2 | 18-120   | 994,30                               | 434                              | 14                | 500                                                   | 129,60 |
| SBARRA-2 | 18-160   | 1094,70                              | 578                              | 14                | 650                                                   | 131,80 |
| SBARRA-2 | 28-120   | 1198,50                              | 623                              | 24                | 650                                                   | 131,80 |
| SBARRA-2 | 28-160   | 1316,10                              | 831                              | 24                | 800                                                   | 136,60 |

Prices and thermal yields of lengths intermediate, for interpolation.  
L 180, 200 and 220, values as SB-UP.


Thermostats p.208-209

## DUAL FUEL VERSION



KNOBS p. 277

## DUAL FUEL VERSION



| MODEL      | L<br>H cm | 8<br>▲ ▼ cm | 18<br>4,5 | 28<br>14 |
|------------|-----------|-------------|-----------|----------|
| SB-UP1 180 | € 468,90  | 585,20      | 701,70    |          |
|            | 197w      | 378w        | 543w      |          |
| SB-UP2 180 | € 891,30  | 1112,00     | 1333,20   |          |
|            | 323w      | 619w        | 884w      |          |
| SB-UP1 200 | € 487,50  | 604,00      | 720,30    |          |
|            | 219w      | 420w        | 603w      |          |
| SB-UP2 200 | € 909,80  | 1130,80     | 1351,70   |          |
|            | 359w      | 688w        | 982w      |          |
| SB-UP1 220 | € 506,00  | 622,40      | 738,80    |          |
|            | 240w      | 462w        | 664w      |          |
| SB-UP2 220 | € 928,40  | 1149,30     | 1370,30   |          |
|            | 394w      | 757w        | 1081w     |          |

On request models with Heights from 160 to 300 cm

Dual fuel version models on request

|                    |                    |
|--------------------|--------------------|
| SB-UP1 180-18 400W | SB-UP1 220-8 250W  |
| SB-UP1 180-28 500W | SB-UP1 220-18 500W |
| SB-UP2 180-8 300W  | SB-UP1 220-28 650W |
| SB-UP2 180-18 650W | SB-UP2 220-8 400W  |
| SB-UP2 180-28 900W | SB-UP2 220-18 800W |
| SB-UP1 200-18 400W |                    |
| SB-UP1 200-28 650W |                    |

## STANDARD PRODUCTION


White "sabré" SB9016 paintwork  
Tolerance  $\pm 3$  mm - Air vent  $\varnothing 1/8"$   
MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with colored brackets  
+15/25%  
Electric version e.Sbarra, page 256

## STANDARD FITTING

Horizontal models AC  $\varnothing 1/2"$   
Vertical models REG  $\varnothing 1/2"$   
brackets B 35mm p=5,5 (SB-UP1)







## TAPPING CENTRES

### MOD. SBARRA


SBARRA-.. 8-..



SBARRA-.. 18-..





SBARRA-.. 28-..



## RECOMMENDED VALVES

### VALVES KIT WITH:


- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16




REVERSE TON VALVES KIT  
page 269 Art. KVR 137,10€

REVERSE TON VALVES KIT with THERMO-  
STATIC Head .p. 269 Art. KTR 190,30€


### MOD. SBARRA-UP



SB-UP-..8 SB-UP-..18





SB-UP-..28



SB-UP1 SB-UP2

## RECOMMENDED VALVES



REVERSE TON VALVES KIT  
page 269 Art. KVR 137,10€


REVERSE TON VALVES KIT with THERMO-  
STATIC Head .p. 269 Art. KTR 190,30€

### REMOTE FITTINGS Art. REM 42,10€

SBARRA: at the rear ▲▽ AC standard)

SBARRA -UP: at the rear ▲▽ REG

DISTANT VALVES page 274



### FIXINGS

Brackets included

SBARRA-1 e SB-UP1 Art. B70

SBARRA-2 e SB-UP2 Art. B35

Mod. a cm b cm

SBARRA-.. H8 16 2

SBARRA-.. H18 16 4

SBARRA-.. H28 16 4

SB-UP ..8 2 16

SB-UP ..18 4 16

SB-UP ..28 4 16



SBARRA-2 18-120



SBARRA-UP1 180-8

# TORRI

TORRI radiators are inspired by the jagged skyline of a modern metropolis. The challenge

was to design a tall, slim radiator that would act as an architectural feature in the dome-

stic environment. TORRI radiators are made from parallel, totally plain, steel plates. *design Bettazzi + Percoco*

## DIMENSIONS

Height: 177/197/217/237 cm

Width: da 22 a 98 cm

Depth: 9,5 cm


Depth from wall: 11 cm

## ELEMENT STEP 50 (PE50)


L = n° el. x 5 cm step - 3 cm

## ELEMENT STEP 80 (PE80)



L = n° el. x step 8 cm - 6 cm




Mod. TO.../50



Mod. TO.../80




Mod. TOB...



| MOD.      | n° el<br>step mm | 5 el    |         | 6 el    |         | 7 el    |         | 8 el    |         | 9 el    |         | 10 el |      | 11 el |      | 12 el |      | 13 el |      | 15 el |
|-----------|------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|------|-------|------|-------|------|-------|------|-------|
|           |                  | /50     | /80     | /50     | /80     | /50     | /80     | /50     | /80     | /50     | /80     | /50   | /80  | /50   | /80  | /50   | /80  | /50   | /80  | /50   |
|           | H<br>cm          | 22      | 34      | 27      | 42      | 32      | 50      | 37      | 58      | 42      | 66      | 47    | 74   | 52    | 82   | 57    | 90   | 62    | 98   | 72    |
|           | L<br>cm          | 15      | 24      | 20      | 32      | 25      | 40      | 30      | 48      | 35      | 56      | 40    | 64   | 45    | 72   | 50    | 80   | 55    | 88   | 65    |
| TO 180/.. | €                | 940,20  | 1052,00 | 1163,90 | 1275,70 | 1387,60 | 1499,20 | 1611,10 | 1723,00 | 1834,80 | 2058,30 |       |      |       |      |       |      |       |      |       |
| 177       | w                | 675     | 798     | 810     | 957     | 945     | 1117    | 1080    | 1276    | 1215    | 1436    | 1350  | 1595 | 1485  | 1755 | 1620  | 1914 | 1755  | 2074 | 2025  |
| TO 200/.. | €                | 983,40  | 1100,00 | 1216,40 | 1333,10 | 1449,60 | 1566,20 | 1683,00 | 1799,50 | 1916,10 | 2149,30 |       |      |       |      |       |      |       |      |       |
| 197       | w                | 751     | 888     | 901     | 1065    | 1051    | 1243    | 1202    | 1420    | 1352    | 1598    | 1502  | 1775 | 1652  | 1953 | 1802  | 2130 | 1953  | 2308 | 2253  |
| TO 220/.. | €                | 1025,50 | 1146,80 | 1268,00 | 1389,20 | 1510,40 | 1631,70 | 1752,90 | 1874,20 | 1995,30 | 2237,80 |       |      |       |      |       |      |       |      |       |
| 217       | w                | 828     | 978     | 993     | 1173    | 1159    | 1369    | 1324    | 1564    | 1490    | 1760    | 1655  | 1955 | 1821  | 2151 | 1986  | 2346 | 2152  | 2542 | 2483  |
| TO 240/.. | €                | 1068,50 | 1194,60 | 1320,70 | 1446,50 | 1572,60 | 1698,60 | 1824,70 | 1950,70 | 2076,70 | 2328,70 |       |      |       |      |       |      |       |      |       |
| 237       | w                | 904     | 1068    | 1084    | 1282    | 1265    | 1495    | 1446    | 1709    | 1626    | 1922    | 1807  | 2136 | 1988  | 2350 | 2168  | 2563 | 2349  | 2777 | 2711  |

Intermediate heights, every 10 cm, by interpolatio  
Made-to-measure heights on request.

EN 442 Watt  $\Delta t$  50K ( $\Delta t$  40K =  $W \times 0,755$ ) ( $\Delta t$  30K =  $W \times 0,526$ )  
 $\Delta t$  different from 50 K: consult technical data Brem



Right repetition of inclined elements every 7 elements

Es.: TO 220/80 - 9el EG  $\varnothing$  1/2" SB3061

## STANDARD PRODUCTION

White sablé SB9016 paintwork, brackets B27  
Tolerance  $\pm$  3mm - Air vent  $\varnothing$  1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list (colored  
brackets B27)

Made-to-measure, ask for feasibility

## STANDARD FITTING

EG  $\varnothing$  1/2"


On request fittings  $\varnothing$  3/8"

Special fittings, page 278






## TAPPING CENTRES TORRI STEP 50 mm



PE 50  
Step 5 cm





PE 80  
Step 8 cm

TORRI with feet  $h=20$  cm

Art. TOB extra 132,40€

Tapping centres REG with  
reverse valves  $\Delta \nabla = L - 14$  cm




TO 220 /50- 7el

## RECOMMENDED VALVES

CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer  $\varnothing 16$ , copper  $\varnothing 12$ , 14)
- n°2 Chrome wall plates  $\varnothing 48$ , hole  $\varnothing 16$




ANGLED QUADRA VALVES KIT  
page 271 Art. KQS  
Extra for BREM color list

180,10€  
53,40€

SPECIAL FINISHES

Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

page 267





ANGLED CYL VALVES KIT with THERMOSTATIC  
option, page.273 Art. KCS 149,90€  
Extra for BREM color list

53,40€

REMOTE FITTINGS

Art. REM 42,10€  
Tapping centres: at the rear of radiator  $\Delta \nabla$  EG  
DISTANT Valves page 274



ANGLED TON VALVES KIT with THERMOSTATIC  
Head, page 269 Art. KTS 190,30€

# GUEST

design Davide Diliberto

GUEST towel holder replaces traditional towel holders accessories.

The simple shapes, almost bidimensional like graphic signs, make it ideal for small rooms

where space is precious. Electric freestanding version p. 232


## DIMENSIONS

Width: 12/22/32 cm

Height: 88/104/182/198 cm

Depth: 40 cm

Depth from wall: 41,5 cm



GUEST 88-12  
GUEST-P 104-12

GUEST 88-22  
GUEST-P 104-22

GUEST 182-22  
GUEST-P 198-22

GUEST 182-32  
GUEST-P 198-32

GUEST 182-32D  
GUEST-P 198-32D

| MODEL            | HL<br>cm | Standard white<br>sablé SB 9016<br>€ | EN 442<br>Δt 50K<br>watt | Δt 40K<br>watt | Δt 30K<br>watt | ▲ ▼<br>t.c.<br>cm | Hauteur<br>H<br>cm | Largeur<br>L<br>cm | Poids<br>M<br>Kg | Volume<br>V<br>dm <sup>3</sup> | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt € |        |
|------------------|----------|--------------------------------------|--------------------------|----------------|----------------|-------------------|--------------------|--------------------|------------------|--------------------------------|-------------------------------------------------------|--------|
| GUEST 88-12      | 88       | 391,70                               | 269                      | 199            | 134            | 10                | 88                 | 12                 | 4,7              | 2,9                            | *250                                                  | 125,10 |
| GUEST 88-22      | 88       | 526,40                               | 379                      | 280            | 189            | 20                | 88                 | 22                 | 6,6              | 4,1                            | 400                                                   | 127,40 |
| GUEST 182-22     | 182      | 613,50                               | 491                      | 362            | 245            | 20                | 182                | 22                 | 8,6              | 5,3                            | 500                                                   | 129,60 |
| GUEST 182-32     | 182      | 695,00                               | 602                      | 444            | 300            | 30                | 182                | 32                 | 10,5             | 6,5                            | 650                                                   | 131,80 |
| GUEST 182-32D    | 182      | 753,40                               | 700                      | 517            | 349            | 30                | 182                | 32                 | 12,2             | 7,6                            | 650                                                   | 131,80 |
| Models with Feet |          |                                      |                          |                |                |                   |                    |                    |                  |                                |                                                       |        |
| GUEST-P 104-12   | 104      | 428,00                               | 307                      | 227            | 153            | 5                 | 104                | 12                 | 5,3              | 3,3                            | 300                                                   | 126,20 |
| GUEST-P 104-22   | 104      | 562,70                               | 417                      | 308            | 208            | 9                 | 104                | 22                 | 7,2              | 4,5                            | 400                                                   | 127,40 |
| GUEST-P 198-22   | 198      | 649,80                               | 530                      | 391            | 264            | 9                 | 198                | 22                 | 9,2              | 5,7                            | 500                                                   | 129,60 |
| GUEST-P 198-32   | 198      | 731,20                               | 640                      | 472            | 319            | 19                | 198                | 32                 | 11,1             | 6,9                            | 650                                                   | 131,80 |
| GUEST-P 198-32D  | 198      | 789,70                               | 738                      | 545            | 368            | 19                | 198                | 32                 | 12,8             | 8,0                            | 800                                                   | 136,60 |

Models made in the right-turned version, without supplement.

\*Only resistance with cable  
Thermostats p.208-209

## STANDARD PRODUCTION

White "sablé" SB9016 paintwork, brackets B15  
Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list (colored brackets B15)


Electric version e.GUEST, p.232

## STANDARD FITTING

EG, REG ø 1/2"


On request fittings ø 3/8"

Special fittings, page 279






## TAPPING CENTRES

GUEST 88-12




GUESTP 104-12

GUEST 88-22  
GUEST 182-32GUESTP 104-22  
GUESTP 198-32

\*E.H.E.  
Electric Heating  
Element

## FIXINGS

B15 brackets included,  
B35 with remote fittings



| GUEST           | a cm | b cm |
|-----------------|------|------|
| H88 and 182 cm  | 1,5  | 61   |
| H104 and 198 cm | 17,5 | 61   |




GUEST 182-22

## RECOMMENDED VALVES


CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16




ANGLED QUADRA VALVES KIT  
page 271 Art. KQS

180,10€  
53,40€



ANGLED CYL VALVES KIT with THERMOSTATIC  
option, page.273 Art. KCS

149,90€  
53,40€



ANGLED TON VALVES KIT with THERMOSTATIC  
Head, page 269 Art. KTS

190,30€

## SPECIAL FINISHES

page 267  
Finishes Gold, Bronze, Brushed Nickel for 2 valves

Brushed Nickel FITTING KIT extra Art. RN 30,50€

## REMOTE FITTINGS

Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲ ▽ EG  
DISTANT Valves page 274



2,5  
Lengths up to 6 m.



# HERG-ÖT

design Luigi Brembilla



Herg-ÖT recalls the iconic shape of the ladder and can be placed perpendicular

or slightly inclined. The parallel tubes give comfort and warmth to the bathroom and



work as a support for clothing, bathrobes and towels.

## DIMENSIONS



Width: 42 / 50 / 58 cm  
Height: 184,7 / 212,4 cm  
Depth: 12 cm  
Depth from wall: 12 cm



HERG-ÖT 185-..



HERG-ÖT 212-..



Herg-öt 185-.. Herg-öt 212-..

On request: Inclined version Art. HOI

| MODEL   | H-L<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H (H <sub>i</sub> )<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm <sup>3</sup> | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt € |        |
|---------|-----------|--------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------------------------|------------------|-------------------|--------------------------------|-------------------------------------------------------|--------|
| HERG-ÖT | 185-42    | 995,20                               | 625             | 472                       | 329             | 27                | 184                                 | 42               | 11,5              | 6,0                            | 650                                                   | 131,80 |
| HERG-ÖT | 185-50    | 1017,30                              | 669             | 505                       | 352             | 35                | 184                                 | 50               | 12,3              | 6,3                            | 650                                                   | 131,80 |
| HERG-ÖT | 185-58    | 1053,40                              | 713             | 538                       | 375             | 43                | 184                                 | 58               | 13,0              | 6,5                            | 650                                                   | 131,80 |
| HERG-ÖT | 212-42    | 1138,80                              | 735             | 555                       | 387             | 27                | 216                                 | 42               | 13,5              | 7,1                            | 800                                                   | 136,60 |
| HERG-ÖT | 212-50    | 1163,20                              | 787             | 594                       | 414             | 35                | 216                                 | 50               | 14,4              | 7,3                            | 800                                                   | 136,60 |
| HERG-ÖT | 212-58    | 1204,20                              | 840             | 634                       | 442             | 43                | 216                                 | 58               | 15,3              | 7,6                            | 900                                                   | 140,20 |

On request, HERG-ÖT INCLINED Art. HOI supplement 108,80€

Thermostats p.208-209

## STANDARD PRODUCTION

White "sablé" paintwork SB9016  
Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list  
(with colored brackets)  
Electric version e.Herg-öt, p.234

+15/25%


## STANDARD FITTING

REG ø 1/2"

On request fittings ø3/8"  
Special fittings, page 279



## TAPPING CENTRES





On request  
ANGLED HERGÖT  
Art. HOI 108,80€

Herg-öt H 185:\*17,5 cm  
Herg-öt H 212:\*19,5 cm

E.H.E.  
Electric Heating  
Element

## REMOTE FITTINGS



## RECOMMENDED VALVES

CHROME VALVES KIT with:



- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16

## SPECIAL FINISHES


page 267  
Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

## REMOTE FITTINGS


Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲ ▽ L-2cm  
DISTANT Valves page 274



ANGLED QUADRA VALVES KIT  
page 271 Art. KQS  
Extra for BREM color list



ANGLED CYL VALVES KIT with THERMOSTATIC  
option, page.273 Art. KCS 149,90€  
Extra for BREM color list 53,40€



ANGLED TON VALVES KIT with THERMOSTATIC  
Head, page 269 Art. KTS 190,30€



# HERG'S

design Luigi Brembilla

HERG's is a new towel rails that recalls the simple heated towel rails.

The protagonist is the large rectangular tube arranged in regular rhythms that gives

heat performance for the complete comfort of the bathroom.







## DIMENSIONS

Width: 42 / 50 / 58 cm

Height: 64,4 / 92,1 / 119,8 / 147,5 / 175,2 / 202,9 cm

Depth: 12 cm

Depth from wall: 12 cm



HERG'S 65-..

HERG'S 92-..

HERG'S 120-..

HERG'S 148-..

HERG'S 175-...

HERG'S 203-...

| MODEL  | H-L<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H (H <sub>1</sub> )<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm <sup>3</sup> | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt € |        |
|--------|-----------|--------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------------------------|------------------|-------------------|--------------------------------|-------------------------------------------------------|--------|
| HERG'S | 65-42     | 533,80                               | 249             | 188                       | 131             | 27                | 64,4                                | 42               | 4,6               | 2,4                            | 250                                                   | 125,10 |
| HERG'S | 65-50     | 569,20                               | 268             | 202                       | 141             | 35                | 64,4                                | 50               | 4,9               | 2,5                            | 300                                                   | 126,20 |
| HERG'S | 92-42     | 642,40                               | 350             | 264                       | 184             | 27                | 92,1                                | 42               | 6,4               | 3,3                            | 400                                                   | 127,40 |
| HERG'S | 92-50     | 677,80                               | 378             | 285                       | 199             | 35                | 92,1                                | 50               | 6,9               | 3,4                            | 400                                                   | 127,40 |
| HERG'S | 120-42    | 751,00                               | 452             | 341                       | 238             | 27                | 119,8                               | 42               | 8,3               | 4,2                            | 400                                                   | 127,40 |
| HERG'S | 120-50    | 786,40                               | 487             | 368                       | 256             | 35                | 119,8                               | 50               | 8,9               | 4,4                            | 500                                                   | 129,60 |
| HERG'S | 148-42    | 859,50                               | 553             | 418                       | 291             | 27                | 147,5                               | 42               | 10,1              | 5,2                            | 500                                                   | 129,60 |
| HERG'S | 148-50    | 895,10                               | 597             | 451                       | 314             | 35                | 147,5                               | 50               | 10,9              | 5,4                            | 650                                                   | 131,80 |
| HERG'S | 148-58    | 922,70                               | 641             | 484                       | 337             | 43                | 147,5                               | 58               | 11,6              | 5,6                            | 650                                                   | 131,80 |
| HERG'S | 175-42    | 968,20                               | 652             | 492                       | 343             | 27                | 175,2                               | 42               | 12                | 6,1                            | 650                                                   | 131,80 |
| HERG'S | 175-50    | 1003,60                              | 705             | 532                       | 371             | 35                | 175,2                               | 50               | 12,9              | 6,4                            | 650                                                   | 131,80 |
| HERG'S | 175-58    | 1031,40                              | 757             | 572                       | 398             | 43                | 175,2                               | 58               | 13,7              | 6,6                            | 800                                                   | 136,60 |
| HERG'S | 203-50    | 1066,80                              | 813             | 614                       | 428             | 35                | 202,9                               | 50               | 14,9              | 7,3                            | 800                                                   | 136,60 |
| HERG'S | 203-58    | 1094,50                              | 873             | 659                       | 459             | 43                | 202,9                               | 58               | 15,9              | 7,7                            | 900                                                   | 140,20 |

Available in Stock

Thermostats p.208-209

## STANDARD PRODUCTION

White "sablé" paintwork SB9016

Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list

Electric version e.Herg's, p.235

+15/25%

## STANDARD FITTING

REG ø 1/2"



On request fittings ø3/8"

Special fittings, page 279





## TAPPING CENTRES



## RECOMMENDED VALVES

CHROME VALVES KIT with:


- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16

## SPECIAL FINISHES

page 267


Finishes Gold, Bronze, Brushed Nickel for 2 valves

Brushed Nickel FITTING KIT extra Art. RN 30,50€



REVERSE VALVES QUADRA KIT  
page 271 Art. KQR


180,10€  
53,40€



REVERSE VALVES CYL KIT with THERMOSTATIC  
option, page 273 Art. KCR 149,90€

Extra for BREM color list

53,40€



REVERSE VALVES TON KIT with THERMOSTATIC  
Head, page 269 Art. KTR 190,30€

# HOOK

design Luigi Brembilla

In narrow rooms where every cm is important, HOOK perfectly fits the place;

it also gives you the opportunity to hang and to heat the clothes and the bathrobes.

HOOK can be used anywhere in the house and it can also heat the bathroom.

## DIMENSIONS

Width: 9 / 19 / 29 cm

Height: 180 / 210 cm

Depth: 5,5/9 cm

Depth from wall: 9,5/13 cm




KNOB mod.HK, standard included and welded to radiator:

### STANDARD COLORS

- white sablé SB 9016
- quartz grey SB 7039
- jet black SB 9005
- same color of radiator

- in one color of Brem color list different from the radiator extra 52,90€



HOOK ..-10 HOOK ..-20 HOOK ..-30 HOOK 2 ..-20 HOOK 2 ..-30

| MODEL  | H/L<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Depth<br>p<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and sleeve |        |
|--------|-----------|--------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|------------------|-------------------|--------------------|---------------------------------------------|--------|
| HOOK   | 180-10    | 562,40                               | 197             | 148                       | 102             | 5                 | 180               | 9                | 6                | 4,1               | 2,4                | 250                                         | 125,10 |
| HOOK   | 180-20    | 771,80                               | 378             | 284                       | 197             | 15                | 180               | 19               | 6                | 8,2               | 4,7                | 400                                         | 127,40 |
| HOOK   | 180-30    | 981,70                               | 543             | 408                       | 282             | 25                | 180               | 29               | 6                | 12,3              | 7,1                | 500                                         | 129,60 |
| HOOK   | 210-10    | 580,80                               | 230             | 173                       | 120             | 5                 | 210               | 9                | 6                | 4,8               | 2,7                | 250                                         | 125,10 |
| HOOK   | 210-20    | 790,60                               | 441             | 331                       | 229             | 15                | 210               | 19               | 6                | 9,5               | 5,5                | 400                                         | 127,40 |
| HOOK   | 210-30    | 1000,20                              | 632             | 475                       | 329             | 25                | 210               | 29               | 6                | 14,3              | 8,2                | 650                                         | 131,80 |
| HOOK-2 | 180-20    | 971,80                               | 511             | 384                       | 266             | 15                | 180               | 19               | 10               | 12,3              | 7,1                | 500                                         | 129,60 |
| HOOK-2 | 180-30    | 996,80                               | 650             | 447                       | 338             | 25                | 180               | 29               | 10               | 20,4              | 11,8               | 650                                         | 131,80 |
| HOOK-2 | 210-20    | 1156,50                              | 595             | 488                       | 309             | 15                | 210               | 19               | 10               | 14,3              | 8,2                | 650                                         | 131,80 |
| HOOK-2 | 210-30    | 1181,20                              | 850             | 638                       | 442             | 25                | 210               | 29               | 10               | 23,8              | 13,7               | 900                                         | 129,00 |

Available in Stock

Mod. HOOK..-10 only with left mixed valve p.207  
Thermostats p.208-209

KNOB, on demand without extra



KNOB model PO



KNOB model ARO

## STANDARD PRODUCTION

White "sablé" SB9016 paintwork  
Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list +15/25%  
Knobs fixing at different heights without extra  
Electric version e.Hook, page 236


## STANDARD FITTING

EG ø 1/2"  
On request fittings ø3/8"  
Special fittings, page 279




## TAPPING CENTRES


HOOK ...-10




HOOK ...-20 - HOOK ...-30

\*E.H.E.  
Electric Heating  
Element

HOOK 2...-20 - HOOK 2...-30




Fittings at the rear with reverse valves

VALVES for fittings at the rear  
Mod. HOOK2..REVERSE TON VALVES KIT  
page 269

Art. KVR 137,10€

REVERSE TON VALVES KIT with  
THERMOSTATIC head


Art. KTR 190,30€



## FIXINGS

Brackets included  
HOOK Art. B35  
HOOK-2 Art. B70

| Model       | a cm | b cm |
|-------------|------|------|
| HOOK ...-10 | 1,8  | 4    |
| HOOK ...-20 | 4    | 4    |
| HOOK ...-30 | 4    | 4    |
| HOOK2...-20 | 2,2  | 20   |
| HOOK2...-30 | 2,2  | 20   |




HOOK 180-20

## RECOMMENDED VALVES

CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16



ANGLED QUADRA VALVES KIT

page 271

Art. KQS

180,10€

Extra for BREM color list


53,40€

SPECIAL FINISHES

page 267

Finishes Gold, Bronze, Brushed Nickel for 2 valves

Brushed Nickel FITTING KIT extra Art. RN 30,50€



ANGLED CYL VALVES KIT with THERMOSTATIC

option, page.273

Art. KCS 149,90€

Extra for BREM color list



53,40€

REMOTE FITTINGS

Art. REM 42,10€

Tapping centres: at the rear of radiator ▲▼ EG

DISTANT Valves page 274



ANGLED TON VALVES KIT with THERMOSTATIC

Head, page 269

Art. KTS 190,30€



KUO is an original take on Japanese formalism and essential lines.

Its pure form is the result of using a flat plate with vertical elements laid down its

*design Davide Brembilla*  
sides to limit the space and give a sense of slimness and vertical continuity.


## DIMENSIONS

Width: 25/35/49 cm

Height: 110/140/180 cm

Depth: 8 cm

Depth from wall: 12 cm



## MODEL '25

|     | HL<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm <sup>3</sup> | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt € |        |
|-----|----------|--------------------------------------|-----------------|---------------------------|-----------------|------------------|-------------------|------------------|-------------------|--------------------------------|-------------------------------------------------------|--------|
| KUO | 110-25   | 591,00                               | 409             | 310                       | 216             | 18               | 110               | 25               | 8,2               | 3,8                            | 400                                                   | 127,40 |
| KUO | 110-35   | 664,70                               | 529             | 401                       | 279             | 28               | 110               | 35               | 10,1              | 4,5                            | 500                                                   | 129,60 |
| KUO | 140-25   | 676,30                               | 527             | 399                       | 278             | 18               | 140               | 25               | 10,6              | 5,0                            | 500                                                   | 129,60 |
| KUO | 140-35   | 775,30                               | 678             | 513                       | 357             | 28               | 140               | 35               | 13,1              | 5,8                            | 650                                                   | 131,80 |
| KUO | 140-42   | 918,30                               | 823             | 623                       | 434             | 35               | 140               | 42               | 16,4              | 8,6                            | 800                                                   | 136,60 |
| KUO | 180-25   | 845,80                               | 684             | 518                       | 361             | 18               | 180               | 25               | 13,8              | 6,4                            | 650                                                   | 131,80 |
| KUO | 180-35   | 1013,40                              | 877             | 664                       | 462             | 28               | 180               | 35               | 17,0              | 7,5                            | 900                                                   | 140,20 |
| KUO | 180-42   | 1054,30                              | 1064            | 806                       | 561             | 35               | 180               | 42               | 21,2              | 11,1                           | 1200                                                  | 148,50 |

► Available in Stock

Thermostats p.208-209

## STANDARD PRODUCTION

White sablé SB9016 paintwork - brackets B35  
Tolerance  $\pm 3$  mm - Air vent  $\varnothing 1/8"$

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with colored  
brackets B35

Electric version e.Kuo, p.239

## STANDARD FITTING


EG  $\varnothing 1/2"$

On request fittings  $\varnothing 3/8"$


Special fittings, p. 279




## TAPPING CENTRES



## MIXED VERSIONS



\*E.H.E.  
Electric Heating  
Element



FIXINGS  
B35 Brackets included




KUO 180-25

## RECOMMENDED VALVES

CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16




ANGLED QUADRA VALVES KIT  
page 271 Art. KQS  
Extra for BREM color list

180,10€  
53,40€

## SPECIAL FINISHES

Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

page 267





ANGLED CYL VALVES KIT with THERMOSTATIC  
option, page.273 Art. KCS  
Extra for BREM color list

149,90€  
53,40€

## REMOTE FITTINGS

Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲ ▼ EG  
DISTANT Valves page 274



ANGLED TON VALVES KIT with THERMOSTATIC  
Head, page 269 Art. KTS 190,30€

# LAMATH

Straight, compact, and high thickness fins that cut the uniformity of the wall express a

new concept for heated towel rails that enliven and furnish bathroom walls.

*design Davide Brembilla*  
The unusual and absolutely unexpected shape is as surprising as good sculpture can be.


## DIMENSIONS

Width: 43,0 / 49,5 cm

Height: 190 / 210 cm

Depth: 8 cm

Depth from wall: 9,5 cm



| MODEL  | H/L<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H (H1)<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt € |        |
|--------|-----------|--------------------------------------|-----------------|---------------------------|-----------------|-------------------|------------------------|------------------|-------------------|--------------------|-------------------------------------------------------|--------|
| LAMATH | 190-2     | 723,40                               | 467             | 345                       | 243             | 6                 | 190                    | 43               | 14,4              | 6,3                | 400                                                   | 127,40 |
| LAMATH | 190-3     | 857,40                               | 555             | 410                       | 289             | 6                 | 190                    | 43               | 17,2              | 7,5                | 500                                                   | 129,60 |
| LAMATH | 190-4     | 991,90                               | 700             | 517                       | 364             | 12                | 190                    | 49,5             | 21,7              | 9,4                | 650                                                   | 131,80 |
| LAMATH | 210-2     | 774,60                               | 525             | 387                       | 273             | 6                 | 210                    | 43               | 16,3              | 7,1                | 500                                                   | 129,60 |
| LAMATH | 210-3     | 927,10                               | 642             | 474                       | 334             | 6                 | 210                    | 43               | 19,9              | 8,6                | 650                                                   | 131,80 |
| LAMATH | 210-4     | 1079,60                              | 807             | 596                       | 420             | 12                | 210                    | 49,5             | 25,0              | 10,9               | 800                                                   | 136,60 |

Available in Stock

Thermostats p.208-209

## STANDARD PRODUCTION

White sablé SB9016 paintwork - Brackets B15  
Tolerance  $\pm 3$  mm - Air vent  $\varnothing 1/8"$

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list (with colored brackets B15)

Electric version e.Lamath, page 240

## STANDARD FITTING

EG  $\varnothing 1/2"$

On request fittings  $\varnothing 3/8"$

Special fittings, page 279






## TAPPING CENTRES


LAMATH..-2





LAMATH..-3



LAMATH..-4



## MIXED VERSIONS\*




## FIXINGS

B15 brackets included,  
B27 with remote fittings  
and B35 Lame ..-2

## RECOMMENDED VALVES

CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø48, hole ø16




## ANGLED QUADRA VALVES KIT

page 271


Art. KQS

Extra for BREM color list




ANGLED CYL VALVES KIT with THERMOSTATIC  
option, page.273 Art. KCS 149,90€

Extra for BREM color list



- Lengths up to 6 m.



ANGLED TON VALVES KIT with THERMOSTATIC  
Head, page 269 Art. KTS 190,30€

Art. KTS 190,30€



LAMATH 190-3

## SPECIAL FINISHES

page 267

Finishes Gold, Bronze, Brushed Nickel for 2 valves

Brushed Nickel FITTING KIT extra Art. RN 30,50€

## REMOTE FITTINGS

Art. REM 42,10€

Tapping centres: at the rear of radiator ▲▽ EG

DISTANT Valves page 274

# LAME SLIM

Straight, compact and high thickness fins that cut the uniformity of the wall express a

new concept for heated towel rails that enliven and furnish bathroom walls.

*design Davide Brembilla*  
The unusual and absolutely unexpected shape is as surprising as good sculpture can be.


## DIMENSIONS

Widths: 30 / 36 cm

Heights: 190 / 210 cm

Depths: 14,5 cm

Depths from wall: 15,5 cm



| MODEL     | H-L<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▽<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt € |        |
|-----------|-----------|--------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|-------------------------------------------------------|--------|
| LAME Slim | 190/2     | 713,10                               | 350             | 258                       | 182             | 6                 | 190               | 30               | 10,8              | 4,7                | 400                                                   | 127,40 |
| LAME Slim | 190/3     | 856,60                               | 496             | 366                       | 258             | 6                 | 190               | 30               | 15,4              | 6,7                | 500                                                   | 129,60 |
| LAME Slim | 190/4     | 999,80                               | 652             | 481                       | 339             | 12                | 190               | 30               | 20,2              | 8,8                | 650                                                   | 131,80 |
| LAME Slim | 190/5     | 1157,10                              | 788             | 582                       | 410             | 18                | 190               | 36               | 24,4              | 10,6               | 800                                                   | 136,60 |
| LAME Slim | 210/2     | 755,20                               | 389             | 287                       | 202             | 6                 | 210               | 30               | 12,0              | 5,2                | 400                                                   | 127,40 |
| LAME Slim | 210/3     | 918,70                               | 554             | 409                       | 288             | 6                 | 210               | 30               | 17,2              | 7,5                | 500                                                   | 129,60 |
| LAME Slim | 210/4     | 1081,70                              | 730             | 539                       | 380             | 12                | 210               | 30               | 22,6              | 9,9                | 800                                                   | 136,60 |
| LAME Slim | 210/5     | 1259,30                              | 885             | 653                       | 460             | 18                | 210               | 36               | 27,4              | 11,9               | 900                                                   | 140,20 |

Available in Stock

Thermostats p.208-209

## STANDARD PRODUCTION

White sablé SB9016 paintwork - brackets B15  
Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with  
colored brackets B15 +15/25%  
Electric version e.Lame Slim, p.242

## STANDARD FITTING

EG ø 1/2"


On request fittings ø 3/8"

Special fittings, page 279




## TAPPING CENTRES


LAME SLIM ../2




LAME SLIM ../3





LAME SLIM ../4



LAME SLIM ../5



## MIXED VERSIONS\*



## FIXINGS


B15 brackets included,  
B27 with remote fittings  
and B35 Lame ../2

| Mod.<br>n° tubes | a<br>cm | b<br>cm | c<br>cm |
|------------------|---------|---------|---------|
| 2                | 6       | 1       | 9       |
| 3                | 12      | 1       | 15      |
| 4                | 18      | 1       | 21      |
| 5                | 24      | 7       | 21      |


## RECOMMENDED VALVES

### CHROME VALVES KIT with:


- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16



ANGLED QUADRA VALVES KIT  
page 271 Art. KQS  
Extra for BREM color list




ANGLED CYL VALVES KIT with THERMOSTATIC  
option, page 273 Art. KCS 149,90€  
Extra for BREM color list 53,40€



SPECIAL FINISHES page 267  
Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

REMOTE FITTINGS Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲▽ EG  
DISTANT Valves page 274



ANGLED TON VALVES KIT with THERMOSTATIC  
Head, page 269 Art. KTS 190,30€



LAME SLIM 190/3





# CrossFRAME INDEX

RADIATORS WITH FRAMES

## RADIATORS COLLECTION

|         | page |
|---------|------|
| CROSS-Q | 44   |
| CROSS-G | 46   |
| CROSS-V | 50   |

## TOWEL HEATERS COLLECTION

|              | page |
|--------------|------|
| ALIS-ONE     | 52   |
| ASYMM-ASYMP  | 54   |
| CROSS        | 56   |
| CROSS-Q      | 60   |
| CROSS-FO/BIC | 62   |
| CROSS-CROM   | 63   |
| CROSS-R      | 66   |
| CROSS-RV     | 68   |
| ESSEN        | 70   |
| FIT          | 72   |
| FREE         | 74   |
| KORE PLUS    | 76   |
| PIT          | 78   |
| QUAR         | 80   |
| VISION       | 82   |



# CROSS-Q WITH OVERLAPPING SQUARES

design Luigi Brembilla

Large, variously assembled, rectangular tubes are used to produce CROSS-Q.

Innovative radiators thanks to 90° corners and strong geometric shapes (squares and

rectangles) sitting on top of each other.

## DIMENSIONS


Width: 48/56/64/100/116 cm

Height: 170/186/202/226/230 cm

Depth: 6 / 7 cm

Depth from wall: 9,5 cm

TECHNICAL DRAWINGS on request



## MODEL'25

|         | H-L<br>cm | Standard white<br>sablé SB9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H (H <sub>1</sub> )<br>cm | Width<br>L (L <sub>1</sub> )<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm <sup>3</sup> | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt € |        |
|---------|-----------|-------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------------------------|------------------------------------|-------------------|--------------------------------|-------------------------------------------------------|--------|
| CROSS-Q | 170-48    | 1244,20                             | 711             | 537                       | 374             | 37                | 170 (104)                           | 48 (24)                            | 14,2              | 8,8                            | 650                                                   | 131,80 |
| CROSS-Q | 170-56    | 1290,40                             | 795             | 600                       | 418             | 45                | 170 (120)                           | 56 (32)                            | 15,9              | 9,9                            | 800                                                   | 136,60 |
| CROSS-Q | 170-64    | 1333,00                             | 863             | 652                       | 454             | 45                | 170 (136)                           | 64 (32)                            | 17,2              | 10,7                           | 900                                                   | 140,20 |
| CROSS-Q | 186-48    | 1310,20                             | 894             | 675                       | 470             | 37                | 186 (160)                           | 48 (24)                            | 18,7              | 11,3                           | 900                                                   | 140,20 |
| CROSS-Q | 186-100   | 2132,50                             | 1446            | 1092                      | 761             | 65                | 186 (160)                           | 100 (52)                           | 30,2              | 18,3                           | 1500                                                  | 159,40 |
| CROSS-Q | 202-56    | 1374,60                             | 1026            | 775                       | 557             | 45                | 202 (176)                           | 56 (32)                            | 22,1              | 13,4                           | 1200                                                  | 148,50 |
| CROSS-Q | 202-116   | 2245,60                             | 1677            | 1266                      | 892             | 65                | 202 (176)                           | 116 (52)                           | 35,4              | 21,5                           | 1500                                                  | 159,40 |
| CROSS-Q | 226-64    | 1440,00                             | 1174            | 886                       | 635             | 45                | 226 (200)                           | 64 (32)                            | 25,2              | 15,3                           | 1200                                                  | 148,50 |
| CROSS-Q | 230-48    | 1579,50                             | 1138            | 859                       | 593             | 37                | 230 (204)                           | 48 (24)                            | 24,0              | 14,6                           | 1200                                                  | 148,50 |
| CROSS-Q | 230-100   | 2667,20                             | 1830            | 1382                      | 964             | 65                | 230 (204)                           | 100 (52)                           | 39,1              | 23,7                           | -                                                     | -      |

Thermostats p.208-209

## STANDARD PRODUCTION

White sablé SB9016 paintwork - B35 brackets  
Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with colored  
brackets B35

Electric version e.CROSS-Q, p.221

## STANDARD FITTING

REG ø 1/2"


On request fitting ø3/8"

Special fittings, page 278






## TAPPING CENTRES CROSS-Q



CROSS 170-48  $a=50$   
CROSS 170-56  $a=34$   
CROSS 170-48  $a=18$   
CROSS from 186-...  $a=14$



**FIXINGS**  
Brackets B35  
included




CROSS-Q 186-100

## RECOMMENDED VALVES

CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer  $\varnothing 16$ , copper  $\varnothing 12, 14$ )
- n°2 Chrome wall plates  $\varnothing 48$ , hole  $\varnothing 16$




REVERSE VALVES QUADRA KIT  
page 271 Art. KQR

180,10€  
53,40€



REVERSE CYL VALVES KIT with THERMOSTATIC  
option, page 273 Art. KCR 149,90€  
Extra for BREM color list 53,40€



SPECIAL FINISHES page 267  
Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

REMOTE FITTINGS Art. REM 42,10€  
Tapping centres at the rear:  $\triangle \nabla L^1 - 6\text{cm}$   
DISTANT Valves page 274



REVERSE VALVES TON KIT with THERMOSTATIC  
Head, page 273 Art. KTR 190,30€

# CROSS-G

CROSS-G radiator, only 2 cm of depth, consists of a large rectangular frame,

elegant and protagonist, enriched by vertical tubes and thin steel strips, to obtain

high yields. Its particular design makes it suitable to be used in every room. *design Luigi Brembilla*


CGH MODEL with vertical radiating tubes

Heights: from 51 to 241 cm

Lengths: from 27 to 99 cm

Depth: 2 cm

Depth from wall: 5,5 cm





CGV MODEL with horizontal radiating tubes

Heights: from 27 to 99 cm

Lengths: from 51 to 221 cm

Depth: 2 cm

Depth from wall: 5,5 cm



STANDARD PRODUCTION

White sablé SB9016 paintwork - Brackets B35

Tolerance  $\pm 3$  mm - Air vent  $\varnothing 1/8"$

MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST

Paintwork to Brem color list with

colored B35 brackets

Electric version, p. 220

+15/25%

STANDARD FITTING

EG  $\varnothing 1/2"$

On request fitting  $\varnothing 3/8"$

Special fittings, page 278








## TAPPING CENTRES

EG vertical fittings as standard  
Side fittings on request without extra

### CGH MODEL




### CGV MODEL




## RECOMMENDED VALVES

CHROME VALVES KIT with:


- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16




SIDE CONTROL QUADRA VALVES KIT  
page 271 Art. KQL 191,20€  
Extra for BREM color list 53,40€



SIDE CONTROL CYL VALVES KIT with thermostatic  
option, page 273 Art. KCL 162,50€  
Extra for BREM color list 53,40€



REMOTE FITTINGS Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲▼ L - 6cm  
DISTANT Valves page 274



SIDE CONTROL TON VALVES KIT with THERMO-  
STATIC Head, page 269 Art. KTL 203,70€



CROSS-CGH 181-51



# CROSS - CGH

EN 442 Watt  $\Delta t$  50K ( $\Delta t$  40K =  $W \times 0,755$ ) - ( $\Delta t$  30K =  $W \times 0,526$ )

| MOD.    | H cm   | L cm | 27              | 33              | 39               | 45               | 51               | 57               | 63               | 69               | 75               | 81               | 87               | 93               | 99               |
|---------|--------|------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
|         | ▲ ▽ cm |      | 24              | 30              | 36               | 42               | 48               | 54               | 60               | 66               | 72               | 78               | 84               | 90               | 96               |
| CGH 51  | €      |      | 603,50<br>170w  | 660,70<br>205w  | 717,80<br>240w   | 775,20<br>275w   | 832,30<br>310w   | 889,50<br>345w   | 946,70<br>380w   | 1003,90<br>415w  | 1061,10<br>450w  | 1118,20<br>485w  | 1175,60<br>520w  | 1232,70<br>555w  | 1289,90<br>590w  |
| CGH 71  | €      |      | 671,30<br>234w  | 728,60<br>281w  | 785,80<br>329w   | 842,90<br>376w   | 900,10<br>424w   | 957,40<br>471w   | 1014,50<br>518w  | 1071,80<br>566w  | 1129,00<br>613w  | 1186,20<br>661w  | 1243,40<br>708w  | 1300,70<br>755w  | 1357,80<br>803w  |
| CGH 91  | €      |      | 739,20<br>297w  | 796,40<br>357w  | 853,70<br>417w   | 910,80<br>477w   | 968,10<br>537w   | 1025,20<br>597w  | 1082,50<br>656w  | 1139,70<br>716w  | 1196,90<br>776w  | 1254,10<br>836w  | 1311,30<br>896w  | 1368,50<br>956w  | 1425,60<br>1016w |
| CGH 161 | €      |      | 976,80<br>519w  | 1034,10<br>623w | 1091,20<br>726w  | 1148,40<br>830w  | 1205,70<br>933w  | 1262,90<br>1036w | 1320,00<br>1140w | 1377,40<br>1243w | 1434,50<br>1347w | 1491,70<br>1450w | 1549,00<br>1554w | 1606,10<br>1657w | 1663,30<br>1760w |
| CGH 181 | €      |      | 1044,70<br>583w | 1102,00<br>699w | 1159,20<br>814w  | 1216,30<br>930w  | 1273,70<br>1046w | 1330,80<br>1162w | 1387,90<br>1278w | 1445,10<br>1394w | 1502,40<br>1510w | 1559,60<br>1626w | 1616,70<br>1741w | 1674,10<br>1857w | 1731,20<br>1973w |
| CGH 191 | €      |      | 1078,70<br>614w | 1135,90<br>736w | 1193,00<br>859w  | 1250,40<br>981w  | 1307,50<br>1103w | 1364,70<br>1225w | 1422,00<br>1347w | 1479,20<br>1469w | 1536,30<br>1591w | 1593,50<br>1713w | 1650,80<br>1835w | 1707,90<br>1957w | 1765,20<br>2080w |
| CGH 201 | €      |      | 1112,60<br>646w | 1169,80<br>774w | 1227,10<br>903w  | 1284,20<br>1031w | 1341,40<br>1159w | 1398,70<br>1288w | 1455,90<br>1416w | 1513,00<br>1544w | 1570,40<br>1673w | 1627,50<br>1801w | 1684,70<br>1929w | 1741,90<br>2058w | 1799,10<br>2186w |
| CGH 211 | €      |      | 1146,70<br>678w | 1203,80<br>812w | 1261,00<br>947w  | 1318,10<br>1081w | 1375,50<br>1216w | 1432,60<br>1351w | 1489,70<br>1485w | 1547,10<br>1620w | 1604,20<br>1754w | 1661,40<br>1889w | 1718,60<br>2023w | 1775,90<br>2158w | 1833,00<br>2292w |
| CGH 221 | €      |      | 1180,50<br>710w | 1237,70<br>850w | 1294,90<br>991w  | 1352,20<br>1132w | 1409,30<br>1273w | 1466,60<br>1413w | 1523,80<br>1554w | 1581,00<br>1695w | 1638,20<br>1836w | 1695,30<br>1976w | 1752,60<br>2117w | 1809,70<br>2258w | 1867,00<br>2399w |
| CGH 231 | €      |      | 1214,40<br>741w | 1271,60<br>888w | 1328,90<br>1035w | 1386,00<br>1182w | 1443,30<br>1329w | 1500,50<br>1476w | 1557,70<br>1623w | 1614,90<br>1770w | 1672,20<br>1917w | 1729,30<br>2064w | 1786,60<br>2211w | 1843,70<br>2358w | 1900,90<br>2505w |
| CGH 241 | €      |      | 1248,50<br>773w | 1305,60<br>926w | 1362,80<br>1079w | 1420,00<br>1233w | 1477,20<br>1386w | 1534,40<br>1539w | 1591,60<br>1692w | 1648,90<br>1845w | 1706,00<br>1999w | 1763,30<br>2152w | 1820,40<br>2305w | 1877,70<br>2458w | 1934,90<br>2611w |

$\Delta t$  different from 50 K: consult Technical data Brem

## HOW TO ORDER

State: model, height and width in cm; connection and color if different from standard.  
eg.: CGH 181 - 39, EG  $\varnothing$  1/2", SB 5002

Model Cross CG horizontal manifold height cm length cm  
CGH 201 - 51


## PRODUCTION ON REQUEST

Thermal output and prices can be obtained by interpolation:

- length of manifolds every 3 cm
- height of radiating tubes every 10 cm

Made-to-measure ( $\pm 3$  mm)

Sizes over 3 m: price on request  
Height every 5 cm: increased size +10%




CGH

DOUBLE VERSION CGDH  
by joining two CGH radiators

Standard EG fitting (delivery and return at front), B15 brackets.  
Thermal output CGDH: single radiator x 1,65

PRICE CGDH

CGH x 2 + 140,00€



# CROSS - CGV

EN 442 Watt  $\Delta t$  50K ( $\Delta t$  40K =  $W \times 0,755$ ) - ( $\Delta t$  30K =  $W \times 0,526$ )

| MOD.                                                   | L cm<br>▲ ▽ cm | Lengths/Longueurs |                 |                  |                  |                  |                  |                  |                  |                  |                  |
|--------------------------------------------------------|----------------|-------------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
|                                                        |                | 51<br>48          | 71<br>68        | 91<br>88         | 101<br>98        | 121<br>118       | 141<br>138       | 161<br>158       | 181<br>178       | 201<br>198       | 221<br>218       |
| CGV 27                                                 | €              | 603,50<br>176w    | 671,30<br>241w  | 739,20<br>306w   | 773,20<br>339w   | 841,10<br>404w   | 908,90<br>470w   | 976,80<br>535w   | 1044,70<br>600w  | 1112,60<br>666w  | 1180,50<br>731w  |
| CGV 33                                                 | €              | 660,70<br>212w    | 728,60<br>290w  | 796,40<br>368w   | 830,40<br>407w   | 898,20<br>485w   | 966,20<br>563w   | 1034,10<br>641w  | 1102,00<br>720w  | 1169,80<br>798w  | 1237,70<br>876w  |
| CGV 39                                                 | €              | 717,80<br>248w    | 785,80<br>339w  | 853,70<br>430w   | 887,50<br>475w   | 955,50<br>566w   | 1023,30<br>657w  | 1091,20<br>748w  | 1159,20<br>839w  | 1227,10<br>930w  | 1294,90<br>1021w |
| CGV 45                                                 | €              | 775,20<br>284w    | 842,90<br>387w  | 910,80<br>491w   | 944,80<br>543w   | 1012,70<br>647w  | 1080,60<br>751w  | 1148,40<br>854w  | 1216,30<br>958w  | 1284,20<br>1062w | 1352,20<br>1166w |
| CGV 51                                                 | €              | 832,30<br>320w    | 900,10<br>436w  | 968,10<br>553w   | 1002,00<br>611w  | 1069,90<br>728w  | 1137,80<br>844w  | 1205,70<br>961w  | 1273,70<br>1078w | 1341,40<br>1194w | 1409,30<br>1311w |
| CGV 57                                                 | €              | 889,50<br>356w    | 957,40<br>485w  | 1025,20<br>615w  | 1059,20<br>679w  | 1127,10<br>809w  | 1194,90<br>938w  | 1262,90<br>1067w | 1330,80<br>1197w | 1398,70<br>1326w | 1466,60<br>1456w |
| CGV 63                                                 | €              | 946,70<br>392w    | 1014,50<br>534w | 1082,50<br>676w  | 1116,40<br>747w  | 1184,40<br>890w  | 1252,20<br>1032w | 1320,00<br>1174w | 1387,90<br>1316w | 1455,90<br>1458w | 1523,80<br>1601w |
| CGV 69                                                 | €              | 1003,90<br>428w   | 1071,80<br>583w | 1139,70<br>738w  | 1173,60<br>815w  | 1241,50<br>970w  | 1309,40<br>1125w | 1377,40<br>1281w | 1445,10<br>1436w | 1513,00<br>1591w | 1581,00<br>1746w |
| CGV 75                                                 | €              | 1061,10<br>464w   | 1129,00<br>632w | 1196,90<br>799w  | 1230,80<br>883w  | 1298,60<br>1051w | 1366,60<br>1219w | 1434,50<br>1387w | 1502,40<br>1555w | 1570,40<br>1723w | 1638,20<br>1891w |
| CGV 81                                                 | €              | 1118,20<br>500w   | 1186,20<br>680w | 1254,10<br>861w  | 1288,10<br>952w  | 1356,00<br>1132w | 1423,70<br>1313w | 1491,70<br>1494w | 1559,60<br>1674w | 1627,50<br>1855w | 1695,30<br>2036w |
| CGV 87                                                 | €              | 1175,60<br>536w   | 1243,40<br>729w | 1311,30<br>923w  | 1345,20<br>1020w | 1413,10<br>1213w | 1481,10<br>1407w | 1549,00<br>1600w | 1616,70<br>1794w | 1684,70<br>1987w | 1752,60<br>2181w |
| CGV 93                                                 | €              | 1232,70<br>572w   | 1300,70<br>778w | 1368,50<br>984w  | 1402,50<br>1088w | 1470,30<br>1294w | 1538,20<br>1500w | 1606,10<br>1707w | 1674,10<br>1913w | 1741,90<br>2119w | 1809,70<br>2326w |
| CGV 99                                                 | €              | 1289,90<br>608w   | 1357,80<br>827w | 1425,60<br>1046w | 1459,70<br>1156w | 1527,50<br>1375w | 1595,40<br>1594w | 1663,30<br>1813w | 1731,20<br>2032w | 1799,10<br>2251w | 1867,00<br>2471w |
| Δt different from 50 K: consult Technical data Browser |                |                   |                 |                  |                  |                  |                  |                  |                  |                  |                  |

$\Delta t$  different from 50 K: consult Technical data Brem

Model vertical height length  
Cross CG manifold cm cm  
CGV 51 - 181


## PRODUCTION ON REQUEST

Thermal output and prices can be obtained by interpolation:

- height of manifolds every 3 cm
- length of radiating tubes every 10 cm

Made-to-measure ( $\pm 3$  mm)

Sizes over 3 m: price on request  
Height every 5 cm: increased size +10%



CGV



## DOUBLE VERSION CGDV

by joining two Cross-CGV radiators

Standard EG fitting (delivery and return at front), B15 brackets

Thermal output CGDV: single radiator x1,65

PRICE CGDV

CGV x 2 + 140,00€

# CROSS-V

Large, variously assembled, rectangular tubes are used to produce an innovative

radiator. CROSS-V represents absolute linearity: a simple or a double rectangle to

complete and add the variegated CROSS-Q solutions.

design Luigi Brembilla



## DIMENSIONS

Width 24/52/80/104/144 cm

Height 24/52/184/208/224 cm

Depth 2/8 cm


Depth from wall 5,5/11,5 cm




CROSS-V 24..




CROSS-V 52..




CROSS-V ..24



CROSS-V ..52




CROSS-V ..80



| MODEL    | H/L<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Depth<br>p<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt | €      |
|----------|-----------|--------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|------------------|-------------------|--------------------|-----------------------------------------------------|--------|
| CROSS-V  | 24-104    | 479,50                               | 246             | 191                       | 130             | 5                 | 24                | 104              | 2                | 6,6               | 2,9                | 250                                                 | 125,10 |
| CROSS-V  | 24-144    | 605,50                               | 334             | 259                       | 176             | 5                 | 24                | 144              | 2                | 9,6               | 4,0                | 300                                                 | 126,20 |
| CROSS-V  | 52-104    | 600,40                               | 493             | 239                       | 260             | 5                 | 52                | 104              | 2                | 13,2              | 5,8                | 500                                                 | 129,60 |
| CROSS-V  | 52-144    | 772,20                               | 669             | 307                       | 353             | 5                 | 52                | 144              | 2                | 9,7               | 8,0                | 650                                                 | 131,80 |
| CROSS-2V | 24-104    | 912,90                               | 429             | 362                       | 226             | 5                 | 24                | 104              | 8                | 13,1              | 5,9                | 400                                                 | 127,40 |
| CROSS-2V | 24-144    | 1169,40                              | 582             | 492                       | 307             | 5                 | 24                | 144              | 8                | 19,2              | 8,0                | 650                                                 | 131,80 |
| CROSS-2V | 52-104    | 1140,80                              | 857             | 430                       | 452             | 5                 | 52                | 104              | 8                | 26,4              | 11,6               | 900                                                 | 140,20 |
| CROSS-2V | 52-144    | 1467,00                              | 1164            | 552                       | 614             | 5                 | 52                | 144              | 8                | 8,3               | 16,0               | 1200                                                | 148,50 |
| CROSS-V  | 184-24    | 581,30                               | 422             | 311                       | 223             | 5                 | 184               | 24               | 2                | 16,6              | 5,0                | 400                                                 | 127,40 |
| CROSS-V  | 184-52    | 1059,20                              | 845             | 621                       | 446             | 28                | 184               | 52               | 2                | 24,9              | 10,1               | 800                                                 | 136,60 |
| CROSS-V  | 184-80    | 1465,30                              | 1267            | 932                       | 669             | 56                | 184               | 80               | 2                | 9,3               | 15,1               | 1200                                                | 148,50 |
| CROSS-V  | 208-24    | 606,30                               | 475             | 350                       | 251             | 5                 | 208               | 24               | 2                | 18,7              | 5,7                | 500                                                 | 129,60 |
| CROSS-V  | 208-52    | 1092,60                              | 950             | 699                       | 501             | 28                | 208               | 52               | 2                | 28,0              | 11,3               | 900                                                 | 140,20 |
| CROSS-V  | 208-80    | 1512,60                              | 1426            | 1049                      | 752             | 56                | 208               | 80               | 2                | 10,0              | 17,0               | 1500                                                | 159,40 |
| CROSS-V  | 224-24    | 627,90                               | 510             | 382                       | 269             | 5                 | 224               | 24               | 2                | 20,0              | 6,1                | 500                                                 | 129,60 |
| CROSS-V  | 224-52    | 1119,10                              | 1021            | 764                       | 539             | 28                | 224               | 52               | 2                | 30,0              | 12,1               | 900                                                 | 140,20 |
| CROSS-V  | 224-80    | 1570,20                              | 1531            | 1146                      | 808             | 56                | 224               | 80               | 2                | 16,6              | 18,3               | 1500                                                | 159,40 |
| CROSS-2V | 184-24    | 1104,70                              | 735             | 560                       | 388             | 5                 | 184               | 24               | 8                | 33,2              | 10,0               | 650                                                 | 131,80 |
| CROSS-2V | 184-52    | 2012,80                              | 1470            | 1118                      | 776             | 28                | 184               | 52               | 8                | 18,6              | 20,2               | 1500                                                | 159,40 |
| CROSS-2V | 208-24    | 1152,10                              | 827             | 629                       | 436             | 5                 | 208               | 24               | 8                | 37,4              | 11,4               | 800                                                 | 136,60 |
| CROSS-2V | 208-52    | 2075,70                              | 1654            | 1259                      | 873             | 28                | 208               | 52               | 8                | 20,0              | 22,6               | 1500                                                | 159,40 |

Thermostats p.208-209

## MIXED VERSIONS Vertical models with thermostat



## STANDARD PRODUCTION

White sablé SB9016 paintwork - B35 brackets

Tolerance  $\pm 3$  mm - Air vent  $\varnothing 1/8"$

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with

colored B35 brackets

Electric version e.Cross-V, p.220

+15/25%

## STANDARD FITTING

EG  $\varnothing 1/2"$

On request fitting  $\varnothing 3/8"$


Special fittings, page 278






## TAPPING CENTRES

Horizontal models




Vertical models




Mod. L=24 ▼▲ 5 cm  
 Mod. L=52 ▼▲ 28 cm    Mod. L=104 ▼▲ 5 cm  
 Mod. L=80 ▼▲ 56 cm    Mod. L=144 ▼▲ 5 cm

FITTINGS AT THE REAR  $\varnothing 1\frac{1}{2}$ " on request



Mod. L=24 ▼▲ 10 cm  
 Mod. L=52 ▼▲ 38 cm  
 Mod. L=80 ▼▲ 66 cm  
 Mod. L=104 ▼▲ 90 cm  
 Mod. L=144 ▼▲ 130 cm


On request, fittings at the rear with reverse valves:  
 ▲ ▼ L-14cm extra Art. REG 91,20€




## RECOMMENDED VALVES

CHROME VALVES KIT with:


- n°2 Valves with tailpieces
- n°2 Fittings (multilayer  $\varnothing 16$ , copper  $\varnothing 12, 14$ )
- n°2 Chrome wall plates  $\varnothing 48$ , hole  $\varnothing 16$



SIDE CONTROL QUADRA VALVES KIT  
 page 271 Art. KQL 191,20€  
 Extra for BREM color list 53,40€




SIDE CONTROL CYL VALVES KIT with THERMO-  
 STATIC option, page 273 Art. KCL 162,50€  
 Extra for BREM color list 53,40€



SIDE CONTROL TON VALVES KIT with THERMO-  
 STATIC Head, page 269 Art. KTL 203,70€

SPECIAL FINISHES page 267  
 Finishes Gold, Bronze, Brushed Nickel for 2 valves  
 Brushed Nickel FITTING KIT extra Art. RN 30,50€

REMOTE FITTINGS Art. REM 42,10€  
 Tapping centres: at the rear of radiator ▲ ▼ L-6cm  
 DISTANT Valves page 274



CROSS-2V 184-52

# ALIS-ONE

design Luigi Brembilla

Its elegant, essential rectangular frame is enriched with horizontal tubes that act

as heated towel heaters. Reminiscent of the louvres found in sun blinds, the towel

heaters are slightly curved and slant downwards for easier, quicker drying.

## DIMENSIONS:

Width: 51/91/121 cm


Height: 56/70/98/126/154/182 cm

Depth: 6 cm


Depth from wall: 9,5 cm





ALIS-ONE 56-51




ALIS-ONE 56-91



ALIS-ONE 56-121




ALIS-ONE 70-51




ALIS-ONE 98-51



ALIS-ONE 126-51



ALIS-ONE 154-51



ALIS-ONE 182-51

| MODEL           | H/L<br>cm | Standard white<br>sablé SB9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt € |        |
|-----------------|-----------|-------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|-------------------------------------------------------|--------|
| ALIS-ONE 56-51  | 56-51     | 546,60                              | 311             | 237                       | 166             | 5                 | 56                | 51               | 6,4               | 3,3                | 300                                                   | 126,20 |
| ALIS-ONE 56-91  | 56-91     | 640,00                              | 491             | 373                       | 262             | 5                 | 56                | 91               | 9,8               | 4,9                | 500                                                   | 129,60 |
| ALIS-ONE 56-121 | 56-121    | 710,10                              | 626             | 476                       | 334             | 5                 | 56                | 121              | 12,3              | 6,1                | 650                                                   | 131,80 |
| ALIS-ONE 70-51  | 70-51     | 586,00                              | 379             | 288                       | 202             | 5                 | 70                | 51               | 7,6               | 3,9                | 400                                                   | 127,40 |
| ALIS-ONE 98-51  | 98-51     | 664,80                              | 513             | 390                       | 273             | 5                 | 98                | 51               | 10,2              | 5,1                | 500                                                   | 129,60 |
| ALIS-ONE 126-51 | 126-51    | 743,70                              | 648             | 493                       | 345             | 5                 | 126               | 51               | 12,7              | 6,2                | 650                                                   | 131,80 |
| ALIS-ONE 154-51 | 154-51    | 822,50                              | 783             | 595                       | 417             | 5                 | 154               | 51               | 15,2              | 7,4                | 800                                                   | 136,60 |
| ALIS-ONE 182-51 | 182-51    | 901,40                              | 918             | 698                       | 489             | 5                 | 182               | 51               | 17,7              | 8,5                | 900                                                   | 140,20 |

Customized dimensions on request

Thermostats p.208-209

## STANDARD PRODUCTION

White sablé SB9016 paintwork - B35 brackets

Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with

colored B35 brackets

Electric version, e.Alis-One pag. 210

+15/25%

## STANDARD FITTING


EG ø 1/2"

On request fitting ø3/8"


Special fittings page 279




## TAPPING CENTRES



\*sleeve E.H.E.  
Dual Fuel version



On request: VALVES COVER (32x6x6 cm)  
with reverse valves ▲▽ 19cm Art. CR 101,40€




FIXINGS  
B35 Brackets included


## RECOMMENDED VALVES

CHROME VALVES KIT with:


- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16



SIDE CONTROL QUADRA VALVES KIT  
page 271 Art. KQL 191,20€  
Extra for BREM color list 53,40€




SIDE CONTROL CYL VALVES KIT with THERMO-  
STATIC option, page 273 Art. KCLD 162,50€  
Extra for BREM color list 53,40€



SIDE CONTROL TON VALVES KIT with THERMO-  
STATIC Head, page 269 Art. KTLD 203,70€

SPECIAL FINISHES page 267  
Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

REMOTE FITTINGS Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲▽ L - 6cm  
DISTANT Valves page 274





# ASYMM ASYMP

ASYM: the heated towel heater with a simple design using a single tubular

section only 10 mm thick for a light and functional look.

*design Luigi Brebilla*  
A series of rectangular frames can be either empty or solid, and installed on either side.


## DIMENSIONS

Width: 48 / 56 / 64 cm

Height: 105 / 145 / 180 cm

Depth: 4,8 cm

Depth from wall: 7,6 cm



ASYMM 105...

ASYMM 145...

ASYMM 180...

ASYMP 105...


ASYMP 145...

ASYMP 180...


| MODEL | HL<br>cm | Standard white<br>sablé SB9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. * |        |
|-------|----------|-------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|------------------------------------|--------|
| ASYMM | 105-48   | 695,30                              | 506             | 382                       | 266             | 5                 | 105               | 48               | 9,2               | 3,5                | 500                                | 129,60 |
| ASYMM | 105-56   | 736,30                              | 556             | 420                       | 292             | 5                 | 105               | 56               | 10,1              | 3,8                | 500                                | 129,60 |
| ASYMM | 145-48   | 841,60                              | 677             | 511                       | 356             | 5                 | 142               | 48               | 12,3              | 4,8                | 650                                | 131,80 |
| ASYMM | 145-56   | 882,60                              | 744             | 562                       | 391             | 5                 | 142               | 56               | 13,5              | 5,1                | 800                                | 136,60 |
| ASYMM | 145-64   | 923,60                              | 811             | 612                       | 427             | 5                 | 142               | 64               | 14,6              | 5,5                | 800                                | 136,60 |
| ASYMM | 180-48   | 963,30                              | 849             | 641                       | 447             | 5                 | 180               | 48               | 15,5              | 6,0                | 900                                | 140,20 |
| ASYMM | 180-56   | 1010,40                             | 933             | 704                       | 491             | 5                 | 180               | 56               | 16,9              | 6,4                | 900                                | 140,20 |
| ASYMM | 180-64   | 1057,30                             | 1016            | 767                       | 534             | 5                 | 180               | 64               | 18,3              | 6,9                | 900                                | 140,20 |
| ASYMP | 105-48   | 831,00                              | 606             | 458                       | 319             | 5                 | 105               | 48               | 15,1              | 4,1                | 650                                | 131,80 |
| ASYMP | 105-56   | 872,00                              | 682             | 515                       | 359             | 5                 | 105               | 56               | 17,1              | 4,5                | 650                                | 131,80 |
| ASYMP | 145-48   | 1018,00                             | 811             | 612                       | 427             | 5                 | 142               | 48               | 20,2              | 5,5                | 800                                | 136,60 |
| ASYMP | 145-56   | 1059,00                             | 911             | 688                       | 479             | 5                 | 142               | 56               | 22,8              | 6,0                | 900                                | 140,20 |
| ASYMP | 180-48   | 1139,70                             | 1016            | 767                       | 534             | 5                 | 180               | 48               | 25,3              | 6,9                | 900                                | 140,20 |
| ASYMP | 180-56   | 1180,70                             | 1142            | 862                       | 601             | 5                 | 180               | 56               | 28,6              | 7,5                | 1200                               | 148,50 |

► Ready in stock

\*Dual fuel valve or T to be added p.207  
Thermostats p.208-209



Dual Fuel QUADRA  
Art. QLXS..



Ex. In axis  
thermostatic  
valve

## STANDARD PRODUCTION

White sablé SB9016 paintwork - B35 brackets  
Tolerance  $\pm 3$  mm - Air vent  $\varnothing 1/2"$

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with  
colored brackets


Electric version e.Asym, page 249

+15/25%

## STANDARD FITTING


E  $\varnothing 1/2"$ ,  
on request G

Fittings on request, page 279




## TAPPING CENTRES

ASYM with manifold on the left - E fittings




On request manifold on the right - G fittings



## FIXINGS


Brackets included



## RECOMMENDED VALVES

CHROME VALVES KIT WITH:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16



ANGLED QUADRA VALVES KIT

pag.271

Art. KQS

180,10€


Extra for BREM color list

53,40€

KIT Fitting Brushed NICKEL

Art. RN

30,50€



ANGLED TON VALVES KIT with THERMOSTATIC

Head chrome, p.269 Art. KTS

190,30€

ANGLED CYL VALVES convertible to thermostatic  
chrome, p.273

Art. KCS

149,90€

Extra for BREM color list

53,40€

KIT Fitting brushed NICKEL

Art. RN

30,50€



ASYMM 145-56



ASYMP 105-48

# CROSS WITH CROSSED SQUARES

design Luigi Brembilla

Interwoven squares and rectangles to create a radiator with an unusual look.

Can be used as a towelheater, or simply as decorative feature in any room.

The geometric shapes can be multiplied at will, always resulting in a harmonious whole.

## DIMENSIONS



Width: 48/56/64/88/96/120/128/152/168 cm

Height: 48/56/64/88/128/152/168/184 cm


Depth: 11 cm

Depth from wall: 13,5 cm

## TECHNICAL DRAWINGS p.59





CROSS 88 -...



CROSS 88-120




CROSS 128-48 CROSS 128-56




4,5 ±

CROSS 48-88  
CROSS 56-88  
CROSS 64-96



4,5 ±

CROSS 48-128 / 56-152 / 64-168



CROSS 184-48 CROSS 184-...


## MODEL

| MODEL        | H-L<br>cm | Standard white<br>sablé SB9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H (H <sub>i</sub> )<br>cm | Width<br>L (L <sub>i</sub> )<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm <sup>3</sup> | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt € |        |
|--------------|-----------|-------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------------------------|------------------------------------|-------------------|--------------------------------|-------------------------------------------------------|--------|
| CROSS 48-88  | 48-88     | 768,20                              | 394             | 297                       | 208             | 74                | 48 (24)                             | 88                                 | 7,9               | 4,8                            | 400                                                   | 127,40 |
| CROSS 48-128 | 48-128    | 1066,50                             | 635             | 479                       | 335             | 114               | 48 (24)                             | 128                                | 12,8              | 7,7                            | 650                                                   | 131,80 |
| CROSS 56-88  | 56-88     | 799,80                              | 429             | 324                       | 227             | 74                | 56 (32)                             | 88                                 | 8,6               | 5,2                            | 400                                                   | 127,40 |
| CROSS 56-152 | 56-152    | 1156,10                             | 772             | 583                       | 408             | 138               | 56 (32)                             | 152                                | 15,6              | 9,4                            | 800                                                   | 136,60 |
| CROSS 64-96  | 64-96     | 867,60                              | 480             | 362                       | 253             | 82                | 64 (32)                             | 96                                 | 9,7               | 5,9                            | 500                                                   | 129,60 |
| CROSS 64-168 | 64-168    | 1209,30                             | 892             | 673                       | 471             | 154               | 64 (32)                             | 168                                | 17,6              | 10,7                           | 900                                                   | 140,20 |
| CROSS 88-48  | 88-48     | 754,00                              | 394             | 297                       | 208             | 19                | 88                                  | 48 (24)                            | 7,9               | 4,8                            | 400                                                   | 127,40 |
| CROSS 88-56  | 88-56     | 784,80                              | 429             | 324                       | 227             | 19                | 88                                  | 56 (32)                            | 8,6               | 5,2                            | 400                                                   | 127,40 |
| CROSS 88-120 | 88-120    | 939,50                              | 617             | 466                       | 327             | 106               | 88                                  | 120 (56)                           | 12,4              | 7,5                            | 650                                                   | 131,80 |
| CROSS 128-48 | 128-48    | 1058,30                             | 623             | 470                       | 329             | 19                | 128                                 | 48 (24)                            | 12,8              | 7,7                            | 650                                                   | 131,80 |
| CROSS 128-56 | 128-56    | 1104,70                             | 656             | 495                       | 346             | 19                | 128                                 | 56 (32)                            | 13,5              | 8,2                            | 650                                                   | 131,80 |
| CROSS 152-48 | 152-48    | 1112,70                             | 673             | 508                       | 355             | 19                | 152                                 | 48 (24)                            | 13,8              | 8,4                            | 650                                                   | 131,80 |
| CROSS 152-56 | 152-56    | 1146,10                             | 757             | 572                       | 400             | 19                | 152                                 | 56 (32)                            | 15,6              | 9,4                            | 800                                                   | 136,60 |
| CROSS 168-64 | 168-64    | 1224,90                             | 875             | 661                       | 462             | 19                | 168                                 | 64 (32)                            | 18,7              | 11,3                           | 900                                                   | 140,20 |
| CROSS 184-48 | 184-48    | 1375,70                             | 890             | 672                       | 470             | 19                | 184                                 | 48 (24)                            | 18,7              | 11,3                           | 900                                                   | 140,20 |
| CROSS 184-56 | 184-56    | 1434,70                             | 956             | 722                       | 505             | 19                | 184                                 | 56 (32)                            | 20,0              | 12,1                           | 900                                                   | 140,20 |
| CROSS 184-64 | 184-64    | 1495,50                             | 1038            | 784                       | 548             | 19                | 184                                 | 64 (32)                            | 21,8              | 13,2                           | 1200                                                  | 148,50 |
| C-DIVIS*     | 196-48    | 1620,30                             | 890             | 672                       | 470             | 5                 | 196                                 | 48+4                               | 19,1              | 11,3                           | 900                                                   | 140,20 |

Ready Stock

Thermostats p.208-209

\*Cross-Dividing to be used as a partition element with lateral fixings and foot (adjustable h=12/18 cm) welded, fixing B35 page 58



## STANDARD PRODUCTION

White sablé SB9016 paintwork - B70 brackets

Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with colored B70 brackets

Electric versions e.Cross, p.218


+15/25%

## STANDARD FITTING

REG ø 1/2"

On request fitting ø 3/8"


Special fittings, page 279






## TAPPING CENTRES

### Horizontal models



\*sleeve E.H.E.  
Dual Fuel version

### Vertical models



**FIXINGS**  
Brackets included  
position page 59




CROSS 184-56

## RECOMMENDED VALVES

### CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16




**REVERSE QUADRA VALVES KIT**  
page 271 Art. KQR  
Extra for BREM color list

180,10€  
53,40€




**REVERSE CYL VALVES KIT** with thermostatic option,  
page 273 Art. KCR 149,90€  
Extra for BREM color list

53,40€



**REMOTE FITTINGS** Art. REM 42,10€  
Tapping centres: at the rear ▲▽ L<sup>1</sup> - 6cm  
DISTANT Valves page 274



**REVERSE VALVES TON KIT** with THERMOSTATIC  
Head, page 273 Art. KTR 190,30€




CROSS 48-128



CROSS 152-56




CROSS 184-56



C-DIVIS 196 - 48


## CROSS DIVIS DIVIDING CROSS



### STANDARD FITTING

AC  $\varnothing 1/2"$

BD on request




### RECOMMENDED VALVES

STRAIGHT valves QUADRA KIT  
p. 271 Art. KQD 190,00€


# CROSS TECHNICAL DRAWINGS (CROSSED SQUARES)

## TAPPING CENTRES AND FITTINGS




### BRACKETS POSITION


HORIZONTAL models





VERTICAL models



### TAPPING CENTRES with REVERSE VALVES



▶ M delivery  
 ▶ R return





# CROSS-Q

## TOWEL HEATERS WITH OVERLAPPING SQUARES

design Luia Brembilla

Cross towel heaters can be provided in CROSS-Q version, with overlapping squares,

to obtain a towel heaters 10 cm in depth only. Innovative element thanks to 90° cor-

ners and strong geometric shapes. Finishes can be chosen from the rich Brem color list

### DIMENSIONS



Width: 48/56/64/88/96/120/128/152/168 cm

Height: 48/56/64/88/128/152/168/184 cm


Depth: 6 cm

Depth from wall: 9,5 / 13cm


TECHNICAL DRAWINGS p.64




CROSS-Q 88-...




CROSS-Q 88-120




CROSS-QD  
48-48/56-56/64-64




CROSS-Q  
48-88/56-88/64-96




CROSS-Q 128-48




CROSS-Q 152-48  
152-56/168-64



CROSS-Q  
48-128/56-152 / 64-168



CROSS-Q 184-48



CROSS-Q 184-56  
CROSS-Q 184-64

### MODEL'25

|          | H1<br>cm | Standard white<br>sablé SB9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▽<br>t.c.<br>cm | Height<br>H (H1)<br>cm | Width<br>L (L1)<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt<br>€ |
|----------|----------|-------------------------------------|-----------------|---------------------------|-----------------|-------------------|------------------------|-----------------------|-------------------|--------------------|----------------------------------------------------------|
| CROSS-QD | 48-48    | 465,40                              | 244             | 184                       | 128             | 38                | 48                     | 48                    | 6,5               | 5,2                | 250 125,10                                               |
| CROSS-QD | 56-56    | 506,70                              | 292             | 220                       | 154             | 46                | 56                     | 56                    | 7,7               | 6,2                | 300 126,20                                               |
| CROSS-QD | 64-64    | 531,80                              | 339             | 256                       | 178             | 54                | 64                     | 64                    | 9,0               | 7,1                | 400 127,40                                               |
| CROSS-Q  | 48-88    | 731,70                              | 394             | 297                       | 208             | 43                | 48 (24)                | 88 (48)               | 7,9               | 4,8                | 400 127,40                                               |
| CROSS-Q  | 48-128   | 1015,70                             | 635             | 479                       | 335             | 99                | 48 (24)                | 128 (104)             | 12,8              | 7,7                | 650 131,80                                               |
| CROSS-Q  | 56-88    | 761,80                              | 429             | 324                       | 227             | 51                | 56 (32)                | 88 (56)               | 8,6               | 5,2                | 400 127,40                                               |
| CROSS-Q  | 56-152   | 1101,00                             | 772             | 583                       | 408             | 115               | 56 (32)                | 152 (120)             | 15,6              | 9,4                | 800 136,60                                               |
| CROSS-Q  | 64-96    | 826,10                              | 480             | 362                       | 253             | 59                | 64 (32)                | 96 (64)               | 9,7               | 5,9                | 500 129,60                                               |
| CROSS-Q  | 64-168   | 1151,90                             | 892             | 673                       | 471             | 131               | 64 (32)                | 168 (136)             | 17,6              | 10,7               | 900 140,20                                               |
| CROSS-Q  | 88-48    | 718,10                              | 394             | 297                       | 208             | 37                | 88                     | 48 (24)               | 7,9               | 4,8                | 400 127,40                                               |
| CROSS-Q  | 88-56    | 747,50                              | 429             | 324                       | 227             | 45                | 88                     | 56 (32)               | 8,6               | 5,2                | 400 127,40                                               |
| CROSS-Q  | 88-120   | 894,50                              | 617             | 466                       | 326             | 69                | 88                     | 120 (56)              | 12,4              | 7,5                | 650 131,80                                               |
| CROSS-Q  | 128-48   | 1008,00                             | 623             | 470                       | 329             | 37                | 128                    | 48 (24)               | 12,8              | 7,7                | 650 131,80                                               |
| CROSS-Q  | 128-56   | 1052,00                             | 656             | 495                       | 346             | 45                | 128                    | 56 (32)               | 13,5              | 8,2                | 650 131,80                                               |
| CROSS-Q  | 152-48   | 1059,70                             | 673             | 508                       | 355             | 37                | 152                    | 48 (24)               | 13,8              | 8,4                | 650 131,80                                               |
| CROSS-Q  | 152-56   | 1091,60                             | 757             | 572                       | 400             | 45                | 152                    | 56 (32)               | 15,6              | 9,4                | 800 136,60                                               |
| CROSS-Q  | 168-64   | 1166,60                             | 875             | 661                       | 462             | 45                | 168                    | 64 (32)               | 18,7              | 11,3               | 900 140,20                                               |
| CROSS-Q  | 184-48   | 1310,20                             | 890             | 672                       | 470             | 37                | 184                    | 48 (24)               | 18,7              | 11,3               | 900 140,20                                               |
| CROSS-Q  | 184-56   | 1366,50                             | 956             | 722                       | 505             | 45                | 184                    | 56 (32)               | 20,0              | 12,1               | 900 140,20                                               |
| CROSS-Q  | 184-64   | 1424,30                             | 1038            | 784                       | 548             | 45                | 184                    | 64 (32)               | 21,8              | 13,2               | 900 140,20                                               |

► Ready Stock

Thermostats p.208-209



MIXED VERSION  
with E.H.E. cable cover

### STANDARD PRODUCTION

White sablé SB9016 paintwork - B35 brackets

Tolerance ± 3 mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

### PRODUCTION ON REQUEST

Paintwork to Brem color list with colored B35 brackets

+15/25%


Electric version e.Cross-Q, page 221

### STANDARD FITTING

REG ø 1/2"


On request fitting ø3/8"

Special fittings, page 279




## TAPPING CENTRES

## Horizontal Models




## Vertical Models




\*sleeve E.H.E.  
Dual Fuel version

CROSS-QD



On request fittings EG ▲▽ L-10 cm without extra.  
Visible valves with lateral control and depth 9.5 cm




B35 FIXINGS  
Brackets included  
position page 64


## RECOMMENDED VALVES

CHROME VALVES KIT with:


- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø16




REVERSE QUADRA VALVES KIT  
page 271 Art. KQR  
Extra for BREM color list



REVERSE CYL VALVES KIT with thermostatic option,  
page 273 Art. KCR 149,90€  
Extra for BREM color list 53,40€



REMOTE FITTINGS Art. REM 42,10€  
horizontal models tapping centres ▲ ▽ L- 6cm  
vertical models L<sup>1</sup> - 6cm  
DISTANT Valves page 274



REVERSE TON VALVES KIT with THERMOSTATIC  
Head      page 273      Art. KTR      190,30€



CROSS -Q 184-48



# CROSS GILDED/SILVER LEAF WITH OVERLAPPING SQUARES

design Luigi Brembilla

CROSS also comes in a prestigious version with a gilded-leaf or silver-leaf finish for special effects.

No more than three overlapping elements.

Can be used as a towel-heater, or simply a decorative feature in any room.

CROSS-FO Gilded leaf  
CROSS-FA Silver leaf  
Technical data and drawings  
page 60 and 64

| MODEL      | HL<br>cm | Gilded/Silver<br>leaf<br>€ | EN 442<br>Δt 50 K<br>watt |
|------------|----------|----------------------------|---------------------------|
| CROSS-F... | 48-88    | 2151,20                    | 394                       |
| CROSS-F... | 48-128   | 2986,00                    | 635                       |
| CROSS-F... | 56-88    | 2239,40                    | 429                       |
| CROSS-F... | 56-152   | 3236,90                    | 772                       |
| CROSS-F... | 64-96    | 2429,10                    | 480                       |
| CROSS-F... | 64-168   | 3385,90                    | 892                       |
| CROSS-F... | 88-48    | 2111,00                    | 394                       |
| CROSS-F... | 88-56    | 2197,70                    | 429                       |
| CROSS-F... | 88-120   | 2284,70                    | 617                       |
| CROSS-F... | 128-48   | 2630,20                    | 623                       |
| CROSS-F... | 128-56   | 2962,80                    | 656                       |
| CROSS-F... | 152-56   | 3093,10                    | 757                       |
| CROSS-F... | 168-64   | 3209,40                    | 875                       |
| CROSS-F... | 184-48   | 3348,70                    | 890                       |
| CROSS-F... | 184-56   | 3492,50                    | 956                       |

Silver leaf



CROSS FO 128-48

# CROSS BICOLOR/TRICOLOR WITH OVERLAPPING SQUARES

CROSS can be supplied in a fascinating color combination version.

No more than four overlapping elements.

Painted in glossy, metallic, satin or sablé finishes, it can be used as a towel warmer or simply as a decorative element in any room.

CHOICE OF COLORS  
(see Brem color list)  
1 - Rear rectangle (color ...)  
2 - Top or left square  
3 - Bottom or right square  
4 - Central square

| MODEL      | HL<br>cm | BREM Colours<br>as you like<br>€ | EN 442<br>Δt 50 K<br>watt |
|------------|----------|----------------------------------|---------------------------|
| CROSS BIC  | 48-88    | 1114,10                          | 394                       |
| CROSS BIC  | 48-128   | 1546,20                          | 635                       |
| CROSS BIC  | 56-88    | 1159,60                          | 429                       |
| CROSS BIC  | 56-152   | 1676,40                          | 772                       |
| CROSS BIC  | 64-96    | 1258,10                          | 480                       |
| CROSS BIC  | 64-168   | 1753,50                          | 892                       |
| CROSS BIC  | 88-48    | 1093,10                          | 394                       |
| CROSS BIC  | 88-56    | 1138,10                          | 429                       |
| CROSS BIC  | 88-120   | 1362,00                          | 617                       |
| CROSS BIC  | 128-48   | 1534,30                          | 623                       |
| CROSS BIC  | 128-56   | 1601,90                          | 656                       |
| CROSS BIC  | 152-56   | 1661,90                          | 757                       |
| CROSS BIC  | 168-64   | 1874,30                          | 875                       |
| CROSS BIC  | 184-48   | 2038,40                          | 890                       |
| CROSS BIC  | 184-56   | 2114,30                          | 956                       |
| CROSS TRIC | 48-128   | 1652,90                          | 635                       |
| CROSS TRIC | 56-152   | 1792,00                          | 772                       |
| CROSS TRIC | 64-168   | 1889,10                          | 892                       |
| CROSS TRIC | 128-48   | 1640,10                          | 623                       |
| CROSS TRIC | 128-56   | 1712,30                          | 656                       |
| CROSS TRIC | 152-56   | 1776,40                          | 757                       |
| CROSS TRIC | 168-64   | 2005,50                          | 875                       |
| CROSS TRIC | 184-48   | 2181,00                          | 890                       |
| CROSS TRIC | 184-56   | 2262,40                          | 956                       |

Technical data and drawings  
page 60 and 64

CROSS TRIC 152-56



# CROSS CROM WITH OVERLAPPING SQUARES

design Luigi Brembilla

CROSS CROM is a chrome-plated version, for attractive compositions of no more than three overlapping elements.  
Can be used as a towel-heater, or simply a decorative feature in any room.



CROSS CROM 88-120

| MODEL      | HL<br>cm | Chrome-plated<br>standard<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H (H <sub>1</sub> )<br>cm | Width<br>L (L <sub>1</sub> )<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm <sup>3</sup> | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt € |        |
|------------|----------|--------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------------------------|------------------------------------|-------------------|--------------------------------|-------------------------------------------------------|--------|
| CROSS CROM | 48-88    | 1790,00                        | 339             | 256                       | 179             | 43                | 48 (24)                             | 88 (48)                            | 7,9               | 4,8                            | 300                                                   | 126,20 |
| CROSS CROM | 48-128   | 2484,90                        | 533             | 402                       | 281             | 99                | 48 (24)                             | 128 (104)                          | 12,8              | 7,7                            | 500                                                   | 129,60 |
| CROSS CROM | 56-88    | 1863,60                        | 369             | 279                       | 195             | 51                | 56 (32)                             | 88 (56)                            | 8,6               | 5,2                            | 400                                                   | 127,40 |
| CROSS CROM | 56-152   | 2693,70                        | 648             | 489                       | 342             | 115               | 56 (32)                             | 152 (120)                          | 15,6              | 9,4                            | 650                                                   | 131,80 |
| CROSS CROM | 64-96    | 2021,70                        | 413             | 312                       | 218             | 59                | 64 (32)                             | 96 (64)                            | 9,7               | 5,9                            | 400                                                   | 127,40 |
| CROSS CROM | 64-168   | 2817,40                        | 758             | 572                       | 400             | 131               | 64 (32)                             | 168 (136)                          | 17,6              | 10,7                           | 800                                                   | 136,60 |
| CROSS CROM | 88-48    | 1756,80                        | 339             | 256                       | 179             | 37                | 88                                  | 48 (24)                            | 7,9               | 4,8                            | 400                                                   | 127,40 |
| CROSS CROM | 88-56    | 1828,50                        | 369             | 279                       | 195             | 45                | 88                                  | 56 (32)                            | 8,6               | 5,2                            | 400                                                   | 127,40 |
| CROSS CROM | 88-120   | 2188,40                        | 531             | 401                       | 280             | 69                | 88                                  | 120 (56)                           | 12,4              | 7,5                            | 500                                                   | 129,60 |
| CROSS CROM | 128-48   | 2465,20                        | 511             | 386                       | 270             | 37                | 128                                 | 48 (24)                            | 12,8              | 7,7                            | 500                                                   | 129,60 |
| CROSS CROM | 128-56   | 2573,90                        | 538             | 406                       | 284             | 45                | 128                                 | 56 (32)                            | 13,5              | 8,2                            | 500                                                   | 129,60 |
| CROSS CROM | 152-56   | 2670,40                        | 621             | 469                       | 328             | 45                | 152                                 | 56 (32)                            | 15,6              | 9,4                            | 650                                                   | 131,80 |
| CROSS CROM | 168-64   | 2786,80                        | 733             | 553                       | 387             | 45                | 168                                 | 64 (32)                            | 18,7              | 11,3                           | 650                                                   | 131,80 |
| CROSS CROM | 184-48   | 3543,90                        | 712             | 538                       | 376             | 37                | 184                                 | 48 (24)                            | 18,7              | 11,3                           | 650                                                   | 121,30 |
| CROSS CROM | 184-56   | 3695,80                        | 880             | 664                       | 465             | 45                | 184                                 | 56 (32)                            | 20,0              | 12,1                           | 800                                                   | 125,70 |

Drawings page 64

Thermostats p.208-209

## STANDARD PRODUCTION

Chrome-plated B35 brackets and finishing  
Tolerance ± 3mm - Air vent ø 1/8"


MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Made-to-measure dimensions  
B70 brackets for 13 cm depth from wall  
Electric version e.Cross Crom, page 243


## STANDARD FITTING

REG ø 1/2"  
On request fitting ø 3/8"  
Special fittings, page 287





# CROSS-Q TECHNICAL DRAWINGS

(for overlapping squares) TAPPING CENTRES AND FIXINGS




EHE: sleeve for  
Electric Heating  
Element (on request)




## BRACKETS POSITION

HORIZONTAL  
models


VERTICAL  
models



## TAPPING CENTRES with REVERSE VALVES



Missing models:  
Request technical sheet



# CrossFRAME



CROSS-R2  
177-64

POSITION

Diagram of a 3D object with a horizontal bar and two vertical bars. The horizontal bar has a width of 4 and a height of 16. The vertical bars have a width of 3 and a height of 12. The object is shown from a perspective view.





# CROSS-R

## WITH OVERLAPPING RECTANGLES

design Luigi Brembilla

Rectangles sitting one on top of another to create a truly special radiator. CROSS-R is with

side fittings on the rear rectangle, thus hiding the valves and minimizing its projection from

the wall. Can be used as a towelheater, or simply a decorative feature in any room.

### DIMENSIONS


Widths: 56/64/104/124/144/164 cm

Heights: 70/137/177 cm


Depths: 6 / 10 cm

Depths from wall: 14 cm



TECHNICAL DATA page 65




CROSS-R 70-104/124/144




CROSS-R 70-124/144 /164



CROSS-R 137-56  
CROSS-R 177-64



CROSS-RD  
137-56



CROSS-R 177-64

| MODEL                | HL<br>cm | Standard white<br>sablé SB9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm <sup>3</sup> | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt € |        |
|----------------------|----------|-------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------------------|-------------------------------------------------------|--------|
| CROSS-R              | 70-104   | 829,80                              | 433             | 327                       | 229             | 90                | 71                | 104              | 8,3               | 5                              | 400                                                   | 127,40 |
| CROSS-R              | 70-124   | 908,10                              | 478             | 361                       | 253             | 110               | 71                | 124              | 9,2               | 5,6                            | 500                                                   | 129,60 |
| CROSS-R              | 70-144   | 986,40                              | 523             | 395                       | 275             | 130               | 71                | 144              | 10                | 6,1                            | 500                                                   | 129,60 |
| CROSS-R2             | 70-124   | 1173,20                             | 655             | 494                       | 346             | 110               | 71                | 124              | 12,6              | 7,6                            | 650                                                   | 131,80 |
| CROSS-R2             | 70-144   | 1259,80                             | 703             | 531                       | 370             | 130               | 71                | 144              | 13,5              | 8,2                            | 650                                                   | 131,80 |
| CROSS-R2             | 70-164   | 1443,70                             | 758             | 572                       | 400             | 150               | 71                | 164              | 14,5              | 8,8                            | 800                                                   | 136,60 |
| CROSS-R              | 137-56   | 919,30                              | 479             | 365                       | 256             | 19                | 137,4             | 56               | 9,5               | 5,8                            | 500                                                   | 129,60 |
| CROSS-RD             | 137-56   | 1244,00                             | 625             | 479                       | 335             | 19                | 137,4             | 56               | 12,8              | 7,7                            | 650                                                   | 131,80 |
| CROSS-R              | 177-64   | 1187,20                             | 585             | 445                       | 312             | 19                | 177,4             | 64               | 11,6              | 7                              | 650                                                   | 131,80 |
| CROSS-R2             | 177-64   | 1390,90                             | 750             | 574                       | 401             | 19                | 177,4             | 64               | 15,2              | 9,2                            | 800                                                   | 136,60 |
| CHROME-PLATED FINISH |          |                                     |                 |                           |                 |                   |                   |                  |                   |                                |                                                       |        |
| R-CROM               | 70-124   | 2152,30                             | 402             | 303                       | 212             | 110               | 71                | 124              | 12,6              | 7,6                            | 400                                                   | 127,40 |
| R-CROM               | 137-56   | 2262,00                             | 383             | 293                       | 205             | 19                | 137,4             | 56               | 9,5               | 5,8                            | 400                                                   | 127,40 |

► Ready Stock

Thermostats p.208-209

### STANDARD PRODUCTION

White sablé SB9016 paintwork - B70 brackets

Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

### PRODUCTION ON REQUEST

Paintwork to Brem color list with

colored B70 brackets

Electric version e.Cross-R, page 222


+15/25%

### STANDARD FITTING

REG ø 1/2"



On request fitting ø 3/8"

Special fittings page 279






## TAPPING CENTRES

### Horizontal Models



\*sleeve E.H.E.  
Dual Fuel version

### Vertical Models



**FIXINGS**  
Brackets included  
position, page 65




R-CROM 137-56

## RECOMMENDED VALVES


### CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16



**REVERSE QUADRA VALVES KIT**  
page 271 Art. KQR


180,10€  
53,40€



**REVERSE CYL VALVES KIT** with thermostatic option,  
page 273 Art. KCR 149,90€

Extra for BREM color list


53,40€



**REVERSE TON VALVES KIT** with THERMOSTATIC  
Head page 273 Art. KTR 190,30€

**SPECIAL FINISHES:** Gold, Bronze, brushed Nickel,  
gilden/silver Leaf for 2 valves page 267  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

**REMOTE FITTINGS** Art. REM 42,10€  
horizontal models tapping centres ▲ ▽ L- 6cm  
vertical models tapping centres ▲ ▽ L'- 6cm  
DISTANT Valves page 274



Lengths up to 6 m.

# CROSS-RV WITH OVERLAPPING RECTANGLES

design Luigi Brembilla

A regular pattern of rectangles sitting one on top of another to create a most linear

heating element.  
It can be used as a heated towel rail or a

purely decorative radiator to suit different locations of the house.

## DIMENSIONS


Widths: 48/56/64/104 cm

Heights: 68/104/144/184/208/224 cm


Depths: 6 cm

Depth from wall: 9,5 cm



TECHNICAL DATA page 65




CROSS-RV 68-104




CROSS-RV 104-..




CROSS-RV 144-..



CROSS-RV 184-..



CROSS-RV 224-64  
CROSS-RV\* 208-64



| MODEL     | H-L<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L (L1)<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt<br>€ |
|-----------|-----------|--------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|-----------------------|-------------------|--------------------|----------------------------------------------------------|
| CROSS-RV  | 68-104    | 1085,20                              | 611             | 461                       | 321             | 68                | 68                | 104 (72)              | 12,1              | 7,3                | 650 131,80                                               |
| CROSS-RV  | 104-48    | 977,60                               | 509             | 384                       | 267             | 37                | 104               | 48 (24)               | 10,4              | 6,3                | 500 129,60                                               |
| CROSS-RV  | 104-56    | 1009,20                              | 560             | 422                       | 294             | 45                | 104               | 56 (32)               | 11,4              | 6,9                | 650 121,30                                               |
| CROSS-RV  | 144-48    | 1249,70                              | 729             | 550                       | 383             | 37                | 144               | 48 (24)               | 14,5              | 8,8                | 800 125,70                                               |
| CROSS-RV  | 144-56    | 1289,30                              | 797             | 601                       | 419             | 45                | 144               | 56 (32)               | 15,9              | 9,6                | 800 125,70                                               |
| CROSS-RV  | 184-48    | 1523,40                              | 923             | 696                       | 485             | 37                | 184               | 48 (24)               | 19,4              | 11,7               | 900 129,00                                               |
| CROSS-RV  | 184-56    | 1570,90                              | 1005            | 758                       | 528             | 45                | 184               | 56 (32)               | 21,1              | 12,8               | 900 129,00                                               |
| CROSS-RV  | 184-64    | 1612,00                              | 1071            | 808                       | 563             | 45                | 184               | 64 (32)               | 22,5              | 13,6               | 1200 136,70                                              |
| CROSS-RV  | 224-64    | 1700,40                              | 1293            | 975                       | 679             | 45                | 224               | 64 (32)               | 28,1              | 16,9               | 1200 136,70                                              |
| CROSS-RV* | 208-64    | 1652,40                              | 1261            | 951                       | 662             | 45                | 208               | 64 (32)               | 28,1              | 16,9               | 1200 136,70                                              |

\*Distance between rectangles 4 cm

OTHER DIMENSIONS on request

Thermostats p.208-209

## STANDARD PRODUCTION

White sablé SB9016 paintwork - B35 brackets

Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with

colored B35 brackets

Electric version, on request


+15/25%

## STANDARD FITTING

REG ø 1/2"



Fittings ø 3/8", on request

Special fittings, page 279





## TAPPING CENTRES



**FIXINGS**  
Brackets included  
position page 65




**CROSS-RV 184-56**

## RECOMMENDED VALVES

### CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16



**REVERSE QUADRA VALVES KIT**  
page 271 Art. KQR


180,10€  
53,40€



**REVERSE CYL VALVES KIT** with thermostatic option,  
page 273 Art. KCR 149,90€

Extra for BREM color list


53,40€



**REVERSE TON VALVES KIT** with THERMOSTATIC  
Head page 273 Art. KTR 190,30€

**SPECIAL FINISHES:** Gold, Bronze, brushed Nickel,  
gilden/silver Leaf for 2 valves page 267  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

**REMOTE FITTINGS** Art. REM 42,10€  
horizontal models tapping centres ▲▼ L- 6cm  
vertical models ▲▼ L<sup>1</sup> - 6cm  
DISTANT Valves page 274



REM<sup>s</sup>

# ESSEN

design Luigi Brembilla

ESSEN: a simple geometry forms a towel heater composed by one single kind of

tube, to give an intriguing aesthetics and high performances. A big frame which has

a rectangular section takes place of usual manifolds and avoids high heating outputs.

## DIMENSIONS


Widths: 40 / 52 / 64 / 126 cm

Heights: 72 / 104 / 136 / 168 / 200 cm


Depths: 2 cm. Essen Plus 8,5 cm

Depths from wall: 9 cm. Essen Plus 10 cm


ESSEN PLUS with radiating tubes at the rear




ESSEN 72-..




ESSEN 72-126




ESSEN 104-..



ESSEN 136-..



ESSEN 168-..



ESSEN 200-..

| MODEL                | H-L<br>cm | Standard white<br>sablé SB9016<br>€ | Δt 50 K<br>watt | EN442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt<br>€ |
|----------------------|-----------|-------------------------------------|-----------------|--------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|----------------------------------------------------------|
| ESSEN                | 72-40     | 632,10                              | 238             | 180                      | 125             | 19                | 72                | 40               | 4,7               | 2,8                | 250 125,10                                               |
| ESSEN                | 72-52     | 657,70                              | 277             | 209                      | 146             | 19                | 72                | 52               | 5,4               | 3,3                | 300 126,20                                               |
| ESSEN PLUS           | 72-52     | 822,10                              | 420             | 319                      | 221             | 19                | 72                | 52               | 8,9               | 5,5                | 400 127,40                                               |
| ESSEN                | 72-126    | 943,30                              | 575             | 439                      | 303             | 112               | 72                | 126              | 11,3              | 6,8                | 650 131,80                                               |
| ESSEN                | 104-52    | 730,50                              | 387             | 292                      | 204             | 19                | 104               | 52               | 7,6               | 4,6                | 400 127,40                                               |
| ESSEN PLUS           | 104-40    | 828,00                              | 519             | 332                      | 274             | 19                | 104               | 40               | 11,1              | 6,8                | 500 129,60                                               |
| ESSEN                | 136-40    | 787,90                              | 431             | 325                      | 227             | 19                | 136               | 40               | 8,5               | 5,1                | 400 127,40                                               |
| ESSEN                | 136-52    | 822,50                              | 497             | 375                      | 262             | 19                | 136               | 52               | 9,8               | 5,9                | 500 129,60                                               |
| ESSEN PLUS           | 136-40    | 1069,20                             | 668             | 504                      | 352             | 19                | 136               | 40               | 14,2              | 8,8                | 650 131,80                                               |
| ESSEN PLUS           | 136-52    | 1183,50                             | 743             | 571                      | 392             | 19                | 136               | 52               | 15,8              | 9,7                | 800 136,60                                               |
| ESSEN PLUS           | 136-64    | 1202,40                             | 819             | 625                      | 432             | 19                | 136               | 64               | 17,3              | 10,7               | 800 136,60                                               |
| ESSEN                | 168-40    | 930,30                              | 528             | 399                      | 278             | 19                | 168               | 40               | 10,4              | 6,3                | 500 129,60                                               |
| ESSEN                | 168-52    | 972,40                              | 607             | 458                      | 320             | 19                | 168               | 52               | 11,9              | 7,2                | 650 131,80                                               |
| ESSEN                | 168-64    | 992,90                              | 686             | 518                      | 362             | 19                | 168               | 64               | 13,5              | 8,2                | 650 131,80                                               |
| ESSEN PLUS           | 168-40    | 1202,70                             | 816             | 518                      | 430             | 19                | 168               | 40               | 17,4              | 10,7               | 800 136,60                                               |
| ESSEN PLUS           | 168-52    | 1312,50                             | 905             | 616                      | 477             | 19                | 168               | 52               | 19,2              | 11,8               | 900 140,20                                               |
| ESSEN                | 200-40    | 1082,50                             | 625             | 701                      | 329             | 19                | 200               | 40               | 12,3              | 7,4                | 650 131,80                                               |
| ESSEN                | 200-64    | 1127,50                             | 810             | 472                      | 427             | 19                | 200               | 64               | 15,9              | 9,6                | 800 136,60                                               |
| CHROME-PLATED FINISH |           |                                     |                 |                          |                 |                   |                   |                  |                   |                    |                                                          |
| ESSEN CROM           | 104-52    | 1606,40                             | 333             | 251                      | 175             | 19                | 104               | 52               | 7,6               | 4,6                | 300 126,20                                               |
| ESSEN CROM           | 136-52    | 1928,80                             | 427             | 322                      | 225             | 19                | 136               | 52               | 9,8               | 5,9                | 400 127,40                                               |
| ESSEN CROM           | 168-52    | 2138,60                             | 522             | 394                      | 275             | 19                | 168               | 52               | 11,9              | 7,2                | 500 129,60                                               |
| ESSEN CROM           | 168-64    | 2184,30                             | 590             | 445                      | 311             | 19                | 168               | 64               | 13,5              | 8,2                | 650 131,80                                               |

GILDEN/SILVER LEAF FINISHES

Extra: the standard price x 1,05

► Ready Stock

Thermostats p.208-209

## STANDARD PRODUCTION

White sablé SB9016 paintwork - Brackets B..

Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with colored brackets


+15/25%

Electric version e.Essen, page 225




## STANDARD FITTING REG ø 1/2"

On request: ESSEN with depth 5,5 cm and fitting EG ø3/8"

Special fittings page 279



## TAPPING CENTRES





## RECOMMENDED VALVES

### CHROME VALVES KIT with:


- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16

SPECIAL FINISHES: Gold, Bronze, brushed Nickel,  
gilden/silver Leaf for 2 valves page 267  
Brushed Nickel FITTING KIT extra Art. RN 30,50€


REMOTE FITTINGS Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲▽ L - 6 cm  
DISTANT Valves page 274



REVERSE QUADRA VALVES KIT  
page 271 Art. KQR 180,10€  
Extra for BREM color list 53,40€



REVERSE CYL VALVES KIT with thermostatic option,  
page 273 Art. KCR 149,90€  
Extra for BREM color list 53,40€



REVERSE TON VALVES KIT with THERMOSTATIC  
Head page 273 Art. KTR 190,30€



# FIT

FIT: a simple geometry forms a towel heater composed by one single kind of tube, to

give an intriguing aesthetics and high performances. A big frame which has a

design Luigi Brembilla  
rectangular section takes place of usual manifolds and defines an alternative design.



## DIMENSIONS

Widths: 28 / 40 / 48 / 56 / 64 cm


Heights: 88 / 108 / 128 / 148 / 168 / 188 cm

Depths: 2 cm


Depths from wall: 9 cm



FIT 88-48  
FIT 108-48




FIT 128-40




FIT 148-48



FIT 168-28



FIT 168-40



FIT 188-56



| MODEL | H/L<br>cm | Blanc standard<br>sablé SB9016<br>€ | Δt 50 K<br>watt | EN442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm <sup>3</sup> | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt € |        |
|-------|-----------|-------------------------------------|-----------------|--------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------------------|-------------------------------------------------------|--------|
| FIT   | 88-48     | 704,30                              | 393             | 296                      | 206             | 19                | 88                | 48               | 7,3               | 4,4                            | 400                                                   | 127,40 |
| FIT   | 108-48    | 747,90                              | 477             | 359                      | 249             | 19                | 108               | 48               | 8,8               | 5,3                            | 500                                                   | 129,60 |
| FIT   | 128-40    | 777,70                              | 496             | 373                      | 259             | 19                | 128               | 40               | 9,2               | 5,6                            | 500                                                   | 129,60 |
| FIT   | 128-56    | 877,90                              | 627             | 472                      | 328             | 19                | 128               | 56               | 11,6              | 7,0                            | 650                                                   | 131,80 |
| FIT   | 148-48    | 904,40                              | 646             | 486                      | 338             | 19                | 148               | 48               | 11,9              | 7,2                            | 650                                                   | 131,80 |
| FIT   | 168-28    | 909,40                              | 519             | 391                      | 271             | 19                | 168               | 28               | 9,6               | 5,8                            | 500                                                   | 129,60 |
| FIT   | 168-40    | 940,60                              | 646             | 486                      | 338             | 19                | 168               | 40               | 11,9              | 7,2                            | 650                                                   | 131,80 |
| FIT   | 168-56    | 1002,80                             | 814             | 613                      | 426             | 19                | 168               | 56               | 15,0              | 9,1                            | 800                                                   | 136,60 |
| FIT   | 168-64    | 1017,00                             | 899             | 677                      | 470             | 19                | 168               | 64               | 16,6              | 10,1                           | 900                                                   | 140,20 |
| FIT   | 188-56    | 1067,80                             | 908             | 684                      | 475             | 19                | 188               | 56               | 16,8              | 10,2                           | 900                                                   | 140,20 |

GILDEN/SILVER LEAF FINISHES

Extra: the standard price x 1,05

Thermostats p.208-209

## STANDARD PRODUCTION

White sablé SB9016 paintwork, brackets B70

Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with

colored B70 brackets

Electric version e.Fit, page 226

+15/25%

## STANDARD FITTING REG ø 1/2"



On request: FIT with depth 5,5 cm

and fitting EG ø3/8"

Special fittings page 279



## TAPPING CENTRES




**FIXINGS**  
B70 brackets included.

## RECOMMENDED VALVES


### CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16



**REVERSE QUADRA VALVES KIT**  
page 271 Art. KQR


180,10€  
53,40€



**REVERSE CYL VALVES KIT** with thermostatic option,  
page 273 Art. KCR 149,90€

Extra for BREM color list


53,40€



**REVERSE TON VALVES KIT** with THERMOSTATIC  
Head page 273 Art. KTR 190,30€

**SPECIAL FINISHES:** Gold, Bronze, brushed Nickel,  
gilden/silver Leaf for 2 valves page 267  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

**REMOTE FITTINGS** Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲ ▽ L - 6 cm  
DISTANT Valves page 274



**FIT 128-40**

# FREE

design Luigi Brembilla

FREE is a rectangular tube heating towel bar that can be fixed at will to the wall.

Free towel heater can be used on its own or combined with models protruding max 6 cm


from wall (E.g. Clak, Egon, Form, Cross-V, Cross-G).

## DIMENSIONS


Widths: 54/64/84/104/124/144/164 cm

Heights: 24 cm


Depths: 12cm



FREE 24-54



FREE 24-84



FREE 24-124



FREE 24-64



FREE 24-104



FREE 24-144 / 24-164

| MODEL | H/L<br>cm | Standard white<br>sablé SB9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm <sup>3</sup> | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt € |        |
|-------|-----------|-------------------------------------|-----------------|---------------------------|-----------------|------------------|-------------------|------------------|-------------------|--------------------------------|-------------------------------------------------------|--------|
| FREE  | 24-54     | 333,00                              | 130             | 95                        | 68              | 10               | 24                | 54               | 2,6               | 1,7                            | -                                                     | -      |
| FREE  | 24-64     | 351,70                              | 158             | 119                       | 83              | 10               | 24                | 64               | 3,0               | 1,9                            | -                                                     | -      |
| FREE  | 24-84     | 392,20                              | 202             | 153                       | 106             | 10               | 24                | 84               | 3,9               | 2,4                            | 250                                                   | 125,10 |
| FREE  | 24-104    | 432,80                              | 246             | 186                       | 129             | 10               | 24                | 104              | 4,7               | 2,9                            | 250                                                   | 125,10 |
| FREE  | 24-124    | 473,30                              | 290             | 219                       | 153             | 10               | 24                | 124              | 5,5               | 3,5                            | 300                                                   | 126,20 |
| FREE  | 24-144    | 514,00                              | 334             | 252                       | 176             | 10               | 24                | 144              | 6,4               | 4,0                            | 300                                                   | 126,20 |
| FREE  | 24-164    | 554,70                              | 378             | 285                       | 199             | 10               | 24                | 164              | 7,3               | 4,5                            | 400                                                   | 127,40 |

Custom lengths available on request

Ready Stock

Thermostats p.208-209

ELECTRIC/MIXED Version  
HEATING ELEMENT POSITION  
Horizontal Heating Element in ①  
E.H.E. left side on request



## STANDARD PRODUCTION

White sablé SB9016 paintwork with brackets  
Tolerance  $\pm 3$  mm - Air vent  $\varnothing 1/8"$

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Brem paintwork - colored brackets +15/25%

Other dimensions on request

Electric version e.Free, page 229

## STANDARD FITTING

AC  $\varnothing 1/2"$


On request fitting  $\varnothing 3/8"$

Special fittings, page 279






## TAPPING CENTRES



On request, connections on the right or customized.

## FIXINGS


Brackets included



## RECOMMENDED VALVES

CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16



KIT STRAIGHT VALVES QUADRA

page 271

Art. KQD

190,00€


Extra for BREM color list

53,40€

SPECIAL FINISHES: Gold, Bronze, brushed Nickel, gilden/silver Leaf for 2 valves

page 267

Brushed Nickel FITTING KIT extra Art. RN 30,50€



KIT STRAIGHT VALVES CYL with thermostatic

option, pag. 273

Art. KCD 158,80€

Extra for BREM color list

53,40€



REMOTE FITTINGS

Art. REM

42,10€

Tapping centres: at the rear AC ▲▽ 10cm

DISTANT Valves page 274



KIT STRAIGHT VALVES TON with THERMOSTATIC

Head, p. 269

Art. KTD 202,40€



FREE 24-104

# KORE PLUS

design Luigi Brembilla

KORE PLUS an elegant and essential frame, added by a profile on the back to enhance


the thermal yields. Standard vertical models are further embellished with radiant tubes to

house the wipers. An impressive and unusual interior décor effect.


## DIMENSIONS

Width 54 / 124 cm  
Height 55 / 98 / 140 / 180 cm  
Depth 8 cm  
Depth from wall 9,5 cm


KORE-P with radiating tubes at the rear




KORE-P 55 - 54




KORE-P 98 - 54



KORE-P 140 - 54



KORE-P 55 - 124



KORE-P 180 - 54

| MODELE | HxL<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>VV<br>€ |        |
|--------|-----------|--------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|--------------------------------------------------------|--------|
| KORE-P | 55-124    | 658,80                               | 464             | 349                       | 243             | 100               | 55                | 124              | 11,7              | 5,6                | 500                                                    | 129,60 |
| KORE-P | 55-54     | 493,20                               | 266             | 200                       | 139             | 30                | 55                | 54               | 6,7               | 3,2                | 300                                                    | 126,20 |
| KORE-P | 98-54     | 567,70                               | 388             | 292                       | 203             | 30                | 98                | 54               | 9,8               | 4,6                | 400                                                    | 127,40 |
| KORE-P | 140-54    | 687,10                               | 507             | 382                       | 265             | 30                | 140               | 54               | 12,8              | 6,1                | 500                                                    | 129,60 |
| KORE-P | 180-54    | 738,90                               | 621             | 468                       | 325             | 30                | 180               | 54               | 15,7              | 7,4                | 650                                                    | 131,80 |

\*Dual fuel valve or T to be added p.207  
Thermostats p.208-209

MINIMUM OPERATING PRESSURE 1,5 BAR

## STANDARD PRODUCTION

White sablé SB9016 paintwork, white brackets  
B15 - Tolerance ± 3 mm - Air vent ø 1/8"  
MAXIMUM OPERATING PRESSURE 3 BAR

## PRODUCTION ON REQUEST

Paint to Brem color list with colored B15  
brackets +15/25%  
Electric version e.Kore Plus, p. 237



## STANDARD FITTING

REG ø 1/2"  
On request fitting ø 3/8"  
Special fittings page 279



## TAPPING CENTRES

KORE PLUS: fittings with reverse valves  $\varnothing 1/2"$



KORE-P 140-54

## RECOMMENDED VALVES

CHROME VALVES KIT with:


- n°2 Valves with tailpieces
- n°2 Fittings (multilayer  $\varnothing 16$ , copper  $\varnothing 12, 14$ )
- n°2 Chrome wall plates  $\varnothing 48$ , hole  $\varnothing 16$

SPECIAL FINISHES

page 267


Finishes Gold, Bronze, Brushed Nickel for 2 valves

Brushed Nickel FITTING KIT extra Art. RN 30,50€




REVERSE QUADRA VALVES KIT  
page 271 Art. KQR  
Extra for BREM color list

180,10€  
53,40€



REVERSE CYL VALVES KIT with thermostatic option,  
page 273 Art. KCR 149,90€  
Extra for BREM color list

53,40€



REVERSE CYL VALVES KIT with THERMOSTATIC  
Head page 273, 266 Art. KTR 183,40€  
Extra for BREM color list

53,40€



# PIT

design Pietro Facheris

PIT towel heater has an elegant minimalist design, with two or three radiant rectangles,

overlapping each other. Space is optimized by multiplying the heat

output and rectangular sections create three different points of support for towels.


## DIMENSIONS:

Width: 32/40/48/56/126 cm


Height: 60/72/99/132/176 cm

Depth: 4,5 / 8 cm


Depths from wall: 11,5 cm




PIT 60-126




PIT 72-126




PIT 99-..



PIT 132-32



PIT 132-..



PIT 176-...

| MODEL | H/L<br>cm | Standard white<br>sablé SB9016<br>€ | Δt 50 K<br>watt | EN442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm <sup>3</sup> | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt € |        |
|-------|-----------|-------------------------------------|-----------------|--------------------------|-----------------|------------------|-------------------|------------------|-------------------|--------------------------------|-------------------------------------------------------|--------|
| PIT   | 60-126    | 989,30                              | 588             | 444                      | 310             | 19               | 60                | 126              | 11,7              | 3,5                            | 650                                                   | 213,10 |
| PIT   | 72-126    | 1209,80                             | 900             | 680                      | 474             | 19               | 72                | 126              | 17,8              | 5,5                            | 900                                                   | 221,50 |
| PIT   | 99-40     | 688,80                              | 369             | 279                      | 194             | 19               | 99                | 40               | 7,7               | 2,3                            | 400                                                   | 208,70 |
| PIT   | 99-48     | 745,40                              | 403             | 304                      | 212             | 19               | 99                | 48               | 8,3               | 2,5                            | 400                                                   | 208,70 |
| PIT   | 132-32    | 981,10                              | 567             | 428                      | 298             | 19               | 132               | 32               | 12,3              | 3,7                            | 500                                                   | 210,90 |
| PIT   | 132-40    | 1015,40                             | 613             | 463                      | 323             | 19               | 132               | 40               | 13,2              | 4,0                            | 650                                                   | 213,10 |
| PIT   | 132-48    | 1049,40                             | 660             | 498                      | 347             | 19               | 132               | 48               | 14,0              | 4,2                            | 650                                                   | 213,10 |
| PIT   | 176-32    | 1133,30                             | 750             | 566                      | 395             | 19               | 176               | 32               | 16,0              | 4,8                            | 800                                                   | 217,90 |
| PIT   | 176-40    | 1167,50                             | 796             | 601                      | 419             | 19               | 176               | 40               | 16,9              | 5,1                            | 800                                                   | 217,90 |
| PIT   | 176-48    | 1201,80                             | 843             | 636                      | 444             | 19               | 176               | 48               | 17,8              | 5,3                            | 900                                                   | 221,50 |
| PIT   | 176-56    | 1239,80                             | 889             | 671                      | 468             | 19               | 176               | 56               | 18,6              | 5,6                            | 900                                                   | 221,50 |

► Ready in stock

Thermostats p.208-209

## STANDARD PRODUCTION

White sablé SB 9016 paintwork - Brackets B..

Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with

colored B.. brackets

Electric version e.Pit, page 248

+15/25%


## STANDARD FITTING

REG ø 1/2"



Special fittings, page 279



## TAPPING CENTRES



\*MIXED VERSIONS vertical models  
only with EG ▲▽ 5cm fittings and angled valves



**FIXINGS**  
Brackets included

| Model       | a cm | brackets |
|-------------|------|----------|
| PIT 60-126  | 7,7  | B70      |
| PIT 72-126  | 22   | B35      |
| PIT 99-...  | 7,7  | B70      |
| PIT 132-... | 37   | B35      |
| PIT 176-... | 47   | B35      |




PIT 176-40

## RECOMMENDED VALVES


CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16



REVERSE QUADRA VALVES KIT  
page 271 Art. KQR


180,10€  
53,40€



REVERSE CYL VALVES KIT with thermostatic option,  
page 273 Art. KCR 149,90€


Extra for BREM color list

53,40€



REMOTE FITTINGS Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲▽ L - 6cm  
DISTANT Valves page 274

2,5  
Lengths up to 6 m.



REVERSE TON VALVES KIT with THERMOSTATIC  
Head page 273 Art. KTR 190,30€

# QUAR

design Luigi Brebbia

QUAR: an original heated towel rail with a pure geometrical expression.

In QUAR, the tube is square, not round. A large rectangular section frame replaces

the usual manifolds while increasing heat output at the same time.








## DIMENSIONS

Width: 30,5 / 38,5 / 46,5 / 54,5 / 62,5 cm

Height: 97,5 / 127,5 / 157,5 / 180 cm

Depth: 2 cm / Quar-P 8,5 cm

Depth from wall : 9 cm / Quar-P 10 cm



QUAR 97-..

QUAR 127-..

QUAR.. 157-..

QUAR.. 180-30

QUAR.. 180-..

| MODEL  | H-L<br>cm | Standard white<br>sablé SB9016<br>€ | Δt 50 K<br>watt | EN442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and sleeve |        |
|--------|-----------|-------------------------------------|-----------------|--------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|---------------------------------------------|--------|
| QUAR   | 97-46     | 868,10                              | 364             | 276                      | 193             | 19                | 97,5              | 46,5             | 6,7               | 3,9                | 400                                         | 127,40 |
| QUAR   | 97-54     | 884,70                              | 403             | 306                      | 214             | 19                | 97,5              | 54,5             | 7,4               | 4,2                | 400                                         | 127,40 |
| QUAR   | 127-38    | 917,50                              | 415             | 315                      | 220             | 19                | 127,5             | 38,5             | 7,7               | 4,5                | 400                                         | 127,40 |
| QUAR   | 127-46    | 936,50                              | 463             | 351                      | 245             | 19                | 127,5             | 46,5             | 8,5               | 4,9                | 500                                         | 129,60 |
| QUAR   | 127-54    | 954,90                              | 510             | 387                      | 270             | 19                | 127,5             | 54,5             | 9,4               | 5,3                | 500                                         | 129,60 |
| QUAR   | 157-38    | 1018,00                             | 506             | 384                      | 268             | 19                | 157,5             | 38,5             | 9,4               | 5,4                | 500                                         | 129,60 |
| QUAR   | 157-54    | 1060,90                             | 617             | 468                      | 327             | 19                | 157,5             | 54,5             | 11,3              | 6,3                | 650                                         | 131,80 |
| QUAR   | 157-62    | 1082,90                             | 673             | 511                      | 357             | 19                | 157,5             | 62,5             | 12,3              | 6,8                | 650                                         | 131,80 |
| QUAR-P | 157-46    | 1296,00                             | 832             | 631                      | 441             | 19                | 157,5             | 46,5             | 17,0              | 10,1               | 800                                         | 136,60 |
| QUAR-P | 157-54    | 1318,00                             | 895             | 679                      | 474             | 19                | 157,5             | 54,5             | 18,1              | 10,6               | 900                                         | 140,20 |
| QUAR   | 180-30    | 1109,40                             | 512             | 389                      | 271             | 19                | 180               | 30,5             | 9,6               | 5,6                | 500                                         | 129,60 |
| QUAR   | 180-46    | 1156,50                             | 637             | 483                      | 338             | 19                | 180               | 46,5             | 11,7              | 6,6                | 650                                         | 131,80 |
| QUAR   | 180-54    | 1180,50                             | 699             | 531                      | 370             | 19                | 180               | 54,5             | 12,8              | 7,1                | 650                                         | 131,80 |
| QUAR   | 180-62    | 1204,60                             | 761             | 578                      | 403             | 19                | 180               | 62,5             | 13,9              | 7,6                | 800                                         | 136,60 |
| QUAR-P | 180-30    | 1366,60                             | 808             | 613                      | 428             | 19                | 180               | 30,5             | 16,8              | 10,2               | 800                                         | 125,70 |
| QUAR-P | 180-38    | 1388,70                             | 877             | 666                      | 465             | 19                | 180               | 38,5             | 18,1              | 10,8               | 900                                         | 129,00 |
| QUAR-P | 180-62    | 1461,80                             | 1091            | 828                      | 578             | 19                | 180               | 62,5             | 22,0              | 12,7               | 1200                                        | 136,70 |

Thermostats p.208-209

## STANDARD PRODUCTION

White sablé SB9016 paintwork white brackets  
Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with colored brackets  
+15/25%

Electric version e.Quar, page 253

## STANDARD FITTING REG ø 1/2"

On request: QUAR with depth 5,5 cm and fitting EG ø3/8"


Special fittings page 279






## TAPPING CENTRES

### MOD. QUAR




\*sleeve E.H.E.  
Dual Fuel version

### MOD. QUAR-P



QUAR-P  
with radiating tubes at the rear



**FIXINGS**  
Brackets included:  
B70 for QUAR  
B15 for QUAR-P




QUAR 127-46

## RECOMMENDED VALVES


### CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16




REVERSE QUADRA VALVES KIT  
page 271 Art. KQR  
Extra for BREM color list

180,10€  
53,40€



REVERSE CYL VALVES KIT with thermostatic option,  
page 273 Art. KCR 149,90€  
Extra for BREM color list

53,40€



REVERSE TON VALVES KIT with THERMOSTATIC  
Head page 273 Art. KTR 190,30€


### SPECIAL FINISHES

Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

page 267

### REMOTE FITTINGS

Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲ ▽ L - 6cm  
DISTANT Valves page 274



REM

250

Lengths up to 6 m

# VISION VISION-ST

design Luigi Brembilla

Like looking out of a window or down a stairwell. Spaces that get smaller and smaller,

forming a 3D frame that both heats and decorates. Spaces that create an absolutely

novel radiator that will never go unobserved: only later is it discovered and remarked upon.


## DIMENSIONS

Width: 48/56/64/80/96/112 cm


Height: 48/56/64/80/96/128 cm

Depth: 12/14/22/24 cm


Depth from wall: 15,5/17,5/25,5/27,5 cm




VISION-1




VISION-2




VISION-2ST




VISION-.. 48-48  
VISION-.. 56-56  
VISION-.. 64-64



VISION-.. 48-80  
VISION-.. 48-96  
VISION-.. 56-96  
VISION-.. 56-112  
VISION-.. 64-112




VISION-..ST 80-48



VISION-..ST 128-..

VISION-1ST VISION-2ST



| MODEL      | H-L<br>cm | Standard white<br>sablé SB9016<br>€ | EN 442<br>Δt 50 K<br>watt | Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Depth<br>P<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and sleeve |        |
|------------|-----------|-------------------------------------|---------------------------|-----------------|-----------------|-------------------|-------------------|------------------|------------------|-------------------|--------------------|---------------------------------------------|--------|
| VISION-1   | 48-48     | 717,90                              | 322                       | 245             | 172             | 27                | 48                | 48               | 14               | 6,4               | 3,9                | 300                                         | 126,20 |
| VISION-1   | 56-56     | 747,60                              | 391                       | 297             | 208             | 35                | 56                | 56               | 14               | 7,8               | 4,7                | 400                                         | 127,40 |
| VISION-1   | 64-64     | 810,70                              | 461                       | 351             | 246             | 43                | 64                | 64               | 14               | 9,2               | 5,6                | 500                                         | 129,60 |
| VISION-2   | 48-48     | 988,60                              | 462                       | 351             | 246             | 27                | 48                | 48               | 24               | 9,3               | 5,7                | 500                                         | 129,60 |
| VISION-2   | 56-56     | 1068,60                             | 565                       | 430             | 301             | 35                | 56                | 56               | 24               | 11,4              | 6,9                | 500                                         | 129,60 |
| VISION-2   | 64-64     | 1116,50                             | 667                       | 507             | 356             | 43                | 64                | 64               | 24               | 13,5              | 8,2                | 650                                         | 131,80 |
| VISION-1   | 48-80     | 822,50                              | 461                       | 351             | 246             | 59                | 48                | 80               | 14               | 9,2               | 5,6                | 500                                         | 129,60 |
| VISION-1   | 48-96     | 872,30                              | 530                       | 403             | 282             | 75                | 48                | 96               | 14               | 10,2              | 6,4                | 500                                         | 129,60 |
| VISION-1   | 48-112    | 963,40                              | 600                       | 456             | 320             | 91                | 48                | 112              | 14               | 11,6              | 7,2                | 650                                         | 131,80 |
| VISION-1   | 56-96     | 876,50                              | 565                       | 430             | 301             | 75                | 56                | 96               | 14               | 17,1              | 10,4               | 500                                         | 129,60 |
| VISION-1   | 56-112    | 895,20                              | 635                       | 483             | 338             | 91                | 56                | 112              | 14               | 12,3              | 7,6                | 650                                         | 131,80 |
| VISION-1   | 64-112    | 946,00                              | 669                       | 509             | 357             | 91                | 64                | 112              | 14               | 20,2              | 12,3               | 650                                         | 131,80 |
| VISION-2   | 48-80     | 1138,90                             | 667                       | 507             | 356             | 59                | 48                | 80               | 24               | 13,5              | 8,2                | 650                                         | 131,80 |
| VISION-2   | 56-96     | 1226,10                             | 821                       | 624             | 438             | 75                | 56                | 96               | 24               | 28,3              | 17,2               | 800                                         | 136,60 |
| VISION-2   | 64-112    | 1310,00                             | 975                       | 741             | 520             | 91                | 64                | 112              | 24               | 33,5              | 20,3               | 900                                         | 140,20 |
| VISION-1ST | 80-48     | 936,00                              | 475                       | 361             | 251             | 27                | 80                | 48               | 12               | 9,2               | 5,6                | 500                                         | 129,60 |
| VISION-1ST | 128-48    | 1109,70                             | 709                       | 539             | 378             | 27                | 128               | 48               | 12               | 13,5              | 8,3                | 650                                         | 131,80 |
| VISION-1ST | 128-56    | 1178,20                             | 745                       | 567             | 393             | 35                | 128               | 56               | 12               | 15,4              | 9,2                | 800                                         | 136,60 |
| VISION-2ST | 80-48     | 1312,20                             | 681                       | 518             | 360             | 27                | 80                | 48               | 22               | 13,5              | 8,2                | 650                                         | 131,80 |
| VISION-2ST | 128-48    | 1506,10                             | 1015                      | 772             | 541             | 27                | 128               | 48               | 22               | 19,7              | 12,2               | 900                                         | 140,20 |
| VISION-2ST | 128-56    | 1590,30                             | 1067                      | 811             | 563             | 35                | 128               | 56               | 22               | 22,4              | 13,5               | 1200                                        | 148,50 |

Thermostats p.208-209

## STANDARD PRODUCTION

White sablé SB9016 paintwork - B35 brackets

Tolerance ± 3 mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with

colored B35 brackets

Electric version e.Vision, page 262

+15/25%

## STANDARD FITTING

REG ø 1/2"


On request fitting ø3/8"

Special fittings page 279





## TAPPING CENTRES

### MOD. VISION



### MOD. VISION-ST



**FIXINGS**  
Brackets included

## RECOMMENDED VALVES

### CHROME VALVES KIT with:


- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16



### REVERSE CYL VALVES KIT with thermostatic option, page 273 Art. KCR 149,90€

Extra for BREM color list 53,40€

KIT Fitting brushed NICKEL Art. RN 30,50€



### REVERSE TON VALVES KIT with THERMOSTATIC Head page 273 Art. KTR 190,30€







# PANELS INDEX

RADIATORS WITH PANEL AND FLAT TUBES

## RADIATORS COLLECTION

|           | page |
|-----------|------|
| CLAK      | 86   |
| C-Prolux® | 90   |
| EGON      | 94   |
| LAMINA    | 98   |
| OPEN      | 102  |
| PHUL      | 106  |
| SO-FLEX   | 108  |
| S-PLATT   | 110  |
| SUIT      | 114  |

## TOWEL HEATERS COLLECTION

|             | page    |
|-------------|---------|
| CAMEO       | 120     |
| CLARK       | 122     |
| CUBICO      | 124     |
| DUO         | 126     |
| FLAG        | 128     |
| GEOMETRICA  | 130-132 |
| HOT         | 134     |
| LOGGIA D/T  | 136     |
| MANT        | 138     |
| PLATT COLOR | 140     |
| PLATT INOX  | 142     |
| PLATT FO/FA | 143     |
| UNI-PLATT   | 144     |
| VELETTA     | 146     |



LAMINA

CLAK

S-PLATT



# CLAK-CKH

CLAK is an ultra thin panel with a refined minimalist look, just 2,3 cm thick: the

version with tubes at the rear is just 4,3 cm thick. This solution projects no more than

5,8 cm, it can be reduced with straight valves only.


## DIMENSIONS - VERTICAL PANEL

Lengths: from 27 to 90 cm (every 9 cm)

Heights: from 140 to 240 cm (every 20 cm)

Depth: 2,3 cm and 4,3 cm

Depth from wall: from 5,8 cm



CKH MODEL  
vertical panel



CKH



CKLH MODEL  
vertical panel  
with tubes at the rear



CKLH



CKH ... CKLH ...



CKH



CKLH

EN 442 Watt  $\Delta t$  50K ( $\Delta t$  40K =  $W \times 0,755$ ) - ( $\Delta t$  30K =  $W \times 0,526$ )

| Mod. CLAK<br>H cm | L cm<br>▲▼ cm | 27<br>23        | 36<br>32         | 45<br>41         | 54<br>50         | 63<br>59         | 72<br>68         | 81<br>77         | 90<br>86         |
|-------------------|---------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| CKH 140           | €             | 813,50<br>422w  | 893,60<br>556w   | 983,50<br>692w   | 1072,20<br>828w  | 1155,70<br>962w  | 1239,80<br>1098w | 1327,90<br>1234w | 1413,40<br>1370w |
| CKLH 140          | €             | 1076,00<br>497w | 1189,80<br>707w  | 1315,20<br>918w  | 1418,00<br>1129w | 1536,40<br>1338w | 1650,20<br>1550w | 1767,80<br>1761w | 1879,90<br>1972w |
| CKH 160           | €             | 868,20<br>482w  | 956,40<br>635w   | 1048,80<br>790w  | 1143,10<br>945w  | 1234,00<br>1098w | 1323,50<br>1253w | 1417,20<br>1408w | 1508,20<br>1563w |
| CKLH 160          | €             | 1136,40<br>568w | 1254,50<br>808w  | 1373,00<br>1050w | 1492,30<br>1291w | 1613,20<br>1531w | 1731,70<br>1773w | 1852,30<br>2014w | 1970,40<br>2256w |
| CKH 180           | €             | 922,70<br>541w  | 1018,90<br>713w  | 1114,40<br>887w  | 1213,70<br>1061w | 1312,00<br>1233w | 1407,10<br>1407w | 1506,80<br>1581w | 1603,20<br>1755w |
| CKLH 180          | €             | 1196,80<br>639w | 1319,40<br>909w  | 1430,50<br>1181w | 1566,70<br>1453w | 1690,20<br>1723w | 1813,00<br>1996w | 1936,80<br>2268w | 2060,60<br>2540w |
| CKH 200           | €             | 972,80<br>601w  | 1074,10<br>792w  | 1177,50<br>985w  | 1274,10<br>1178w | 1376,40<br>1369w | 1477,20<br>1562w | 1578,10<br>1755w | 1681,60<br>1948w |
| CKLH 200          | €             | 1284,60<br>710w | 1418,90<br>1011w | 1551,00<br>1313w | 1694,40<br>1616w | 1817,60<br>1916w | 1950,10<br>2219w | 2082,80<br>2521w | 2213,60<br>2824w |
| CKH 220           | €             | 1031,60<br>660w | 1138,40<br>870w  | 1246,00<br>1082w | 1367,50<br>1294w | 1464,70<br>1504w | 1572,50<br>1716w | 1677,60<br>1928w | 1788,10<br>2141w |
| CKLH 220          | €             | 1335,70<br>781w | 1475,70<br>1112w | 1613,00<br>1445w | 1762,30<br>1778w | 1890,60<br>2109w | 2027,90<br>2441w | 2166,00<br>2774w | 2302,10<br>3107w |
| CKH 240           | €             | 1106,10<br>720w | 1222,50<br>949w  | 1338,50<br>1180w | 1454,50<br>1411w | 1570,70<br>1640w | 1687,10<br>1871w | 1803,10<br>2102w | 1922,30<br>2333w |
| CKLH 240          | €             | 1387,10<br>852w | 1532,20<br>1213w | 1675,00<br>1577w | 1830,30<br>1940w | 1963,60<br>2301w | 2106,00<br>2664w | 2249,20<br>3028w | 2390,40<br>3391w |

Other sizes on request

$\Delta t$  different from 50 K: consult technical data Brem

MAGNETIC ACCESSORIES p. 277

## HOW TO ORDER

State: model (simple model or with tubes),  
height, width, fitting and color  
e.g.: CKH 180 - 35, EG  $\varnothing$  3/8", SB7035

## STANDARD PRODUCTION

White sablé SB9016 paintwork, EOS brackets  
Tolerance  $\pm$  3mm - Air vent  $\varnothing$  1/8"  
MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to BREM color list +15/25%  
Stainless steel finish, by estimate  
Electric version e.Clak, pag. 216


## STANDARD FITTING

EG  $\varnothing$  3/8"  
 $\varnothing$  1/2" with sleeve on request  
Special fittings, page 278






## TAPPING CENTRES 3/8" vertical fittings



CKH MODEL



CKLH MODEL


Side fittings on request ▲▼ H - 3 cm  
Extra Art. AS 91,20€



Fitting ø 3/8"  
STANDARD  
(without sleeves)



Fitting ø 1/2"  
ON REQUEST  
(with sleeves)



FIXINGS  
Brackets included




EOS bracket


## RECOMMENDED VALVES

CHROME VALVES KIT with:


- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16




SIDE CONTROL QUADRA VALVES KIT  
page 271 Art. KQL 191,20€  
Extra for BREM color list 53,40€



SIDE CONTROL CYL VALVES KIT with THERMO-  
STATIC option, page 273 Art. KCL 162,50€  
Extra for BREM color list 53,40€



REMOTE FITTINGS Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲▼ L - 5 cm  
DISTANT Valves page 274



SIDE CONTROL TON VALVES KIT with Thermo-  
static Head, page 269 Art. KTL 203,70€

SPECIAL FINISHES: Gold, Bronze, brushed Nickel,  
gilden/silver leaf for 2 valves page 267  
Brushed Nickel FITTING KIT extra Art. RN 30,50€



CLAK CKH 160-45

# CLAK-CKV

CLAK is an ultra thin panel with a refined minimalist look, only 2,3 cm thick: the version

with tubes at the rear is just 4,3 cm thick. This solution projects no more than 5,8 cm

from the wall thanks to BREM  $\varnothing 3/8"$  valves and can be laid vertically or horizontally.




## DIMENSIONS - HORIZONTAL PANEL

Length: from 50 to 220 cm

Heights: from 45 to 90 cm (every 9 cm)

Depth: 2,3 cm and 4,3 cm

Depth from wall: from 5,8 cm



EN 442 Watt  $\Delta t$  50K ( $\Delta t$  40K =  $W \times 0,755$ ) - ( $\Delta t$  30K =  $W \times 0,526$ )

| Mod. CLAK | L  | 50      | 60      | 70      | 80      | 90      | 100     | 120     | 140     | 160     | 180     | 200     | 220     |
|-----------|----|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|           | ▲▼ | 47      | 57      | 67      | 77      | 87      | 97      | 117     | 137     | 157     | 177     | 197     | 217     |
| CKV 45    | €  | 852,10  | 886,60  | 913,40  | 944,40  | 977,10  | 1009,60 | 1072,60 | 1134,10 | 1205,80 | 1239,70 | 1274,00 | 1311,90 |
| H 45      |    | 253w    | 302w    | 351w    | 399w    | 448w    | 497w    | 595w    | 692w    | 790w    | 887w    | 985w    | 1082w   |
| CKLV 45   | €  | 1111,40 | 1164,00 | 1210,10 | 1256,10 | 1306,70 | 1351,60 | 1451,00 | 1542,10 | 1646,40 | 1698,20 | 1749,40 | 1803,10 |
|           |    | 325w    | 391w    | 457w    | 523w    | 588w    | 654w    | 786w    | 918w    | 1050w   | 1181w   | 1313w   | 1445w   |
| CKV 54    | €  | 896,70  | 932,00  | 967,30  | 1003,30 | 1038,50 | 1074,00 | 1146,20 | 1217,60 | 1300,80 | 1340,80 | 1381,00 | 1420,60 |
| H 54      |    | 304w    | 362w    | 420w    | 478w    | 537w    | 595w    | 712w    | 828w    | 945w    | 1061w   | 1178w   | 1294w   |
| CKLV 54   | €  | 1148,40 | 1200,60 | 1250,90 | 1303,40 | 1355,70 | 1407,00 | 1510,80 | 1610,70 | 1715,70 | 1771,20 | 1826,90 | 1883,20 |
|           |    | 399w    | 480w    | 562w    | 643w    | 724w    | 805w    | 967w    | 1129w   | 1291w   | 1453w   | 1616w   | 1778w   |
| CKV 63    | €  | 950,50  | 990,90  | 1028,70 | 1068,50 | 1110,50 | 1150,70 | 1231,60 | 1309,70 | 1396,80 | 1440,10 | 1483,40 | 1525,70 |
| H 63      |    | 352w    | 420w    | 488w    | 555w    | 623w    | 691w    | 827w    | 962w    | 1098w   | 1233w   | 1369w   | 1504w   |
| CKLV 63   | €  | 1248,90 | 1313,30 | 1371,90 | 1432,00 | 1496,00 | 1553,40 | 1677,70 | 1797,00 | 1926,50 | 1990,30 | 2053,70 | 2117,50 |
|           |    | 472w    | 568w    | 664w    | 761w    | 857w    | 953w    | 1146w   | 1338w   | 1531w   | 1723w   | 1916w   | 2109w   |
| CKV 72    | €  | 1001,50 | 1049,10 | 1094,9  | 1140,60 | 1187,40 | 1231,90 | 1324,50 | 1409,90 | 1502,00 | 1548,50 | 1594,90 | 1639,50 |
| H 72      |    | 403w    | 480w    | 557w    | 635w    | 712w    | 789w    | 944w    | 1098w   | 1253w   | 1407w   | 1562w   | 1716w   |
| CKLV 72   | €  | 1305,40 | 1374,70 | #N/D    | 1505,60 | 1571,10 | 1640,40 | 1774,10 | 1901,90 | 2035,10 | 2102,40 | 2169,70 | 2236,10 |
|           |    | 546w    | 658w    | 769w    | 881w    | 992w    | 1104w   | 1327w   | 1550w   | 1773w   | 1996w   | 2219w   | 2441w   |
| CKV 81    | €  | 1092,00 | 1140,70 | 1192,60 | 1240,00 | 1292,90 | 1339,20 | 1442,40 | 1533,70 | 1636,70 | 1686,70 | 1736,80 | 1786,80 |
| H 81      |    | 453w    | 540w    | 627w    | 714w    | 800w    | 887w    | 1061w   | 1234w   | 1408w   | 1581w   | 1755w   | 1928w   |
| CKLV 81   | €  | 1395,90 | 1466,30 | 1536,80 | 1607,30 | 1679,20 | 1749,70 | 1892,30 | 2026,70 | 2173,70 | 2244,80 | 2316,30 | 2386,00 |
|           |    | 621w    | 747w    | 874w    | 1001w   | 1128w   | 1254w   | 1508w   | 1761w   | 2014w   | 2268w   | 2521w   | 2774w   |
| CKV 90    | €  | 1166,40 | 1219,60 | 1269,60 | 1322,40 | 1375,10 | 1425,30 | 1529,40 | 1627,50 | 1737,90 | 1790,40 | 1843,50 | 1896,30 |
| H 90      |    | 504w    | 600w    | 696w    | 793w    | 889w    | 985w    | 1178w   | 1370w   | 1563w   | 1755w   | 1948w   | 2141w   |
| CKLV 90   | €  | 1474,10 | 1550,10 | 1623,50 | 1696,60 | 1769,80 | 1844,60 | 1990,70 | 2131,70 | 2283,20 | 2356,30 | 2430,10 | 2504,60 |
|           |    | 695w    | 837w    | 979w    | 1121w   | 1263w   | 1405w   | 1688w   | 1972w   | 2256w   | 2540w   | 2824w   | 3107w   |

$\Delta t$  different from 50 K: consult technical data Brem

## HOW TO ORDER

State: model (simple model or with tubes),  
height, width, fitting and color  
e.g.: CKLV 72-180, EG  $\varnothing 3/8"$ , SB 7035

## STANDARD PRODUCTION

White sablé SB9016 paintwork, EOS brackets  
Tolerance  $\pm 3$ mm - Air vent  $\varnothing 1/8"$   
MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST


Paintwork to BREM color list +15/25%  
Stainless steel finish, on request  
Electric version e.Clak, pag. 216

## STANDARD FITTING

EG  $\varnothing 3/8"$   
 $\varnothing 1/2"$  with sleeve on request  
Special fittings, page 278



## TAPPING CENTRES EG 3/8" vertical fittings



CKV MODEL



CKLV MODEL

Side fittings on request ▲▼ H - 4cm  
Extra Art. AS 91,20€



Fitting ø 3/8"  
STANDARD  
(without sleeves)




Fitting ø 1/2"  
ON REQUEST  
(with sleeves)

## FIXINGS

Brackets included


EOS  
bracket




## RECOMMENDED VALVES

### CHROME VALVES KIT with:


- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16




SIDE CONTROL QUADRA VALVES KIT  
page 271 Art. KQL 191,20€  
Extra for BREM color list 53,40€



SIDE CONTROL CYL VALVES KIT with THERMO-  
STATIC option, page 273 Art. KCL 162,50€  
Extra for BREM color list 53,40€



REMOTE FITTINGS Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲▼ L - 5 cm  
DISTANT Valves page 274



SIDE CONTROL TON VALVES KIT with Thermo-  
static Head, page 269 Art. KTL 203,70€



CLAK CKV 45-160



# C-Prolux®

## STANDARD WHITE RAL 9016 PAINTWORK


Low, very low, attractive, with a flat front with a minimal presence, practical for the

most various usages.  
The high convective heating power of this

model is obtained through the application of fins that increase heat output considerably.





### MODEL C...

H = 7 - 14 - 21 - 28 cm  
L = 50 to 600 cm







### MODEL C...

front and rear in radiating tubes



### MODEL C... /L

with fins at rear



### HOW TO ORDER

State: model (L indicates fins at the rear ),  
height in cm, n. of radiating tubes and length in  
cm; fittings and color if different from standard.  
eg.: C14-3L 360 AC ø 1/2" RAL 7015

### STANDARD PRODUCTION

White glossy paintwork RAL 9016  
Brackets and feet not included; Air vent ø1/2"  
Maximum operating pressure 6 bar

### PRODUCTION ON REQUEST

Painting Brem colors list up to 3m or 100 kg  
(besides that, feasibility to be required), RAL  
CLASSIC and NCS range +30%

### STANDARD FITTINGS


EG ø 1/2"  
AC or BD fittings on request  
Special fittings, page 278




## TAPPING CENTRES

EG vertical fittings as standard  
Side fittings on request without extra


Models with tubes at the rear



Models with fins at the rear



Mod. C7 (h 7 cm)



Offset fittings on the same side only for:  
C7-3, C7-3/L, C7-4, C7-4/L, C7-5, C7-5/L

Coupling protrusions: 3 mm for  $\varnothing 1/2"$   
17mm for  $\varnothing 3/4"$



C 14-2 360


## C-PROLUX FIXINGS

In C-Prolux radiators, the brackets and feet in soundproofed plastic are not included in the packaging.  
The number of brackets and feet varies according to the diagrams provided.

## FIXINGS ON WALL

Brackets for convectors are provided on request:

galvanised Art.142 50,30€  
white Art.142W 67,50€



## FEET

Adjustable zinc-plated feet and sound-proofed supports:

galvanised Art.150 60,30€  
with Art.150W 85,20€

H = 9/12 cm (standard)


On request

H = 6,5/9 cm




H = 12/18 cm

H = 18/27 cm

H = 27/37 cm



Diagrams for the positions of the feet or brackets for the C-Prolux assembly




Plastic foot covers (80x80x4mm) are available in white colour only. Art. 156 16,20€

## RECOMMENDED VALVES

CHROME VALVES KIT with:

- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer  $\varnothing 16$ , copper  $\varnothing 12$ , 14)
- n°2 Chrome wall plates  $\varnothing 48$ , hole  $\varnothing 16$



SIDE CONTROL QUADRA VALVES KIT  
page 271

Extra for BREM color list

Art. KQL


191,20€

53,40€

## SPECIAL FINISHES

Finishes Gold, Bronze, Brushed Nickel for 2 valves

Brushed Nickel FITTING KIT extra Art. RN 30,50€




SIDE CONTROL CYL VALVES KIT with THERMO-  
STATIC option, page 273

Extra for BREM color list

Art. KCL

162,50€

53,40€



SIDE CONTROL TON VALVES KIT with Thermo-  
static Head, page 269

Art. KTL

203,70€

# C-Prolux®

## STANDARD WHITE RAL 9016 PAINTWORK

| MOD     | L cm | 50              | 60              | 70              | 80              | 90              | 100             | 110             | 120             | 130             | 140             | 150             | 160             | 170             | 180             | 190             | 200             |
|---------|------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| C7-2    | €    | 359,00<br>174w  | 373,00<br>209w  | 386,60<br>244w  | 400,50<br>279w  | 414,40<br>314w  | 428,30<br>349w  | 442,00<br>384w  | 456,00<br>419w  | 469,60<br>454w  | 483,40<br>489w  | 497,10<br>524w  | 511,10<br>558w  | 524,90<br>593w  | 538,80<br>628w  | 552,60<br>663w  | 566,30<br>698w  |
| C7-2/L  | €    | 432,90<br>202w  | 452,30<br>243w  | 471,30<br>284w  | 490,40<br>324w  | 509,30<br>365w  | 528,40<br>405w  | 547,60<br>446w  | 566,70<br>486w  | 585,90<br>527w  | 604,90<br>567w  | 624,00<br>608w  | 643,00<br>648w  | 662,40<br>689w  | 681,50<br>729w  | 700,60<br>770w  | 719,70<br>810w  |
| C7-3    | €    | 489,00<br>296w  | 511,20<br>356w  | 533,60<br>415w  | 556,00<br>474w  | 578,30<br>534w  | 600,50<br>593w  | 623,10<br>652w  | 645,50<br>712w  | 667,90<br>771w  | 689,90<br>830w  | 712,40<br>890w  | 734,70<br>949w  | 757,10<br>1008w | 779,30<br>1067w | 801,80<br>1127w | 824,10<br>1186w |
| C7-3/L  | €    | 561,00<br>321w  | 586,50<br>385w  | 612,20<br>449w  | 637,70<br>514w  | 663,40<br>578w  | 689,10<br>642w  | 714,70<br>706w  | 740,10<br>770w  | 765,90<br>835w  | 791,50<br>899w  | 816,90<br>963w  | 842,60<br>1027w | 868,20<br>1091w | 893,80<br>1156w | 919,30<br>1220w | 945,20<br>1284w |
| C7-4    | €    | 620,30<br>406w  | 653,90<br>488w  | 687,20<br>569w  | 721,10<br>650w  | 754,40<br>732w  | 787,90<br>813w  | 821,40<br>894w  | 855,00<br>976w  | 888,60<br>1057w | 922,10<br>1138w | 955,60<br>1220w | 989,20<br>1301w | 1022,7<br>1382w | 1056,3<br>1463w | 1089,8<br>1545w | 1123,2<br>1626w |
| C7-4/L  | €    | 679,30<br>468w  | 715,90<br>562w  | 752,60<br>656w  | 788,90<br>750w  | 825,80<br>843w  | 862,30<br>937w  | 898,80<br>1031w | 935,60<br>1124w | 971,90<br>1218w | 1008,8<br>1312w | 1045,1<br>1406w | 1081,9<br>1499w | 1118,5<br>1593w | 1154,9<br>1687w | 1191,7<br>1780w | 1228,0<br>1874w |
| C7-5    | €    | 751,30<br>512w  | 793,40<br>615w  | 835,90<br>718w  | 878,20<br>820w  | 920,50<br>922w  | 962,50<br>1025w | 1005,0<br>1128w | 1047,3<br>1230w | 1089,6<br>1332w | 1131,6<br>1435w | 1174,1<br>1538w | 1216,4<br>1640w | 1258,8<br>1743w | 1300,9<br>1845w | 1343,3<br>1948w | 1385,6<br>2050w |
| C7-5/L  | €    | 908,40<br>582w  | 961,30<br>698w  | 1014,3<br>814w  | 1067,4<br>930w  | 1120,3<br>1047w | 1173,2<br>1163w | 1226,2<br>1279w | 1279,0<br>1396w | 1332,1<br>1512w | 1385,0<br>1628w | 1438,0<br>1745w | 1490,9<br>1861w | 1543,7<br>1977w | 1596,8<br>2093w | 1649,6<br>2210w | 1702,7<br>2326w |
| C14-2   | €    | 491,20<br>272w  | 515,50<br>326w  | 540,00<br>380w  | 564,50<br>434w  | 588,70<br>489w  | 613,10<br>543w  | 637,50<br>597w  | 661,80<br>652w  | 686,30<br>706w  | 710,50<br>760w  | 735,10<br>814w  | 759,50<br>869w  | 783,70<br>923w  | 808,20<br>977w  | 832,70<br>1032w | 857,00<br>1086w |
| C14-2/L | €    | 604,40<br>364w  | 644,10<br>436w  | 684,20<br>509w  | 724,00<br>582w  | 763,70<br>654w  | 803,60<br>727w  | 843,40<br>800w  | 883,30<br>872w  | 922,90<br>945w  | 962,90<br>1018w | 1002,7<br>1091w | 1042,4<br>1163w | 1082,5<br>1236w | 1122,1<br>1309w | 1162,2<br>1381w | 1201,9<br>1454w |
| C14-3   | €    | 672,60<br>439w  | 719,80<br>527w  | 767,00<br>615w  | 814,20<br>702w  | 861,20<br>790w  | 908,20<br>878w  | 955,50<br>966w  | 1002,6<br>1054w | 1049,7<br>1141w | 1096,9<br>1229w | 1144,0<br>1317w | 1191,3<br>1405w | 1238,2<br>1493w | 1285,5<br>1580w | 1332,6<br>1668w | 1379,7<br>1756w |
| C14-3/L | €    | 748,40<br>538w  | 799,60<br>646w  | 850,90<br>754w  | 902,30<br>862w  | 953,00<br>969w  | 1004,4<br>1077w | 1055,6<br>1185w | 1107,0<br>1292w | 1158,0<br>1400w | 1209,3<br>1508w | 1260,4<br>1616w | 1311,7<br>1723w | 1363,0<br>1831w | 1414,0<br>1939w | 1465,3<br>2046w | 1516,6<br>2154w |
| C14-4   | €    | 865,20<br>592w  | 931,30<br>711w  | 997,00<br>830w  | 1062,8<br>948w  | 1128,7<br>1067w | 1194,6<br>1185w | 1260,3<br>1304w | 1326,3<br>1422w | 1392,2<br>1541w | 1457,9<br>1659w | 1523,9<br>1778w | 1589,7<br>1896w | 1655,5<br>2015w | 1721,4<br>2133w | 1787,3<br>2252w | 1853,2<br>2370w |
| C14-4/L | €    | 922,90<br>701w  | 990,90<br>841w  | 1058,6<br>981w  | 1126,6<br>1122w | 1194,6<br>1262w | 1262,4<br>1402w | 1330,1<br>1542w | 1398,4<br>1682w | 1466,1<br>1823w | 1533,8<br>1963w | 1601,9<br>2103w | 1669,8<br>2243w | 1737,6<br>2383w | 1805,3<br>2524w | 1873,4<br>2664w | 1941,2<br>2804w |
| C14-5   | €    | 1082,3<br>743w  | 1171,0<br>892w  | 1259,6<br>1040w | 1347,9<br>1189w | 1436,8<br>1337w | 1525,4<br>1486w | 1613,9<br>1635w | 1702,5<br>1783w | 1791,2<br>1932w | 1879,7<br>2080w | 1968,3<br>2229w | 2056,9<br>2378w | 2145,5<br>2526w | 2234,1<br>2675w | 2322,7<br>2823w | 2411,4<br>2972w |
| C14-5/L | €    | 1346,2<br>847w  | 1462,3<br>1016w | 1577,9<br>1185w | 1693,6<br>1354w | 1809,2<br>1524w | 1924,8<br>1693w | 2040,6<br>1862w | 2156,3<br>2032w | 2271,8<br>2201w | 2387,5<br>2370w | 2503,3<br>2540w | 2619,0<br>2709w | 2734,7<br>2878w | 2850,3<br>3047w | 2966,1<br>3217w | 3081,7<br>3386w |
| C21-2   | €    | 607,30<br>346w  | 639,00<br>415w  | 670,50<br>484w  | 702,40<br>553w  | 733,90<br>622w  | 765,90<br>691w  | 797,30<br>760w  | 829,40<br>829w  | 860,70<br>898w  | 892,40<br>967w  | 924,20<br>1036w | 955,80<br>1106w | 987,80<br>1175w | 1019,3<br>1244w | 1051,2<br>1313w | 1082,7<br>1382w |
| C21-2/L | €    | 698,40<br>488w  | 743,10<br>586w  | 788,30<br>684w  | 833,40<br>782w  | 878,80<br>879w  | 923,80<br>977w  | 968,60<br>1075w | 1013,7<br>1172w | 1059,0<br>1270w | 1104,3<br>1368w | 1149,3<br>1466w | 1194,5<br>1563w | 1239,4<br>1661w | 1284,4<br>1759w | 1329,6<br>1856w | 1374,8<br>1954w |
| C21-3   | €    | 766,60<br>564w  | 820,70<br>676w  | 874,80<br>789w  | 928,80<br>902w  | 983,00<br>1014w | 1037,1<br>1127w | 1091,1<br>1240w | 1145,0<br>1352w | 1199,1<br>1465w | 1253,2<br>1578w | 1307,4<br>1690w | 1361,2<br>1803w | 1415,5<br>1916w | 1469,4<br>2029w | 1523,4<br>2141w | 1577,7<br>2254w |
| C21-3/L | €    | 855,00<br>708w  | 915,60<br>849w  | 976,20<br>991w  | 1036,8<br>1132w | 1097,4<br>1274w | 1157,7<br>1415w | 1218,1<br>1557w | 1278,8<br>1698w | 1339,5<br>1840w | 1400,0<br>1981w | 1460,5<br>2122w | 1521,2<br>2264w | 1582,0<br>2406w | 1642,4<br>2547w | 1703,0<br>2688w | 1763,6<br>2830w |
| C21-4   | €    | 1012,7<br>820w  | 1091,2<br>984w  | 1170,0<br>1148w | 1248,6<br>1312w | 1327,2<br>1476w | 1405,8<br>1640w | 1484,6<br>1804w | 1563,3<br>1968w | 1641,8<br>2132w | 1720,5<br>2296w | 1799,1<br>2460w | 1877,8<br>2624w | 1956,3<br>2788w | 2035,0<br>2952w | 2113,9<br>3116w | 2192,5<br>3280w |
| C21-4/L | €    | 1093,8<br>904w  | 1178,4<br>1085w | 1262,9<br>1266w | 1347,4<br>1446w | 1431,9<br>1627w | 1516,4<br>1808w | 1601,0<br>1989w | 1685,5<br>2170w | 1770,0<br>2350w | 1854,6<br>2531w | 1938,9<br>2712w | 2023,7<br>2893w | 2108,2<br>3074w | 2192,6<br>3254w | 2277,3<br>3435w | 2361,5<br>3616w |
| C21-5   | €    | 1262,6<br>1046w | 1367,5<br>1255w | 1472,5<br>1464w | 1577,3<br>1674w | 1682,1<br>1883w | 1787,0<br>2092w | 1891,8<br>2301w | 1996,7<br>2510w | 2101,7<br>2720w | 2206,5<br>2929w | 2311,6<br>3138w | 2416,1<br>3347w | 2521,1<br>3556w | 2626,1<br>3766w | 2731,0<br>3975w | 2835,7<br>4184w |
| C21-5/L | €    | 1678,4<br>1102w | 1807,9<br>1322w | 1937,6<br>1542w | 2067,3<br>1762w | 2196,9<br>1983w | 2326,5<br>2203w | 2456,2<br>2423w | 2585,5<br>2644w | 2715,4<br>2864w | 2844,9<br>3084w | 2974,6<br>3305w | 3104,2<br>3525w | 3233,9<br>3745w | 3363,7<br>3965w | 3492,9<br>4186w | 3622,6<br>4406w |
| C28-2   | €    | 731,40<br>404w  | 772,20<br>485w  | 812,70<br>566w  | 853,70<br>647w  | 894,10<br>728w  | 935,00<br>809w  | 975,40<br>890w  | 1016,1<br>971w  | 1056,7<br>1052w | 1097,5<br>1133w | 1138,0<br>1214w | 1178,6<br>1294w | 1219,7<br>1375w | 1259,9<br>1456w | 1300,8<br>1537w | 1341,3<br>1618w |
| C28-2/L | €    | 830,40<br>577w  | 888,60<br>692w  | 946,50<br>808w  | 1004,9<br>923w  | 1062,9<br>1039w | 1121,2<br>1154w | 1179,0<br>1269w | 1237,2<br>1385w | 1295,4<br>1500w | 1353,4<br>1616w | 1411,5<br>1731w | 1469,7<br>1846w | 1527,7<br>1962w | 1585,9<br>2077w | 1643,9<br>2193w | 1702,3<br>2308w |
| C28-3   | €    | 905,50<br>682w  | 975,40<br>818w  | 1045,2<br>954w  | 1115,2<br>1090w | 1185,1<br>1227w | 1255,2<br>1363w | 1325,1<br>1499w | 1395,0<br>1636w | 1465,0<br>1772w | 1534,5<br>1908w | 1604,5<br>2044w | 1674,4<br>2181w | 1744,4<br>2317w | 1814,3<br>2453w | 1884,3<br>2590w | 1954,3<br>2726w |
| C28-3/L | €    | 1001,6<br>840w  | 1079,8<br>1008w | 1157,6<br>1176w | 1235,7<br>1344w | 1313,8<br>1512w | 1391,9<br>1680w | 1469,8<br>1848w | 1548,0<br>2016w | 1625,8<br>2184w | 1703,9<br>2352w | 1782,1<br>2520w | 1859,9<br>2688w | 1938,0<br>2856w | 2016,1<br>3024w | 2094,2<br>3192w | 2172,2<br>3360w |
| C28-4   | €    | 1208,7<br>942w  | 1310,1<br>1130w | 1411,1<br>1319w | 1512,2<br>1507w | 1613,6<br>1696w | 1714,8<br>1884w | 1816,0<br>2072w | 1917,1<br>2261w | 2018,4<br>2449w | 2119,7<br>2638w | 2220,8<br>2826w | 2321,9<br>3014w | 2423,3<br>3203w | 2524,5<br>3391w | 2625,6<br>3580w | 2727,0<br>3768w |
| C28-4/L | €    | 1301,0<br>1097w | 1409,5<br>1316w | 1518,0<br>1536w | 1626,8<br>1755w | 1735,2<br>1975w | 1843,7<br>2194w | 1952,3<br>2413w | 2060,8<br>2633w | 2169,3<br>2852w | 2278,2<br>3072w | 2386,5<br>3291w | 2495,2<br>3510w | 2603,6<br>3730w | 2712,2<br>3949w | 2820,7<br>4169w | 2929,2<br>4388w |
| C28-5   | €    | 1518,5<br>1198w | 1654,8<br>1437w | 1790,9<br>1676w | 1926,8<br>1916w | 2063,2<br>2156w | 2199,2<br>2395w | 2335,6<br>2635w | 2471,6<br>2874w | 2607,8<br>3114w | 2743,9<br>3353w | 2880,3<br>3593w | 3016,2<br>3832w | 3152,6<br>4072w | 3288,7<br>4311w | 3424,8<br>4551w | 3561,0<br>4790w |
| C28-5/L | €    | 1843,9<br>1275w | 2013,3<br>1529w | 2182,5<br>1784w | 2351,9<br>2039w | 2521,1<br>2294w | 2690,2<br>2549w | 2859,6<br>2804w | 3028,8<br>3059w | 3198,2<br>3314w | 3367,5<br>3569w | 3536,7<br>3824w | 3705,9<br>4078w | 3875,3<br>4333w | 4044,5<br>4588w | 4213,9<br>4843w | 4383,2<br>5098w |

Mod. C height tubes cm n° tubes length cm  
C 14 - 3 360

Assembly in series: maximum lengths 15 m (18 m with fittings on sides)



### HOW TO ORDER

State: model (L indicates fins at the rear ), height in cm, n. of radiating tubes and length in cm; fittings and color if different from standard.  
eg.: C14-3L 360 AC ø 1/2" RAL 7015



EN 442 Watt  $\Delta t$  50K ( $\Delta t$  40K = Wx0,755) - ( $\Delta t$  30K = Wx0,526)

| 220             | 240             | 260             | 280             | 300             | *320            | *340            | *360            | *380            | *400            | *420            | *440            | *460            | *480            | *500            | *600            |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| 594,00<br>768w  | 621,70<br>838w  | 649,30<br>907w  | 677,20<br>977w  | 704,80<br>1047w | 732,30<br>1117w | 759,90<br>1187w | 787,70<br>1256w | 815,20<br>1326w | 842,90<br>1396w | 870,60<br>1466w | 898,10<br>1536w | 925,90<br>1605w | 953,50<br>1675w | 981,10<br>1745w | 1119,2<br>2094w |
| 758,00<br>891w  | 796,20<br>972w  | 834,50<br>1053w | 872,70<br>1134w | 910,90<br>1215w | 949,30<br>1296w | 987,40<br>1377w | 1025,7<br>1458w | 1063,9<br>1539w | 1102,1<br>1620w | 1140,4<br>1701w | 1178,6<br>1782w | 1216,9<br>1863w | 1255,3<br>1944w | 1293,5<br>2025w | 1484,6<br>2430w |
| 868,80<br>1305w | 913,40<br>1423w | 958,0<br>1542w  | 1002,8<br>1660w | 1047,4<br>1779w | 1092,1<br>1898w | 1136,8<br>2016w | 1181,4<br>2135w | 1226,2<br>2253w | 1270,9<br>2372w | 1315,4<br>2491w | 1360,2<br>2609w | 1404,9<br>2728w | 1449,6<br>2846w | 1494,2<br>2965w | 1717,7<br>3558w |
| 996,10<br>1412w | 1047,4<br>1541w | 1098,4<br>1669w | 1149,8<br>1798w | 1201,1<br>1926w | 1252,2<br>2054w | 1303,5<br>2183w | 1354,5<br>2311w | 1405,8<br>2440w | 1456,9<br>2568w | 1508,2<br>2696w | 1559,4<br>2825w | 1610,6<br>2953w | 1661,9<br>3082w | 1712,9<br>3210w | 1969,0<br>3852w |
| 1190,1<br>1789w | 1257,4<br>1951w | 1324,4<br>2114w | 1391,5<br>2276w | 1458,6<br>2439w | 1525,6<br>2602w | 1592,8<br>2764w | 1659,8<br>2927w | 1726,8<br>3089w | 1793,9<br>3252w | 1860,8<br>3415w | 1927,9<br>3577w | 1994,9<br>3740w | 2062,0<br>3902w | 2129,2<br>4065w | 2464,2<br>4878w |
| 1301,1<br>2061w | 1374,4<br>2249w | 1447,7<br>2436w | 1521,0<br>2624w | 1594,0<br>2811w | 1667,1<br>2998w | 1740,3<br>3186w | 1813,6<br>3373w | 1886,8<br>3561w | 1959,8<br>3748w | 2032,8<br>3935w | 2105,9<br>4123w | 2179,2<br>4310w | 2252,3<br>4498w | 2325,6<br>4685w | 2691,4<br>5622w |
| 1470,1<br>2255w | 1554,7<br>2460w | 1639,2<br>2665w | 1723,9<br>2870w | 1808,4<br>3075w | 1893,0<br>3280w | 1977,6<br>3485w | 2062,1<br>3690w | 2146,9<br>3895w | 2231,4<br>4100w | 2316,0<br>4305w | 2400,4<br>4510w | 2485,2<br>4715w | 2569,6<br>4920w | 2654,3<br>5125w | 3077,0<br>6150w |
| 1808,4<br>2559w | 1914,2<br>2791w | 2020,3<br>3024w | 2126,2<br>3256w | 2232,2<br>3489w | 2338,0<br>3722w | 2443,8<br>3954w | 2549,7<br>4187w | 2655,5<br>4419w | 2761,6<br>4652w | 2867,6<br>4885w | 2973,4<br>5117w | 3079,2<br>5350w | 3185,2<br>5582w | 3291,0<br>5815w | 3820,5<br>6978w |
| 906,00<br>1195w | 954,60<br>1303w | 1003,4<br>1412w | 1052,0<br>1520w | 1101,0<br>1629w | 1149,7<br>1738w | 1198,4<br>1846w | 1247,1<br>1955w | 1296,0<br>2063w | 1344,7<br>2172w | 1393,6<br>2281w | 1442,4<br>2389w | 1491,2<br>2498w | 1539,9<br>2606w | 1588,6<br>2715w | 1832,7<br>3258w |
| 1281,4<br>1599w | 1361,2<br>1745w | 1440,9<br>1890w | 1520,4<br>2036w | 1600,1<br>2181w | 1679,9<br>2326w | 1759,5<br>2472w | 1839,3<br>2617w | 1918,9<br>2763w | 1998,6<br>2908w | 2078,3<br>3053w | 2158,1<br>3199w | 2237,2<br>3344w | 2317,2<br>3490w | 2396,8<br>3635w | 2795,2<br>4362w |
| 1474,0<br>1932w | 1568,4<br>2107w | 1662,4<br>2283w | 1756,8<br>2458w | 1851,1<br>2634w | 1945,3<br>2810w | 2039,5<br>2985w | 2133,8<br>3161w | 2228,1<br>3336w | 2322,3<br>3512w | 2416,5<br>3688w | 2510,9<br>3863w | 2605,5<br>4039w | 2699,5<br>4214w | 2794,0<br>4390w | 3265,0<br>5268w |
| 1618,8<br>2369w | 1721,3<br>2585w | 1823,7<br>2800w | 1926,1<br>3016w | 2028,7<br>3231w | 2130,8<br>3446w | 2233,3<br>3662w | 2335,8<br>3877w | 2438,0<br>4093w | 2540,4<br>4308w | 2643,0<br>4523w | 2745,3<br>4739w | 2847,9<br>4954w | 2950,2<br>5170w | 3052,6<br>5385w | 3564,7<br>6462w |
| 1984,6<br>2607w | 2116,7<br>2844w | 2248,4<br>3081w | 2380,0<br>3318w | 2511,7<br>3555w | 2643,5<br>3792w | 2775,2<br>4029w | 2907,0<br>4266w | 3038,6<br>4503w | 3170,6<br>4740w | 3302,0<br>4977w | 3433,9<br>5214w | 3565,5<br>5451w | 3697,2<br>5688w | 3829,1<br>5925w | 4487,5<br>7110w |
| 2077,0<br>3084w | 2212,7<br>3365w | 2348,5<br>3645w | 2484,4<br>3926w | 2620,0<br>4206w | 2756,0<br>4486w | 2891,4<br>4767w | 3027,4<br>5047w | 3163,1<br>5328w | 3298,8<br>5608w | 3434,5<br>5888w | 3570,3<br>6169w | 3706,0<br>6449w | 3842,0<br>6730w | 3977,6<br>7010w | 4656,5<br>8412w |
| 2588,4<br>3269w | 2765,8<br>3566w | 2942,7<br>3864w | 3120,2<br>4161w | 3297,3<br>4458w | 3474,6<br>4755w | 3651,5<br>5052w | 3828,9<br>5350w | 4006,0<br>5647w | 4183,3<br>5944w | 4360,4<br>6241w | 4537,8<br>6538w | 4714,9<br>6836w | 4891,9<br>7133w | 5069,1<br>7430w | 5955,3<br>8916w |
| 3313,1<br>3725w | 3544,5<br>4063w | 3775,9<br>4402w | 4007,2<br>4740w | 4238,5<br>5079w | 4470,0<br>5418w | 4701,3<br>5756w | 4932,6<br>6095w | 5164,3<br>6433w | 5395,4<br>6772w | 5626,9<br>7111w | 5858,4<br>7449w | 6089,6<br>7788w | 6321,2<br>8126w | 6552,4<br>8465w |                 |
| 1146,1<br>1520w | 1209,8<br>1658w | 1273,2<br>1797w | 1336,4<br>1935w | 1399,9<br>2073w | 1463,3<br>2211w | 1526,7<br>2349w | 1590,2<br>2488w | 1653,6<br>2626w | 1717,0<br>2764w | 1780,5<br>2902w | 1843,9<br>3040w | 1907,2<br>3179w | 1970,8<br>3317w | 2034,3<br>3455w | 2351,4<br>4146w |
| 1465,1<br>2149w | 1555,1<br>2345w | 1645,5<br>2540w | 1735,7<br>2736w | 1825,8<br>2931w | 1916,2<br>3126w | 2006,1<br>3322w | 2096,3<br>3517w | 2186,9<br>3713w | 2277,1<br>3908w | 2367,0<br>4103w | 2457,5<br>4299w | 2547,8<br>4494w | 2637,9<br>4690w | 2728,1<br>4885w | 3179,1<br>5862w |
| 1685,7<br>2479w | 1793,9<br>2705w | 1901,8<br>2930w | 2010,0<br>3156w | 2118,0<br>3381w | 2226,2<br>3606w | 2334,2<br>3832w | 2442,6<br>4057w | 2550,4<br>4283w | 2658,5<br>4508w | 2766,6<br>4733w | 2874,8<br>4959w | 2983,0<br>5184w | 3091,0<br>5410w | 3199,4<br>5635w | 3739,7<br>6762w |
| 1884,6<br>3113w | 2005,7<br>3396w | 2126,9<br>3679w | 2248,1<br>3962w | 2369,4<br>4245w | 2490,5<br>4528w | 2611,6<br>4811w | 2732,8<br>5094w | 2853,8<br>5377w | 2975,1<br>5660w | 3096,1<br>5943w | 3217,4<br>6226w | 3338,3<br>6509w | 3459,6<br>6792w | 3580,8<br>7075w | 4186,7<br>8490w |
| 2349,8<br>3608w | 2507,1<br>3936w | 2664,4<br>4264w | 2821,4<br>4592w | 2979,0<br>4920w | 3136,2<br>5248w | 3293,6<br>5576w | 3450,7<br>5904w | 3608,2<br>6232w | 3765,7<br>6560w | 3922,8<br>6888w | 4080,0<br>7216w | 4237,6<br>7544w | 4395,0<br>7872w | 4552,1<br>8200w |                 |
| 2530,8<br>3978w | 2699,6<br>4339w | 2868,9<br>4701w | 3037,9<br>5062w | 3206,8<br>5424w | 3375,9<br>5786w | 3544,9<br>6147w | 3714,0<br>6509w | 3883,0<br>6870w | 4052,0<br>7232w | 4221,2<br>7594w | 4390,2<br>7955w | 4559,4<br>8317w |                 |                 |                 |
| 3045,5<br>4602w | 3255,3<br>5021w | 3464,9<br>5439w | 3674,6<br>5858w | 3884,4<br>6276w | 4094,3<br>6694w | 4303,9<br>7113w | 4513,7<br>7531w | 4723,4<br>7950w | 4933,2<br>8368w | 5143,0<br>8786w | 5352,6<br>9205w |                 |                 |                 |                 |
| 3882,0<br>4847w | 4141,2<br>5287w | 4400,4<br>5728w | 4659,6<br>6168w | 4918,9<br>6609w | 5178,2<br>7050w | 5437,4<br>7490w |                 |                 |                 |                 |                 |                 |                 |                 |                 |
| 1422,7<br>1780w | 1503,9<br>1942w | 1585,2<br>2103w | 1666,8<br>2265w | 1748,0<br>2427w | 1829,3<br>2589w | 1910,5<br>2751w | 1992,1<br>2912w | 2073,0<br>3074w | 2154,4<br>3236w | 2236,0<br>3398w | 2317,2<br>3560w | 2398,5<br>3721w | 2479,7<br>3883w | 2561,1<br>4045w | 2967,9<br>4854w |
| 1818,4<br>2539w | 1934,8<br>2770w | 2050,9<br>3000w | 2166,9<br>3231w | 2283,5<br>3462w | 2399,5<br>3693w | 2516,1<br>3924w | 2632,0<br>4154w | 2748,1<br>4385w | 2864,6<br>4616w | 2980,8<br>4847w | 3097,1<br>5078w | 3213,2<br>5308w | 3329,4<br>5539w | 3445,9<br>5770w | 4027,1<br>6924w |
| 2094,2<br>2999w | 2233,8<br>3271w | 2373,7<br>3544w | 2513,6<br>3816w | 2653,4<br>4089w | 2793,1<br>4362w | 2932,9<br>4634w | 3072,7<br>4907w | 3212,7<br>5179w | 3352,4<br>5452w | 3492,3<br>5725w | 3632,2<br>5997w | 3772,2<br>6270w | 3911,9<br>6542w | 4051,7<br>6815w | 4750,8<br>8178w |
| 2328,1<br>3696w | 2484,4<br>4032w | 2640,5<br>4368w | 2796,2<br>4704w | 2952,3<br>5040w | 3108,7<br>5376w | 3264,6<br>5712w | 3420,6<br>6048w | 3576,8<br>6384w | 3732,8<br>6720w | 3888,6<br>7056w | 4044,9<br>7392w | 4201,1<br>7728w | 4357,1<br>8064w |                 |                 |
| 2929,2<br>4145w | 3131,9<br>4522w | 3334,1<br>4898w | 3536,4<br>5275w | 3739,0<br>5652w | 3941,5<br>6029w | 4143,7<br>6406w | 4346,4<br>6782w | 4548,7<br>7159w | 4751,0<br>7536w | 4953,5<br>7913w |                 |                 |                 |                 |                 |
| 3146,5<br>4827w | 3363,7<br>5266w | 3580,4<br>5704w | 3797,6<br>6143w | 4014,8<br>6582w | 4231,9<br>7021w | 4448,9<br>7460w |                 |                 |                 |                 |                 |                 |                 |                 |                 |
| 3833,3<br>5269w | 4105,7<br>5748w | 4378,0<br>6227w | 4650,4<br>6706w | 4922,5<br>7185w | 5195,0<br>7664w |                 |                 |                 |                 |                 |                 |                 |                 |                 |                 |
| 4721,7<br>5608w |                 |                 |                 |                 |                 |                 |                 |                 |                 |                 |                 |                 |                 |                 |                 |

\*Lengths over 3 meters,  
TRANSPORT ON DEMAND  
or ex work.

Lengths every 20cm between 5 and 6 m: interpolate heat outputs and prices

 $\Delta t$  different from 50 K: consult Technical data Brem

7,2 C...-2

13,3 C...-3

19,4 C...-4

25,5 C...-5

12,2 C...-2/L

18,3 C...-3/L

24,4 C...-4/L

30,5 C...-5/L

# EGON

The EGON radiator is produced using flattened tubes, curved horizontally or vertically:

the imperceptible curvature of the tube, which determines the shape of the EGON radiator


is slightly larger than the traditional flattened tube and increases the emission of heat.

## EH MODEL


with flat vertical tubes

L = from 1 to 15 el. (every 7,7 cm)

H = from 60 to 300 cm



EH




## EV MODEL


with flat horizontal tubes

L = from 60 to 300 cm

H = from 1 to 15 elements  
(every 7,65 cm)



EV



## HOW TO ORDER

State: model, height in cm, number of elements; fitting and color

E.g.: EH 180 - 5 el - EG  $\varnothing$  1/2" - SB 9010

## STANDARD PRODUCTION

White sablé SB9016 paintwork - EOS brackets

Air vent  $\varnothing$  1/2" - Tolerance  $\pm 3$  mm - Maximum

Maximum operating pressure, 4 BAR.

## PRODUCTION ON REQUEST

Paintwork to Brem color list up to 3 m (ask for feasibility in case of higher values)

Feet and fixings


+15/25%  
page 276

## STANDARD FITTINGS

EG  $\varnothing$  1/2"

AC or BD fittings on request


Special fittings, page 278





## TAPPING CENTRES EH MODEL

EG vertical fittings as standard  
Side fittings on request without extra

### EH MODEL



### EV MODEL



□ from H or L 220 cm  
■ for special fittings

| Mod. | a<br>cm | b<br>cm | c<br>cm |
|------|---------|---------|---------|
| EH   | 8       | 8       | 8       |
| EV   | 8       | 9       | 7       |



## RECOMMENDED VALVES

CHROME VALVES KIT with:


- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16




SIDE CONTROL TON VALVES KIT  
page 271

Art. KVL

150,50€




SIDE CONTROL CYL VALVES KIT with THERMO-  
STATIC option, page 273 Art. KCL 162,50€  
Extra for BREM color list 53,40€



Lengths up to 6 m.

REMOTE FITTINGS Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲▽ L - 5 cm  
DISTANT Valves page 274



SIDE CONTROL TON VALVES KIT with Thermo-  
static Head, page 269 Art. KTL 203,70€




EN 442 Watt  $\Delta t$  50K ( $\Delta t$  40K =  $W \times 0,755$ ) - ( $\Delta t$  30K =  $W \times 0,526$ )

| MOD.   | (n° el) | 1 el           | 2 el           | 3 el           | 4 el           | 5 el            | 6 el            | 7 el             | 8 el             | 9 el             | 10 el            | 11 el            | 12 el            | 13 el            | 14 el            | 15 el            |
|--------|---------|----------------|----------------|----------------|----------------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| L cm   | ▲▽ cm   | 8,0            | 15,7           | 23,5           | 31,2           | 39,0            | 46,7            | 54,5             | 62,2             | 70,0             | 77,7             | 85,5             | 93,3             | 101,0            | 108,8            | 116,5            |
| H cm   | ▲▽ cm   | 4,0            | 11,7           | 19,5           | 27,2           | 35,0            | 42,7            | 50,5             | 58,2             | 66,0             | 73,7             | 81,5             | 89,3             | 97,0             | 104,8            | 112,5            |
| EH 60  | €       | 164,30<br>51w  | 207,20<br>102w | 250,80<br>153w | 292,90<br>204w | 336,10<br>255w  | 379,30<br>306w  | 420,00<br>357w   | 463,60<br>408w   | 506,90<br>459w   | 548,40<br>510w   | 592,30<br>561w   | 633,20<br>612w   | 677,20<br>663w   | 719,40<br>714w   | 761,00<br>765w   |
| EH 80  | €       | 189,10<br>68w  | 238,30<br>136w | 289,10<br>204w | 338,50<br>272w | 387,90<br>340w  | 437,60<br>408w  | 487,10<br>476w   | 535,90<br>544w   | 587,10<br>612w   | 636,50<br>680w   | 684,40<br>748w   | 733,90<br>816w   | 783,20<br>884w   | 833,10<br>952w   | 883,50<br>1020w  |
| EH 100 | €       | 203,80<br>83w  | 257,90<br>166w | 314,00<br>249w | 367,90<br>332w | 422,40<br>415w  | 478,40<br>498w  | 533,80<br>581w   | 589,60<br>664w   | 644,10<br>747w   | 698,40<br>830w   | 753,60<br>913w   | 808,10<br>996w   | 863,60<br>1079w  | 918,00<br>1162w  | 973,70<br>1245w  |
| EH 120 | €       | 223,80<br>97w  | 280,40<br>194w | 338,50<br>291w | 395,20<br>388w | 454,70<br>485w  | 511,20<br>582w  | 569,50<br>679w   | 626,40<br>776w   | 684,40<br>873w   | 742,70<br>970w   | 800,40<br>1067w  | 857,60<br>1164w  | 915,30<br>1261w  | 973,70<br>1358w  | 1031,60<br>1455w |
| EH 140 | €       | 233,30<br>112w | 295,50<br>224w | 358,50<br>336w | 419,00<br>448w | 481,60<br>560w  | 543,80<br>672w  | 604,40<br>784w   | 667,20<br>896w   | 728,70<br>1008w  | 791,80<br>1120w  | 852,30<br>1232w  | 914,30<br>1344w  | 977,10<br>1456w  | 1037,70<br>1568w | 1100,00<br>1680w |
| EH 160 | €       | 250,80<br>127w | 321,30<br>254w | 392,80<br>381w | 464,40<br>508w | 535,90<br>635w  | 607,70<br>762w  | 679,50<br>889w   | 751,10<br>1016w  | 822,60<br>1143w  | 893,40<br>1270w  | 964,80<br>1397w  | 1036,70<br>1524w | 1108,60<br>1651w | 1178,40<br>1778w | 1251,90<br>1905w |
| EH 180 | €       | 266,70<br>143w | 342,40<br>286w | 417,50<br>429w | 494,10<br>572w | 569,50<br>715w  | 644,90<br>858w  | 720,40<br>1001w  | 797,10<br>1144w  | 872,40<br>1287w  | 947,70<br>1430w  | 1023,10<br>1573w | 1098,30<br>1716w | 1173,80<br>1859w | 1250,40<br>2002w | 1326,10<br>2145w |
| EH 190 | €       | 275,50<br>151w | 352,40<br>302w | 430,00<br>453w | 506,90<br>604w | 582,30<br>755w  | 660,00<br>906w  | 736,10<br>1057w  | 814,20<br>1208w  | 890,60<br>1359w  | 967,30<br>1510w  | 1045,10<br>1661w | 1121,70<br>1812w | 1198,60<br>1963w | 1276,40<br>2114w | 1352,70<br>2265w |
| EH 200 | €       | 282,90<br>159w | 360,90<br>318w | 439,70<br>477w | 518,30<br>636w | 597,10<br>795w  | 674,70<br>954w  | 753,60<br>1113w  | 831,30<br>1272w  | 910,40<br>1431w  | 988,60<br>1590w  | 1067,40<br>1749w | 1145,50<br>1908w | 1223,20<br>2067w | 1302,00<br>2226w | 1380,30<br>2385w |
| EH 210 | €       | 289,10<br>167w | 370,70<br>334w | 454,70<br>501w | 535,90<br>668w | 618,60<br>835w  | 701,90<br>1002w | 783,20<br>1169w  | 866,10<br>1336w  | 948,50<br>1503w  | 1031,60<br>1670w | 1114,40<br>1837w | 1195,60<br>2004w | 1278,50<br>2171w | 1360,10<br>2338w | 1444,20<br>2505w |
| EH 220 | €       | 292,90<br>175w | 380,70<br>350w | 465,50<br>525w | 552,40<br>700w | 640,10<br>875w  | 726,50<br>1050w | 811,80<br>1225w  | 899,40<br>1400w  | 985,70<br>1575w  | 1072,20<br>1750w | 1160,00<br>1925w | 1245,40<br>2100w | 1331,70<br>2275w | 1419,70<br>2450w | 1505,70<br>2625w |
| EH 240 | €       | 312,60<br>192w | 404,10<br>384w | 494,10<br>576w | 585,20<br>768w | 674,70<br>960w  | 766,20<br>1152w | 856,50<br>1344w  | 947,70<br>1536w  | 1037,70<br>1728w | 1129,00<br>1920w | 1219,10<br>2112w | 1310,80<br>2304w | 1401,50<br>2496w | 1492,40<br>2688w | 1582,60<br>2880w |
| EH 260 | €       | 327,40<br>208w | 422,40<br>416w | 520,00<br>624w | 616,40<br>832w | 711,60<br>1040w | 808,10<br>1248w | 904,40<br>1456w  | 1002,20<br>1664w | 1096,90<br>1872w | 1193,00<br>2080w | 1289,90<br>2288w | 1385,00<br>2496w | 1482,40<br>2704w | 1578,80<br>2912w | 1675,60<br>3120w |
| EH 280 | €       | 342,40<br>224w | 443,40<br>448w | 546,10<br>672w | 647,40<br>896w | 750,20<br>1120w | 851,00<br>1344w | 953,90<br>1568w  | 1055,50<br>1792w | 1156,10<br>2016w | 1259,10<br>2240w | 1358,90<br>2464w | 1461,60<br>2688w | 1562,60<br>2912w | 1665,10<br>3136w | 1766,50<br>3360w |
| EH 300 | €       | 364,40<br>240w | 474,20<br>480w | 585,20<br>720w | 694,30<br>960w | 804,40<br>1200w | 914,30<br>1440w | 1025,40<br>1680w | 1135,20<br>1920w | 1244,30<br>2160w | 1353,90<br>2400w | 1464,00<br>2640w | 1575,20<br>2880w | 1685,00<br>3120w | 1793,90<br>3360w | 1903,80<br>3600w |

$\Delta t$  different from 50 K: consult Technical data Brem

Mod. Egon  
horizontal manifold  
height cm  
number elements  
EH 200 - 7 EL



EH

## PRODUCTION ON REQUEST

Height of plate every 10 cm: thermal output and prices can be obtained by interpolation

Made-to-measure ( $\pm 3$  mm)

Thermal output by interpolation:

Sizes over 15 el. and 3 m: price on request


Height per cm: increased size +20%

## DOUBLE VERSIONS EDH

Is obtained by joining two plates EH  
EDH price EH x 2 + 134,50€

Standard EG fitting (delivery on left, at front; return on right, at rear).


Thermal output EDH: single radiator x 1,60




| MOD.                |            | EN 442 Watt $\Delta t$ 50K ( $\Delta t$ 40K = Wx0,755) - ( $\Delta t$ 30K = Wx0,526) |                |                 |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |  |
|---------------------|------------|--------------------------------------------------------------------------------------|----------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|--|
| H cm                | L cm<br>▲▼ | 60<br>cm                                                                             | 80             | 100             | 120              | 140              | 160              | L<br>180         | 200              | 220              | 240              | 260              | 280              | 300              |  |
|                     |            | 57,8                                                                                 | 77,8           | 97,8            | 117,8            | 137,8            | 157,8            | 177,8            | 197,8            | 217,8            | 237,8            | 257,8            | 277,8            | 297,8            |  |
| EV 1el.<br>H 8,0    | €          | 164,30<br>50w                                                                        | 189,10<br>66w  | 203,80<br>83w   | 223,80<br>100w   | 233,30<br>116w   | 250,80<br>133w   | 266,70<br>149w   | 282,90<br>166w   | 292,90<br>183w   | 312,60<br>199w   | 327,40<br>216w   | 342,40<br>232w   | 364,40<br>249w   |  |
| EV 2el.<br>H 15,7   | €          | 207,20<br>100w                                                                       | 238,30<br>133w | 257,90<br>166w  | 280,40<br>199w   | 295,50<br>232w   | 321,30<br>266w   | 342,40<br>299w   | 362,20<br>332w   | 380,70<br>365w   | 404,10<br>398w   | 422,40<br>432w   | 443,40<br>465w   | 474,20<br>498w   |  |
| EV 3el.<br>H 23,5   | €          | 250,80<br>149w                                                                       | 289,10<br>199w | 314,00<br>249w  | 338,50<br>299w   | 358,50<br>349w   | 392,80<br>398w   | 417,50<br>448w   | 439,70<br>498w   | 465,50<br>548w   | 494,10<br>598w   | 520,00<br>647w   | 546,10<br>697w   | 585,20<br>747w   |  |
| EV 4el.<br>H 31,2   | €          | 292,90<br>199w                                                                       | 338,50<br>266w | 367,90<br>332w  | 395,20<br>398w   | 419,00<br>465w   | 464,40<br>531w   | 494,10<br>598w   | 518,30<br>664w   | 552,40<br>730w   | 585,20<br>797w   | 616,40<br>863w   | 647,40<br>930w   | 694,30<br>996w   |  |
| EV 5el.<br>H 39,0   | €          | 336,10<br>249w                                                                       | 387,90<br>332w | 422,40<br>415w  | 454,70<br>498w   | 481,60<br>581w   | 535,90<br>664w   | 569,50<br>747w   | 597,10<br>830w   | 640,10<br>913w   | 674,70<br>996w   | 711,60<br>1079w  | 750,20<br>1162w  | 804,40<br>1245w  |  |
| EV 6el.<br>H 46,7   | €          | 379,30<br>299w                                                                       | 437,60<br>398w | 478,40<br>498w  | 511,20<br>598w   | 543,80<br>697w   | 607,70<br>797w   | 644,90<br>896w   | 674,70<br>996w   | 726,50<br>1096w  | 766,20<br>1195w  | 808,10<br>1295w  | 851,00<br>1394w  | 914,30<br>1494w  |  |
| EV 7el.<br>H 54,5   | €          | 420,00<br>349w                                                                       | 487,10<br>465w | 533,80<br>581w  | 569,50<br>697w   | 604,40<br>813w   | 679,50<br>930w   | 720,40<br>1046w  | 753,60<br>1162w  | 811,80<br>1278w  | 856,50<br>1394w  | 904,40<br>1511w  | 953,90<br>1627w  | 1025,40<br>1743w |  |
| EV 8el.<br>H 62,2   | €          | 463,60<br>398w                                                                       | 535,90<br>531w | 589,60<br>664w  | 626,40<br>797w   | 667,20<br>930w   | 751,10<br>1062w  | 797,10<br>1195w  | 831,30<br>1328w  | 899,40<br>1461w  | 947,70<br>1594w  | 1002,20<br>1726w | 1055,50<br>1859w | 1135,20<br>1992w |  |
| EV 9el.<br>H 70,0   | €          | 506,90<br>448w                                                                       | 587,10<br>598w | 644,10<br>747w  | 684,40<br>896w   | 728,70<br>1046w  | 822,60<br>1195w  | 872,40<br>1345w  | 910,40<br>1494w  | 985,70<br>1643w  | 1037,70<br>1793w | 1096,90<br>1942w | 1156,10<br>2092w | 1244,30<br>2241w |  |
| EV 10el.<br>H 77,7  | €          | 548,40<br>498w                                                                       | 636,50<br>664w | 698,40<br>830w  | 742,70<br>996w   | 791,80<br>1162w  | 893,40<br>1328w  | 947,70<br>1494w  | 988,60<br>1660w  | 1072,20<br>1826w | 1129,00<br>1992w | 1193,00<br>2158w | 1259,10<br>2324w | 1353,90<br>2490w |  |
| EV 11el.<br>H 85,5  | €          | 592,30<br>548w                                                                       | 684,40<br>730w | 753,60<br>913w  | 800,40<br>1096w  | 852,30<br>1278w  | 964,80<br>1461w  | 1023,10<br>1643w | 1067,40<br>1826w | 1160,00<br>2009w | 1219,10<br>2191w | 1289,90<br>2374w | 1358,90<br>2556w | 1464,00<br>2739w |  |
| EV 12el.<br>H 93,3  | €          | 633,20<br>598w                                                                       | 733,90<br>797w | 808,10<br>996w  | 857,60<br>1195w  | 914,30<br>1394w  | 1036,70<br>1594w | 1098,30<br>1793w | 1145,50<br>1992w | 1245,40<br>2191w | 1310,80<br>2390w | 1385,00<br>2590w | 1461,60<br>2789w | 1575,20<br>2988w |  |
| EV 13el.<br>H 101,0 | €          | 677,20<br>647w                                                                       | 783,20<br>863w | 863,60<br>1079w | 915,30<br>1295w  | 977,10<br>1511w  | 1108,60<br>1726w | 1173,80<br>1942w | 1223,20<br>2158w | 1331,70<br>2374w | 1401,50<br>2590w | 1482,40<br>2805w | 1562,60<br>3021w | 1685,00<br>3237w |  |
| EV 14el.<br>H 108,8 | €          | 719,40<br>697w                                                                       | 833,10<br>930w | 918,00<br>1162w | 973,70<br>1394w  | 1037,70<br>1627w | 1178,40<br>1859w | 1250,40<br>2092w | 1302,00<br>2324w | 1419,70<br>2556w | 1492,40<br>2789w | 1578,80<br>3021w | 1665,10<br>3254w | 1793,90<br>3486w |  |
| EV 15el.<br>H 116,5 | €          | 761,00<br>747w                                                                       | 883,50<br>996w | 973,70<br>1245w | 1031,60<br>1494w | 1100,00<br>1743w | 1251,90<br>1992w | 1326,10<br>2241w | 1380,30<br>2490w | 1505,70<br>2739w | 1582,60<br>2988w | 1675,60<br>3237w | 1766,50<br>3486w | 1903,80<br>3735w |  |

$\Delta t$  different from 50 K: consult Technical data Brem

Mod. Egon  
vertical manifold  
n° el (height)  
length cm  
EV 5 EL - 220



EV



#### DOUBLE VERSION EDV

Is obtained by joining two plates EV  
EDV price EV x 2 + 134,50€

Standard EG fitting (delivery on left, at front;  
return on right, at rear).

Thermal output EDV: single radiator x1,70

#### PRODUCTION ON REQUEST

Height of plate every 10 cm: thermal index  
and prices can be obtained by interpolation

Made-to-measure ( $\pm 3$  mm)

Thermal output by interpolation

Sizes over 15 elements and 3 m: price on request

Length for cm: increased size +20%

# LAMINA-LAH

A radiating plate with bevelled side and upper edges making its already thin profile



(2,2 cm) even more imperceptible and fleeting. Created in vertical and horizontal

models, it is also available in a "Double" version with square radiating tubes at the rear.


## DIMENSIONS

Width: from 28 to 81 cm, every 7 cm  
Heights: from 169 to 229 cm every 20 cm  
Depth: 5,2 / 7,2 cm  
Depth from wall: 8,2 / 8,7 cm


MODEL LAH e LADH, Vertical panel



LAH LADH



LAH LADH



Top and side edges of the panels

As standard, the LAMINA panels is produced with hidden fittings to be mounted with side control valves. On request it is built lower H-7,5 cm to be mounted with visibles valves or with remote fittings.


EN 442 watt  $\Delta t$  50K ( $\Delta t$  40K =  $w \times 0,753$ ) - ( $\Delta t$  30K =  $w \times 0,524$ )

| MODEL'25<br>H cm   | L cm<br>▲▼ cm | 32<br>14         | 39<br>21         | 46<br>28         | 53<br>35         | 60<br>42         | 67<br>49         | 74<br>56         | 81<br>63         | 88<br>70         |
|--------------------|---------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| LAH 170<br>H 169,5 | €             | 845,00<br>567w   | 922,30<br>708w   | 999,80<br>850w   | 1077,10<br>991w  | 1154,40<br>1133w | 1231,90<br>1275w | 1309,40<br>1416w | 1386,60<br>1558w | 1463,90<br>1700w |
| LADH 170           | €             | 1101,50<br>787w  | 1195,60<br>997w  | 1289,70<br>1206w | 1383,40<br>1416w | 1477,50<br>1625w | 1571,60<br>1835w | 1665,60<br>2044w | 1759,60<br>2254w | 1853,70<br>2464w |
| LAH 190<br>H 189,5 | €             | 897,00<br>634w   | 978,20<br>792w   | 1059,60<br>951w  | 1141,00<br>1109w | 1222,30<br>1268w | 1303,60<br>1426w | 1385,10<br>1584w | 1466,30<br>1743w | 1547,60<br>1902w |
| LADH 190           | €             | 1172,00<br>882w  | 1270,40<br>1117w | 1369,10<br>1352w | 1467,50<br>1586w | 1566,10<br>1821w | 1664,80<br>2056w | 1763,20<br>2291w | 1861,80<br>2525w | 1960,30<br>2759w |
| LAH 210<br>H 209,5 | €             | 949,10<br>701w   | 1034,30<br>876w  | 1119,70<br>1051w | 1205,00<br>1227w | 1290,20<br>1402w | 1375,60<br>1577w | 1460,90<br>1752w | 1546,10<br>1928w | 1631,40<br>2104w |
| LADH 210           | €             | 1242,50<br>977w  | 1345,50<br>1237w | 1448,60<br>1497w | 1551,50<br>1757w | 1654,60<br>2017w | 1757,60<br>2277w | 1860,70<br>2537w | 1963,60<br>2797w | 2066,50<br>3057w |
| LAH 230<br>H 229,5 | €             | 1000,90<br>768w  | 1090,20<br>960w  | 1179,60<br>1152w | 1268,80<br>1344w | 1358,10<br>1536w | 1447,30<br>1728w | 1536,60<br>1920w | 1625,80<br>2112w | 1715,10<br>2304w |
| LADH 230           | €             | 1312,90<br>1072w | 1420,50<br>1357w | 1528,00<br>1642w | 1635,60<br>1928w | 1743,20<br>2213w | 1850,70<br>2498w | 1958,20<br>2784w | 2065,70<br>3069w | 2173,20<br>3354w |

$\Delta t$  different from 50 K: consult Technical data Brem

## HOW TO ORDER

State: model, (LAH indicates vertical), height and width in cm; fitting and color if different from standard  
e.g.: LAH 210 - 46, EG  $\varnothing$  1/2", RAL 3005



MAGNETIC ACCESSORIES pag. 277

## STANDARD PRODUCTION

White sablé SB9016 paintwork, brackets white  
Air vent  $\varnothing$  1/2" - Tolerance  $\pm$  3 mm  
Maximum operating pressure 6 bar

## PRODUCTION ON REQUEST

Paintwork to Brem color list with colored brackets  
+15/25%  
BICOLOR coloring page 99

## STANDARD FITTINGS


EG  $\varnothing$  1/2"  
Special fitting page 278  
Electric Electric version not available





## TAPPING CENTRES

MODEL LAH e LADH, Vertical panel




\*BICOLOR SOLUTION Cover in a Brem color.  
Side and back in white to fit into the wall.

## FIXINGS

Brackets included


| Mod. brackets | a   | b   | c   |
|---------------|-----|-----|-----|
| LAH G30       | 7,2 | 3,7 | 9,2 |
| LADH B15      | 7,2 | 3,7 | 9,2 |



## RECOMMENDED VALVES


CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16



SIDE CONTROL TON VALVES KIT nickel-plated  
chrome-plated handwheel Art. KVLN 104,80€


SIDE CONTROL TON VALVES KIT chrome  
page 269 Art. KVL 150,50€



SPECIAL FINISHES: Gold, Bronze, brushed Nickel,  
gilden/silver leaf for 2 valves page 267

Brushed Nickel FITTING KIT extra Art. RN 30,50€

SIDE CONTROL CYL Valves KIT with THERMO-  
STATIC option, page 273 Art. KCLD 162,50€  
Extra for BREM color list 53,40€



\*BICOLOR SOLUTION:

BIC10 Cover in a Brem color and back radiator  
white sablé SB9016 +10%  
BIC20 Cover in a Brem color and back radiator  
black sablé SB9005 or grey sablé SB7039 +20%  
BIC35 N° 2 Brem colors of your choice +35%

SIDE CONTROL TON Valves KIT nickel-plated with  
thermostatic Head Art. KTLND 161,10€

SIDE CONTROL TON VALVES KIT chrome with  
thermostatic Head, p.269 Art. KTL 203,70€



LAMINA LAH210-53

# LAMINA-LAV

Horizontal version of LAMINA panel made with the exclusive tapered edge that makes

it unique. It is also designed in the "Double" version with square radiant tubes on the

back and to hide the valves with which it is connected to the heating system.

## DIMENSIONS


Lengths: from 54 to 204 cm  
Heights: from 58,5 to 86,5 cm  
Depth: 5,2 / 7,2 cm  
Depth from wall: 8,2 / 8,7 cm

MODEL LAV e LADV, Horizontal panel

LV Horizontal panel and vertical manifolds



LLV Horizontal panel with double tubes



Top and side edges of the panels

As standard, the LAMINA panels is produced with hidden fittings to be mounted with side control valves. On request it is built lower H-7,5 cm to be mounted with visible valves or with remote fittings.


EN 442 Watt  $\Delta t$  50K ( $\Delta t$  40K =  $W \times 0,755$ ) - ( $\Delta t$  30K =  $W \times 0,526$ )

| MODEL'25 | L cm | 54              | 64              | 74               | 84               | 94               | 104              | 124              | 144              | 164              | 184              | 204              |
|----------|------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| H cm     | ▲▽cm | 36              | 46              | 56               | 66               | 76               | 86               | 106              | 126              | 146              | 166              | 186              |
| LAV 59   | €    | 820,50<br>349w  | 862,40<br>408w  | 904,30<br>468w   | 946,50<br>528w   | 988,30<br>587w   | 1030,20<br>647w  | 1072,10<br>766w  | 1114,00<br>885w  | 1156,00<br>1004w | 1197,90<br>1123w | 1239,90<br>1242w |
| LADV 59  | €    | 1035,00<br>499w | 1093,60<br>589w | 1152,00<br>678w  | 1210,70<br>768w  | 1269,30<br>858w  | 1327,80<br>947w  | 1386,30<br>1126w | 1444,90<br>1305w | 1503,50<br>1485w | 1562,10<br>1664w | 1620,50<br>1843w |
| LAV 66   | €    | 857,90<br>399w  | 902,80<br>467w  | 947,80<br>535w   | 992,90<br>603w   | 1037,70<br>671w  | 1082,70<br>739w  | 1127,60<br>875w  | 1172,60<br>1012w | 1217,60<br>1148w | 1262,50<br>1284w | 1307,50<br>1420w |
| LADV 66  | €    | 1099,20<br>571w | 1164,00<br>673w | 1228,80<br>775w  | 1293,70<br>878w  | 1358,60<br>981w  | 1423,30<br>1083w | 1488,30<br>1287w | 1553,10<br>1492w | 1618,00<br>1697w | 1682,80<br>1902w | 1747,50<br>2107w |
| LAV 73   | €    | 895,20<br>449w  | 943,20<br>525w  | 991,20<br>602w   | 1039,20<br>678w  | 1087,10<br>755w  | 1135,20<br>831w  | 1183,10<br>984w  | 1231,10<br>1138w | 1279,20<br>1291w | 1327,10<br>1444w | 1375,10<br>1597w |
| LADV 73  | €    | 1163,20<br>642w | 1234,40<br>757w | 1305,50<br>872w  | 1376,60<br>987w  | 1447,70<br>1103w | 1518,80<br>1218w | 1590,10<br>1448w | 1661,20<br>1678w | 1732,30<br>1909w | 1803,40<br>2139w | 1874,50<br>2370w |
| LAV 80   | €    | 943,20<br>499w  | 995,60<br>584w  | 1047,70<br>669w  | 1099,80<br>754w  | 1152,10<br>839w  | 1204,40<br>924w  | 1256,50<br>1094w | 1308,70<br>1264w | 1360,90<br>1434w | 1413,00<br>1604w | 1465,30<br>1774w |
| LADV 80  | €    | 1202,70<br>713w | 1277,40<br>841w | 1352,10<br>969w  | 1426,70<br>1097w | 1501,40<br>1225w | 1576,20<br>1353w | 1650,70<br>1609w | 1725,60<br>1865w | 1800,20<br>2121w | 1874,70<br>2377w | 1949,60<br>2633w |
| LAV 87   | €    | 991,10<br>549w  | 1047,80<br>643w | 1104,10<br>736w  | 1160,40<br>830w  | 1216,90<br>923w  | 1273,50<br>1017w | 1329,80<br>1204w | 1386,20<br>1390w | 1442,60<br>1577w | 1498,80<br>1764w | 1555,60<br>1951w |
| LADV 87  | €    | 1242,10<br>784w | 1320,30<br>925w | 1398,70<br>1066w | 1476,70<br>1207w | 1554,90<br>1347w | 1633,40<br>1488w | 1711,20<br>1770w | 1789,90<br>2052w | 1867,90<br>2333w | 1945,90<br>2615w | 2024,60<br>2896w |

$\Delta t$  different from 50 K: consult Technical data Brem

## HOW TO ORDER

State: model, (L indicates panel vertical), height and width in cm; fitting and color if different from standard  
e.g.: LAV 66 - 124, EG  $\varnothing$  1/2", RAL 3005



## STANDARD PRODUCTION

White sablé SB9016 paintwork, brackets white  
Air vent  $\varnothing$  1/2" - Tolerance  $\pm$  3 mm  
Maximum operating pressure 6 bar

## PRODUCTION ON REQUEST

Paintwork to Brem list with colored brackets  
+15/25%  
BICOLOR coloring page 101


## STANDARD FITTINGS

EG  $\varnothing$  1/2"  
Special fitting page 279 Electric  
Electric version not available



## TAPPING CENTRES


EG standard fittings, use side control valves



## FIXINGS

Brackets included


| Mod. brackets | a   | b   | c    |
|---------------|-----|-----|------|
| LAV G30       | 3,7 | 7,2 | 12,7 |
| LADV B15      | 3,7 | 7,2 | 12,7 |




## RECOMMENDED VALVES

CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16




SIDE CONTROL TON VALVES KIT nickel-plated chrome-plated handwheel Art. KVLN 104,80€  
SIDE CONTROL TON chrome VALVES KIT page 269 Art. KVL 150,50€



SPECIAL FINISHES: Gold, Bronze, brushed Nickel, gilden/silver leaf for 2 valves page 267  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

SIDE CONTROL CYL Valves KIT with THERMOSTATIC option, page 273 Art. KCLD 162,50€  
Extra for BREM color list 53,40€



BICOLOR SOLUTION:  
BIC10 Cover in a Brem color and back radiator white sablé SB9016 +10%  
BIC20 Cover in a Brem color and back radiator black sablé SB9005 or grey sablé SB7039 +20%  
BIC35 N° 2 Brem colors of your choice +35%

SIDE CONTROL TON Valves KIT nickel-plated with thermostatic Head Art. KTLND 161,10€  
SIDE CONTROL TON VALVES KIT chrome with thermostatic Head, p.269 Art. KTLD 203,70€





# OPEN-H

OPEN is a panel with flattened tubes that are welded to the manifolds placed at the rear to create a perfectly flat radiating surface

with radiating tubes providing movement. OPEN panel can be either vertical, single or double and with fins at the rear.

Heights: from 60 to 240 cm  
Lengths: from 28,9 to 93,2 cm (n° el. x 7,15 + 0,25)  
Depths: 4,3 / 6 / 5,3 cm  
Depths from wall: 6,8 / 7,5 cm




OH  
Vertical plate and  
horizontal manifolds



OLH  
Vertical plate  
with fins




OH2  
Double vertical  
plate



## TAPPING CENTRES

EG vertical fittings as standard  
Side fittings on request without extra



Open + Fins  
vertical plate  
height cm  
n° elements  
OLH 180-7el

## HOW TO ORDER

State: model, (L indicates fins), height in cm, n° of elements; fitting and color if different from standard  
e.g.: OLH 180-7e, EG ø 1/2", RAL 3005

## HEIGHTS ON REQUEST

Heights of plate every 10 cm:  
- thermal outputs and prices by interpolation  
Heights of plate on request every 1 cm:  
- thermal outputs by interpolation  
- prices: price increased size +20%

## STANDARD PRODUCTION

White "sablé" paintwork - EOS brackets  
Air vent ø 1/2" - Tolerance ± 3 mm  
Maximum Operating pressure 6 bar

## PRODUCTION ON REQUEST


Paintwork to Brem color list up to 3 m with colored brackets +15/25%  
Made-to measure dimensions, on request

## FIXINGS

Brackets included



EOS bracket



## STANDARD FITTINGS EG ø 1/2"

AC or BD Fittings on request  
Special fittings page 278



OH 180-5el

EN 442 Watt  $\Delta t$  50K ( $\Delta t$  40K =  $W \times 0,755$ ) - ( $\Delta t$  30K =  $W \times 0,526$ )

| MOD.<br>H cm | n°el.<br>L cm | 4               | 5                | 6                | 7                | 8                | 9                | 10               | 11               | 12               | 13               |
|--------------|---------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
|              | ▲ ▼ cm        | 28,9            | 36               | 43,2             | 50,3             | 57,5             | 64,6             | 71,8             | 78,9             | 86,1             | 93,2             |
|              |               | 23,9            | 31               | 38,2             | 45,3             | 52,5             | 59,6             | 66,8             | 73,9             | 81,1             | 88,2             |
| OH 60        | €             | 250,70<br>184w  | 284,80<br>230w   | 319,10<br>276w   | 353,10<br>322w   | 387,30<br>368w   | 421,30<br>414w   | 455,60<br>460w   | 489,70<br>506w   | 523,80<br>552w   | 558,10<br>598w   |
| OLH 60       | €             | 382,70<br>284w  | 418,90<br>355w   | 454,70<br>426w   | 490,80<br>497w   | 526,70<br>568w   | 562,70<br>639w   | 598,60<br>710w   | 634,50<br>781w   | 670,70<br>852w   | 706,50<br>923w   |
| OH2 60       | €             | 603,50<br>268w  | 671,90<br>335w   | 740,50<br>402w   | 809,30<br>469w   | 877,90<br>536w   | 946,50<br>603w   | 1015,30<br>670w  | 1083,80<br>737w  | 1152,60<br>804w  | 1221,10<br>871w  |
| OH 80        | €             | 275,50<br>240w  | 314,30<br>300w   | 352,90<br>360w   | 391,70<br>420w   | 430,10<br>480w   | 468,70<br>540w   | 507,50<br>600w   | 546,00<br>660w   | 584,80<br>720w   | 623,40<br>780w   |
| OLH 80       | €             | 447,70<br>352w  | 490,40<br>440w   | 533,00<br>528w   | 575,70<br>616w   | 618,50<br>704w   | 661,00<br>792w   | 703,80<br>880w   | 746,40<br>968w   | 789,20<br>1056w  | 831,80<br>1144w  |
| OH2 80       | €             | 653,00<br>348w  | 730,60<br>435w   | 808,20<br>522w   | 885,80<br>609w   | 963,60<br>696w   | 1041,30<br>783w  | 1118,90<br>870w  | 1196,50<br>957w  | 1274,20<br>1044w | 1351,80<br>1131w |
| OH 100       | €             | 300,60<br>296w  | 343,60<br>370w   | 386,70<br>444w   | 429,90<br>518w   | 472,90<br>592w   | 516,00<br>666w   | 559,10<br>740w   | 602,20<br>814w   | 645,20<br>888w   | 688,50<br>962w   |
| OLH 100      | €             | 562,10<br>420w  | 612,20<br>525w   | 662,40<br>630w   | 712,40<br>735w   | 762,30<br>840w   | 812,20<br>945w   | 862,50<br>1050w  | 912,40<br>1155w  | 962,30<br>1260w  | 1012,60<br>1365w |
| OH2 100      | €             | 703,00<br>428w  | 789,60<br>535w   | 876,20<br>642w   | 962,80<br>749w   | 1049,30<br>856w  | 1136,00<br>963w  | 1222,70<br>1070w | 1309,40<br>1177w | 1396,00<br>1284w | 1482,50<br>1391w |
| OH 160       | €             | 377,80<br>464w  | 434,10<br>580w   | 490,00<br>696w   | 546,20<br>812w   | 602,60<br>928w   | 658,70<br>1044w  | 714,80<br>1160w  | 771,00<br>1276w  | 827,20<br>1392w  | 883,50<br>1508w  |
| OLH 160      | €             | 686,30<br>612w  | 752,50<br>765w   | 818,30<br>918w   | 884,40<br>1071w  | 950,30<br>1224w  | 1016,30<br>1377w | 1082,30<br>1530w | 1148,30<br>1683w | 1214,20<br>1836w | 1280,30<br>1989w |
| OH2 160      | €             | 853,00<br>664w  | 965,80<br>830w   | 1078,60<br>996w  | 1191,50<br>1162w | 1304,50<br>1328w | 1417,20<br>1494w | 1530,10<br>1660w | 1642,90<br>1826w | 1755,90<br>1992w | 1868,70<br>2158w |
| OH180        | €             | 400,80<br>520w  | 461,30<br>650w   | 521,60<br>780w   | 582,00<br>910w   | 642,30<br>1040w  | 702,70<br>1170w  | 762,90<br>1300w  | 823,50<br>1430w  | 883,90<br>1560w  | 944,20<br>1690w  |
| OLH 180      | €             | 728,30<br>676w  | 797,30<br>845w   | 866,30<br>1014w  | 935,60<br>1183w  | 1004,60<br>1352w | 1073,70<br>1521w | 1143,00<br>1690w | 1212,00<br>1859w | 1281,10<br>2028w | 1350,30<br>2197w |
| OH2 180      | €             | 902,80<br>740w  | 1024,00<br>925w  | 1145,30<br>1110w | 1266,60<br>1295w | 1387,80<br>1480w | 1509,20<br>1665w | 1630,40<br>1850w | 1751,70<br>2035w | 1872,90<br>2220w | 1994,20<br>2405w |
| OH 200       | €             | 425,60<br>576w  | 490,40<br>720w   | 555,30<br>864w   | 620,00<br>1008w  | 684,80<br>1152w  | 749,70<br>1296w  | 814,50<br>1440w  | 879,30<br>1584w  | 944,20<br>1728w  | 1009,00<br>1872w |
| OLH 200      | €             | 833,10<br>740w  | 913,50<br>925w   | 994,30<br>1110w  | 1074,90<br>1295w | 1155,30<br>1480w | 1236,00<br>1665w | 1316,70<br>1850w | 1397,20<br>2035w | 1477,70<br>2220w | 1558,50<br>2405w |
| OH2 200      | €             | 952,80<br>820w  | 1082,90<br>1025w | 1213,30<br>1230w | 1343,30<br>1435w | 1473,60<br>1640w | 1603,80<br>1845w | 1734,00<br>2050w | 1864,20<br>2255w | 1994,40<br>2460w | 2124,60<br>2665w |
| OH 220       | €             | 450,70<br>632w  | 520,00<br>790w   | 589,30<br>948w   | 658,60<br>1106w  | 728,00<br>1264w  | 797,20<br>1422w  | 866,30<br>1580w  | 935,90<br>1738w  | 1005,10<br>1896w | 1074,30<br>2054w |
| OLH 220      | €             | 901,70<br>804w  | 991,20<br>1005w  | 1081,00<br>1206w | 1170,60<br>1407w | 1260,30<br>1608w | 1350,00<br>1809w | 1439,60<br>2010w | 1529,20<br>2211w | 1618,80<br>2412w | 1708,60<br>2613w |
| OH2 220      | €             | 1000,40<br>896w | 1139,40<br>1120w | 1278,10<br>1344w | 1417,10<br>1568w | 1556,00<br>1792w | 1694,90<br>2016w | 1833,80<br>2240w | 1972,80<br>2464w | 2111,40<br>2688w | 2250,40<br>2912w |
| OH 240       | €             | 475,80<br>688w  | 549,60<br>860w   | 623,20<br>1032w  | 696,90<br>1204w  | 770,90<br>1376w  | 844,60<br>1548w  | 918,30<br>1720w  | 992,00<br>1892w  | 1065,80<br>2064w | 1139,70<br>2236w |
| OH2 240      | €             | 1048,20<br>972w | 1195,70<br>1215w | 1343,20<br>1458w | 1490,90<br>1701w | 1638,30<br>1944w | 1786,00<br>2187w | 1933,30<br>2430w | 2081,10<br>2673w | 2228,40<br>2916w | 2376,10<br>3159w |

 $\Delta t$  different from 50 K: consult Technical data Brem

## RECOMMENDED VALVES

CHROME VALVES KIT with:

- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer  $\varnothing 16$ , copper  $\varnothing 12$ , 14)
- n°2 Chrome wall plates  $\varnothing 48$ , hole  $\varnothing 16$

SIDE CONTROL TON Valves KIT  
page 269


Art. KVL 150,50€

SPECIAL FINISHES

page 267

Finishes Gold, Bronze, Brushed Nickel for 2 valves

Brushed Nickel FITTING KIT extra Art. RN 30,50€

SIDE CONTROL CYL Valves KIT with THERMO-  
STATIC option, page 273 Art. KCL 162,50€  
Extra for BREM color list 53,40€



REMOTE FITTINGS

Art. REM

42,10€

Tapping centres: at the rear of radiator ▲ ▼ EG L - 5 cm

DISTANT Valves page 274

2,5  
Lengths up to 6 m.SIDE CONTROL TON Valves KIT with thermostatic  
Head, p.269 Art. KTL 203,70€

# OPEN-V

OPEN is a panel with flattened tubes that are welded to the manifolds placed at the

rear to create a perfectly flat radiating surface with radiating tubes providing movement.


OPEN panel can be either horizontal single or double and with fins at the rear.

Heights: from 50,3 to 93,32cm (from 7 to 13 el.)

Lengths: from 50 to 220 cm

Depths: 4,3 / 6 / 5,3 cm

Depths from wall: 6,8 / 7,5 cm



Horizontal panel



Double panel



Panel with fins



Double panel with fins

EN 442 Watt  $\Delta t$  50K ( $\Delta t$  40K =  $W \times 0,755$ ) - ( $\Delta t$  30K =  $W \times 0,526$ )

| MODELLO    | L cm   | 50                | 60              | 70               | 80               | 90               | 100              | 120              | 140              | 160              | 180              | 200              | 220              |
|------------|--------|-------------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| i.a. ▲ ▽   | cm     | 45                | 55              | 65               | 75               | 85               | 95               | 115              | 135              | 155              | 175              | 195              | 215              |
| OV 7 el    | H 50,3 | € 338,60<br>264w  | 357,50<br>316w  | 376,30<br>369w   | 395,40<br>422w   | 414,30<br>474w   | 433,20<br>527w   | 471,00<br>632w   | 508,70<br>738w   | 546,60<br>843w   | 584,30<br>949w   | 622,30<br>1054w  | 660,10<br>1159w  |
| OLV 7 el   |        | € 477,80<br>431w  | 510,30<br>517w  | 542,60<br>603w   | 575,10<br>689w   | 607,60<br>775w   | 640,10<br>861w   | 704,90<br>1033w  | 769,80<br>1205w  | 834,70<br>1378w  | 899,70<br>1550w  | 964,40<br>1722w  | 1029,30<br>1894w |
| OV2 7 el   |        | € 779,30<br>415w  | 816,70<br>498w  | 854,30<br>581w   | 891,70<br>664w   | 929,20<br>747w   | 966,60<br>830w   | 1041,50<br>996w  | 1116,40<br>1162w | 1191,30<br>1328w | 1266,30<br>1494w | 1341,20<br>1660w | 1416,00<br>1826w |
| OLV2 7 el  |        | € 879,60<br>535w  | 925,80<br>642w  | 971,70<br>749w   | 1017,70<br>856w  | 1063,70<br>963w  | 1109,90<br>1070w | 1202,00<br>1284w | 1294,00<br>1498w | 1386,20<br>1712w | 1478,30<br>1926w | 1570,40<br>2140w | 1662,50<br>2354w |
| OV 9 el    | H 64,6 | € 394,10<br>333w  | 417,10<br>399w  | 440,40<br>466w   | 463,60<br>532w   | 486,80<br>599w   | 510,00<br>665w   | 556,30<br>798w   | 602,70<br>1064w  | 648,90<br>931w   | 695,40<br>1197w  | 741,80<br>1330w  | 788,00<br>1463w  |
| OLV 9 el   |        | € 529,50<br>540w  | 567,10<br>648w  | 604,70<br>756w   | 642,30<br>864w   | 680,10<br>972w   | 717,70<br>1080w  | 793,00<br>1296w  | 868,20<br>1512w  | 943,50<br>1728w  | 1018,90<br>1944w | 1094,10<br>2160w | 1169,40<br>2376w |
| OV2 9 el   |        | € 891,20<br>519w  | 937,00<br>623w  | 983,10<br>727w   | 1029,20<br>830w  | 1075,20<br>934w  | 1121,30<br>1038w | 1213,40<br>1246w | 1305,50<br>1453w | 1397,60<br>1661w | 1489,60<br>1868w | 1581,90<br>2076w | 1674,10<br>2284w |
| OLV2 9 el  |        | € 1014,20<br>645w | 1073,90<br>774w | 1133,60<br>903w  | 1192,90<br>1032w | 1252,70<br>1161w | 1312,30<br>1290w | 1431,50<br>1548w | 1550,60<br>1806w | 1669,90<br>2064w | 1789,20<br>2322w | 1908,30<br>2580w | 2027,60<br>2838w |
| OV 10 el   | H 71,8 | € 431,00<br>367w  | 457,00<br>440w  | 482,80<br>514w   | 508,70<br>587w   | 534,70<br>661w   | 560,70<br>734w   | 612,80<br>881w   | 664,60<br>1028w  | 716,50<br>1174w  | 768,40<br>1321w  | 820,40<br>1468w  | 872,40<br>1615w  |
| OLV 10 el  |        | € 566,50<br>595w  | 607,00<br>713w  | 647,20<br>832w   | 687,60<br>951w   | 728,20<br>1070w  | 768,50<br>1189w  | 849,40<br>1427w  | 930,00<br>1665w  | 1010,90<br>1902w | 1091,70<br>2140w | 1172,60<br>2378w | 1253,40<br>2616w |
| OV2 10 el  |        | € 964,40<br>571w  | 1016,00<br>685w | 1067,60<br>799w  | 1119,20<br>914w  | 1170,60<br>1028w | 1222,30<br>1142w | 1325,40<br>1370w | 1428,60<br>1599w | 1531,60<br>1827w | 1634,90<br>2056w | 1738,00<br>2284w | 1841,20<br>2512w |
| OLV2 10 el |        | € 1052,10<br>700w | 1117,20<br>840w | 1182,50<br>980w  | 1247,60<br>1120w | 1312,60<br>1260w | 1377,80<br>1400w | 1508,10<br>1680w | 1638,30<br>1960w | 1768,60<br>2240w | 1898,70<br>2520w | 2029,00<br>2800w | 2159,20<br>3080w |
| OV 12 el   | H 86,1 | € 502,20<br>436w  | 532,30<br>523w  | 562,70<br>610w   | 592,90<br>698w   | 623,20<br>785w   | 653,50<br>872w   | 714,10<br>1046w  | 774,50<br>1221w  | 835,20<br>1395w  | 895,70<br>1570w  | 956,40<br>1744w  | 1016,80<br>1918w |
| OLV 12 el  |        | € 639,40<br>704w  | 684,40<br>844w  | 729,20<br>985w   | 774,10<br>1126w  | 819,20<br>1266w  | 863,90<br>1407w  | 953,60<br>1688w  | 1043,50<br>1970w | 1133,20<br>2251w | 1222,90<br>2533w | 1312,60<br>2814w | 1402,40<br>3095w |
| OV2 12 el  |        | € 1107,70<br>675w | 1167,80<br>810w | 1228,00<br>945w  | 1288,30<br>1080w | 1348,50<br>1215w | 1408,80<br>1350w | 1529,20<br>1620w | 1649,80<br>1890w | 1770,30<br>2160w | 1890,80<br>2430w | 2011,00<br>2700w | 2131,50<br>2970w |
| OLV2 12 el |        | € 1166,40<br>810w | 1242,20<br>972w | 1318,10<br>1134w | 1394,10<br>1296w | 1469,80<br>1458w | 1545,70<br>1620w | 1697,60<br>1944w | 1849,10<br>2268w | 2000,80<br>2592w | 2152,60<br>2916w | 2304,30<br>3240w | 2456,00<br>3564w |
| OV 13 el   | H 93,2 | € 533,10<br>471w  | 565,70<br>565w  | 598,30<br>659w   | 631,00<br>753w   | 663,60<br>847w   | 696,20<br>941w   | 761,50<br>1129w  | 826,60<br>1317w  | 892,00<br>1506w  | 957,20<br>1694w  | 1022,40<br>1882w | 1087,60<br>2070w |
| OV2 13 el  |        | € 1169,50<br>727w | 1234,50<br>872w | 1299,30<br>1018w | 1364,30<br>1163w | 1429,30<br>1309w | 1494,10<br>1454w | 1623,90<br>1745w | 1753,80<br>2036w | 1883,60<br>2326w | 2013,40<br>2617w | 2143,20<br>2908w | 2273,30<br>3199w |

## STANDARD PRODUCTION

White "sablé" paintwork - EOS brackets  
Air vent  $\varnothing$  1/2" - Tolerance  $\pm$  3 mm  
Maximum Operating pressure 6 bar

## PRODUCTION ON REQUEST

Paintwork to Brem color list up to 3 m with  
colored brackets +15/25%  
Made-to measure dimensions, on request

## STANDARD FITTINGS EG $\varnothing$ 1/2"


AC or BD Fittings on request  
Special fittings page 278






## TAPPING CENTRES

EG vertical fittings as standard  
Side fittings on request without extra



## FIXINGS


Brackets included



## RECOMMENDED VALVES

CHROME VALVES KIT with:

- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16




SIDE CONTROL TON Valves KIT  
page 269

Art. KVL 150,50€

## SPECIAL FINISHES


Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€



SIDE CONTROL CYL Valves KIT with THERMO-  
STATIC option, page 273 Art. KCL 162,50€  
Extra for BREM color list 53,40€

## REMOTE FITTINGS

Art. REM 42,10€  
Tapping centres: at the rear ▲▼ EG L-5 cm  
DISTANT Valves page 274



SIDE CONTROL TON Valves KIT with thermostatic  
Head, p.269

Art. KTL 203,70€



OPEN OV2 4el-140

# PHUL

## RADIATORS & TOWEL RAILS

The PHUL with 3 bevelled sides warms up from small rooms to large spaces.

Essentiality is the most obvious theme, more over a complete set of magnetic accessories

helps in the various needs of everyday life.

### DIMENSIONS


Lengths: 44/54/59 cm

Heights: 80/96/100/120/144/160/176/200/216 cm

Depth: 5,2 cm

Depth from wall: 8,2 cm

On request H- 6 cm version for visible valves




| MODEL       | H-L<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and *<br>Watt € |        |
|-------------|-----------|--------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|--------------------------------------------------|--------|
| PHUL 80-44  | 80,5      | 607,90                               | 409             | 309                       | 215             | 35                | 80,5              | 44               | 10,0              | 3,1                | 400                                              | 103,40 |
| PHUL 80-54  | 80,5      | 667,10                               | 492             | 371                       | 259             | 45                | 80,5              | 54               | 12,0              | 3,7                | 500                                              | 105,60 |
| PHUL 96-44  | 96,5      | 684,30                               | 500             | 378                       | 263             | 35                | 96,5              | 44               | 12,2              | 3,8                | 500                                              | 105,60 |
| PHUL 100-54 | 100,5     | 726,30                               | 629             | 475                       | 331             | 45                | 100,5             | 54               | 15,3              | 4,7                | 650                                              | 107,80 |
| PHUL 120-44 | 120,5     | 746,90                               | 637             | 481                       | 335             | 35                | 120,5             | 44               | 15,4              | 4,9                | 650                                              | 107,80 |
| PHUL 120-54 | 120,5     | 795,80                               | 765             | 578                       | 402             | 45                | 120,5             | 54               | 18,5              | 5,8                | 800                                              | 112,60 |
| PHUL 144-44 | 144,5     | 821,10                               | 773             | 584                       | 407             | 35                | 144,5             | 44               | 18,6              | 5,9                | 800                                              | 112,60 |
| PHUL 160-44 | 160,5     | 866,40                               | 864             | 652                       | 454             | 35                | 160,5             | 44               | 20,7              | 6,6                | 900                                              | 116,20 |
| PHUL 176-54 | 176,5     | 1077,10                              | 1148            | 867                       | 604             | 45                | 176,5             | 54               | 27,6              | 8,6                | 1200                                             | 124,50 |
| PHUL 200-59 | 200,5     | 1256,30                              | 1422            | 1074                      | 748             | 50                | 200,5             | 59               | 34,1              | 10,6               | 1500                                             | 135,40 |
| PHUL 216-54 | 216,5     | 1281,40                              | 1421            | 1073                      | 747             | 45                | 216,5             | 54               | 34,1              | 10,6               | 1500                                             | 135,40 |

\*Dual fuel valve to be added p.207  
Thermostats p.208-209

### RAM TOWEL-BAR

Towel holder with magnets page 277  
(35X44x7 cm) Art. RAM 172,50€



### MAGNET

Magnetic towel holder pag. 277

(40x3,3x6,2 cm) Art. MAG40 140,60€  
(50x3,3x6,2 cm) Art. MAG50 145,00€

### KNOBS

Magnetic pag.277  
cad. 95,50€



### STANDARD PRODUCTION

White sablé SB9016 paintwork, brackets white  
Air vent ø 1/2" - Tolerance ± 3 mm  
Maximum operating pressure 6 bar

### PRODUCTION ON REQUEST

Paintwork to Brem color list with colored  
brackets +15/25%  
BICOLOR coloring page 107




### STANDARD FITTINGS

EG ø 1/2"  
Special fitting page 279 Electric  
Electric version e. PHUL p.247



## TAPPING CENTRES

EG standard fittings, use side control valves




FIXINGS  
G30 brackets  
included



## RECOMMENDED VALVES


CHROME VALVES KIT with:

- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16



SIDE CONTROL TON VALVES KIT nickel-plated  
chrome-plated handwheel Art. KVLN 104,80€

SIDE CONTROL TON chrome VALVES KIT  
page 269 Art. KVL 150,50€



SPECIAL FINISHES page 267

Finishes Gold, Bronze, Brushed Nickel for 2 valves

Brushed Nickel FITTING KIT extra Art. RN 30,50€

SIDE CONTROL CYL Valves KIT with THERMO-  
STATIC option, page 273 Art. KCLD 162,50€


Extra for BREM color list 53,40€

BICOLOR SOLUTION:

BIC10 Cover in a Brem color and back radiator  
white sablé SB9016 +10%

BIC20 Cover in a Brem color and back radiator  
black sablé SB9005 or grey sablé SB7039 +20%

BIC35 N° 2 Brem colors of your choice +35%



SIDE CONTROL TON Valves KIT nickel-plated with  
thermostatic Head Art. KTLND 161,10€

SIDE CONTROL TON VALVES KIT chrome with  
thermostatic Head, p.269 Art. KTLD 203,70€



# SO-FLEX

## RADIATORS & TOWEL RAILS

SO-FLEX goes beyond the basic idea of a towel heater (order and folding) and

introduces a new concept: practical disorder, careless gestures and the fun of not having

*design Gabriella Almagioni*  
to fold everything, but simply chuck a used towel into a warm shell.


### DIMENSIONS

Width 45/54/63/72/120 cm

Height 63/130/180/200 cm

Depth 11 cm

Depth from wall 14 cm



### FXV 63-120

### FXH 130-..

### FXH/FXLH 180-..

### FXH/FXLH 200-..

| MODEL | H-L<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | Dual Fuel version with<br>Resistance and *<br>Watt € |        |
|-------|-----------|--------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|------------------------------------------------------|--------|
| FXV   | 63-120    | 1469,40                              | 827             | 626                       | 435             | 117               | 63                | 120              | 23,5              | 7,1                | 900                                                  | 116,20 |
| FXH   | 130-45    | 1154,20                              | 643             | 487                       | 338             | 41                | 130               | 45               | 18,2              | 6,0                | 650                                                  | 107,80 |
| FXH   | 130-54    | 1228,20                              | 770             | 583                       | 405             | 50                | 130               | 54               | 21,8              | 6,8                | 800                                                  | 112,60 |
| FXH   | 180-45    | 1273,80                              | 887             | 671                       | 466             | 41                | 180               | 45               | 25,1              | 8,1                | 900                                                  | 116,20 |
| FXH   | 180-54    | 1387,70                              | 1061            | 803                       | 558             | 50                | 180               | 54               | 30,0              | 9,2                | -                                                    | -      |
| FXLH  | 180-54    | 1666,00                              | 1453            | 1100                      | 767             | 50                | 180               | 54               | 43,8              | 13,4               | 1500                                                 | 135,40 |
| FXH   | 180-63    | 1500,40                              | 1233            | 933                       | 648             | 59                | 180               | 63               | 34,9              | 10,3               | 1200                                                 | 124,50 |
| FXLH  | 180-63    | 1797,90                              | 1723            | 1304                      | 910             | 59                | 180               | 63               | 51,2              | 15,6               | 1500                                                 | 135,40 |
| FXH   | 180-72    | 1610,00                              | 1407            | 1065                      | 743             | 68                | 180               | 72               | 41,4              | 12,7               | 1500                                                 | 135,40 |
| FXLH  | 180-72    | 1929,50                              | 1996            | 1511                      | 1054            | 68                | 180               | 72               | 58,5              | 17,9               | -                                                    | -      |
| FXH   | 200-54    | 1448,00                              | 1178            | 892                       | 622             | 50                | 200               | 54               | 34,4              | 10,6               | 1200                                                 | 124,50 |
| FXH   | 200-63    | 1564,80                              | 1369            | 1036                      | 723             | 59                | 200               | 63               | 40,1              | 12,3               | 1500                                                 | 135,40 |
| FXLH  | 200-63    | 1919,30                              | 1916            | 1450                      | 1042            | 59                | 200               | 63               | 56,8              | 17,3               | -                                                    | -      |
| FXH   | 200-72    | 1775,30                              | 1562            | 1182                      | 825             | 68                | 200               | 72               | 45,9              | 14,1               | 1500                                                 | 135,40 |
| FXLH  | 200-72    | 2060,00                              | 2219            | 1680                      | 1172            | 68                | 200               | 72               | 64,9              | 19,8               | -                                                    | -      |

\*Dual fuel valve or T to be added p.207  
Thermostats p.208-209

SABLER' COLORS ARE RECOMMENDED  
(as they make the fold softer to the touch)

### STANDARD PRODUCTION

White sablé SB9016 paintwork, brackets white  
Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

### PRODUCTION ON REQUEST

Paintwork to BREM color list  
with colored brackets

Electric version, on request

+15/25%

### STANDARD FITTING


EG ø 3/8"

1/2" fittings on request

Special fittings, page 279



TAPPING CENTRES EG 3/8" STANDARD  
On request EG ø 1/2" without extra.



\*Mod. FXV ▲▼ L-3 # Mod. FXLH: radiant  
\*Mod. FXH ▲▼ L-4 tubes on the back

On request SIDE FITTING AC / BD ø 3/8"  
or fitting ø 1/2" with sleeves  
Extra per AC/BD Art. AS 91,20€


Mod. FXV 63-120 ▲▼ AC/BD H-4 cm  
Mod. FXH /FXLH ... ▲▼ AC/BD H-3 cm



Fitting ø 3/8"  
STANDARD  
(without sleeves)



Fitting ø 1/2"  
ON REQUEST  
(with sleeves)



B35 FIXINGS  
Brackets included



FXV 63-120



FXH 130-45




FXH 180-54

## RECOMMENDED VALVES


CHROME VALVES KIT with:

- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16




KIT SIDE control VALVES QUADRA  
page 271 Art. KQL

191,20€  
53,40€



KIT SIDE control VALVES CYL with THERMOSTATIC  
option, page 273 Art. KCL


162,50€  
53,40€



KIT SIDE control VALVES TON with Thermostatic  
head, page 269 Art. KTL 203,70€

SPECIAL FINISHES page 267  
Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

REMOTE FITTINGS Art. REM 42,10€  
Tapping centres: at the rear ▲▼ EG L-5 cm  
DISTANT Valves page 274



# SPH - PLATT

SPH-PLATT is the radiating plate with perfectly flat and smooth surfaces: true

simplicity of form is the greatest thing. Laid vertically in the most traditional

colors SPH-PLATT jolts pure reason into the irrationality of the unexpected.

## DIMENSIONS


Lengths: from 28 to 84 cm

Heights: from 160 to 240 cm (every 20 cm)

Depths: SPH 3,7 cm, SPLH 6,2 cm


Depths from wall: SPH 6,8 cm, SPLH 7,8 cm

SPH MODEL  
Vertical panel



SPH


SPLH MODEL  
Vertical panel with radiating fins at the rear




SPLH



SPH ... SPLH ...



SPH



SPLH

EN 442 Watt  $\Delta t$  50K ( $\Delta t$  40K =  $W \times 0,755$ ) ( $\Delta t$  30K =  $W \times 0,526$ )

| MOD.<br>H cm | L cm<br>▲ ▼ | 28              | 35               | 42               | 49               | 56               | 63               | 70               | 77               | 84               |
|--------------|-------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
|              |             | 24              | 31               | 38               | 45               | 52               | 59               | 66               | 73               | 80               |
| SPH 160      | €           | 762,20<br>420w  | 839,60<br>525w   | 920,90<br>630w   | 1003,50<br>735w  | 1083,20<br>840w  | 1161,90<br>945w  | 1244,20<br>1050w | 1324,20<br>1155w | 1404,90<br>1260w |
| SPLH 160     | €           | 993,40<br>629w  | 1096,60<br>786w  | 1200,00<br>943w  | 1304,60<br>1100w | 1410,30<br>1257w | 1513,70<br>1414w | 1619,20<br>1572w | 1722,20<br>1729w | 1827,30<br>1886w |
| SPH 180      | €           | 810,10<br>467w  | 894,50<br>584w   | 978,30<br>701w   | 1065,70<br>817w  | 1151,90<br>934w  | 1235,20<br>1051w | 1322,70<br>1168w | 1407,40<br>1284w | 1493,70<br>1401w |
| SPLH 180     | €           | 1046,20<br>689w | 1153,30<br>861w  | 1250,60<br>1033w | 1369,50<br>1205w | 1477,50<br>1377w | 1584,80<br>1549w | 1693,10<br>1721w | 1801,30<br>1893w | 1906,90<br>2065w |
| SPH 200      | €           | 854,00<br>513w  | 943,00<br>642w   | 1033,50<br>770w  | 1118,70<br>898w  | 1208,40<br>1026w | 1296,70<br>1155w | 1385,40<br>1283w | 1476,50<br>1411w | 1565,00<br>1540w |
| SPLH 200     | €           | 1122,80<br>742w | 1240,20<br>928w  | 1355,60<br>1113w | 1481,10<br>1299w | 1588,80<br>1484w | 1704,60<br>1670w | 1820,60<br>1855w | 1934,90<br>2041w | 2050,60<br>2226w |
| SPH 220      | €           | 905,70<br>557w  | 999,30<br>697w   | 1093,90<br>836w  | 1200,80<br>976w  | 1285,90<br>1115w | 1380,40<br>1254w | 1472,90<br>1394w | 1569,80<br>1533w | 1665,60<br>1673w |
| SPLH 220     | €           | 1167,50<br>802w | 1289,80<br>1003w | 1410,10<br>1204w | 1540,60<br>1404w | 1652,70<br>1605w | 1772,70<br>1806w | 1893,40<br>2006w | 2012,30<br>2207w | 2132,80<br>2407w |
| SPH 240      | €           | 971,00<br>601w  | 1073,10<br>751w  | 1175,10<br>901w  | 1277,00<br>1051w | 1378,80<br>1201w | 1481,20<br>1351w | 1583,00<br>1502w | 1687,60<br>1652w | 1790,90<br>1802w |

Versions with SUIT measurements on request

$\Delta t$  different from 50 K: consult technical data Brem

## HOW TO ORDER

State: model (whether simple or with fins), height and width; fittings and color.

e.g.: SPH 180 - 35, AC  $\varnothing$  1/2", BR 0007

MAGNETIC ACCESSORIES p. 277

## STANDARD PRODUCTION

White sablé SB9016 paintwork, EOS brackets  
Tolerance  $\pm$  3mm - Air vent  $\varnothing$  1/8"

MAXIMUM OPERATING PRESSURE 6 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list +15/25%  
S-PLATT INOX, cover panels in satin stainless steel on request


## STANDARD FITTING

EG  $\varnothing$  1/2"  
Fittings AC or BD with extra  
Special fittings, page 278






## TAPPING CENTRES



Side fittings on request  
Extra


Art. AS 91,20€



## RECOMMENDED VALVES


CHROME VALVES KIT with:

- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16




KIT SIDE control VALVES QUADRA  
page 271 Art. KQL

191,20€  
53,40€



KIT SIDE control VALVES CYL with THERMOSTATIC  
option, page 273 Art. KCL

162,50€  
53,40€



REMOTE FITTINGS Art. REM 42,10€  
Tapping centres: at the rear ▲▼ EG L-5 cm  
DISTANT Valves page 274


KIT SIDE control VALVES TON with Thermostatic  
Head, page 269 Art. KTL 203,70€

# SPV - PLATT


SP-PLATT is a perfectly flat, smooth radiating plate. It comes in the simple horizontal

version (SPV) or with radiating plates fitted at the back in varying heights (SPLV). S-Platt


plates are painted white sablé as standard. Ideal for artistic rendering, as requested



SPV



SPLV



SPV ... SPLV ...

SPV SPLV

EN 442 Watt  $\Delta t$  50K ( $\Delta t$  40K =  $W \times 0,755$ ) - ( $\Delta t$  30K =  $W \times 0,526$ )

| MOD.       | L cm  | 50              | 60              | 70              | 80               | 90               | 100              | 110              | 120              | 140              | 160              | 180              | 200              | 220              |
|------------|-------|-----------------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| H cm       | ▲▼ cm | 46,8            | 56,8            | 66,8            | 76,8             | 86,8             | 96,8             | 106,8            | 116,8            | 136,8            | 156,8            | 176,8            | 196,8            | 216,8            |
| SPV 35     | €     | 705,00<br>178w  | 732,00<br>213w  | 756,70<br>249w  | 781,10<br>284w   | 804,80<br>320w   | 832,70<br>355w   | 858,30<br>391w   | 882,80<br>426w   | 929,80<br>497w   | 975,40<br>568w   | 1004,50<br>639w  | 1034,30<br>710w  | 1065,30<br>781w  |
| SPLV 35/35 | €     | 876,00<br>367w  | 909,60<br>440w  | 944,60<br>513w  | 982,20<br>586w   | 1016,10<br>660w  | 1053,90<br>733w  | 1089,40<br>806w  | 1123,50<br>880w  | 1191,00<br>1026w | 1258,10<br>1173w | 1298,10<br>1319w | 1337,80<br>1466w | 1378,40<br>1613w |
| SPV 42     | €     | 748,30<br>217w  | 778,40<br>260w  | 802,00<br>304w  | 829,10<br>347w   | 857,80<br>391w   | 886,40<br>434w   | 910,90<br>477w   | 941,60<br>521w   | 995,50<br>608w   | 1058,50<br>694w  | 1088,30<br>781w  | 1118,50<br>868w  | 1151,70<br>955w  |
| SPLV 42/28 | €     | 917,30<br>380w  | 955,40<br>456w  | 992,30<br>532w  | 1028,60<br>608w  | 1068,70<br>684w  | 1106,10<br>760w  | 1144,10<br>836w  | 1183,40<br>912w  | 1257,90<br>1064w | 1338,70<br>1216w | 1380,80<br>1368w | 1422,60<br>1520w | 1464,80<br>1672w |
| SPLV 42/42 | €     | 929,40<br>417w  | 973,40<br>500w  | 1011,70<br>584w | 1050,20<br>667w  | 1092,70<br>751w  | 1129,90<br>834w  | 1171,20<br>917w  | 1213,20<br>1001w | 1289,50<br>1168w | 1376,50<br>1334w | 1419,80<br>1501w | 1462,70<br>1668w | 1507,50<br>1835w |
| SPV 49     | €     | 787,20<br>246w  | 818,30<br>295w  | 849,30<br>344w  | 880,90<br>394w   | 911,70<br>443w   | 942,90<br>492w   | 974,30<br>541w   | 1006,40<br>590w  | 1069,00<br>689w  | 1142,10<br>787w  | 1177,20<br>886w  | 1212,30<br>984w  | 1247,10<br>1083w |
| SPLV 49/28 | €     | 955,70<br>412w  | 998,50<br>494w  | 1040,00<br>576w | 1080,40<br>658w  | 1123,90<br>741w  | 1165,10<br>823w  | 1205,80<br>905w  | 1249,00<br>988w  | 1332,10<br>1152w | 1424,60<br>1317w | 1470,60<br>1481w | 1516,50<br>1646w | 1561,50<br>1811w |
| SPLV 49/49 | €     | 987,10<br>466w  | 1035,70<br>559w | 1079,30<br>652w | 1123,70<br>745w  | 1171,70<br>838w  | 1214,40<br>931w  | 1261,30<br>1024w | 1308,00<br>1117w | 1396,10<br>1303w | 1493,70<br>1490w | 1541,90<br>1676w | 1589,80<br>1862w | 1639,00<br>2048w |
| SPV 56     | €     | 834,60<br>276w  | 869,90<br>331w  | 903,30<br>386w  | 938,20<br>441w   | 974,70<br>496w   | 1010,50<br>551w  | 1045,60<br>606w  | 1081,20<br>661w  | 1149,90<br>771w  | 1226,20<br>882w  | 1264,30<br>992w  | 1302,20<br>1102w | 1339,20<br>1212w |
| SPLV 56/28 | €     | 1001,20<br>444w | 1050,00<br>533w | 1093,70<br>622w | 1140,50<br>710w  | 1183,60<br>799w  | 1229,20<br>888w  | 1277,00<br>977w  | 1321,60<br>1066w | 1411,00<br>1243w | 1509,30<br>1421w | 1556,70<br>1598w | 1604,10<br>1776w | 1651,10<br>1954w |
| SPLV 56/56 | €     | 1044,30<br>511w | 1098,00<br>613w | 1147,00<br>715w | 1197,30<br>818w  | 1250,80<br>920w  | 1298,90<br>1022w | 1351,50<br>1124w | 1402,80<br>1226w | 1502,60<br>1431w | 1610,90<br>1635w | 1664,10<br>1840w | 1717,20<br>2044w | 1770,40<br>2249w |
| SPV 63     | €     | 879,20<br>305w  | 921,10<br>366w  | 961,70<br>427w  | 1001,50<br>488w  | 1042,30<br>549w  | 1081,70<br>610w  | 1122,50<br>671w  | 1162,80<br>732w  | 1237,80<br>854w  | 1318,80<br>976w  | 1359,60<br>1098w | 1400,20<br>1220w | 1439,30<br>1342w |
| SPLV 63/35 | €     | 1050,30<br>501w | 1101,40<br>601w | 1150,40<br>701w | 1202,30<br>801w  | 1250,80<br>901w  | 1302,90<br>1001w | 1352,40<br>1101w | 1405,80<br>1201w | 1500,00<br>1401w | 1602,70<br>1602w | 1652,70<br>1802w | 1702,30<br>2002w | 1751,70<br>2202w |
| SPLV 63/63 | €     | 1091,40<br>557w | 1149,50<br>668w | 1202,50<br>779w | 1258,80<br>890w  | 1313,60<br>1002w | 1371,40<br>1113w | 1428,10<br>1224w | 1483,30<br>1336w | 1590,20<br>1558w | 1701,50<br>1781w | 1758,00<br>2003w | 1814,10<br>2226w | 1869,70<br>2449w |
| SPV 70     | €     | 958,70<br>326w  | 1001,60<br>391w | 1046,90<br>456w | 1088,50<br>521w  | 1135,00<br>586w  | 1175,80<br>651w  | 1220,90<br>716w  | 1266,40<br>781w  | 1346,40<br>911w  | 1436,80<br>1042w | 1480,80<br>1172w | 1524,70<br>1302w | 1568,70<br>1432w |
| SPLV 70/35 | €     | 1127,10<br>532w | 1180,50<br>638w | 1235,00<br>744w | 1290,40<br>850w  | 1344,90<br>957w  | 1395,70<br>1063w | 1450,20<br>1169w | 1504,50<br>1276w | 1606,50<br>1488w | 1716,80<br>1701w | 1771,80<br>1913w | 1826,80<br>2126w | 1880,50<br>2339w |
| SPLV 70/70 | €     | 1167,20<br>598w | 1226,10<br>718w | 1285,00<br>837w | 1343,90<br>957w  | 1403,90<br>1076w | 1463,10<br>1196w | 1523,20<br>1316w | 1582,20<br>1435w | 1694,30<br>1674w | 1817,40<br>1914w | 1876,90<br>2153w | 1936,60<br>2392w | 1995,10<br>2631w |
| SPV 77     | €     | 1023,90<br>365w | 1070,50<br>437w | 1114,60<br>510w | 1161,00<br>583w  | 1207,20<br>656w  | 1251,50<br>729w  | 1298,90<br>802w  | 1342,70<br>875w  | 1428,90<br>1021w | 1525,80<br>1166w | 1571,80<br>1312w | 1618,40<br>1458w | 1665,00<br>1604w |
| SPLV 77/35 | €     | 1192,80<br>562w | 1249,00<br>674w | 1304,80<br>787w | 1361,70<br>899w  | 1415,80<br>1012w | 1474,70<br>1124w | 1531,80<br>1236w | 1587,40<br>1349w | 1693,30<br>1574w | 1810,70<br>1798w | 1866,50<br>2023w | 1922,40<br>2248w | 1980,70<br>2473w |
| SPLV 77/70 | €     | 1232,40<br>624w | 1296,00<br>749w | 1357,40<br>874w | 1418,40<br>998w  | 1479,70<br>1123w | 1542,10<br>1248w | 1603,20<br>1373w | 1664,40<br>1498w | 1782,50<br>1747w | 1909,00<br>1997w | 1970,20<br>2246w | 2032,00<br>2496w | 2094,10<br>2746w |
| SPV 84     | €     | 1093,30<br>394w | 1143,30<br>472w | 1192,10<br>551w | 1241,70<br>630w  | 1289,30<br>708w  | 1338,10<br>787w  | 1387,70<br>866w  | 1437,90<br>944w  | 1532,50<br>1102w | 1630,60<br>1259w | 1681,50<br>1417w | 1732,50<br>1574w | 1781,40<br>1732w |
| SPLV 84/35 | €     | 1262,10<br>590w | 1321,20<br>708w | 1381,00<br>826w | 1440,00<br>944w  | 1500,20<br>1062w | 1559,40<br>1180w | 1617,30<br>1298w | 1676,10<br>1416w | 1792,10<br>1652w | 1913,20<br>1888w | 1973,80<br>2124w | 2034,10<br>2360w | 2094,10<br>2596w |
| SPLV 84/70 | €     | 1304,50<br>652w | 1369,20<br>782w | 1433,80<br>912w | 1497,60<br>1042w | 1559,80<br>1173w | 1628,00<br>1303w | 1692,50<br>1433w | 1756,90<br>1564w | 1884,40<br>1824w | 2014,90<br>2085w | 2079,80<br>2345w | 2144,80<br>2606w | 2211,00<br>2867w |
| SPV91      | €     | 1144,90<br>424w | 1199,00<br>509w | 1252,90<br>594w | 1308,00<br>678w  | 1359,80<br>763w  | 1413,60<br>848w  | 1471,30<br>933w  | 1523,90<br>1018w | 1626,60<br>1187w | 1732,60<br>1357w | 1785,40<br>1526w | 1838,60<br>1696w | 1890,60<br>1866w |

Versions with SUIT measurements on request

$\Delta t$  different from 50 K: consult technical data Brem

## STANDARD PRODUCTION

White sablé SB9016 paintwork, EOS brackets  
Tolerance  $\pm 3$  mm - Air vent  $\varnothing 1/8"$

MAXIMUM OPERATING PRESSURE 6 BAR

## PRODUCTION ON REQUEST


Paintwork to Brem color list +15/25%  
S-PLATT INOX, cover panels in satin stainless steel on request

## STANDARD FITTING

EG  $\varnothing 1/2"$   
Fittings AC or BD with extra  
Special fittings, page 278



## TAPPING CENTRES




Side fittings on request  
Extra

Art. AS 91,20€

## FIXINGS

Brackets included




## HOW TO ORDER

State: model (whether simple or with fins),  
height and width; fittings and color.  
es.: SPLV 49/49-180, EG ø1/2", BR0004  
Plate height 49/ fins height 49/ width 180

## RECOMMENDED VALVES


CHROME VALVES KIT with:

- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16




KIT SIDE control VALVES QUADRA  
page 271 Art. KQL  
Extra for BREM color list

191,20€  
53,40€



KIT SIDE control VALVES CYL with THERMOSTATIC  
option, page 273 Art. KCL  
Extra for BREM color list

162,50€  
53,40€



REMOTE FITTINGS Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲▼ L - 3,2 cm  
DISTANT Valves page 274

KIT SIDE control VALVES TON with Thermostatic  
head, page 269 Art. KTL 203,70€



PLATT SPV 35 - 160

## SPECIAL FINISHES

Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

page 267



# SUIT-H

SUIT-H is created with flattened tubes that merge imperceptibly with the manifolds


assembled in such way as to create a completely flat radiating surface cadenced by the

union of its various elements. Is available in single or double form and with fins at the rear.


MODEL SUIT-H..  
with flattened vertical tubes

H = 60 to 220 cm  
(every 20 cm)


L = 14 to 98 cm  
(1 to 14 elements)




H



HL






H-2




HLH

## TAPPING CENTRES

EG vertical fittings as standard  
Side fittings on request without extra



Standard lateral bands for plates with fins.



SUIT-H + fins  
plate at rear  
height tubes cm  
width cm  
HLH 180 - 49

## HOW TO ORDER

State: model (L indicates fins) with height and length in cm; fitting and color if different from standard  
eg.: HL 180 - 49, AC  $\varnothing$  1/2", RAL 3005

## HEIGHTS ON REQUEST

H, HL, H-2, HLH: 120, 140, 150 cm  
H, H-2: 300 cm

- Heights every 10 cm: thermal output and price by interpolation; see price of increased size.

- Heights every 1 cm: thermal output by interpolation; price: increased size + 20%  
lengths up to 1,4m: contact Brem technical office

## STANDARD PRODUCTION

White sablé SB9016 paintwork, EOS brackets  
Air vent  $\varnothing$  1/2" - Tolerance  $\pm$  3 mm  
Maximum operating pressure 6 bar.

## PRODUCTION ON REQUEST

Paintwork to Brem color list up to 3 m  
+15/25%  
(ask for feasibility in case of higher values)

## STANDARD FITTINGS EG $\varnothing$ 1/2"

$\blacktriangle$   $\nabla$  L-4 cm  
AC or BD fittings on request  
Special fittings, page 278



EN 442 Watt  $\Delta t$  50K ( $\Delta t$  40K = Wx0,755) - ( $\Delta t$  30K = Wx0,526)

| MOD.<br>H cm | L cm<br>(n° el.)<br>▲▼ | 14<br>(2)<br>10 | 21<br>(3)<br>17 | 28<br>(4)<br>24  | 35<br>(5)<br>31  | 42<br>(6)<br>38  | 49<br>(7)<br>45  | 56<br>(8)<br>52  | 63<br>(9)<br>59  | 70<br>(10)<br>66 | 77<br>(11)<br>73 | 84<br>(12)<br>80 | 91<br>(13)<br>87 | 98<br>(14)<br>94 |
|--------------|------------------------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| H60          | €                      | 182,40<br>85w   | 220,80<br>127w  | 260,30<br>170w   | 299,90<br>212w   | 337,20<br>255w   | 377,80<br>297w   | 417,30<br>339w   | 456,10<br>382w   | 495,20<br>424w   | 533,80<br>467w   | 572,90<br>509w   | 611,60<br>551w   | 651,10<br>594w   |
| HL60         | €                      | 311,00<br>138w  | 354,30<br>207w  | 396,00<br>276w   | 438,00<br>345w   | 478,50<br>415w   | 521,40<br>484w   | 564,60<br>553w   | 606,10<br>622w   | 648,10<br>691w   | 690,00<br>760w   | 732,30<br>829w   | 774,30<br>898w   | 816,30<br>967w   |
| H60-2        | €                      | 516,30<br>141w  | 593,90<br>211w  | 672,00<br>282w   | 750,10<br>352w   | 828,40<br>423w   | 906,30<br>493w   | 981,80<br>564w   | 1062,00<br>634w  | 1139,90<br>705w  | 1217,40<br>775w  | 1295,50<br>846w  | 1373,70<br>916w  | 1451,40<br>987w  |
| HLH60        | €                      | 674,50<br>197w  | 746,50<br>296w  | 819,20<br>394w   | 891,70<br>493w   | 964,90<br>591w   | 1038,50<br>690w  | 1109,70<br>788w  | 1183,50<br>887w  | 1256,10<br>986w  | 1328,90<br>1084w | 1401,50<br>1183w | 1474,40<br>1281w | 1529,10<br>1380w |
| H80          | €                      | 213,00<br>111w  | 257,90<br>166w  | 301,10<br>221w   | 348,80<br>277w   | 393,30<br>332w   | 435,30<br>388w   | 480,80<br>443w   | 526,30<br>498w   | 569,00<br>554w   | 614,30<br>609w   | 659,30<br>665w   | 703,60<br>720w   | 748,40<br>775w   |
| HL80         | €                      | 313,40<br>177w  | 358,50<br>265w  | 404,00<br>354w   | 457,20<br>442w   | 508,80<br>531w   | 563,50<br>619w   | 613,10<br>708w   | 665,20<br>796w   | 717,40<br>885w   | 770,70<br>973w   | 821,20<br>1062w  | 873,00<br>1150w  | 925,00<br>1239w  |
| H80-2        | €                      | 551,00<br>179w  | 638,10<br>269w  | 727,40<br>359w   | 816,80<br>448w   | 906,30<br>538w   | 993,60<br>628w   | 1082,80<br>717w  | 1172,10<br>807w  | 1261,60<br>897w  | 1348,10<br>986w  | 1438,40<br>1076w | 1527,00<br>1166w | 1616,20<br>1255w |
| HLH80        | €                      | 677,00<br>246w  | 750,40<br>368w  | 828,40<br>491w   | 919,60<br>614w   | 1011,40<br>737w  | 1103,20<br>859w  | 1194,80<br>982w  | 1286,40<br>1105w | 1378,20<br>1228w | 1469,60<br>1350w | 1561,10<br>1473w | 1652,60<br>1596w | 1744,30<br>1719w |
| H100         | €                      | 229,60<br>137w  | 279,30<br>205w  | 328,30<br>273w   | 377,80<br>341w   | 428,10<br>410w   | 478,50<br>478w   | 526,30<br>546w   | 575,80<br>614w   | 626,60<br>683w   | 674,50<br>751w   | 726,40<br>819w   | 774,70<br>887w   | 826,10<br>956w   |
| HL100        | €                      | 334,70<br>214w  | 393,30<br>320w  | 449,20<br>427w   | 507,20<br>534w   | 564,60<br>641w   | 622,40<br>747w   | 680,00<br>854w   | 736,30<br>961w   | 794,30<br>1068w  | 851,60<br>1174w  | 910,80<br>1281w  | 969,70<br>1388w  | 1025,90<br>1495w |
| H100-2       | €                      | 587,10<br>217w  | 685,80<br>325w  | 784,00<br>434w   | 882,10<br>542w   | 981,80<br>651w   | 1080,60<br>759w  | 1179,00<br>867w  | 1277,50<br>976w  | 1378,20<br>1084w | 1476,50<br>1193w | 1574,40<br>1301w | 1674,30<br>1410w | 1772,70<br>1518w |
| HLH100       | €                      | 685,80<br>299w  | 786,10<br>448w  | 887,00<br>598w   | 987,80<br>747w   | 1087,10<br>896w  | 1187,80<br>1046w | 1288,60<br>1195w | 1389,50<br>1344w | 1490,00<br>1494w | 1589,40<br>1643w | 1609,60<br>1793w | 1791,20<br>1942w | 1891,60<br>2091w |
| H160         | €                      | 287,30<br>210w  | 351,80<br>315w  | 417,30<br>420w   | 478,50<br>525w   | 543,40<br>630w   | 608,70<br>735w   | 672,00<br>840w   | 734,50<br>945w   | 799,80<br>1050w  | 863,10<br>1155w  | 927,60<br>1260w  | 993,60<br>1365w  | 1054,50<br>1470w |
| HL160        | €                      | 446,90<br>314w  | 533,00<br>471w  | 620,00<br>629w   | 704,90<br>786w   | 789,80<br>861w   | 875,60<br>1033w  | 962,60<br>1100w  | 1047,60<br>1257w | 1134,90<br>1414w | 1219,60<br>1572w | 1305,50<br>1886w | 1390,10<br>2043w | 1475,60<br>2200w |
| H160-2       | €                      | 696,60<br>326w  | 819,20<br>488w  | 944,80<br>651w   | 1070,40<br>814w  | 1194,80<br>977w  | 1318,10<br>1139w | 1442,40<br>1302w | 1568,00<br>1465w | 1692,40<br>1628w | 1815,70<br>1790w | 1940,40<br>1953w | 2066,10<br>2116w | 2190,20<br>2279w |
| HLH160       | €                      | 837,30<br>431w  | 983,20<br>646w  | 1129,90<br>862w  | 1275,30<br>1077w | 1422,00<br>1293w | 1568,00<br>1508w | 1715,40<br>1724w | 1860,00<br>1939w | 2007,90<br>2155w | 2155,10<br>2370w | 2299,90<br>2586w | 2448,20<br>2801w | 2592,90<br>3017w |
| H180         | €                      | 325,10<br>234w  | 399,40<br>350w  | 473,50<br>467w   | 546,10<br>584w   | 617,80<br>701w   | 693,30<br>817w   | 766,90<br>934w   | 838,80<br>1051w  | 913,60<br>1168w  | 986,50<br>1284w  | 1061,10<br>1401w | 1134,90<br>1518w | 1206,70<br>1635w |
| HL180        | €                      | 505,00<br>344w  | 602,20<br>516w  | 695,40<br>689w   | 790,20<br>861w   | 886,40<br>1033w  | 981,80<br>1205w  | 1077,60<br>1377w | 1172,20<br>1549w | 1268,30<br>1721w | 1364,00<br>1893w | 1457,90<br>2065w | 1553,80<br>2237w | 1648,30<br>2410w |
| H180-2       | €                      | 757,30<br>360w  | 898,20<br>540w  | 1037,80<br>720w  | 1178,40<br>900w  | 1317,80<br>1079w | 1458,60<br>1259w | 1598,40<br>1439w | 1739,50<br>1619w | 1879,00<br>1799w | 2019,60<br>1979w | 2158,10<br>2159w | 2300,00<br>2339w | 2438,70<br>2518w |
| HLH180       | €                      | 946,30<br>474w  | 1111,60<br>711w | 1279,40<br>949w  | 1444,50<br>1186w | 1610,30<br>1423w | 1742,80<br>1660w | 1940,70<br>1897w | 2105,70<br>2134w | 2273,50<br>2372w | 2439,60<br>2609w | 2604,40<br>2846w | 2769,90<br>3083w | 2934,70<br>3320w |
| H200         | €                      | 341,20<br>257w  | 418,90<br>385w  | 495,40<br>513w   | 571,80<br>642w   | 650,60<br>770w   | 723,60<br>898w   | 800,90<br>1026w  | 877,50<br>1155w  | 954,00<br>1283w  | 1033,00<br>1411w | 1109,10<br>1540w | 1187,20<br>1668w | 1263,20<br>1796w |
| HL200        | €                      | 531,70<br>371w  | 633,70<br>557w  | 736,80<br>742w   | 836,00<br>928w   | 939,50<br>1113w  | 1041,30<br>1299w | 1144,90<br>1484w | 1246,10<br>1670w | 1348,10<br>1855w | 1450,40<br>2041w | 1553,80<br>2226w | 1657,00<br>2412w | 1758,80<br>2597w |
| H200-2       | €                      | 819,20<br>393w  | 974,60<br>590w  | 1128,60<br>787w  | 1284,00<br>984w  | 1439,20<br>1180w | 1593,90<br>1377w | 1749,00<br>1574w | 1904,30<br>1770w | 2058,40<br>1967w | 2213,70<br>2164w | 2369,10<br>2361w | 2523,40<br>2557w | 2678,60<br>2754w |
| HLH200       | €                      | 984,50<br>515w  | 1161,90<br>772w | 1338,80<br>1030w | 1517,40<br>1287w | 1694,80<br>1544w | 1871,50<br>1802w | 2049,20<br>2059w | 2228,10<br>2317w | 2405,40<br>2574w | 2583,10<br>2832w | 2759,90<br>3089w | 2937,10<br>3346w | 3114,70<br>3604w |
| H220         | €                      | 356,80<br>279w  | 441,70<br>418w  | 524,50<br>557w   | 605,50<br>697w   | 688,00<br>836w   | 771,70<br>976w   | 855,70<br>1115w  | 938,20<br>1254w  | 1018,50<br>1394w | 1103,60<br>1533w | 1187,20<br>1673w | 1268,30<br>1812w | 1349,80<br>1951w |
| HL220        | €                      | 557,20<br>401w  | 665,20<br>602w  | 771,70<br>802w   | 881,70<br>1003w  | 989,20<br>1204w  | 1096,10<br>1404w | 1206,70<br>1605w | 1314,40<br>1806w | 1423,00<br>2006w | 1529,20<br>2207w | 1637,40<br>2407w | 1746,60<br>2608w | 1853,20<br>2809w |
| H220-2       | €                      | 860,70<br>426w  | 1025,70<br>639w | 1192,90<br>851w  | 1360,80<br>1064w | 1525,80<br>1277w | 1694,80<br>1490w | 1862,10<br>1703w | 2026,80<br>1916w | 2194,40<br>2129w | 2361,60<br>2342w | 2528,20<br>2555w | 2695,70<br>2768w | 2863,20<br>2980w |
| HLH220       | €                      | 1068,10<br>555w | 1262,40<br>832w | 1456,70<br>1110w | 1650,70<br>1387w | 1847,30<br>1665w | 2041,40<br>1942w | 2235,70<br>2220w | 2430,00<br>2497w | 2624,00<br>2775w | 2816,80<br>3052w | 3011,20<br>3330w | 3205,60<br>3607w | 3399,30<br>3885w |

 $\Delta t$  different from 50 K: consult Technical data Brem

## RECOMMENDED VALVES

CHROME VALVES KIT with:

- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16

SPECIAL FINISHES

page 267

Finishes Gold, Bronze, Brushed Nickel for 2 valves





Brushed Nickel FITTING KIT extra Art. RN 30,50€

REMOTE FITTINGS

Art. REM 42,10€

Tapping centres: at the rear ▲▼ EG L-5 cm

DISTANT Valves page 274

KIT SIDE control VALVES TON  
page 269

Art. KVL 150,50€

SIDE CONTROL CYL VALVES KIT with THERMO-  
STATIC option, page 273 Art. KCL 162,50€  
Extra for BREM color list 53,40€KIT SIDE control VALVES TON with Thermostatic  
head, page 269 Art. KTL 203,70€

REM

2,5  
Lengths up to 6 m.

# PANELS

heating element is positioned horizontally. In single or double version, with fins at the rear.



VI.2







SUIT H 180 - 49




SUIT VL-2 35/35 160

## RECOMMENDED VALVES

### CHROME VALVES KIT with:

- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16





SIDE CONTROL TON VALVES  
page 269



Art. KVL 150,50€




SIDE CONTROL CYL VALVES KIT with THERMO-  
STATIC option, page 273 Art. KCL 162,50€  
Extra for BREM color list 53,40€




2,5  
Lengths up to 6 m.

REMOTE FITTINGS Art. REM 42,10€  
Tapping centres: at the rear ▲▼ EG L-5 cm  
DISTANT Valves page 274



KIT SIDE control VALVES TON with Thermostatic  
head, page 269 Art. KTL 203,70€




# SUIT-V

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)


| MOD.      | L cm | 50              | 60               | 70               | 80               | 90               | 100              | 110              | 120              | 140              | 160              | 180              | 200              | 220              | 240              |
|-----------|------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Hcm       | ▲▽cm | 46,8            | 56,8             | 66,8             | 76,8             | 86,8             | 96,8             | 106,8            | 116,8            | 136,8            | 156,8            | 176,8            | 196,8            | 216,8            | 236,8            |
| V28       | €    | 279,30<br>144w  | 294,20<br>173w   | 309,00<br>202w   | 323,70<br>230w   | 337,20<br>259w   | 354,30<br>288w   | 370,20<br>317w   | 382,40<br>346w   | 411,70<br>403w   | 441,50<br>461w   | 468,30<br>518w   | 500,20<br>576w   | 528,40<br>634w   | 559,10<br>691w   |
| VL28/28   | €    | 406,30<br>314w  | 431,00<br>377w   | 458,50<br>440w   | 481,80<br>502w   | 507,20<br>565w   | 531,70<br>628w   | 556,50<br>691w   | 580,30<br>754w   | 632,60<br>879w   | 681,00<br>1005w  | 729,90<br>1130w  | 781,60<br>1256w  | 830,50<br>1382w  | 880,20<br>1507w  |
| V28-2     | €    | 698,10<br>256w  | 728,70<br>307w   | 758,00<br>358w   | 787,70<br>409w   | 815,80<br>460w   | 845,30<br>511w   | 874,50<br>562w   | 901,70<br>613w   | 962,60<br>715w   | 1019,30<br>818w  | 1076,20<br>920w  | 1137,20<br>1022w | 1193,00<br>1124w | 1252,30<br>1226w |
| V35       | €    | 310,40<br>178w  | 328,30<br>213w   | 345,40<br>249w   | 361,30<br>284w   | 377,80<br>320w   | 397,30<br>355w   | 414,00<br>391w   | 431,00<br>426w   | 464,90<br>497w   | 497,80<br>568w   | 533,00<br>639w   | 566,70<br>710w   | 600,40<br>781w   | 635,80<br>852w   |
| VL35/35   | €    | 438,00<br>367w  | 464,90<br>440w   | 492,10<br>513w   | 519,60<br>586w   | 547,80<br>660w   | 573,30<br>733w   | 600,40<br>806w   | 630,30<br>880w   | 684,50<br>1026w  | 736,30<br>1173w  | 792,00<br>1319w  | 846,90<br>1466w  | 901,70<br>1613w  | 955,90<br>1759w  |
| V35-2     | €    | 760,30<br>308w  | 797,70<br>370w   | 830,50<br>431w   | 863,10<br>493w   | 898,10<br>554w   | 932,40<br>616w   | 967,30<br>678w   | 1000,20<br>739w  | 1069,20<br>862w  | 1137,20<br>986w  | 1205,80<br>1109w | 1273,90<br>1232w | 1343,00<br>1355w | 1408,80<br>1478w |
| VLV35/35  | €    | 887,00<br>501w  | 931,10<br>601w   | 976,40<br>701w   | 1020,70<br>802w  | 1065,50<br>902w  | 1107,50<br>1002w | 1152,80<br>1102w | 1196,70<br>1202w | 1286,40<br>1403w | 1375,70<br>1603w | 1465,10<br>1804w | 1554,60<br>2004w | 1641,60<br>2204w | 1730,80<br>2405w |
| VL35/35-2 | €    | 1013,60<br>681w | 1070,40<br>817w  | 1123,40<br>953w  | 1179,00<br>1090w | 1233,00<br>1226w | 1286,40<br>1362w | 1341,60<br>1498w | 1396,10<br>1634w | 1504,80<br>1907w | 1614,40<br>2179w | 1724,40<br>2452w | 1831,80<br>2724w | 1940,40<br>2996w | 2050,20<br>3269w |
| V42       | €    | 345,40<br>217w  | 363,10<br>260w   | 382,40<br>304w   | 401,70<br>347w   | 420,90<br>391w   | 441,50<br>434w   | 457,20<br>477w   | 476,30<br>521w   | 516,30<br>608w   | 551,90<br>694w   | 590,70<br>781w   | 630,30<br>868w   | 665,20<br>955w   | 704,90<br>1042w  |
| VL42/28   | €    | 470,60<br>380w  | 500,20<br>456w   | 530,50<br>532w   | 561,50<br>608w   | 588,30<br>684w   | 616,70<br>760w   | 646,20<br>836w   | 674,50<br>912w   | 734,50<br>1064w  | 792,00<br>1216w  | 851,00<br>1368w  | 908,50<br>1520w  | 967,30<br>1672w  | 1024,00<br>1824w |
| VL42/42   | €    | 476,30<br>417w  | 507,20<br>500w   | 539,60<br>584w   | 569,00<br>667w   | 600,40<br>751w   | 634,80<br>834w   | 665,20<br>917w   | 695,90<br>1001w  | 758,00<br>1168w  | 821,50<br>1334w  | 882,10<br>1501w  | 945,80<br>1668w  | 1006,90<br>1835w | 1069,20<br>2002w |
| V42-2     | €    | 830,50<br>362w  | 868,80<br>434w   | 906,30<br>506w   | 943,00<br>578w   | 980,90<br>651w   | 1019,30<br>723w  | 1057,80<br>795w  | 1095,20<br>868w  | 1169,80<br>1012w | 1245,70<br>1157w | 1321,70<br>1302w | 1398,40<br>1446w | 1472,90<br>1591w | 1547,40<br>1735w |
| VLV42/28  | €    | 955,90<br>534w  | 1004,50<br>641w  | 1054,50<br>748w  | 1100,70<br>854w  | 1150,50<br>961w  | 1196,70<br>1068w | 1245,70<br>1175w | 1295,30<br>1282w | 1391,50<br>1495w | 1487,70<br>1709w | 1583,90<br>1922w | 1678,80<br>2136w | 1777,70<br>2350w | 1873,80<br>2563w |
| VLV42/42  | €    | 960,50<br>570w  | 1011,40<br>683w  | 1063,80<br>797w  | 1112,00<br>911w  | 1160,50<br>1025w | 1212,80<br>1139w | 1263,50<br>1253w | 1313,80<br>1367w | 1414,30<br>1595w | 1514,00<br>1822w | 1614,40<br>2050w | 1715,40<br>2278w | 1815,70<br>2506w | 1916,40<br>2734w |
| VL42/28-2 | €    | 1085,20<br>693w | 1143,50<br>832w  | 1201,50<br>970w  | 1259,20<br>1109w | 1318,10<br>1247w | 1375,70<br>1386w | 1437,00<br>1525w | 1494,20<br>1663w | 1609,60<br>1940w | 1728,90<br>2218w | 1845,30<br>2495w | 1960,40<br>2772w | 2079,40<br>3049w | 2194,50<br>3326w |
| VL42/42-2 | €    | 1093,90<br>768w | 1157,10<br>921w  | 1219,60<br>1075w | 1281,80<br>1228w | 1344,00<br>1382w | 1407,30<br>1535w | 1469,60<br>1689w | 1531,90<br>1842w | 1657,30<br>2149w | 1781,80<br>2456w | 1907,20<br>2763w | 2032,10<br>3070w | 2157,50<br>3377w | 2281,90<br>3684w |
| V49       | €    | 373,20<br>246w  | 396,00<br>295w   | 417,30<br>344w   | 438,00<br>394w   | 459,50<br>443w   | 480,80<br>492w   | 502,30<br>541w   | 523,80<br>590w   | 566,70<br>689w   | 611,10<br>787w   | 653,90<br>886w   | 698,10<br>984w   | 741,30<br>1083w  | 784,00<br>1181w  |
| VL49/28   | €    | 500,20<br>412w  | 530,50<br>494w   | 563,50<br>576w   | 595,20<br>658w   | 626,60<br>741w   | 659,90<br>823w   | 691,50<br>905w   | 721,60<br>988w   | 787,70<br>1152w  | 851,60<br>1317w  | 915,30<br>1481w  | 978,50<br>1646w  | 1043,40<br>1811w | 1106,40<br>1975w |
| VL49/49   | €    | 504,90<br>466w  | 539,60<br>559w   | 571,10<br>652w   | 608,70<br>745w   | 641,30<br>838w   | 674,50<br>931w   | 708,30<br>1024w  | 741,30<br>1117w  | 811,10<br>1303w  | 878,00<br>1490w  | 946,80<br>1676w  | 1014,90<br>1862w | 1082,80<br>2048w | 1150,50<br>2234w |
| V49-2     | €    | 884,70<br>415w  | 927,60<br>498w   | 972,90<br>581w   | 1017,10<br>664w  | 1061,00<br>747w  | 1103,20<br>830w  | 1146,00<br>913w  | 1189,00<br>996w  | 1278,50<br>1162w | 1363,20<br>1328w | 1449,20<br>1494w | 1538,80<br>1660w | 1623,70<br>1826w | 1711,80<br>1992w |
| VLV49/28  | €    | 1011,40<br>585w | 1065,50<br>702w  | 1118,90<br>819w  | 1172,10<br>936w  | 1226,40<br>1053w | 1279,60<br>1170w | 1331,80<br>1287w | 1384,70<br>1404w | 1492,50<br>1638w | 1598,60<br>1872w | 1705,90<br>2106w | 1813,70<br>2340w | 1918,80<br>2574w | 2025,20<br>2808w |
| VLV49/49  | €    | 1016,10<br>636w | 1072,60<br>763w  | 1128,00<br>890w  | 1181,20<br>1017w | 1237,80<br>1144w | 1293,20<br>1271w | 1348,10<br>1398w | 1405,40<br>1525w | 1514,00<br>1779w | 1625,70<br>2034w | 1735,70<br>2288w | 1846,40<br>2542w | 1958,40<br>2796w | 2068,10<br>3050w |
| VL49/28-2 | €    | 1139,00<br>746w | 1201,50<br>895w  | 1265,80<br>1044w | 1331,80<br>1194w | 1394,00<br>1343w | 1456,10<br>1492w | 1520,30<br>1641w | 1585,90<br>1790w | 1710,50<br>2089w | 1840,50<br>2387w | 1965,40<br>2686w | 2095,20<br>2984w | 2220,00<br>3283w | 2349,50<br>3581w |
| VL49/49-2 | €    | 1148,30<br>849w | 1215,20<br>1019w | 1284,10<br>1189w | 1351,10<br>1358w | 1417,60<br>1528w | 1487,70<br>1698w | 1554,60<br>1868w | 1621,20<br>2038w | 1758,00<br>2377w | 1891,60<br>2717w | 2027,40<br>3056w | 2162,20<br>3396w | 2297,60<br>3736w | 2434,50<br>4075w |
| V56       | €    | 409,80<br>276w  | 433,30<br>331w   | 457,20<br>386w   | 480,80<br>441w   | 504,90<br>496w   | 528,40<br>551w   | 549,80<br>606w   | 573,30<br>661w   | 622,40<br>771w   | 669,80<br>882w   | 717,40<br>992w   | 764,50<br>1102w  | 813,30<br>1212w  | 860,90<br>1322w  |
| VL56/28   | €    | 537,50<br>444w  | 569,00<br>533w   | 603,50<br>622w   | 635,80<br>710w   | 669,80<br>799w   | 706,90<br>888w   | 738,80<br>977w   | 773,90<br>1066w  | 839,60<br>1243w  | 908,50<br>1421w  | 976,40<br>1598w  | 1045,70<br>1776w | 1113,40<br>1954w | 1180,30<br>2131w |
| VL56/56   | €    | 554,60<br>511w  | 595,20<br>613w   | 634,80<br>715w   | 674,50<br>818w   | 713,00<br>920w   | 754,50<br>1022w  | 792,00<br>1124w  | 830,50<br>1226w  | 908,50<br>1431w  | 988,80<br>1635w  | 1067,10<br>1840w | 1146,00<br>2044w | 1225,30<br>2249w | 1304,70<br>2453w |
| V56-2     | €    | 956,90<br>469w  | 1004,50<br>563w  | 1051,90<br>657w  | 1100,10<br>750w  | 1148,30<br>844w  | 1195,80<br>938w  | 1241,20<br>1032w | 1288,60<br>1126w | 1384,70<br>1313w | 1481,10<br>1501w | 1576,10<br>1688w | 1672,40<br>1876w | 1764,90<br>2064w | 1860,90<br>2251w |
| VLV56/28  | €    | 1082,80<br>637w | 1141,50<br>764w  | 1199,20<br>891w  | 1256,80<br>1018w | 1315,40<br>1146w | 1373,70<br>1273w | 1429,00<br>1400w | 1487,70<br>1528w | 1603,10<br>1782w | 1719,50<br>2037w | 1836,20<br>2291w | 1951,70<br>2546w | 2066,10<br>2800w | 2182,40<br>3055w |
| VLV56/56  | €    | 1100,70<br>697w | 1165,00<br>836w  | 1228,20<br>975w  | 1290,90<br>1115w | 1353,30<br>1254w | 1417,60<br>1394w | 1481,10<br>1533w | 1543,10<br>1672w | 1670,60<br>1951w | 1795,60<br>2230w | 1922,40<br>2509w | 2047,60<br>2788w | 2175,80<br>3067w | 2299,90<br>3345w |
| VL56/28-2 | €    | 1210,60<br>800w | 1277,50<br>959w  | 1346,70<br>1119w | 1416,20<br>1279w | 1483,40<br>1439w | 1550,10<br>1599w | 1619,00<br>1759w | 1688,10<br>1919w | 1822,50<br>2239w | 1960,40<br>2558w | 2095,20<br>2878w | 2233,10<br>3198w | 2366,60<br>3518w | 2506,30<br>3838w |
| VL56/56-2 | €    | 1245,70<br>924w | 1327,00<br>1109w | 1405,40<br>1294w | 1483,40<br>1478w | 1561,10<br>1663w | 1639,50<br>1848w | 1719,50<br>2033w | 1797,50<br>2218w | 1953,80<br>2587w | 2112,10<br>2957w | 2269,60<br>3326w | 2425,40<br>3696w | 2584,00<br>4066w | 2746,90<br>4435w |
| V63       | €    | 441,50<br>305w  | 467,40<br>366w   | 492,10<br>427w   | 519,60<br>488w   | 545,20<br>549w   | 573,30<br>610w   | 600,40<br>671w   | 626,60<br>732w   | 680,00<br>854w   | 732,00<br>976w   | 787,70<br>1098w  | 839,60<br>1220w  | 893,80<br>1342w  | 946,80<br>1464w  |
| VL63/35   | €    | 566,70<br>501w  | 603,50<br>601w   | 641,30<br>701w   | 677,90<br>801w   | 714,80<br>901w   | 752,20<br>1001w  | 787,70<br>1101w  | 826,10<br>1201w  | 899,50<br>1401w  | 972,90<br>1602w  | 1047,60<br>1802w | 1121,30<br>2002w | 1193,00<br>2202w | 1267,10<br>2402w |
| VL63/63   | €    | 587,10<br>557w  | 630,30<br>668w   | 672,00<br>779w   | 713,00<br>890w   | 756,20<br>900w   | 799,80<br>1002w  | 839,60<br>1113w  | 882,10<br>1224w  | 967,30<br>1336w  | 1050,00<br>1558w | 1137,20<br>1781w | 1219,60<br>2003w | 1304,70<br>2226w | 1390,10<br>2449w |
| V63-2     | €    | 1019,30<br>522w | 1073,50<br>626w  | 1126,80<br>731w  | 1180,30<br>835w  | 1234,60<br>940w  | 1286,40<br>1044w | 1339,70<br>1148w | 1394,70<br>1253w | 1498,70<br>1462w | 1608,80<br>1670w | 1715,40<br>1879w | 1823,70<br>2088w | 1927,60<br>2297w | 2036,40<br>2506w |
| VLV63/35  | €    | 1148,30<br>710w | 1212,80<br>851w  | 1275,30<br>993w  | 1339,70<br>1135w | 1403,00<br>1277w | 1466,20<br>1419w | 1529,80<br>1561w | 1594,10<br>1703w | 1722,10<br>1987w | 1848,80<br>2270w | 1976,40<br>2554w | 2103,00<br>2838w | 2230,70<br>3122w | 2357,50<br>3406w |
| VLV63/63  | €    | 1165,00<br>757w | 1234,60<br>908w  | 1304,70<br>1059w | 1373,70<br>1210w | 1442,40<br>1362w | 1511,30<br>1513w | 1579,50<br>1664w | 1648,40<br>1816w | 1786,60<br>2118w | 1925,70<br>2421w | 2061,70<br>2723w | 2199,10<br>3026w | 2338,30<br>3329w | 2474,30<br>3631w |
| VL63/35-2 | €    | 1272,90<br>894w | 1346,70<br>1073w | 1419,80<br>1252w | 1494,20<br>1430w | 1568,00<br>1609w | 1643,70<br>1788w | 1717,50<br>1967w | 1791,20<br>2146w | 1938,90<br>2503w | 2086,20<br>2861w | 2233,10<br>3218w | 2380,10<br>3576w | 2531,00<br>3934w | 2678,10<br>4291w |
| VL63/63-2 | €    | 1313,80<br>995w | 1396,10<br>1193w | 1481,10<br>1392w | 1565,80<br>1591w | 1650,80<br>1790w | 1733,20<br>1989w | 1818,40<br>2188w | 1902,70<br>2387w | 2072,70<br>2785w | 2240,10<br>3182w | 2409,70<br>3580w | 2577,50<br>3978w | 2746,90<br>4376w | 2916,60<br>4774w |

|           |                    | EN 442 Watt $\Delta t$ 50K ( $\Delta t$ 40K = Wx0,755) - ( $\Delta t$ 30K = Wx0,526) |         |         |         |         |         |         |         |         |         |         |         |         |         |
|-----------|--------------------|--------------------------------------------------------------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| MOD.      | L cm               | 50                                                                                   | 60      | 70      | 80      | 90      | 100     | 110     | 120     | 140     | 160     | 180     | 200     | 220     | 240     |
|           | $\Delta \nabla$ cm | 46,8                                                                                 | 56,8    | 66,8    | 76,8    | 86,8    | 96,8    | 106,8   | 116,8   | 136,8   | 156,8   | 176,8   | 196,8   | 216,8   | 236,8   |
| V70       | €                  | 488,90                                                                               | 519,60  | 547,80  | 579,20  | 608,70  | 638,10  | 669,80  | 698,10  | 758,00  | 821,50  | 880,20  | 941,20  | 1000,20 | 1061,00 |
|           |                    | 326w                                                                                 | 391w    | 456w    | 521w    | 586w    | 651w    | 716w    | 781w    | 911w    | 1042w   | 1172w   | 1302w   | 1432w   | 1562w   |
| VL70/35   | €                  | 614,30                                                                               | 656,40  | 693,60  | 734,50  | 776,20  | 815,80  | 856,60  | 898,10  | 976,40  | 1057,80 | 1138,40 | 1219,60 | 1300,10 | 1380,40 |
|           |                    | 532w                                                                                 | 638w    | 744w    | 850w    | 957w    | 1063w   | 1169w   | 1276w   | 1488w   | 1701w   | 1913w   | 2126w   | 2339w   | 2551w   |
| VL70/70   | €                  | 634,80                                                                               | 680,00  | 726,40  | 770,70  | 815,80  | 860,90  | 906,30  | 951,40  | 1043,40 | 1134,90 | 1225,30 | 1319,10 | 1408,80 | 1498,70 |
|           |                    | 598w                                                                                 | 718w    | 837w    | 957w    | 1076w   | 1196w   | 1316w   | 1435w   | 1674w   | 1914w   | 2153w   | 2392w   | 2631w   | 2870w   |
| V70-2     | €                  | 1114,20                                                                              | 1174,20 | 1236,50 | 1297,70 | 1356,70 | 1417,60 | 1475,60 | 1536,30 | 1658,80 | 1778,70 | 1897,30 | 2019,50 | 2139,30 | 2259,70 |
|           |                    | 574w                                                                                 | 689w    | 804w    | 918w    | 1033w   | 1148w   | 1263w   | 1378w   | 1607w   | 1837w   | 2066w   | 2296w   | 2526w   | 2755w   |
| VLV70/35  | €                  | 1243,60                                                                              | 1313,80 | 1384,70 | 1453,60 | 1525,10 | 1596,60 | 1666,10 | 1737,90 | 1878,10 | 2019,50 | 2159,90 | 2302,50 | 2443,80 | 2584,10 |
|           |                    | 759w                                                                                 | 911w    | 1063w   | 1214w   | 1366w   | 1518w   | 1670w   | 1822w   | 2125w   | 2429w   | 2732w   | 3036w   | 3340w   | 3643w   |
| VLV70/70  | €                  | 1261,60                                                                              | 1337,60 | 1413,60 | 1490,00 | 1565,80 | 1641,60 | 1715,40 | 1791,20 | 1942,60 | 2095,20 | 2246,80 | 2399,50 | 2549,90 | 2702,90 |
|           |                    | 812w                                                                                 | 974w    | 1136w   | 1298w   | 1461w   | 1623w   | 1785w   | 1948w   | 2272w   | 2597w   | 2921w   | 3246w   | 3571w   | 3895w   |
| VL70/35-2 | €                  | 1371,40                                                                              | 1451,40 | 1531,90 | 1612,40 | 1695,70 | 1772,70 | 1855,50 | 1935,80 | 2096,40 | 2260,50 | 2421,10 | 2581,90 | 2744,60 | 2905,20 |
|           |                    | 942w                                                                                 | 1130w   | 1318w   | 1506w   | 1695w   | 1883w   | 2071w   | 2260w   | 2636w   | 3013w   | 3389w   | 3766w   | 4143w   | 4519w   |
| VL70/70-2 | €                  | 1407,30                                                                              | 1498,70 | 1589,40 | 1681,30 | 1772,70 | 1862,40 | 1953,80 | 2045,70 | 2228,80 | 2412,10 | 2595,30 | 2778,40 | 2958,00 | 3141,90 |
|           |                    | 1056w                                                                                | 1267w   | 1478w   | 1690w   | 1901w   | 2112w   | 2323w   | 2534w   | 2957w   | 3379w   | 3802w   | 4224w   | 4646w   | 5069w   |
| V77       | €                  | 528,40                                                                               | 563,50  | 592,70  | 626,60  | 658,30  | 691,50  | 721,60  | 754,50  | 818,00  | 882,10  | 946,80  | 1012,70 | 1076,20 | 1140,30 |
|           |                    | 365w                                                                                 | 437w    | 510w    | 583w    | 656w    | 729w    | 802w    | 875w    | 1021w   | 1166w   | 1312w   | 1458w   | 1604w   | 1750w   |
| VL77/35   | €                  | 656,40                                                                               | 698,10  | 741,30  | 784,00  | 826,10  | 868,80  | 910,80  | 954,10  | 1039,70 | 1124,80 | 1209,40 | 1295,30 | 1378,20 | 1465,10 |
|           |                    | 562w                                                                                 | 674w    | 787w    | 899w    | 1012w   | 1124w   | 1236w   | 1349w   | 1574w   | 1798w   | 2023w   | 2248w   | 2473w   | 2698w   |
| VL77/70   | €                  | 674,50                                                                               | 721,60  | 770,70  | 818,00  | 865,50  | 915,30  | 962,60  | 1010,40 | 1106,40 | 1201,50 | 1297,70 | 1392,80 | 1486,60 | 1581,60 |
|           |                    | 624w                                                                                 | 749w    | 874w    | 998w    | 1123w   | 1248w   | 1373w   | 1498w   | 1747w   | 1997w   | 2246w   | 2496w   | 2746w   | 2995w   |
| V77-2     | €                  | 1197,80                                                                              | 1260,10 | 1326,30 | 1390,10 | 1453,60 | 1519,40 | 1583,90 | 1648,40 | 1778,70 | 1904,00 | 2034,40 | 2163,10 | 2291,00 | 2421,10 |
|           |                    | 626w                                                                                 | 751w    | 876w    | 1002w   | 1127w   | 1252w   | 1377w   | 1502w   | 1753w   | 2003w   | 2254w   | 2504w   | 2755w   | 3005w   |
| VLV77/35  | €                  | 1326,30                                                                              | 1400,80 | 1473,80 | 1550,10 | 1623,70 | 1699,40 | 1772,70 | 1847,60 | 1997,10 | 2145,90 | 2295,60 | 2444,70 | 2592,90 | 2742,10 |
|           |                    | 807w                                                                                 | 968w    | 1130w   | 1291w   | 1453w   | 1614w   | 1775w   | 1937w   | 2260w   | 2582w   | 2905w   | 3228w   | 3551w   | 3874w   |
| VLV77/70  | €                  | 1344,00                                                                              | 1424,30 | 1503,30 | 1583,90 | 1664,40 | 1744,40 | 1822,50 | 1902,70 | 2063,50 | 2221,70 | 2382,70 | 2540,10 | 2701,60 | 2860,90 |
|           |                    | 865w                                                                                 | 1038w   | 1211w   | 1384w   | 1557w   | 1730w   | 1903w   | 2076w   | 2422w   | 2768w   | 3114w   | 3460w   | 3806w   | 4152w   |
| VL77/35-2 | €                  | 1451,40                                                                              | 1536,30 | 1621,20 | 1705,90 | 1791,20 | 1875,60 | 1962,80 | 2045,70 | 2215,00 | 2384,80 | 2554,70 | 2724,40 | 2896,20 | 3063,50 |
|           |                    | 989w                                                                                 | 1187w   | 1385w   | 1582w   | 1780w   | 1978w   | 2176w   | 2374w   | 2769w   | 3165w   | 3560w   | 3956w   | 4352w   | 4747w   |
| VL77/70-2 | €                  | 1490,00                                                                              | 1585,90 | 1678,80 | 1775,10 | 1870,80 | 1965,40 | 2061,40 | 2157,50 | 2347,70 | 2538,50 | 2728,90 | 2921,10 | 3111,40 | 3301,30 |
|           |                    | 1104w                                                                                | 1325w   | 1546w   | 1766w   | 1987w   | 2208w   | 2429w   | 2650w   | 3091w   | 3533w   | 3974w   | 4416w   | 4858w   | 5299w   |
| V84       | €                  | 569,00                                                                               | 606,10  | 641,30  | 674,50  | 710,40  | 746,50  | 781,60  | 818,00  | 887,00  | 959,40  | 1028,70 | 1100,10 | 1172,10 | 1241,20 |
|           |                    | 394w                                                                                 | 472w    | 551w    | 630w    | 708w    | 787w    | 866w    | 944w    | 1102w   | 1259w   | 1417w   | 1574w   | 1732w   | 1889w   |
| VL84/35   | €                  | 695,90                                                                               | 741,30  | 787,70  | 832,70  | 878,00  | 922,90  | 969,70  | 1014,90 | 1106,40 | 1195,80 | 1286,40 | 1380,40 | 1471,80 | 1562,40 |
|           |                    | 590w                                                                                 | 708w    | 826w    | 944w    | 1062w   | 1180w   | 1298w   | 1416w   | 1652w   | 1888w   | 2124w   | 2360w   | 2596w   | 2832w   |
| VL84/70   | €                  | 714,80                                                                               | 764,50  | 818,00  | 868,80  | 919,60  | 970,70  | 1021,80 | 1071,50 | 1174,20 | 1276,00 | 1378,20 | 1481,10 | 1581,60 | 1684,70 |
|           |                    | 652w                                                                                 | 782w    | 912w    | 1042w   | 1173w   | 1303w   | 1433w   | 1564w   | 1824w   | 2085w   | 2345w   | 2606w   | 2867w   | 3127w   |
| V84-2     | €                  | 1278,50                                                                              | 1349,60 | 1419,80 | 1491,20 | 1560,30 | 1632,70 | 1703,90 | 1772,70 | 1914,20 | 2057,70 | 2199,10 | 2338,30 | 2479,70 | 2621,10 |
|           |                    | 678w                                                                                 | 813w    | 949w    | 1084w   | 1220w   | 1355w   | 1491w   | 1626w   | 1897w   | 2168w   | 2439w   | 2710w   | 2981w   | 3252w   |
| VLV84/35  | €                  | 1407,30                                                                              | 1487,70 | 1570,20 | 1650,80 | 1730,80 | 1813,70 | 1894,10 | 1974,10 | 2137,40 | 2297,60 | 2460,80 | 2623,50 | 2784,30 | 2948,60 |
|           |                    | 853w                                                                                 | 1024w   | 1194w   | 1365w   | 1535w   | 1706w   | 1877w   | 2047w   | 2388w   | 2730w   | 3071w   | 3412w   | 3753w   | 4094w   |
| VLV84/70  | €                  | 1424,30                                                                              | 1511,30 | 1598,60 | 1683,50 | 1770,70 | 1857,50 | 1942,60 | 2029,60 | 2201,60 | 2373,30 | 2548,10 | 2719,70 | 2892,10 | 3066,10 |
|           |                    | 920w                                                                                 | 1103w   | 1287w   | 1471w   | 1655w   | 1839w   | 2023w   | 2207w   | 2575w   | 2942w   | 3310w   | 3678w   | 4046w   | 4414w   |
| VL84/35-2 | €                  | 1534,00                                                                              | 1625,70 | 1717,50 | 1808,90 | 1900,80 | 1992,40 | 2081,70 | 2173,10 | 2356,60 | 2538,50 | 2721,90 | 2903,20 | 3086,40 | 3269,70 |
|           |                    | 1034w                                                                                | 1240w   | 1447w   | 1654w   | 1860w   | 2067w   | 2274w   | 2480w   | 2894w   | 3307w   | 3721w   | 4134w   | 4547w   | 4961w   |
| VL84/70-2 | €                  | 1572,70                                                                              | 1673,10 | 1775,10 | 1875,60 | 1979,90 | 2081,70 | 2182,40 | 2284,00 | 2487,60 | 2691,40 | 2894,00 | 3099,90 | 3303,70 | 3505,70 |
|           |                    | 1154w                                                                                | 1384w   | 1615w   | 1846w   | 2076w   | 2307w   | 2538w   | 2768w   | 3230w   | 3691w   | 4153w   | 4614w   | 5075w   | 5537w   |
| V91       | €                  | 603,50                                                                               | 641,30  | 680,00  | 717,40  | 756,20  | 794,30  | 832,70  | 872,60  | 946,80  | 1025,90 | 1103,20 | 1180,30 | 1256,80 | 1331,80 |
|           |                    | 424w                                                                                 | 509w    | 594w    | 678w    | 763w    | 848w    | 933w    | 1018w   | 1187w   | 1357w   | 1526w   | 1696w   | 1866w   | 2035w   |
| V91-2     | €                  | 1343,00                                                                              | 1419,80 | 1495,50 | 1573,60 | 1651,80 | 1727,40 | 1804,80 | 1880,50 | 2036,40 | 2190,00 | 2345,20 | 2497,70 | 2650,70 | 2806,70 |
|           |                    | 729w                                                                                 | 875w    | 1021w   | 1166w   | 1312w   | 1458w   | 1604w   | 1750w   | 2041w   | 2333w   | 2624w   | 2916w   | 3208w   | 3499w   |
| V98       | €                  | 634,80                                                                               | 677,90  | 717,40  | 758,00  | 802,30  | 841,60  | 882,10  | 925,30  | 1006,90 | 1090,40 | 1174,20 | 1258,30 | 1339,70 | 1424,30 |
|           |                    | 453w                                                                                 | 544w    | 634w    | 725w    | 815w    | 906w    | 997w    | 1087w   | 1268w   | 1450w   | 1631w   | 1812w   | 1993w   | 2174w   |
| V98-2     | €                  | 1408,80                                                                              | 1493,30 | 1576,10 | 1660,80 | 1740,70 | 1826,00 | 1908,50 | 1993,60 | 2158,40 | 2325,90 | 2491,70 | 2658,80 | 2824,10 | 2991,40 |
|           |                    | 780w                                                                                 | 936w    | 1092w   | 1248w   | 1404w   | 1560w   | 1716w   | 1872w   | 2184w   | 2496w   | 2808w   | 3120w   | 3432w   | 3744w   |
| V112      | €                  | 714,80                                                                               | 760,30  | 809,10  | 854,30  | 901,70  | 949,40  | 994,40  | 1043,40 | 1137,20 | 1230,90 | 1323,50 | 1419,80 | 1512,80 | 1606,50 |
|           |                    | 514w                                                                                 | 617w    | 720w    | 822w    | 925w    | 1028w   | 1131w   | 1234w   | 1439w   | 1645w   | 1850w   | 2056w   | 2262w   | 2467w   |
| V112-2    | €                  | 1569,00                                                                              | 1663,20 | 1757,10 | 1852,30 | 1945,80 | 2038,60 | 2132,80 | 2225,20 | 2414,50 | 2599,60 | 2789,00 | 2976,20 | 3163,30 | 3352,20 |
|           |                    | 879w                                                                                 | 1055w   | 1231w   | 1406w   | 1582w   | 1758w   | 1934w   | 2110w   | 2461w   | 2813w   | 3164w   | 3516w   | 3868w   | 4219w   |
| V126      | €                  | 792,00                                                                               | 845,30  | 898,10  | 949,40  | 1002,30 | 1054,50 | 1108,60 | 1160,50 | 1264,90 | 1371,40 | 1475,60 | 1581,60 | 1686,60 | 1791,20 |
|           |                    | 575w                                                                                 | 690w    | 805w    | 920w    | 1035w   | 1150w   | 1265w   | 1380w   | 1610w   | 1840w   | 2070w   | 2300w   | 2530w   | 2760w   |
| V126-2    | €                  | 1725,40                                                                              | 1830,80 | 1934,80 | 2041,10 | 2145,10 | 2251,50 | 2356,60 | 2461,80 | 2671,10 | 2882,70 | 3092,30 | 3303,70 | 3513,80 | 3724,20 |
|           |                    | 977w                                                                                 | 1172w   | 1368w   | 1563w   | 1759w   | 1954w   | 2149w   | 2345w   | 2736w   | 3126w   | 3517w   | 3908w   | 4299w   | 4690w   |
| V140      | €                  | 865,50                                                                               | 925,30  | 983,20  | 1043,40 | 1100,10 | 1160,50 | 1219,60 | 1278,50 | 1394,70 | 1512,80 | 1630,30 | 1748,90 | 1866,90 | 1984,40 |
|           |                    | 638w                                                                                 | 765w    | 893w    | 1020w   | 1148w   | 1275w   | 1403w   | 1530w   | 1785w   | 2040w   | 2295w   | 2550w   | 2805w   | 3060w   |
| V140-2    | €                  | 1873,80                                                                              | 1991,40 | 2107,80 | 2225,20 | 2343,20 | 2461,80 | 2579,50 | 2694,80 | 2931,30 | 3165,80 | 3401,70 | 3636,00 | 3870,30 | 4108,30 |
|           |                    | 1073w                                                                                | 1288w   | 1502w   | 1717w   | 1931w   | 2146w   | 2361w   | 2575w   | 3004w   | 3434w   | 3863w   | 4292w   | 4721w   | 5150w   |


V horizontal panel




VL panel with fins



V-2 double panel



VLV double panel with fins





# CAMEO

## TOWEL RAILS & RADIATORS

design Davide Diliberto

A basic shape that's also highly decorative and versatile. Fits into a variety of different

settings. An extra tool for architects, letting them add a romantic, friendly or modern twist

to their projects, depending on the choice of colour and finish.


### DIMENSIONS

Width: 54 cm

Height: 104/134/184/214 cm

Depth: 2,3 / 8,3 cm

Depth: from wall 5,8/11,8 cm



### MODEL'25

|                                      | H/L<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and *<br>Watt € |        |
|--------------------------------------|-----------|--------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|--------------------------------------------------|--------|
| CAMEO                                | 104-54    | 1049,30                              | 500             | 379                       | 263             | 5                 | 104               | 54               | 15,8              | 6,9                | 500                                              | 105,60 |
| CAMEO                                | 134-54    | 1170,30                              | 672             | 509                       | 353             | 5                 | 134               | 54               | 21,1              | 9,2                | 650                                              | 107,80 |
| CAMEO                                | 184-54    | 1342,40                              | 958             | 725                       | 504             | 5                 | 184               | 54               | 30,0              | 13,2               | 900                                              | 116,20 |
| CAMEO-L                              | 184-54    | 1585,80                              | 1300            | 984                       | 684             | 5                 | 184               | 54               | 40,8              | 16,5               | 1200                                             | 124,50 |
| Models without towel bar - radiators |           |                                      |                 |                           |                 |                   |                   |                  |                   |                    |                                                  |        |
| CAMEO-R                              | 184-54    | 1281,50                              | 958             | 725                       | 504             | 5                 | 184               | 54               | 30,0              | 13,2               | 900                                              | 116,20 |
| CAMEO-RL                             | 184-54    | 1524,90                              | 1300            | 984                       | 684             | 5                 | 184               | 54               | 40,8              | 16,5               | 1200                                             | 124,50 |
| CAMEO-R                              | 214-54    | 1382,20                              | 1129            | 856                       | 594             | 5                 | 214               | 54               | 35,4              | 15,5               | 1200                                             | 124,50 |
| CAMEO-RL                             | 214-54    | 1822,70                              | 1585            | 1201                      | 834             | 5                 | 214               | 54               | 49,8              | 19,8               | 1500                                             | 135,40 |

Towel bar on the right side, on request without extra


\*Dual fuel valve or T to be added p.207  
Thermostats p.208-209

Additional or deductible towel bar CAMEO  
Art. MCA 60,90€

TOWEL BAR CAMEO: STANDARD COLORS  
- white sablé SB 9016 - quartz grey SB 7039  
- black sablé SB 9005 - same color as the radiator

In one paintwork to Brem color list different from the  
radiator extra 52,90€

MAGNETIC ACCESSORIES p. 277



### STANDARD PRODUCTION

White sablé paintwork SB9016, B35 brackets  
Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

### PRODUCTION ON REQUEST

Paintwork to BREM color list with colored  
brackets +15/25%

Electric version e.Cameo, page 212

### STANDARD FITTING


EG ø 3/8"

On request, free of charge,  
fittings EG ø1/2", with 2 cm sleeves





## TAPPING CENTRES

Hidden connections sleeve



## ENTRAXE RACCORDEMENTS $\varnothing 1/2''$


Fittings with 2cm sleeves




## RECOMMENDED VALVES

### CHROME VALVES KIT with:


- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer  $\varnothing 16$ , copper  $\varnothing 12$ , 14)
- n°2 Chrome wall plates  $\varnothing 48$ , hole  $\varnothing 16$



DUAL TUBE left CYL Valves KIT with Thermostatic option,  $\blacktriangle, \blacktriangledown$  5 cm, pag. 273 Art. KCB 171,50€  
Extra for BREM color list 53,40€




SIDE CONTROL CYL VALVES KIT with THERMOSTATIC option, page 273 Art. KCLD 162,50€  
Extra for BREM color list 53,40€



SPECIAL FINISHES page 267  
Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

REMOTE FITTINGS Art. REM 42,10€  
Tapping centres: at the rear of radiator  $\blacktriangle, \blacktriangledown$  5 cm  
DISTANT Valves page 274



DUAL TUBE left Valve KIT with THERMOSTATIC Head,  $\blacktriangle, \blacktriangledown$  5 cm, pag. 274 Art. KTB 201,50€  
Special colors and finishes pag. 266-267



CAMEO 134-54

# CLARK

Clark is an ultra-thin steel plate, just 2.3 cm thick, that has been cross cut asymmetrically

and set in a rectangular framework of steel tubes of similar thickness. The two elements

*design Luigi Brembilla*  
(standard colour: white) can be painted in any of the shades in the Brem colour list.

## DIMENSIONS



L: Widths of the panel: 36 / 45 cm

L': Widths of the towel bar: 64/84/104/124 cm


Heights: 80/130 / 180 cm

Depth: 9 cm


Depth: from wall 12 cm




CLARK 80-36/...




CLARK 130-45/...



CLARK 180-36/...



CLARK 180-45/...



| MODEL | H/L/L'<br>cm | Standard white<br>sablé SB9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm <sup>3</sup> | DUAL FUEL VERSION<br>with E.H.E. and *<br>Watt € |        |
|-------|--------------|-------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------------------|--------------------------------------------------|--------|
| CLARK | 80-36/64     | 1102,40                             | 479             | 366                       | 252             | 32                | 80                | 36/64            | 12,2              | 5,2                            | 500                                              | 105,60 |
| CLARK | 80-45/84     | 1233,10                             | 601             | 459                       | 316             | 41                | 80                | 45/84            | 15,2              | 6,2                            | 650                                              | 107,80 |
| CLARK | 130-36/64    | 1233,00                             | 676             | 512                       | 356             | 32                | 130               | 36/64            | 17,8              | 7,1                            | 650                                              | 107,80 |
| CLARK | 130-36/84    | 1263,70                             | 720             | 545                       | 379             | 32                | 130               | 36/84            | 18,7              | 7,6                            | 650                                              | 107,80 |
| CLARK | 130-36/104   | 1298,20                             | 764             | 578                       | 402             | 32                | 130               | 36/104           | 19,5              | 8,1                            | 650                                              | 107,80 |
| CLARK | 130-45/64    | 1364,30                             | 801             | 606                       | 421             | 41                | 130               | 45/64            | 21,2              | 7,9                            | 800                                              | 112,60 |
| CLARK | 130-45/84    | 1396,10                             | 845             | 640                       | 444             | 41                | 130               | 45/84            | 22,1              | 8,4                            | 800                                              | 112,60 |
| CLARK | 130-45/104   | 1431,70                             | 889             | 673                       | 468             | 41                | 130               | 45/104           | 22,9              | 8,9                            | 900                                              | 116,20 |
| CLARK | 180-36/64    | 1431,60                             | 872             | 660                       | 459             | 32                | 180               | 36/64            | 23,4              | 8,9                            | 900                                              | 116,20 |
| CLARK | 180-36/84    | 1463,30                             | 916             | 693                       | 482             | 32                | 180               | 36/84            | 24,3              | 9,4                            | 900                                              | 116,20 |
| CLARK | 180-36/104   | 1498,60                             | 960             | 727                       | 505             | 32                | 180               | 36/104           | 25,1              | 9,9                            | 900                                              | 116,20 |
| CLARK | 180-36/124   | 1547,30                             | 1004            | 760                       | 528             | 32                | 180               | 36/124           | 25,9              | 10,5                           | 900                                              | 116,20 |
| CLARK | 180-45/64    | 1527,10                             | 1045            | 791                       | 550             | 41                | 180               | 45/64            | 28,1              | 10,0                           | 900                                              | 116,20 |
| CLARK | 180-45/84    | 1559,00                             | 1089            | 824                       | 573             | 41                | 180               | 45/84            | 29,0              | 10,5                           | 1200                                             | 124,50 |
| CLARK | 180-45/104   | 1594,80                             | 1133            | 858                       | 596             | 41                | 180               | 45/104           | 29,8              | 11,0                           | 1200                                             | 124,50 |
| CLARK | 180-45/124   | 1642,90                             | 1177            | 891                       | 619             | 41                | 180               | 45/124           | 30,6              | 11,6                           | 1200                                             | 124,50 |

Extra for towel bar in different color from panel  
Art. CMC 74,50€

\*Dual fuel valve or T to be added p.207  
Thermostats p.208-209

Mod. Clark height cm length panel length towel bar  
CLARK 130-45/84

MAGNETIC ACCESSORIES p. 277

## STANDARD PRODUCTION

White sablé paintwork SB9016, B35 brackets  
Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to BREM color list with colored brackets

+15/25%

Bar protrusion on the left without supplement

## STANDARD FITTING

EG ø 3/8"


Special fittings, page 278

Electric version e.Clark, page 217





## TAPPING CENTRES



Side fittings on request  
Extra


Art. AS 91,20€



Fitting  $\varnothing 3/8"$   
STANDARD  
(without sleeves)



Fitting  $\varnothing 1/2"$   
ON REQUEST  
(with sleeves)



FIXINGS  
Brackets included



B35 bracket




CLARK 180-45/104

## RECOMMENDED VALVES

CHROME VALVES KIT with:

- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer  $\varnothing 16$ , copper  $\varnothing 12$ , 14)
- n°2 Chrome wall plates  $\varnothing 48$ , hole  $\varnothing 16$




SIDE CONTROL QUADRA VALVES KIT  
page 271

Art. KQL 191,20€

Extra for BREM color list

53,40€




SIDE CONTROL CYL VALVES KIT with THERMO-  
STATIC option, page 273

Art. KCL 162,50€

Extra for BREM color list

53,40€



SIDE CONTROL CYL chrome VALVES TON with  
thermostatic head, p.269

Art. KTL 203,70€

SPECIAL FINISHES

Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra


page 267

Art. RN 30,50€

REMOTE FITTINGS

Tapping centres: at the rear  $\blacktriangle \nabla$  EG L-5 cm  
DISTANT Valves page 274

Art. REM 42,10€



Lengths up to 6 m.

# CUBICO

design Luigi Brembilla

Essential, light, and eclectic in design, CUBICO is the Brem towel warmer

where the minimalism and elegance of the radiating plate are enhanced by the

playful and versatile insertion of a cubic or parallelepiped shaped support.

## DIMENSIONS


Length: 44/49/54 cm

Heights: 80,5/96,5/124,5/148,5/152,5/168,5/180,5 cm

Depth: 11 cm

Depth from wall: 14 cm

CUBICO-2 with double towel bar



CUBICO 80-44  
CUBICO 96-44

CUBICO 124-44

CUBICO 148-44  
CUBICO 168-44

CUBICO-2 168-44

CUBICO-2 152-49  
CUBICO-2 180-54

## MODEL'25

|          | H-L<br>cm | Standard white<br>sablé SB9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and *<br>Watt € |
|----------|-----------|-------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|--------------------------------------------------|
| CUBICO   | 80-44     | 708,70                              | 409             | 309                       | 215             | 35                | 80,5              | 44               | 10,5              | 3,1                | 400 103,40                                       |
| CUBICO   | 96-44     | 785,10                              | 500             | 378                       | 263             | 35                | 96,5              | 44               | 12,7              | 3,8                | 500 105,60                                       |
| CUBICO   | 124-44    | 870,10                              | 659             | 498                       | 347             | 35                | 124,5             | 44               | 16,6              | 5,1                | 650 107,80                                       |
| CUBICO   | 148-44    | 944,30                              | 796             | 601                       | 419             | 35                | 148,5             | 44               | 19,8              | 6,1                | 800 112,60                                       |
| CUBICO   | 168-44    | 1006,40                             | 909             | 686                       | 478             | 35                | 168,5             | 44               | 22,7              | 7,0                | 900 116,20                                       |
| CUBICO-2 | 168-44    | 1040,00                             | 909             | 686                       | 478             | 35                | 168,5             | 44               | 23,1              | 7,0                | 900 116,20                                       |
| CUBICO-2 | 152-49    | 1026,30                             | 901             | 680                       | 474             | 40                | 152,5             | 49               | 23,0              | 6,9                | 900 116,20                                       |
| CUBICO-2 | 180-54    | 1211,50                             | 1175            | 887                       | 618             | 45                | 180,5             | 54               | 29,5              | 8,9                | 1200 124,50                                      |

\*Add mixed valve p.207  
Thermostats p.208-209

## TOWEL BAR GEO: STANDARD COLORS

- white sablé SB 9016 - quartz grey SB 7039  
- black sablé SB 9005 - same color as the radiator

In one paintwork to Brem color list different from the radiator  
extra 52,90€



## STANDARD PRODUCTION

White sablé paintwork SB9016 brackets white  
Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST


Paintwork to Brem list with colored brackets  
+15/25%

Electrical version, eCubico p. 223



## STANDARD FITTING

EG ø 1/2"


Special fittings, page 278




## TAPPING CENTRES



## DUAL FUEL VERSION



With valve/lockshield Mixed  
G50 brackets




FIXINGS  
G30 brackets  
included

## RECOMMENDED VALVES

### CHROME VALVES KIT with:

- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16




SIDE CONTROL TON VALVES KIT nickel-plated  
chrome-plated handwheel Art. KVLN 104,80€

SIDE CONTROL chrome TON VALVES KIT  
page 269 Art. KVL 130,90€

### SPECIAL FINISHES

Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€




SIDE CONTROL CYL VALVES KIT with THERMO-  
STATIC option, page 273 Art. KCLD 162,50€  
Extra for BREM color list 53,40€

page 267

### BICOLOR SOLUTION:

BIC10 Cover in a Brem color and back radiator  
white sablé SB9016 +10%  
BIC20 Cover in a Brem color and back radiator  
black sablé SB9005 or grey sablé SB7039 +20%  
BIC35 N° 2 Brem colors of your choice +35%



SIDE CONTROL nickel-plated ON VALVES KIT with  
thermostatic Head Art. KTLD 161,10€

SIDE CONTROL chrome TON VALVES KIT with  
thermostatic head, p.269 Art. KTLD 203,70€



CUBICO-2 152-49

# DUO

design Luigi Brembilla

DUO is a towel warmer composed of two square radiant plates joined by a round

collector. The minimal thickness of the plates, their tapered profile and hidden valves,

make this collection light and elegant.


## DIMENSIONS

Length: 44/49/54/59 cm


Heights: 100,5/116,5/124,5/132,5 cm

Depth: 5,2 cm


Depth from wall: 8,2 cm




DUO 101-44




DUO 117-49



DUO 125-54



DUO 133-59



| MODEL | H-L<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▽<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and *<br>Watt € |        |
|-------|-----------|--------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|--------------------------------------------------|--------|
| DUO   | 101-44    | 685,90                               | 486             | 367                       | 256             | 35                | 100,5             | 44               | 12,5              | 3,8                | 500                                              | 105,60 |
| DUO   | 117-49    | 820,20                               | 634             | 479                       | 333             | 40                | 116,5             | 49               | 16,3              | 4,9                | 650                                              | 107,80 |
| DUO   | 125-54    | 878,50                               | 747             | 564                       | 393             | 45                | 124,4             | 54               | 19,1              | 5,7                | 800                                              | 112,60 |
| DUO   | 133-59    | 918,70                               | 868             | 655                       | 457             | 50                | 132,5             | 59               | 22,2              | 6,5                | 900                                              | 116,20 |

\* Add mixed valve p.207  
Thermostats p.208-209

## BICOLOR SOLUTION:

BIC10 Cover in a Brem color and back radiator  
white sablé SB9016 +10%

BIC20 Cover in a Brem color and back radiator  
black sablé SB9005 or grey sablé SB7039 +20%

BIC35 N° 2 Brem colors of your choice +35%

## STANDARD PRODUCTION

White sablé SB9016 paintwork brackets white  
Tolerance ± 3mm - Air vent ø 1/2"

MAXIMUM OPERATING PRESSURE 6 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem list with colored brackets  
+15/25%

Electrical version, eCubico p. 224

## STANDARD FITTING


EG ø 1/2"

Use side control valve







## TAPPING CENTRES



## DUAL FUEL VERSION



With valve/lockshield Mixed G50 brackets



FIXINGS  
G30 brackets  
included




DUO 117-49

## RECOMMENDED VALVES

CHROME VALVES KIT with:


- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16




SIDE CONTROL TON VALVES KIT nickel-plated  
chrome-plated handwheel Art. KVLN 104,80€  
SIDE CONTROL TON VALVES KIT chrome  
page 269 Art. KVL 130,90€

SPECIAL FINISHES

Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€



SIDE CONTROL CYL VALVES KIT with THERMO-  
STATIC option, page 273 Art. KCLD 162,50€  
Extra for BREM color list 53,40€



SIDE CONTROL nickel-plated ON VALVES KIT with  
thermostatic Head Art. KTIND 161,10€  
SIDE CONTROL chrome TON VALVES KIT with  
thermostatic head, p.269 Art. KTLD 203,70€

# FLAG

design Luigi Brembilla

Built with a sober and smooth new radiating plate, FLAG also features a special

towel warmer with rails in the shape of the flags that distinguish its design.

The towel rail can be personalized with exclusive finishes in the Brem color range.







## DIMENSIONS

Length: 44 cm

Heights: 80,5/96,5/124,5/148,5/168,5 cm

Depth: 11 cm

Depth from wall: 14 cm



FLAG 80-44

FLAG 96-44

FLAG 124-44

FLAG 148-44

FLAG 168-44

## MODEL'25

|      | H-L<br>cm | Standard white<br>sablé SB9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and *<br>Watt € |        |
|------|-----------|-------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|--------------------------------------------------|--------|
| FLAG | 80-44     | 668,40                              | 409             | 309                       | 215             | 35                | 80,5              | 44               | 10,7              | 3,1                | 400                                              | 103,40 |
| FLAG | 96-44     | 744,80                              | 500             | 378                       | 263             | 35                | 96,5              | 44               | 12,9              | 3,8                | 500                                              | 105,60 |
| FLAG | 124-44    | 890,30                              | 659             | 498                       | 347             | 35                | 124,5             | 44               | 17,4              | 5,1                | 650                                              | 107,80 |
| FLAG | 148-44    | 964,40                              | 796             | 601                       | 419             | 35                | 148,5             | 44               | 20,6              | 6,1                | 800                                              | 112,60 |
| FLAG | 168-44    | 1026,60                             | 909             | 686                       | 478             | 35                | 168,5             | 44               | 23,3              | 7,0                | 900                                              | 116,20 |

\*Add mixed valve p.207  
Thermostats p.208-209

## TOWEL BAR FLAG: STANDARD COLORS

- white sablé SB 9016 - quartz grey SB 7039  
- black sablé SB 9005 - same color as the radiator

In one paintwork to Brem color list different from the radiator  
extra 52,90€



## STANDARD PRODUCTION

White sablé SB9016 paintwork brackets white  
Tolerance ± 3mm - Air vent ø 1/2"

MAXIMUM OPERATING PRESSURE 6 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem list with colored brackets  
+15/25%

Electrical version, eFlag p. 227


## STANDARD FITTING

EG ø 1/2"


Use side control valve




## TAPPING CENTRES



## DUAL FUEL VERSION p.207




With valve/lockshield Mixed G50 brackets



## RECOMMENDED VALVES

### CHROME VALVES KIT with:


- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16



SIDE CONTROL TON VALVES KIT nickel-plated chrome-plated handwheel Art. KVLN 104,80€  
SIDE CONTROL chrome TON VALVES KIT page 269 Art. KVL 130,90€

### SPECIAL FINISHES


Finishes Gold, Bronze, Brushed Nickel for 2 valves page 267  
Brushed Nickel FITTING KIT extra Art. RN 30,50€



SIDE CONTROL CYL VALVES KIT with THERMO-STATIC option, page 273 Art. KCLD 162,50€  
Extra for BREM color list 53,40€

### BICOLOR SOLUTION:

BIC10 Cover in a Brem color and back radiator white sablé SB9016 +10%  
BIC20 Cover in a Brem color and back radiator black sablé SB9005 or grey sablé SB7039 +20%  
BIC35 N° 2 Brem colors of your choice +35%



SIDE CONTROL nickel-plated ON VALVES KIT with thermostatic Head Art. KTLD 161,10€  
SIDE CONTROL chrome TON VALVES KIT with thermostatic head, p.269 Art. KTLD 203,70€



FLAG 148-44

# GEOMETRICA

## TONDA - OVALE

design Luigi Brembilla

Geometrica is a collection of heated towel rails with geometric elements and a distinctive horizontal bar passing through them. The towel rail bar can also be designed to extend to the left of the main radiator.

extend to the left of the main radiator.

### TONDA

#### Geo-T MODEL



\*Geo-TL model  
with tubes at the rear

### OVALE

#### Geo-O MODEL




\*Geo-OL model  
with tubes at the rear

### OVALE-V


#### Geo-OV MODEL




\*Geo-OVL model  
with tubes at the rear




Geo-T.. 58-56




Geo-O.. 54-89




Geo-OV.. 87-56




Geo-T.. 58-87




Geo-O.. 54-116




Geo-OV.. 87-87



Geo-T.. 58-56



Geo-O.. 54-89



Geo-OV.. 87-87

| MODEL   | H-L<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and sleeve*<br>Watt € |        |
|---------|-----------|--------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|--------------------------------------------------------|--------|
| Geo-T   | 58-56     | 893,80                               | 312             | 237                       | 164             | 5                 | 58                | 56               | 9,2               | 3,7                | *250                                                   | 101,10 |
| Geo-TL  | 58-56     | 1093,70                              | 449             | 341                       | 236             | 5                 | 58                | 56               | 13,5              | 5,0                | *400                                                   | 103,40 |
| Geo-T   | 58-87     | 923,20                               | 344             | 261                       | 181             | 5                 | 58                | 87               | 9,8               | 3,9                | *400                                                   | 103,40 |
| Geo-TL  | 58-87     | 1123,10                              | 481             | 365                       | 253             | 5                 | 58                | 87               | 14,1              | 5,2                | *500                                                   | 105,60 |
| Geo-O   | 54-89     | 952,60                               | 514             | 391                       | 270             | 5                 | 54                | 89               | 15,0              | 6,2                | 500                                                    | 129,60 |
| Geo-OL  | 54-89     | 1152,50                              | 734             | 558                       | 386             | 5                 | 54                | 89               | 21,9              | 8,3                | 650                                                    | 131,80 |
| Geo-O   | 54-116    | 993,80                               | 543             | 413                       | 286             | 5                 | 54                | 116              | 15,5              | 6,3                | 500                                                    | 129,60 |
| Geo-OL  | 54-116    | 1193,70                              | 763             | 580                       | 401             | 5                 | 54                | 116              | 22,4              | 8,4                | 800                                                    | 136,60 |
| Geo-OV  | 87-56     | 1070,20                              | 539             | 410                       | 284             | 5                 | 87                | 56               | 15,4              | 6,3                | *500                                                   | 105,60 |
| Geo-OVL | 87-56     | 1270,10                              | 759             | 577                       | 399             | 5                 | 87                | 56               | 22,3              | 8,4                | *800                                                   | 112,60 |
| Geo-OV  | 87-87     | 1099,60                              | 571             | 434                       | 300             | 5                 | 87                | 87               | 16,0              | 6,5                | *650                                                   | 107,80 |
| Geo-OVL | 87-87     | 1299,50                              | 791             | 601                       | 416             | 5                 | 87                | 87               | 22,9              | 8,6                | *800                                                   | 112,60 |

On request, free of charge,  
towel bar with the left extension

\*Add mixed valve p.207  
Thermostats p.208-209

#### TOWEL BAR GEO: STANDARD COLORS

- white sablé SB 9016 - quartz grey SB 7039  
- black sablé SB 9005 - same color as the radiator

In one paintwork to Brem color list different from the  
radiator extra 52,90€



#### STANDARD PRODUCTION

White sablé SB9016 paintwork brackets white  
Tolerance ± 3mm - Air vent ø 1/8"  
MAXIMUM OPERATING PRESSURE 4 BAR

#### PRODUCTION ON REQUEST

Paintwork to Brem color list (colored B15  
brackets) +15/25%  
Electric version e.Geo-T..O..OV p.230


#### STANDARD FITTING

EG ø 3/8"  
On request, free of charge,  
fittings EG ø1/2", with 2 cm sleeves







Model Geo-T.. Geo-OV..



- brakerts for electric models





- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16



page 267

|          |        |
|----------|--------|
| Art. REM | 42,10€ |
|----------|--------|

DISTANT Valves page 274



131



Geo-T 58-56

with remote fittings

# GEOMETRICA

## QUADRA - RETTANGOLARE


design Luigi Brembilla

The Geometrica collection also includes the Quadra and Rettangolare models. The "L" models have tubes at the rear to increase heat output. Upon request, the towel rail

bar can be supplied with the left extension of the heated towel rail.

### QUADRA


#### Geo-Q MODEL



\*Geo-QL model with tubes at the rear




Geo-Q..58-56 / 67-65 / 76-74




Geo-Q.. 58-87 / 67-102 / 76-116

### RETTANGOLARE-

#### Geo-R MODEL



Geo-R 54-92 / 63-102



Geo-R 54-123 / 63-138


### RETTANGOLARE

#### VERTICALE


#### Geo-RV MODEL



\*Geo-RVL model with tubes at the rear



Geo-RV.. 87-56



Geo-RV.. 87-87

| MODEL   | H-L<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm <sup>3</sup> | DUAL FUEL VERSION<br>with E.H.E. and sleeve*<br>Watt | €      |
|---------|-----------|--------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------------------|------------------------------------------------------|--------|
| Geo-Q   | 58-56     | 946,70                               | 411             | 312                       | 216             | 5                 | 58                | 56               | 11,6              | 3,7                            | 400                                                  | 127,40 |
| Geo-QL  | 58-56     | 1146,70                              | 525             | 399                       | 276             | 5                 | 58                | 56               | 15,2              | 4,8                            | 500                                                  | 129,60 |
| Geo-Q   | 58-87     | 976,10                               | 444             | 337                       | 234             | 5                 | 58                | 87               | 12,1              | 3,9                            | 400                                                  | 127,40 |
| Geo-QL  | 58-87     | 1164,20                              | 558             | 424                       | 294             | 5                 | 58                | 87               | 15,7              | 5,0                            | 500                                                  | 129,60 |
| Geo-Q   | 67-65     | 1009,00                              | 540             | 410                       | 284             | 5                 | 67                | 65               | 15,2              | 4,7                            | 500                                                  | 129,60 |
| Geo-QL  | 67-65     | 1244,20                              | 708             | 538                       | 372             | 5                 | 67                | 65               | 20,5              | 6,3                            | 650                                                  | 131,80 |
| Geo-Q   | 67-102    | 1044,30                              | 579             | 440                       | 305             | 5                 | 67                | 102              | 15,9              | 4,9                            | 500                                                  | 129,60 |
| Geo-QL  | 67-102    | 1273,70                              | 747             | 568                       | 393             | 5                 | 67                | 102              | 21,2              | 6,5                            | 800                                                  | 136,60 |
| Geo-Q   | 76-74     | 1070,20                              | 685             | 520                       | 360             | 5                 | 76                | 74               | 19,3              | 5,8                            | 650                                                  | 131,80 |
| Geo-QL  | 76-74     | 1340,60                              | 918             | 697                       | 483             | 5                 | 76                | 74               | 26,6              | 8,0                            | 800                                                  | 136,60 |
| Geo-Q   | 76-116    | 1111,40                              | 729             | 554                       | 383             | 5                 | 76                | 116              | 20,0              | 6,0                            | 650                                                  | 131,80 |
| Geo-QL  | 76-116    | 1381,90                              | 962             | 731                       | 506             | 5                 | 76                | 116              | 27,3              | 8,2                            | 800                                                  | 136,60 |
| Geo-R   | 54-92     | 1039,60                              | 635             | 482                       | 334             | 5                 | 54                | 92               | 17,7              | 5,4                            | 650                                                  | 131,80 |
| Geo-R   | 54-123    | 1080,80                              | 668             | 508                       | 351             | 5                 | 54                | 123              | 24,1              | 7,4                            | 650                                                  | 131,80 |
| Geo-R   | 63-102    | 1186,00                              | 802             | 609                       | 422             | 5                 | 63                | 102              | 22,4              | 6,7                            | 800                                                  | 136,60 |
| Geo-R   | 63-138    | 1227,20                              | 840             | 638                       | 442             | 5                 | 63                | 138              | 31,3              | 9,3                            | 800                                                  | 136,60 |
| Geo-RV  | 87-56     | 1064,30                              | 639             | 486                       | 336             | 5                 | 87                | 56               | 17,5              | 5,4                            | 650                                                  | 131,80 |
| Geo-RVL | 87-56     | 1264,30                              | 819             | 622                       | 431             | 5                 | 87                | 56               | 23,2              | 7,1                            | 800                                                  | 136,60 |
| Geo-RV  | 87-87     | 1093,70                              | 671             | 510                       | 353             | 5                 | 87                | 87               | 18,1              | 5,6                            | 650                                                  | 131,80 |
| Geo-RVL | 87-87     | 1281,80                              | 851             | 647                       | 448             | 5                 | 87                | 87               | 23,8              | 7,3                            | 800                                                  | 136,60 |

On request, free of charge,  
towel bar with the left extension

Thermostats p.208-209

#### TOWEL BAR GEO: STANDARD COLORS

- white sablé SB 9016 - quartz grey SB 7039  
- black sablé SB 9005 - same color as the radiator

In one paintwork to Brem color list different from the  
radiator extra 52,90€



Fitting ø 3/8"  
STANDARD  
(without sleeves)



Fitting ø 1/2"  
ON REQUEST  
(with sleeves)

#### STANDARD PRODUCTION

White sablé SB9016 paintwork brackets white  
Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

#### PRODUCTION ON REQUEST

Paintwork to Brem color list (colored B15  
brackets) +15/25%

Electric version, e.Geo-Q..R..RV.. p.231



#### STANDARD FITTING

EG ø 3/8"

On request, free of charge, fittings  
EG ø 1/2", with 2 cm sleeves




## Model Geo-Q.. Geo-RV..




**FIXINGS**  
B35 brackets included

□ brackets for electric models




- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16



STANT Valves page 274

2,5  
Lengths up to 6 m.



A technical drawing showing a bolt and a nut. The bolt is on the left, and the nut is on the right. Both are shown in a perspective view, highlighting their cylindrical shapes and hexagonal bases.

## PANELS

# HOT

design Fiorenzo Mussi

With its precise linear design, Hot focuses on monochromatic synthesis, using light as

a dynamic element to highlight its name, formed by the letters H and T in relief and by

the play of the heated towel rail that creates the O. HOT is made with tapered edges.


## DIMENSIONS

Length: 54 cm

Heights: 84,5/104,5/128,5/140,5/180,5 cm

Depth: 11 cm

Depth from wall: 8 / 14 cm



## MODEL'25

|     | H-L<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and*<br>Watt | €      |
|-----|-----------|--------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|-----------------------------------------------|--------|
| HOT | 84-54     | 762,70                               | 519             | 392                       | 273             | 45                | 84,5              | 54               | 13,2              | 3,9                | 500                                           | 105,60 |
| HOT | 104-54    | 805,20                               | 656             | 495                       | 345             | 45                | 104,5             | 54               | 16,4              | 4,9                | 650                                           | 107,80 |
| HOT | 128-54    | 858,90                               | 820             | 619                       | 431             | 45                | 128,5             | 54               | 20,5              | 6,2                | 800                                           | 112,60 |
| HOT | 140-54    | 921,90                               | 902             | 681                       | 474             | 45                | 140,5             | 54               | 22,4              | 6,8                | 900                                           | 116,20 |
| HOT | 180-54    | 1155,50                              | 1175            | 887                       | 618             | 45                | 180,5             | 54               | 28,9              | 8,9                | 1200                                          | 124,50 |

\*Add mixed valve p.207  
Thermostats p.208-209

## TOWEL BAR HOT: STANDARD COLORS

- white sablé SB 9016
- quartz grey SB 7039
- metal gold BR 0019
- black sablé SB 9005
- same color as the radiator

In one paintwork to Brem color list different from the radiator  
extra 52,90€



## STANDARD PRODUCTION

White sablé SB9016 paintwork, G30 brackets  
Tolerance ± 3mm - Air vent ø 1/2"

MAXIMUM OPERATING PRESSURE 6 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem list with colored brackets  
+15/25%

Electrical version, on request

## STANDARD FITTING

EG ø 1/2"


Use side control valve






## TAPPING CENTRES


Hidden tapings with side control valves.



DUAL FUEL VERSION p.207



With valve/lockshield Mixed G50 brackets



FIXINGS  
G30 brackets  
included




HOT 140-54

## RECOMMENDED VALVES

CHROME VALVES KIT with:


- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16



SIDE CONTROL TON VALVES KIT nickel-plated  
chrome-plated handwheel Art. KVLN 104,80€  
SIDE CONTROL chrome TON VALVES KIT  
page 269 Art. KVL 130,90€

SPECIAL FINISHES

Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€




SIDE CONTROL CYL VALVES KIT with THERMO-  
STATIC option, page 273 Art. KCLD 162,50€  
Extra for BREM color list 53,40€

page 267

BICOLOR SOLUTION:

BIC10 Cover in a Brem color and back radiator  
white sablé SB9016 +10%  
BIC20 Cover in a Brem color and back radiator  
black sablé SB9005 or grey sablé SB7039 +20%  
BIC35 N° 2 Brem colors of your choice +35%



SIDE CONTROL nickel-plated ON VALVES KIT with  
thermostatic Head Art. KTLD 161,10€  
SIDE CONTROL chrome TON VALVES KIT with  
thermostatic head, p.269 Art. KTLD 203,70€

# LOGGIA DESIGN - TIMELESS

Towel warmer panel with the exclusive semicircle shape produced in the LOGGIA

DESIGN version with the towel bar in square tube of 15 mm and in the LOGGIA

design Davide Diliberto  
TIMELESS version with flat drawn handle and shaped ends.


## DIMENSIONS

Length: 54 cm


Heights: 117 / 137 / 167; Panels 167 / 197 / 217 cm

Depth: LOGGIA-D 8,1 cm LOGGIA-T 7,3 cm


Depth from wall: LOGGIA-D 11,6 cm LOGGIA-T 10,8 cm




LOGGIA-D 117-54




LOGGIA-D 137-54



LOGGIA-D 167-54



LOGGIA-T 167-54  
LOGGIA-T 197-54



LOGGIA-T 217-54

Panels with the towel bar on request.



| MODEL                                  | HL<br>cm | Standard white<br>sablé SB 9016<br>€ | EN 442<br>Δt 50 K<br>watt | Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and*<br>Watt | €      |
|----------------------------------------|----------|--------------------------------------|---------------------------|-----------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|-----------------------------------------------|--------|
| LOGGIA-D                               | 117-54   | 1112,30                              | 641                       | 485             | 337             | 50                | 117               | 54               | 19,0              | 6,0                | 650                                           | 107,80 |
| LOGGIA-D                               | 137-54   | 1189,10                              | 758                       | 574             | 398             | 50                | 137               | 54               | 22,0              | 7,0                | 800                                           | 112,60 |
| LOGGIA-D                               | 167-54   | 1295,40                              | 933                       | 706             | 490             | 50                | 167               | 54               | 27,0              | 8,0                | 900                                           | 116,20 |
| LOGGIA-T                               | 117-54   | 1132,50                              | 641                       | 485             | 337             | 50                | 117               | 54               | 19,0              | 6,0                | 650                                           | 107,80 |
| LOGGIA-T                               | 137-54   | 1209,30                              | 758                       | 574             | 398             | 50                | 137               | 54               | 22,0              | 7,0                | 800                                           | 112,60 |
| LOGGIA-T                               | 167-54   | 1315,60                              | 933                       | 706             | 490             | 50                | 167               | 54               | 27,0              | 8,0                | 900                                           | 116,20 |
| LOGGIA PANNELLS (towel bar on request) |          |                                      |                           |                 |                 |                   |                   |                  |                   |                    |                                               |        |
| LGH                                    | 167-54   | 1234,50                              | 933                       | 706             | 490             | 50                | 167               | 54               | 27,0              | 8,0                | 900                                           | 107,50 |
| LGLH                                   | 167-54   | 1444,90                              | 1233                      | 933             | 647             | 50                | 167               | 54               | 36,5              | 8,7                | 1200                                          | 115,20 |
| LGH                                    | 197-54   | 1340,80                              | 1107                      | 838             | 581             | 50                | 197               | 54               | 31,7              | 9,4                | 1200                                          | 124,50 |
| LGLH                                   | 197-54   | 1619,00                              | 1476                      | 1117            | 775             | 50                | 197               | 54               | 43,4              | 12,9               | 1500                                          | 135,40 |
| LGH                                    | 217-54   | 1401,10                              | 1224                      | 927             | 643             | 50                | 217               | 54               | 35,0              | 10,4               | 1200                                          | 124,50 |
| LGLH                                   | 217-54   | 1740,60                              | 1638                      | 1240            | 860             | 50                | 217               | 54               | 48,1              | 14,3               | 1500                                          | 135,40 |

Other heights LGH and LGL, on request.

\*Add mixed valve p.207  
Thermostats p.208-209

## TOWEL BAR LOGGIA: STANDARD COLORS

- white sablé SB 9016 - quartz grey SB 7039  
- black sablé SB 9005 - same color as the radiator

## ADDITIONAL TOWEL BAR

Design towel bar Art. MLD 60,90€  
Timeless towel bar Art. MLT 81,20€

In one paintwork to Brem color list different from the radiator extra 52,90€

## STANDARD PRODUCTION

White sablé SB9016 paintwork, B15 brackets  
Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST


Paintwork to BREM color list +15/25%  
with colored brackets  
Electric version e.Loggia, page 245

## STANDARD FITTING


EG ø 3/8"  
Fittings 1/2" on request  
Special fittings, page 278



## TAPPING CENTRES



LOGGIA Design



LOGGIA Timeless


\*Model ..L with tubes at the rear



Fitting  $\varnothing 3/8"$   
STANDARD  
(without sleeves)



Fitting  $\varnothing 1/2"$   
ON REQUEST  
(with sleeves)



FIXINGS  
Brackets included




B35 bracket

## RECOMMENDED VALVES

### CHROME VALVES KIT with:

- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer  $\varnothing 16$ , copper  $\varnothing 12$ , 14)
- n°2 Chrome wall plates  $\varnothing 48$ , hole  $\varnothing 16$




SIDE CONTROL QUADRA VALVES KIT  
page 271

Extra for BREM color list

Art. KQL 191,20€

53,40€




SIDE CONTROL CYL VALVES KIT with THERMO-  
STATIC option, page 273

Extra for BREM color list

Art. KCL 162,50€

53,40€




### REMOTE FITTINGS

Tapping centres: at the rear ▲▼ EG L-5 cm

DISTANT Valves page 274

Art. REM 42,10€



SIDE CONTROL TON VALVES KIT with THERMO-  
STATIC Head, page 269

Art. KTL 203,70€

### SPECIAL FINISHES

Finishes Gold, Bronze, Brushed Nickel for 2 valves

Brushed Nickel FITTING KIT extra Art. RN 30,50€

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

page 267

# MANT

A striking heated radiator, from the essential lines with a thin panel (just 2.3 cm thick)

with a practical double towel rails open on three sides.

On request, the towel rails can be painted in a BREM different colour from the plate.

*design Luigi Brembilla*


## DIMENSIONS

Widths: 36 / 45 / 54 cm

Heights: 80 / 130 / 180 cm

Depth: 9,5 cm

Depth: from wall 12,8 cm



MANT 80-...

MANT 130-...

MANT 180-36

MANT 180-45

MANT 180-54

| MODEL  | H/L<br>cm | Standard white<br>sablé SB9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and*<br>Watt € |        |
|--------|-----------|-------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|-------------------------------------------------|--------|
| MANT   | 80-45     | 862,70                              | 399             | 302                       | 210             | 41                | 80                | 45               | 11,3              | 3,8                | 400                                             | 103,40 |
| MANT   | 80-54     | 940,50                              | 478             | 362                       | 251             | 50                | 80                | 54               | 13,5              | 4,4                | 500                                             | 105,60 |
| MANT   | 130-45    | 1032,50                             | 643             | 487                       | 338             | 41                | 130               | 45               | 18,2              | 6,0                | 650                                             | 107,80 |
| MANT   | 130-54    | 1121,20                             | 770             | 583                       | 405             | 50                | 130               | 54               | 21,8              | 6,8                | 800                                             | 112,60 |
| MANT   | 180-36    | 1100,10                             | 714             | 540                       | 376             | 32                | 180               | 36               | 20,3              | 7,0                | 650                                             | 107,80 |
| MANT   | 180-45    | 1202,30                             | 887             | 671                       | 466             | 41                | 180               | 45               | 25,1              | 8,1                | 900                                             | 116,20 |
| MANT   | 180-54    | 1301,70                             | 1061            | 803                       | 558             | 50                | 180               | 54               | 30,0              | 9,2                | 900                                             | 116,20 |
| MANT-L | 180-45    | 1450,40                             | 1181            | 894                       | 621             | 41                | 180               | 45               | 34,4              | 8,1                | 1200                                            | 124,50 |

On request, free of charge, the bar on the right

\*Dual fuel valve or T to be added p.207  
Thermostats p.208-209

## TOWEL BAR MANT: STANDARD COLORS

- white sablé SB 9016 - quartz grey SB 7039
- black sablé SB 9005 - same color as the radiator

In one paintwork to Brem color list different from the radiator  
extra 52,90€

## STANDARD PRODUCTION

White sablé SB9016 paintwork, B15 brackets  
Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to BREM color list with colored brackets +15/25%

Electric version e.Mant, page 246

## STANDARD FITTING

EG ø 3/8"

Fittings ø 1/2" on request


Special fittings, page 279





## TAPPING CENTRES

Side fittings on request  $\varnothing 3/8"$  or  $\varnothing 1/2"$   
Extra Art. AS 91,20€



## TOWEL BAR MANT WIDTH


L36 A30,5 - L45 A39,5 - L54 A48,5 cm



Fitting  $\varnothing 3/8"$   
STANDARD  
(without sleeves)



Fitting  $\varnothing 1/2"$   
ON REQUEST  
(with sleeves)



FIXINGS  
Brackets included



B35 bracket




MANT 130-54

## RECOMMENDED VALVES

### CHROME VALVES KIT with:

- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer  $\varnothing 16$ , copper  $\varnothing 12$ , 14)
- n°2 Chrome wall plates  $\varnothing 48$ , hole  $\varnothing 16$



SIDE CONTROL QUADRA VALVES KIT  
page 271

Extra for BREM color list


Art. KQL 191,20€

53,40€

### SPECIAL FINISHES

Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

page 267



SIDE CONTROL CYL VALVES KIT with THERMO-  
STATIC option, page 273

Extra for BREM color list


Art. KCL 162,50€

53,40€


### REMOTE FITTINGS

Tapping centres: at the rear  $\blacktriangle \nabla$  EG L-5 cm  
DISTANT Valves page 274

Art. REM 42,10€



Lengths up to 6 m.



SIDE CONTROL TON VALVES KIT with THERMO-  
STATIC Head, page 269

Art. KTL 203,70€

# PLATT COLOR

The essence of the radiating plate, the lightweight and the practicality of square

section chrome-plated handles, play a starring role distinguish the PLATT COLOR heated

towel rails. Can also be provided with gilded or silver leaf finish for even greater scenic effect.





## DIMENSIONS

Width 52 / 53 / 59 / 63 / 66 cm

Height 80 / 84 / 130 / 133 / 140 / 180 cm

Depth 11,5 cm

Depth from wall 14 cm



PLATT COLOR 80 - 49  
PLATT COLOR 84 - 50

PLATT COLOR 130 - ...  
PLATT COLOR 133 - 50 140-60

PLATT COLOR 180 - ...

| MODEL       | H/L<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and*<br>Watt | €      |
|-------------|-----------|--------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|-----------------------------------------------|--------|
| PLATT COLOR | 80-49     | 786,50                               | 388             | 290                       | 199             | 45                | 80                | 52               | 12,1              | 3,4                | -                                             | -      |
| PLATT COLOR | 130-49    | 1030,50                              | 610             | 456                       | 314             | 45                | 130               | 52               | 18,6              | 5,2                | -                                             | -      |
| PLATT COLOR | 130-63    | 1189,10                              | 784             | 586                       | 403             | 59                | 130               | 66               | 23,8              | 6,8                | -                                             | -      |
| PLATT COLOR | 180-49    | 1262,60                              | 817             | 611                       | 420             | 45                | 180               | 52               | 25,4              | 7,0                | -                                             | -      |
| PLATT COLOR | 180-56    | 1358,00                              | 934             | 699                       | 480             | 52                | 180               | 59               | 29,1              | 8,0                | -                                             | -      |
| PLATT COLOR | 180-63    | 1453,50                              | 1051            | 786                       | 540             | 59                | 180               | 66               | 32,7              | 9,0                | -                                             | -      |
| PLATT COLOR | 84-50     | 853,40                               | 427             | 319                       | 219             | 46,8              | 84                | 53               | 12,5              | 3,8                | 400                                           | 103,40 |
| PLATT COLOR | 133-50    | 1154,10                              | 645             | 482                       | 331             | 46,8              | 133               | 53               | 19,9              | 5,9                | 650                                           | 107,80 |
| PLATT COLOR | 140-60    | 1306,90                              | 810             | 606                       | 316             | 56,8              | 140               | 63               | 25,1              | 7,5                | 800                                           | 112,60 |

Chrome-plated towel bar as standard for Platt Color

► Available in Stock

\*Dual fuel valve or T to be added p.207  
Thermostats p.208-209

## COLORED TOWEL BAR PLATT:

On request without supplement:

- white sablé SB 9016 - quartz grey SB 7039
- black sablé SB 9005 - same color as the radiator

In one paintwork to Brem color list different from the radiator  
extra 52,90€

MAXIMUM OPERATING PRESSURE 6 BAR

## STANDARD PRODUCTION

White sablé SB9016 paintwork - EOS brackets  
Tolerance ± 3mm - Air vent ø1/8"

## PRODUCTION ON REQUEST

Paintwork to BREM color list  
with colored brackets


+15/25%

## STANDARD FITTING EG ø 1/2"


Fittings on request, page 278  
Electric version e.Platt, page 250



## TAPPING CENTRES



On request side fittings ▲▼ = H-3,2 cm  
Extra Art. AS 91,20€



FIXINGS  
Brackets included



EOS brackets

| Platt Color<br>Hcm | a<br>cm | b<br>cm | c<br>cm |
|--------------------|---------|---------|---------|
| 80, 130, 180       | 7       | 8       | 11      |
| 84, 133, 140       | 6       | 6,5     | 5       |




PLATT COLOR 130-49

## RECOMMENDED VALVES

CHROME VALVES KIT with:

- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16




ANGLED QUADRA VALVES KIT  
page 271 Art. KQS  
Extra for BREM color list

180,10€  
53,40€

SPECIAL FINISHES



Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€



ANGLED CYL VALVES KIT with THERMOSTATIC  
option, page.273 Art. KCS 149,90€  
Extra for BREM color list 53,40€

REMOTE FITTINGS

Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲▼ EG  
DISTANT Valves page 274




SIDE CONTROL TON VALVES KIT with THERMO-  
STATIC Head, page 269 Art. KTL 203,70€



# PLATT INOX


Pure high-tech enhanced by stainless steel metallic finish. This heating element in brushed stainless steel comes complete with square stainless steel handles for rarefied aesthetics. This heated towel rail offers practicality, essence, and beauty.

Stainless steel towel bar as standard for Platt Inox



PLATT INOX 80-49  
PLATT INOX 84-50

PLATT INOX 130-..  
133-50 / 140-60



PLATT INOX 180-...



PLATT INOX 180-49

## TECHNICAL DATA pag 140



VALVES BRUSHED NICKEL FINISH

Valves TON and QUADRA, and wall plates brushed nickel finish

pag 267




| MODEL                                                                                          | H-L<br>cm | brushed #<br>STAINLESS steel<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | DUAL FUEL VERSION<br>with E.H.E. and*<br>W € |        |
|------------------------------------------------------------------------------------------------|-----------|-----------------------------------|-----------------|---------------------------|-----------------|-------------------|----------------------------------------------|--------|
| PLATT INOX 80-49                                                                               |           | 1163,90                           | 388             | 290                       | 199             | 45                | -                                            | -      |
| PLATT INOX 130-49                                                                              |           | 1525,10                           | 610             | 456                       | 314             | 45                | -                                            | -      |
| PLATT INOX 130-63                                                                              |           | 1642,40                           | 784             | 586                       | 403             | 59                | -                                            | -      |
| PLATT INOX 180-49                                                                              |           | 1868,80                           | 817             | 611                       | 420             | 45                | -                                            | -      |
| PLATT INOX 180-56                                                                              |           | 2010,00                           | 934             | 699                       | 480             | 52                | -                                            | -      |
| PLATT INOX 180-63                                                                              |           | 2151,00                           | 1051            | 786                       | 540             | 59                | -                                            | -      |
| PLATT INOX 84-50*                                                                              |           | 1247,40                           | 427             | 319                       | 219             | 46,8              | 400                                          | 103,40 |
| PLATT INOX 133-50*                                                                             |           | 1635,90                           | 645             | 482                       | 331             | 46,8              | 650                                          | 107,80 |
| PLATT INOX 140-60*                                                                             |           | 1734,70                           | 810             | 606                       | 316             | 56,8              | 800                                          | 112,60 |
| #POLISHED stainless steel +20% *Dual fuel valve or T to be added p.207 - Thermostats p.208-209 |           |                                   |                 |                           |                 |                   |                                              |        |



# PLATT GILDED/SILVER LEAF

Light aesthetics in minimalist form, intense colours never of marginal importance in the room. And more! PLATT heated towel rails can also be provided with gilded (FO) or (FA) silver leaf finish on request for even greater scenic effect.

Towel bar in BR0019 color for gilded leaf, in BR0002 color for silver leaf as standard. Gilded/silver leaf towel bar extra (each) 150,90€



## TECHNICAL DATA pag 140



### SPECIAL FINISHEES VALVES

TON and QUADRA valve in golden finish, gilded leaf and silver leaf. pag 267

| MODEL               | HL<br>cm | VERSIONS Leaf<br>Gilded / Silver<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▽<br>t.c.<br>cm | DUAL FUEL VERSION<br>with E.H.E. and*<br>W | €      |
|---------------------|----------|---------------------------------------|-----------------|---------------------------|-----------------|-------------------|--------------------------------------------|--------|
| PLATT FO/FA 80-49   | 49       | 1545,70                               | 388             | 290                       | 199             | 45                | -                                          | -      |
| PLATT FO/FA 130-49  | 49       | 1991,80                               | 610             | 456                       | 314             | 45                | -                                          | -      |
| PLATT FO/FA 130-63  | 63       | 2230,10                               | 784             | 586                       | 403             | 59                | -                                          | -      |
| PLATT FO/FA 180-49  | 49       | 2527,90                               | 817             | 611                       | 420             | 45                | -                                          | -      |
| PLATT FO/FA 180-56  | 56       | 2675,50                               | 934             | 699                       | 480             | 52                | -                                          | -      |
| PLATT FO/FA 180-63  | 63       | 2822,70                               | 1051            | 786                       | 540             | 59                | -                                          | -      |
| PLATT FO/FA 84-50*  | 50       | 1613,00                               | 427             | 319                       | 219             | 46,8              | 400                                        | 103,40 |
| PLATT FO/FA 133-50* | 50       | 2130,70                               | 645             | 482                       | 331             | 46,8              | 650                                        | 107,80 |
| PLATT FO/FA 140-60* | 60       | 2417,80                               | 810             | 606                       | 316             | 56,8              | 800                                        | 112,60 |

\*Dual fuel valve or T to be added p.207 - Thermostats p.208-209

# UNI-PLATT

The simplicity of UNI-PLATT plate, in one color from Brem colors list, the usefull upper

handle complete with hooks for bathrobes, painted in the same color of the towel rail.

*design Francesca Mocchi*  
On request, the handles are painted in a color different from the plate or chrome-plated


## DIMENSIONS

Width 50,5 / 51,5 / 57,5 / 61,5 cm


Height 77 / 80 / 126 / 130 / 140 / 180 cm

Depth 11 cm


Depth from wall 14 cm




UNI-PLATT 80-49  
UNI-PLATT 77-50



UNI-PLATT 126-50/130-...  
UNI-PLATT 140-60



UNI-PLATT 180-...



| MODEL     | H/L<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and *<br>Watt € |        |
|-----------|-----------|--------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|--------------------------------------------------|--------|
| UNI-PLATT | 80-49     | 713,90                               | 388             | 290                       | 199             | 45                | 80                | 50,5             | 12,1              | 3,4                | -                                                | -      |
| UNI-PLATT | 130-49    | 940,60                               | 610             | 456                       | 314             | 45                | 130               | 50,5             | 18,6              | 5,2                | -                                                | -      |
| UNI-PLATT | 130-56    | 1013,60                              | 697             | 521                       | 358             | 52                | 130               | 57,5             | 21,3              | 5,9                | -                                                | -      |
| UNI-PLATT | 180-49    | 1137,90                              | 817             | 611                       | 420             | 45                | 180               | 50,5             | 25,4              | 7,0                | -                                                | -      |
| UNI-PLATT | 180-56    | 1225,60                              | 934             | 699                       | 480             | 52                | 180               | 57,5             | 29,1              | 8,0                | -                                                | -      |
| UNI-PLATT | 77-50     | 745,00                               | 395             | 295                       | 208             | 46,8              | 77                | 51,5             | 11,5              | 3,4                | 400                                              | 103,40 |
| UNI-PLATT | 126-50    | 1021,30                              | 614             | 459                       | 323             | 46,8              | 126               | 51,5             | 18,9              | 5,6                | 650                                              | 107,80 |
| UNI-PLATT | 140-60    | 1176,70                              | 810             | 606                       | 416             | 56,8              | 140               | 61,5             | 25,1              | 6,7                | 800                                              | 112,60 |

► Available in Stock

\*Dual fuel valve or T to be added p.207  
Thermostats p.208-209



Standard towel bar UNI: - standard white SB9016  
- grey sablé SB 7039 - sablé black SB9005  
- same color ordered with the radiator



Additional towel bar UNI white (each) 74,40€  
Towel bar UNI in different Brem colour from plate  
extra (each) 52,90€



Chrome-plated towel bar extra (each) 88,30€  
Additional Chrome-plated towel bar (each) 162,70€

## STANDARD PRODUCTION

White sablé SB9016 paintwork - Air vent ø1/8"  
MAXIMUM OPERATING PRESSURE 6 BAR

## PRODUCTION ON REQUEST

Paint to Brem color list with colored  
brackets +15/25%


## STANDARD FITTING

EG ø1/2"  
Electric version e.Uni-Platt p. 260






## TAPPING CENTRES



On request side fittings ▲▼ = H-3,2 cm  
Extra Art. AS 91,20€




UNI-PLATT 130-49

## RECOMMENDED VALVES


### CHROME VALVES KIT with:

- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16





SIDE CONTROL QUADRA VALVES KIT  
page 271 Art. KQL 191,20€  
Extra for BREM color list 53,40€

SPECIAL FINISHES page 267  
Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€



SIDE CONTROL CYL VALVES KIT with THERMO-  
STATIC option, page 273 Art. KCL 162,50€  
Extra for BREM color list 53,40€

REMOTE FITTINGS Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲▼ EG  
DISTANT Valves page 274



SIDE CONTROL TON VALVES KIT with THERMO-  
STATIC Head, page 269 Art. KTL 203,70€

# VELETTA

design Davide Diliberto

VELETTA for Brem was designed to hide bathrobes and towels without the use of sliding walls or doors.

The radiating plate is split in half by a fold that creates a separate wing from the wall for a practical, simple solution.

Two magnetic knobs on the back let you hang bathrobes wherever desired.



## DIMENSIONS

Widths: 42 / 50 cm



Heights: 135 / 175 cm

Depths: 15 / 19 / 21 cm



Depths from wall: 18,5 / 22,5 cm




VELETTA 135-42..




VELETTA 135-50




VELETTA-SX ..



VELETTA 175-42..



VELETTA 175-50



| MODEL            | H/L<br>cm | Standard white<br>sablé SB9016<br>€ | Δt 50K<br>watt | EN 442<br>Δt 40K<br>watt | Δt 30K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt | €      |
|------------------|-----------|-------------------------------------|----------------|--------------------------|----------------|-------------------|-------------------|------------------|-------------------|--------------------|-----------------------------------------------------|--------|
| VELETTA 135-42   | 135       | 1145,80                             | 669            | 506                      | 352            | 15                | 135               | 42               | 19,7              | 5,8                | 650                                                 | 131,80 |
| VELETTA 135-50   | 135       | 1234,40                             | 800            | 606                      | 421            | 15                | 135               | 50               | 23,2              | 6,6                | 800                                                 | 136,60 |
| VELETTA 175-42   | 175       | 1212,80                             | 865            | 655                      | 455            | 15                | 175               | 42               | 25,2              | 7,5                | 900                                                 | 140,20 |
| VELETTA 175-50   | 175       | 1307,30                             | 1033           | 782                      | 543            | 15                | 175               | 50               | 29,7              | 8,5                | 900                                                 | 140,20 |
| VELETTA-L 175-50 | 175       | 1571,60                             | 1191           | 902                      | 627            | 15                | 175               | 50               | 35,7              | 10,3               | 1200                                                | 148,50 |


VERSION-SX, on request without extra

Thermostats p.228-229

## TOWEL BAR VEL: STANDARD COLORS

- white sablé SB 9016 - quartz grey SB 7039  
- black sablé SB 9005 - same color as the radiator

In one paintwork to Brem color list different from the radiator  
extra 52,90€



MAGNETIC KNOBS  
NOT INCLUDED  
page 277

Art. ARC / POC / HKC  
each 95,50€



## STANDARD PRODUCTION

White sablé SB9016 paintwork, B35 brackets

Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

## PRODUCTION ON REQUEST

Paintwork to BREM color list

with colored brackets

Electric version e.Velettà


+15/25%  
page 261

## STANDARD FITTING

EG ø 3/8"


1/2" fittings on request

Special fittings, page 278






## TAPPING CENTRES



VELETTA ..-42

Knobs on demand



VELETTA ..-50


\*Model ..L with tubes at the rear  
MIXED versions with R.E. sleeve, use angle valves.



Fitting  $\varnothing 3/8"$   
STANDARD  
(without sleeves)



Fitting  $\varnothing 1/2"$   
ON REQUEST  
(with sleeves)



FIXINGS  
Brackets included



B35 bracket




VELETTA 175-50

## RECOMMENDED VALVES


CHROME VALVES KIT with:

- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer  $\varnothing 16$ , copper  $\varnothing 12$ , 14)
- n°2 Chrome wall plates  $\varnothing 48$ , hole  $\varnothing 16$




SIDE CONTROL QUADRA VALVES KIT  
page 271


Art. KQL 191,20€  
Extra for BREM color list 53,40€



SIDE CONTROL CYL VALVES KIT with THERMO-  
STATIC option, page 273 Art. KCL 162,50€  
Extra for BREM color list 53,40€



REMOTE FITTINGS Art. REM 42,10€  
Tapping centres: at the rear of radiator  $\blacktriangle \nabla 15$  cm  
DISTANT Valves page 274



SIDE CONTROL TON VALVES KIT with THERMO-  
STATIC Head, page 269 Art. KTL 203,70€



# INDEX TubesDESIGN

RADIATORS WITH TUBES

## RADIATORS COLLECTION

|       | page |
|-------|------|
| CHEM  | 150  |
| FORM  | 152  |
| GRATA | 156  |
| RING  | 160  |
| WIND  | 164  |

## TOWEL-HEATER COLLECTION

|           | page |
|-----------|------|
| CANNUCCIA | 168  |
| CHEM-M    | 170  |
| CHEM-S    | 172  |
| FRAC      | 174  |
| KUAD      | 176  |
| MAHN      | 178  |
| MAHN-AIR  | 180  |
| PLANK     | 182  |
| PLANK-AIR | 184  |
| PLUS 12   | 186  |
| PLUS 18   | 188  |
| PLUS-AIR  | 190  |
| RAW       | 192  |
| SHAR      | 196  |
| SHAR-AIR  | 198  |
| START     | 200  |
| DIVIS     | 202  |



# CHEM

CHEM is a radiator comprising round tube elements, ø 9 cm, with the final section curving

towards the wall. It is produced in different heights, either as a single unit or as a modular

unit with up to 7 elements. It can be supplemented with the element at its curvst heght 96 cm

## DIMENSIONS


Width: da 9 a 93cm

Height: 96 /196 /216 /236 /256 cm

Depth: 18 cm

Depth from wall: 18 cm

FRENCH  
DESIGN AWARDS



| MODEL       | H  | n°el. | 1 el           | 2 el             | 3 el             | 4 el             | 5 el             | 6 el             | 7 el             |
|-------------|----|-------|----------------|------------------|------------------|------------------|------------------|------------------|------------------|
|             | cm | L cm  | 9              | 23               | 37               | 51               | 65               | 79               | 93               |
|             |    | ▲▽ cm | 5              | 14               | 28               | 42               | 56               | 70               | 84               |
| CHEM 196 €  |    |       | 682,10<br>326w | 917,30<br>655w   | 1152,50<br>984w  | 1405,40<br>1313w | 1658,20<br>1642w |                  |                  |
| CHEML 196 € |    |       | 787,90<br>493w | 1129,00<br>989w  | 1470,00<br>1485w | 1828,70<br>1981w | 2187,40<br>2477w |                  |                  |
| CHEM 216 €  |    |       | 717,40<br>367w | 970,30<br>737w   | 1223,00<br>1107w | 1493,50<br>1477w | 1764,00<br>1847w |                  |                  |
| CHEML 216 € |    |       | 827,90<br>555w | 1191,30<br>1113w | 1554,70<br>1671w | 1935,70<br>2229w | 2316,70<br>2787w |                  |                  |
| CHEM 236 €  |    |       | 752,60<br>408w | 1023,10<br>819w  | 1293,60<br>1230w | 1581,80<br>1641w | 1869,80<br>2052w |                  |                  |
| CHEML 236 € |    |       | 867,90<br>617w | 1253,60<br>1237w | 1639,30<br>1857w | 2042,80<br>2477w | 2446,10<br>3097w |                  |                  |
| CHEM 256 €  |    |       | 787,90<br>449w | 1076,10<br>901w  | 1364,20<br>1353w | 1669,90<br>1805w | 1975,70<br>2257w |                  |                  |
| CHEML 256 € |    |       | 907,90<br>679w | 1316,00<br>1361w | 1724,00<br>2043w | 2149,70<br>2725w | 2575,40<br>3407w |                  |                  |
| CHEM 96 €   |    |       | 341,00<br>138w | 458,60<br>279w   | 576,20<br>420w   | 699,80<br>561w   | 823,20<br>702w   | 946,70<br>843w   | 1070,20<br>984w  |
| CHEML 96 €  |    |       | 415,20<br>217w | 624,50<br>437w   | 833,80<br>657w   | 1043,20<br>877w  | 1252,50<br>1097w | 1461,80<br>1317w | 1671,20<br>1537w |

Heights on request.

Tolerance ± 3mm

Air vent ø 1/8"

## STANDARD PRODUCTION

White sablé SB9016 paintwork, brackets white  
Maximum operating pressure: CHEM 8 BAR

CHEM with tubes at the rear: CHEML 4 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list (with colored brackets)  
+15/25%


Electric version e.Chem p.214

STANDARD FITTING EG ø 1/2", on the back of the tube with straight valves. Side connections with angle valves on request.





CHEM ..-1 el. CHEM.. - from 2 to 4 elements




CHROME VALVES KIT with:

- ## SPECIAL FINISHES

page 267


Finishes Gold, Bronze, Brushed Nickel for 2 valves

Brushed Nickel FITTING KIT extra Art. RN 30,50€




page 269

Art. KVD 149,30€



Art. KCD 158,80€

Extra for BREM color list



KIT STRAIGHT VALVES TON with THERMOSTATIC  
Head, page 273      Art. KTD      202,40€

|          |         |
|----------|---------|
| Art. KTD | 202,40€ |
|----------|---------|

# FORM

design Luigi Brembilla

The design of the FORM radiator pays a lot of attention not only on the shape of the

manifolds and the extremely reduced sizes of the radiating tubes, but also on the high

technology applied in its construction which allows an impeccable finish.

## MODEL F...H


with vertical radiating tubes

H = from 60 to 300 cm (every 20 cm)

L = from 20 to 116 cm (every 6 cm)


Metal reinforced on radiator backs for heights greater than 80 cm.

F2H




1 tube every 2 cm

F3H



2 tubes every 3 cm



## MODEL F...V


with horizontal radiating tubes

H = from 20 to 116 cm (every 6 cm)

L = from 60 to 300 cm (every 20 cm)


Metal reinforced on radiator backs for lengths greater than 80 cm.

F2V




1 tube every 2 cm

F3V



2 tubes every 3 cm



FORM F2V 62-280

## STANDARD PRODUCTION

SB9016 white sablé paintwork, M4 brackets

Air vent  $\varnothing$  1/8" - Tolerance  $\pm$  3 mm

MAXIMUM OPERATING PRESSURE, 8 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with

chrome-plated M4 brackets

Made-to-measure, by estimate


+15/25%

## STANDARD FITTINGS

EG  $\varnothing$  1/2", on request 3/8"

Fittings AC or BD on request


Special fittings, page 278





## TAPPING CENTRES

EG vertical standard fittings, side fittings  
on request without extra

### MODEL FH



### MODEL FV



□ from H or L 210 cm

### FIXINGS

Brackets included



| Mod. | a<br>cm | b<br>cm | c<br>cm |
|------|---------|---------|---------|
| FH   | 4       | 3,5     | 3,5     |
| FV   | 3,5     | 4       | 4       |




FORM F2H 240-62

## RECOMMENDED VALVES


### CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16



KIT ANGLED VALVES TON  
page 269

Art. KVS 137,10€




KIT SIDE control VALVES CYL with THERMOSTATIC  
option, page 273  
Art. KCL 162,50€  
Extra for BREM color list 53,40€



SPECIAL FINISHES page 267  
Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

REMOTE FITTINGS Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲ ▼ EG  
DISTANT Valves page 274



KIT SIDE control VALVES TON with Thermostatic  
Head, page 269  
Art. KTL 203,70€

# FORM F2H

| MOD.      | L cm   | 20             | 26             | 32              | 38              | 44              | 50               | 56               | EN 442           | Watt             | $\Delta t$ 50K   | $(\Delta t$ 40K = Wx0,755) | $(\Delta t$ 30K = Wx0,526) |                  |                  |
|-----------|--------|----------------|----------------|-----------------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|----------------------------|----------------------------|------------------|------------------|
| H cm      | (n° t) | (10t)          | (13t)          | (16t)           | (19t)           | (22t)           | (25t)            | (28t)            | (31t)            | (34t)            | (37t)            | (40t)                      | (43t)                      | (46t)            | (49t)            |
| ▲▼ cm     |        | 16             | 22             | 28              | 34              | 40              | 46               | 52               | 58               | 64               | 70               | 76                         | 82                         | 88               | 94               |
| F2H 60 €  |        | 286,40<br>158w | 324,70<br>206w | 354,70<br>254w  | 383,00<br>302w  | 412,30<br>349w  | 447,30<br>397w   | 501,80<br>445w   | 559,90<br>492w   | 589,60<br>540w   | 613,30<br>588w   | 656,00<br>635w             | 695,70<br>683w             | 743,50<br>730w   | 788,00<br>778w   |
| F2H 80 €  |        | 305,00<br>213w | 342,40<br>276w | 374,60<br>340w  | 406,70<br>404w  | 434,90<br>468w  | 472,10<br>532w   | 526,30<br>595w   | 590,60<br>659w   | 648,40<br>723w   | 707,80<br>787w   | 753,60<br>850w             | 800,40<br>914w             | 837,40<br>978w   | 877,10<br>1042w  |
| F2H 100 € |        | 312,60<br>266w | 354,70<br>345w | 386,60<br>425w  | 419,00<br>505w  | 449,80<br>584w  | 487,80<br>664w   | 548,40<br>744w   | 610,40<br>823w   | 668,30<br>903w   | 730,40<br>983w   | 793,30<br>1062w            | 852,30<br>1142w            | 911,80<br>1222w  | 973,70<br>1301w  |
| F2H 120 € |        | 333,50<br>317w | 378,10<br>412w | 411,50<br>508w  | 446,20<br>603w  | 477,10<br>698w  | 518,30<br>793w   | 582,30<br>888w   | 645,80<br>983w   | 711,60<br>1078w  | 775,90<br>1174w  | 840,10<br>1269w            | 905,90<br>1364w            | 968,60<br>1459w  | 1035,10<br>1554w |
| F2H 140 € |        | 358,50<br>368w | 406,70<br>478w | 443,40<br>588w  | 477,10<br>698w  | 515,30<br>809w  | 554,70<br>919w   | 623,70<br>1029w  | 694,30<br>1140w  | 762,20<br>1250w  | 833,10<br>1360w  | 903,10<br>1470w            | 971,20<br>1581w            | 1041,30<br>1691w | 1111,60<br>1801w |
| F2H 160 € |        | 404,10<br>417w | 455,80<br>542w | 496,50<br>667w  | 537,70<br>792w  | 576,90<br>917w  | 623,70<br>1042w  | 701,90<br>1166w  | 779,50<br>1291w  | 856,50<br>1416w  | 932,80<br>1541w  | 1012,80<br>1666w           | 1092,10<br>1791w           | 1168,70<br>1916w | 1247,60<br>2041w |
| F2H 180 € |        | 446,20<br>464w | 502,50<br>603w | 547,30<br>742w  | 593,20<br>882w  | 640,10<br>1021w | 691,50<br>1160w  | 776,80<br>1299w  | 863,60<br>1438w  | 950,20<br>1578w  | 1036,70<br>1717w | 1122,10<br>1856w           | 1209,40<br>1995w           | 1296,20<br>2134w | 1381,20<br>2274w |
| F2H 190 € |        | 467,40<br>486w | 527,20<br>632w | 574,30<br>778w  | 621,70<br>923w  | 668,30<br>1069w | 725,10<br>1215w  | 813,00<br>1361w  | 905,90<br>1507w  | 994,60<br>1652w  | 1085,20<br>1798w | 1177,30<br>1944w           | 1266,40<br>2090w           | 1355,10<br>2236w | 1447,00<br>2381w |
| F2H 200 € |        | 487,80<br>510w | 549,70<br>663w | 600,50<br>816w  | 650,00<br>969w  | 698,40<br>1122w | 757,20<br>1275w  | 851,00<br>1427w  | 945,40<br>1580w  | 1039,50<br>1733w | 1133,90<br>1886w | 1229,50<br>2039w           | 1324,30<br>2192w           | 1418,40<br>2345w | 1509,60<br>2498w |
| F2H 210 € |        | 506,90<br>532w | 573,30<br>692w | 623,70<br>852w  | 678,00<br>1012w | 727,80<br>1171w | 788,00<br>1331w  | 885,70<br>1491w  | 985,70<br>1650w  | 1082,60<br>1810w | 1181,20<br>1970w | 1278,50<br>2130w           | 1377,60<br>2289w           | 1474,90<br>2449w | 1572,90<br>2609w |
| F2H 220 € |        | 526,30<br>554w | 597,10<br>720w | 648,40<br>887w  | 703,20<br>1053w | 756,60<br>1219w | 818,90<br>1386w  | 921,60<br>1552w  | 1023,10<br>1718w | 1122,10<br>1884w | 1226,70<br>2051w | 1329,40<br>2217w           | 1430,70<br>2383w           | 1534,20<br>2549w | 1635,60<br>2716w |
| F2H 240 € |        | 567,10<br>597w | 641,20<br>776w | 696,90<br>955w  | 754,80<br>1134w | 811,80<br>1313w | 879,80<br>1493w  | 988,60<br>1672w  | 1095,70<br>1851w | 1204,70<br>2030w | 1314,50<br>2209w | 1425,40<br>2388w           | 1534,20<br>2567w           | 1644,70<br>2746w | 1754,50<br>2925w |
| F2H 260 € |        | 620,10<br>638w | 701,90<br>830w | 763,70<br>1021w | 827,60<br>1213w | 889,50<br>1404w | 963,80<br>1596w  | 1080,80<br>1788w | 1199,60<br>1979w | 1319,40<br>2171w | 1469,00<br>2362w | 1561,50<br>2554w           | 1681,20<br>2745w           | 1800,10<br>2937w | 1919,80<br>3128w |
| F2H 280 € |        | 674,70<br>678w | 762,20<br>881w | 831,30<br>1085w | 899,40<br>1288w | 967,30<br>1492w | 1046,60<br>1695w | 1178,40<br>1898w | 1305,60<br>2102w | 1436,30<br>2305w | 1598,50<br>2509w | 1701,40<br>2712w           | 1832,10<br>2915w           | 1960,40<br>3119w | 2090,30<br>3322w |
| F2H 300 € |        | 732,80<br>716w | 830,40<br>931w | 904,40<br>1146w | 977,10<br>1361w | 1051,6<br>1576w | 1138,90<br>1791w | 1280,20<br>2005w | 1421,80<br>2220w | 1564,10<br>2435w | 1738,40<br>2650w | 1849,50<br>2865w           | 1992,80<br>3080w           | 2133,30<br>3295w | 2275,60<br>3509w |


$\Delta t$  different from 50 K: consult Technical data Brem

HOW TO ORDER State: model, height and width in cm; fitting and color if different from standard.

Mod. Form    pitch 2 cm    horizontal manifold    height cm    length cm

F2H 200 - 50

eg. : F2H 200-50, AC ø 3/8", RAL 3003



## FORM ONDULATO

| MOD.            | L cm  | 32    | 38    | 44    | 50    | 56    | 62    | 68    | 74    | 80    |
|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| H cm (n° pipes) | ▲▼ cm | (16t) | (19t) | (22t) | (25t) | (28t) | (31t) | (34t) | (37t) | (40t) |
|                 |       | 28    | 34    | 40    | 46    | 52    | 58    | 64    | 70    | 76    |

|          |  |                |                  |                  |                  |                  |                  |                  |                  |                  |
|----------|--|----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| FO 180 € |  | 864,80<br>742w | 909,20<br>882w   | 966,20<br>1021w  | 1016,70<br>1160w | 1113,30<br>1299w | 1195,60<br>1438w | 1291,40<br>1578w | 1375,80<br>1717w | 1472,10<br>1856w |
| FO 190 € |  | 904,50<br>778w | 950,10<br>923w   | 994,40<br>1069w  | 1062,30<br>1215w | 1147,20<br>1361w | 1249,00<br>1507w | 1336,20<br>1652w | 1435,10<br>1798w | 1525,10<br>1944w |
| FO 200 € |  | 941,40<br>816w | 977,10<br>969w   | 1036,60<br>1122w | 1093,00<br>1275w | 1196,60<br>1427w | 1288,20<br>1580w | 1391,90<br>1733w | 1481,90<br>1886w | 1575,40<br>2039w |
| FO 210 € |  | 964,80<br>852w | 1016,70<br>1012w | 1064,60<br>1171w | 1136,20<br>1331w | 1231,30<br>1491w | 1339,90<br>1650w | 1432,50<br>1810w | 1527,50<br>1970w | 1623,80<br>2130w |
| FO 220 € |  | 988,40<br>887w | 1041,20<br>1053w | 1105,60<br>1219w | 1165,90<br>1386w | 1276,90<br>1552w | 1375,80<br>1718w | 1472,10<br>1884w | 1573,40<br>2051w | 1671,80<br>2217w |

FORM ONDULATO (wavy) is made-to-measure, attach drawing with measurements for estimate.

Brackets M4F..

9/12 cm



# FORM F2V

EN 442 Watt  $\Delta t$  50K ( $\Delta t$  40K =  $W \times 0,755$ ) - ( $\Delta t$  30K =  $W \times 0,526$ )

| MOD.<br>(n° t.)  | L cm<br>▲ ▼ | Lengths/Longueurs |                 |                  |                  |                  |                  |                  |                  |                    |                  |                  |                  |                  |
|------------------|-------------|-------------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|--------------------|------------------|------------------|------------------|------------------|
|                  |             | 60                | 80              | 100              | 120              | 140              | 160              | 180              | 200              | 220                | 240              | 260              | 280              | 300              |
|                  |             | 57,8              | 77,8            | 97,8             | 117,8            | 137,8            | 157,8            | 177,8            | 197,8            | 217,8              | 237,8            | 257,8            | 277,8            | 297,8            |
| F2V 20<br>(10t)  | €           | 286,40<br>156w    | 305,00<br>208w  | 312,60<br>260w   | 333,50<br>312w   | 358,50<br>364w   | 404,10<br>416w   | 446,20<br>468w   | 487,80<br>520w   | 526,30<br>572w     | 567,10<br>624w   | 620,10<br>676w   | 674,70<br>728w   | 732,80<br>780w   |
| F2V 26<br>(13t)  | €           | 324,70<br>203w    | 342,40<br>270w  | 354,70<br>338w   | 378,10<br>406w   | 406,70<br>473w   | 455,80<br>541w   | 502,50<br>608w   | 549,70<br>676w   | 597,10<br>744w     | 641,20<br>811w   | 701,90<br>879w   | 762,20<br>946w   | 830,40<br>1014w  |
| F2V 32<br>(16t)  | €           | 354,70<br>250w    | 374,60<br>334w  | 386,60<br>417w   | 411,50<br>500w   | 443,40<br>584w   | 496,50<br>667w   | 547,30<br>751w   | 600,50<br>834w   | 648,40<br>917w     | 696,90<br>1001w  | 763,70<br>1084w  | 831,30<br>1168w  | 904,40<br>1251w  |
| F2V 38<br>(19t)  | €           | 383,00<br>298w    | 406,70<br>397w  | 419,00<br>496w   | 446,20<br>595w   | 477,10<br>694w   | 537,70<br>794w   | 593,20<br>893w   | 650,00<br>992w   | 703,20<br>1091w    | 754,80<br>1190w  | 827,60<br>1290w  | 899,40<br>1389w  | 977,10<br>1488w  |
| F2V 44<br>(22t)  | €           | 412,30<br>344w    | 434,90<br>459w  | 449,80<br>574w   | 477,10<br>689w   | 515,30<br>804w   | 576,90<br>918w   | 640,10<br>1033w  | 698,40<br>1148w  | 756,60<br>1263w    | 811,80<br>1378w  | 889,50<br>1492w  | 967,30<br>1607w  | 1051,60<br>1722w |
| F2V 50<br>(25t)  | €           | 447,30<br>397w    | 472,10<br>529w  | 487,80<br>661w   | 518,30<br>793w   | 554,70<br>925w   | 623,70<br>1058w  | 691,50<br>1190w  | 757,20<br>1322w  | 818,90<br>1454w    | 879,80<br>1586w  | 963,80<br>1719w  | 1046,60<br>1851w | 1138,90<br>1983w |
| F2V 56<br>(28t)  | €           | 489,00<br>445w    | 500,80<br>593w  | 548,40<br>741w   | 582,30<br>889w   | 623,70<br>1037w  | 701,90<br>1186w  | 776,80<br>1334w  | 851,00<br>1482w  | 921,60<br>1630w    | 988,60<br>1778w  | 1080,80<br>1927w | 1178,40<br>2075w | 1280,20<br>2223w |
| F2V 62<br>(31t)  | €           | 559,90<br>494w    | 590,60<br>658w  | 610,40<br>823w   | 645,80<br>988w   | 694,30<br>1152w  | 779,50<br>1317w  | 863,60<br>1481w  | 945,40<br>1646w  | 1023,10<br>1811,00 | 1095,70<br>1975w | 1199,60<br>2140w | 1305,60<br>2304w | 1421,80<br>2469w |
| F2V 68<br>(34t)  | €           | 589,60<br>541w    | 648,40<br>722w  | 668,30<br>902w   | 711,60<br>1082w  | 762,20<br>1263w  | 856,50<br>1443w  | 950,20<br>1624w  | 1039,50<br>1804w | 1122,10<br>1984w   | 1204,70<br>2165w | 1319,40<br>2345w | 1436,30<br>2526w | 1564,10<br>2706w |
| F2V 74<br>(37t)  | €           | 613,30<br>590w    | 707,80<br>786w  | 730,40<br>983w   | 775,90<br>1180w  | 833,10<br>1376w  | 932,80<br>1573w  | 1036,70<br>1769w | 1133,90<br>1966w | 1226,70<br>2163w   | 1314,50<br>2359w | 1469,00<br>2556w | 1598,50<br>2752w | 1738,40<br>2949w |
| F2V 80<br>(40t)  | €           | 656,00<br>638w    | 753,60<br>850w  | 793,30<br>1063w  | 840,10<br>1276w  | 903,10<br>1488w  | 1012,80<br>1701w | 1122,10<br>1913w | 1229,50<br>2126w | 1329,40<br>2339w   | 1425,40<br>2551w | 1561,50<br>2764w | 1701,40<br>2976w | 1849,50<br>3189w |
| F2V 86<br>(43t)  | €           | 695,70<br>686w    | 800,40<br>914w  | 852,30<br>1143w  | 905,90<br>1372w  | 971,20<br>1600w  | 1092,10<br>1829w | 1209,40<br>2057w | 1324,30<br>2286w | 1430,70<br>2515w   | 1534,20<br>2743w | 1681,20<br>2972w | 1832,10<br>3200w | 1992,80<br>3429w |
| F2V 92<br>(46t)  | €           | 743,50<br>733w    | 837,40<br>978w  | 911,80<br>1222w  | 968,60<br>1466w  | 1041,30<br>1711w | 1168,70<br>1955w | 1296,20<br>2200w | 1418,40<br>2444w | 1534,20<br>2688w   | 1644,70<br>2933w | 1800,10<br>3177w | 1960,40<br>3422w | 2133,30<br>3666w |
| F2V 98<br>(49t)  | €           | 788,00<br>781w    | 877,10<br>1042w | 973,70<br>1302w  | 1035,10<br>1562w | 1111,60<br>1823w | 1247,60<br>2083w | 1381,20<br>2344w | 1509,60<br>2604w | 1635,60<br>2864w   | 1754,50<br>3125w | 1919,80<br>3385w | 2090,30<br>3646w | 2275,60<br>3906w |
| F2V 104<br>(52t) | €           | 824,10<br>829w    | 914,30<br>1105w | 1014,20<br>1381w | 1098,30<br>1657w | 1181,20<br>1933w | 1326,10<br>2210w | 1466,60<br>2486w | 1607,30<br>2762w | 1737,10<br>3038w   | 1863,80<br>3314w | 2040,90<br>3591w | 2222,80<br>3867w | 2416,20<br>4143w |
| F2V 110<br>(55t) | €           | 861,10<br>877w    | 951,60<br>1169w | 1057,50<br>1461w | 1163,50<br>1753w | 1251,90<br>2045w | 1403,20<br>2338w | 1555,20<br>2630w | 1701,40<br>2922w | 1840,50<br>3214w   | 1973,00<br>3506w | 2161,20<br>3799w | 2353,80<br>4091w | 2561,10<br>4383w |
| F2V 116<br>(58t) | €           | 897,10<br>925w    | 990,60<br>1233w | 1113,30<br>1541w | 1230,30<br>1849w | 1319,40<br>2157w | 1481,40<br>2466w | 1641,90<br>2774w | 1797,60<br>3082w | 1944,80<br>3390w   | 2084,20<br>3698w | 2284,20<br>4007w | 2486,60<br>4315w | 2703,10<br>4623w |

$\Delta t$  different from 50 K: consult Technical data Brem


## PRODUCTION ON REQUEST

Thermal output and prices by interpolation:

- length of manifolds every 2 cm
- height of radiating tubes every 10 cm

Made-to-measure ( $\pm 3$  mm)

Sizes over 3 m: price on request  
Size every 1 cm: increased size +20%



DOUBLE VERSION FDH and FDV is obtained by joining two F2H radiators  
PRICE: F2H or F2V x 2 + 134,50€  
THERMAL output: F2H or F2V x 1,60


Standard EG fitting: inlet on left, at front; return on right, at rear.

FORM FH DIVIS can be used as:

- partition wall with feet and fixings (p. 276)
- 15 cm H series foot Art. PF15 87,90€
- side fixings Art. F10 83,90€

FORM F3H and F3V has 3 cm between alternating pipes:

- dimensions as F2 every 6 cm
- RESE watt F2 x 1,16 - PRICES € F2 x 1,40



# GRATA

*design Luigi Brembilla*

GRATA is a radiator of sought-after design and high thermal output. These characteristics make

the GRATA useful when a very decorative effect is needed, with the addition of feet and


clamps, allows it also to be used as a room partition, parapet or staircase handrail.

## MODEL GRH


with vertical radiating tubes

H = from 60 to 300 cm (every 20 cm)  
Height on request every 5 cm

L = from 20 to 110 cm (every 6 cm)  
Width on request every 3 cm



GRH




## MODEL GRV


with horizontal radiating tubes

H = from 20 to 116 cm (every 6 cm)  
Height on request every 3 cm

L = from 60 to 300 cm (every 20 cm)  
Length on request every 5 cm



GRV



## STANDARD PRODUCTION

White sablé SB9016 paintwork, M4G brackets  
Air vent  $\varnothing$  1/8" - Tolerance  $\pm$  3 mm  
MAXIMUM WORKING PRESSURE, 8 BAR


## PRODUCTION ON REQUEST

Paintwork to Brem color list (with  
chrome-plated brackets)  
Made-to-measure, by estimate

+15/25%

## STANDARD FITTINGS

EG  $\varnothing$  1/2". A richiesta 3/8"  
Fittings AC o BD on request  
Special fittings, page 278




## TAPPING CENTRES



EG vertical standard fittings

Side fittings, on request without extra

### GRH MODEL




### GRV MODEL



## RECOMMENDED VALVES

CHROME VALVES KIT with:


- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16



KIT STRAIGHT VALVES MINI  
chrome-plated page 270 Art. KMD 136,90€

### SPECIAL FINISHES



Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€



KIT SIDE control VALVES CYL with THERMOSTATIC  
option, page 273 Art. KCL 162,50€  
Extra for BREM color list 53,40€

### REMOTE FITTINGS

Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲▼ EG  
DISTANT Valves page 274



KIT SIDE control VALVES TON with Thermostatic  
Head, page 269 Art. KTL 203,70€



# GRATA GRH


EN 442 Watt  $\Delta t$  50K ( $\Delta t$  40K =  $W \times 0,755$ ) - ( $\Delta t$  30K =  $W \times 0,526$ )

| MOD.    | H cm | L cm | 20             | 26             | 32             | 38              | 44              | 50              | Lengths/Longueurs |                 | 68              | 74              | 80              | 86              | 92              | 98              | 104             |
|---------|------|------|----------------|----------------|----------------|-----------------|-----------------|-----------------|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| ▲▼      | cm   | cm   | 16             | 22             | 28             | 34              | 40              | 46              | 56                | 62              | 64              | 70              | 76              | 82              | 88              | 94              | 100             |
| GRH 60  | €    |      | 550,90<br>146w | 619,40<br>190w | 677,20<br>234w | 731,80<br>278w  | 788,10<br>322w  | 854,80<br>366w  | 933,70<br>410w    | 1066,9<br>454w  | 1178,6<br>498w  | 1295,4<br>542w  | 1402,2<br>586w  | 1512,6<br>630w  | 1625,7<br>673w  | 1733,6<br>717w  | 1860,3<br>761w  |
| GRH 80  | €    |      | 583,50<br>187w | 656,70<br>243w | 715,00<br>299w | 776,20<br>355w  | 831,80<br>411w  | 904,40<br>468w  | 957,50<br>524w    | 1129,3<br>580w  | 1241,2<br>636w  | 1355,3<br>692w  | 1467,0<br>748w  | 1579,8<br>804w  | 1672,7<br>860w  | 1806,2<br>916w  | 1926,0<br>972w  |
| GRH 100 | €    |      | 598,40<br>229w | 677,20<br>297w | 740,50<br>366w | 800,40<br>435w  | 859,90<br>503w  | 930,80<br>572w  | 1050,6<br>641w    | 1165,8<br>709w  | 1278,0<br>778w  | 1395,0<br>847w  | 1515,0<br>915w  | 1629,3<br>984w  | 1743,7<br>1052w | 1860,3<br>1121w | 1975,2<br>1190w |
| GRH 120 | €    |      | 635,90<br>268w | 721,40<br>348w | 787,50<br>429w | 851,80<br>509w  | 914,40<br>590w  | 990,50<br>670w  | 1113,8<br>750w    | 1234,5<br>831w  | 1361,2<br>911w  | 1484,6<br>992w  | 1608,1<br>1072w | 1731,2<br>1152w | 1854,4<br>1233w | 1977,5<br>1313w | 2100,4<br>1394w |
| GRH 140 | €    |      | 685,80<br>308w | 776,20<br>400w | 845,90<br>492w | 914,4<br>585w   | 983,9<br>677w   | 1064,1<br>770w  | 1195,4<br>862w    | 1328,4<br>954w  | 1459,5<br>1047w | 1591,4<br>1139w | 1726,0<br>1231w | 1858,4<br>1324w | 1993,6<br>1416w | 2126,2<br>1508w | 2256,8<br>1601w |
| GRH 160 | €    |      | 771,20<br>346w | 871,10<br>449w | 950,00<br>553w | 1024,6<br>657w  | 1103,6<br>760w  | 1195,4<br>864w  | 1341,3<br>968w    | 1491,1<br>1071w | 1638,0<br>1175w | 1784,4<br>1279w | 1937,0<br>1382w | 2089,2<br>1486w | 2238,0<br>1590w | 2382,4<br>1693w | 2534,0<br>1797w |
| GRH 180 | €    |      | 851,80<br>383w | 961,30<br>497w | 1047,5<br>612w | 1136,4<br>727w  | 1221,6<br>842w  | 1323,6<br>957w  | 1487,4<br>1071w   | 1652,4<br>1186w | 1814,8<br>1301w | 1980,2<br>1416w | 2147,6<br>1530w | 2311,6<br>1645w | 2478,0<br>1760w | 2641,4<br>1875w | 2802,8<br>1990w |
| GRH 190 | €    |      | 890,30<br>404w | 1008,8<br>525w | 1097,3<br>647w | 1189,9<br>758w  | 1278,8<br>889w  | 1385,9<br>1011w | 1555,3<br>1132w   | 1730,0<br>1253w | 1899,9<br>1374w | 2074,2<br>1496w | 2249,4<br>1617w | 2420,8<br>1738w | 2594,7<br>1859w | 2764,6<br>1981w | 2937,4<br>2102w |
| GRH 200 | €    |      | 930,80<br>419w | 1054,1<br>545w | 1147,9<br>671w | 1244,5<br>796w  | 1337,4<br>922w  | 1447,8<br>1048w | 1627,1<br>1174w   | 1806,9<br>1300w | 1985,3<br>1425w | 2166,9<br>1551w | 2351,1<br>1677w | 2531,1<br>1803w | 2711,3<br>1928w | 2886,0<br>2054w | 3072,4<br>2180w |
| GRH 210 | €    |      | 967,50<br>429w | 1095,8<br>557w | 1195,4<br>686w | 1294,5<br>815w  | 1390,8<br>943w  | 1507,6<br>1072w | 1694,7<br>1201w   | 1882,5<br>1329w | 2067,5<br>1458w | 2256,8<br>1587w | 2445,9<br>1715w | 2633,8<br>1844w | 2823,6<br>1972w | 3006,4<br>2101w | 3197,9<br>2230w |
| GRH 220 | €    |      | 1007,7<br>453w | 1140,4<br>589w | 1241,2<br>724w | 1343,3<br>860w  | 1445,1<br>996w  | 1566,0<br>1132w | 1760,0<br>1268w   | 1956,2<br>1404w | 2147,6<br>1540w | 2344,8<br>1675w | 2539,9<br>1811w | 2737,3<br>1947w | 2932,7<br>2083w | 3125,7<br>2219w | 3322,7<br>2355w |
| GRH 240 | €    |      | 1082,5<br>486w | 1224,7<br>632w | 1333,5<br>777w | 1442,7<br>923w  | 1553,6<br>1069w | 1681,3<br>1215w | 1888,8<br>1360w   | 2095,6<br>1506w | 2304,0<br>1652w | 2514,7<br>1797w | 2726,5<br>1943w | 2932,7<br>2089w | 3145,9<br>2235w | 3354,7<br>2380w | 3562,4<br>2526w |
| GRH 260 | €    |      | 1187,4<br>517w | 1341,3<br>672w | 1461,6<br>827w | 1581,6<br>982w  | 1701,7<br>1137w | 1843,2<br>1293w | 2065,3<br>1448w   | 2293,5<br>1603w | 2522,2<br>1758w | 2808,4<br>1913w | 2984,6<br>2068w | 3216,0<br>2223w | 3442,0<br>2378w | 3671,5<br>2533w | 3902,1<br>2688w |
| GRH 280 | €    |      | 1290,2<br>548w | 1459,5<br>712w | 1588,8<br>877w | 1722,1<br>1041w | 1850,2<br>1206w | 2002,8<br>1370w | 2251,8<br>1534w   | 2497,3<br>1699w | 2749,6<br>1863w | 3055,7<br>2028w | 3251,2<br>2192w | 3502,6<br>2356w | 3747,7<br>2521w | 3997,1<br>2685w | 4247,3<br>2850w |
| GRH 300 | €    |      | 1402,2<br>577w | 1585,1<br>750w | 1728,4<br>923w | 1869,6<br>1096w | 2012,2<br>1269w | 2177,2<br>1443w | 2448,4<br>1616w   | 2718,1<br>1789w | 2991,0<br>1962w | 3325,3<br>2135w | 3538,4<br>2308w | 3810,2<br>2481w | 4078,3<br>2654w | 4349,9<br>2827w | 4619,6<br>3000w |

$\Delta t$  different from 50 K: consult Technical data Brem

## HOW TO ORDER

State: model, height and width in cm; connection and color if different from standard.  
eg.: GRH 180 - 38, AC  $\varnothing$  3/8", SB 2008




## PRODUCTION ON REQUEST

Thermal output and prices can be obtained by interpolation:

- length of manifolds every 3 cm
- height of radiating tubes every 10 cm

Made-to-measure ( $\pm 3$  mm)

Sizes over 3 m: price on request  
Height every 5 cm: increased size +15%




## DOUBLE VERSION GDH

Is obtained by joining two GRH radiators

PRICE GDH GRH x 2 + 134,50€

Standard EG fitting (delivery on left, at front; return on right, at rear).

Thermal output GDH: single radiator x 1,60





# GRATA GRV

EN 442 Watt  $\Delta t$  50K ( $\Delta t$  40K =  $W \times 0,755$ ) - ( $\Delta t$  30K =  $W \times 0,526$ )

| MOD.                                                   | L cm<br>▲ ▽ cm | Lengths/Longueurs |                 |                 |                 |                 |                 |                 |                 |                 |                 |                 |                 |                 |
|--------------------------------------------------------|----------------|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
|                                                        |                | 60<br>57,8        | 80<br>77,8      | 100<br>97,8     | 120<br>117,8    | 140<br>137,8    | 160<br>157,8    | 180<br>177,8    | 200<br>197,8    | 220<br>217,8    | 240<br>237,8    | 260<br>257,8    | 280<br>277,8    | 300<br>297,8    |
| GRV 20                                                 | €              | 491,90<br>131w    | 521,00<br>174 w | 534,30<br>218w  | 567,80<br>262w  | 612,30<br>305w  | 688,60<br>349w  | 760,50<br>392w  | 831,10<br>436w  | 899,70<br>480w  | 966,50<br>523w  | 1060,2<br>567w  | 1152,0<br>610w  | 1252,0<br>654w  |
| GRV 26                                                 | €              | 553,00<br>172w    | 586,30<br>229w  | 604,60<br>286w  | 644,10<br>343w  | 693,00<br>400w  | 777,80<br>458w  | 858,30<br>515w  | 941,20<br>572w  | 1018,20<br>629w | 1093,50<br>686w | 1197,6<br>744w  | 1303,1<br>801w  | 1415,3<br>858w  |
| GRV 32                                                 | €              | 604,60<br>212w    | 638,40<br>283w  | 661,20<br>354w  | 703,10<br>425w  | 755,30<br>496w  | 848,20<br>566w  | 935,30<br>637w  | 1024,9<br>708w  | 1108,2<br>779w  | 1190,6<br>850w  | 1305,0<br>920w  | 1418,6<br>991w  | 1543,2<br>1062w |
| GRV 38                                                 | €              | 653,40<br>254w    | 693,00<br>338w  | 714,60<br>423w  | 760,50<br>508w  | 816,40<br>592w  | 914,80<br>677w  | 1014,6<br>761w  | 1111,2<br>846w  | 1199,4<br>931w  | 1288,1<br>1015w | 1412,1<br>1100w | 1537,6<br>1184w | 1669,3<br>1269w |
| GRV 44                                                 | €              | 703,70<br>295w    | 742,70<br>393w  | 767,80<br>491w  | 816,40<br>589w  | 878,50<br>687w  | 985,40<br>786w  | 1090,7<br>884w  | 1194,1<br>982w  | 1290,3<br>1080w | 1387,1<br>1178w | 1519,4<br>1277w | 1652,0<br>1375w | 1796,6<br>1473w |
| GRV 50                                                 | €              | 763,20<br>336w    | 807,50<br>448w  | 831,10<br>560w  | 884,40<br>672w  | 950,10<br>784w  | 1067,3<br>896w  | 1181,8<br>1008w | 1292,7<br>1120w | 1398,2<br>1232w | 1501,2<br>1344w | 1645,7<br>1456w | 1788,2<br>1568w | 1943,9<br>1680w |
| GRV 56                                                 | €              | 833,70<br>377w    | 854,90<br>503w  | 938,00<br>629w  | 994,50<br>755w  | 1067,3<br>881w  | 1197,6<br>1006w | 1328,0<br>1132w | 1452,8<br>1258w | 1571,4<br>1384w | 1686,4<br>1510w | 1844,0<br>1635w | 2010,5<br>1761w | 2186,1<br>1887w |
| GRV 62                                                 | €              | 952,60<br>420w    | 1008,3<br>560w  | 1040,9<br>700w  | 1102,2<br>840w  | 1186,1<br>980w  | 1331,3<br>1120w | 1475,4<br>1260w | 1613,3<br>1400w | 1746,6<br>1540w | 1871,1<br>1680w | 2047,8<br>1820w | 2229,7<br>1960w | 2426,9<br>2100w |
| GRV 68                                                 | €              | 1052,3<br>461w    | 1108,2<br>615w  | 1141,1<br>769w  | 1215,4<br>923w  | 1303,1<br>1077w | 1462,5<br>1230w | 1620,4<br>1384w | 1772,6<br>1538w | 1917,5<br>1692w | 2057,1<br>1846w | 2252,0<br>1999w | 2455,0<br>2153w | 2670,5<br>2307w |
| GRV 74                                                 | €              | 1156,6<br>503w    | 1210,1<br>670w  | 1245,5<br>838w  | 1325,5<br>1006w | 1420,9<br>1173w | 1593,2<br>1341w | 1768,0<br>1508w | 1934,7<br>1676w | 2093,6<br>1844w | 2245,3<br>2011w | 2507,5<br>2179w | 2728,3<br>2346w | 2969,0<br>2514w |
| GRV 80                                                 | €              | 1252,0<br>545w    | 1309,8<br>726w  | 1352,7<br>908w  | 1435,8<br>1090w | 1541,1<br>1271w | 1729,5<br>1453w | 1917,5<br>1634w | 2099,2<br>1816w | 2267,8<br>1998w | 2434,4<br>2179w | 2664,8<br>2361w | 2902,9<br>2542w | 3159,3<br>2724w |
| GRV 86                                                 | €              | 1350,5<br>586w    | 1410,5<br>782w  | 1454,7<br>977w  | 1545,7<br>1172w | 1659,3<br>1368w | 1865,4<br>1563w | 2063,9<br>1759w | 2259,9<br>1954w | 2444,0<br>2149w | 2618,5<br>2345w | 2871,4<br>2540w | 3127,3<br>2736w | 3402,0<br>2931w |
| GRV 92                                                 | €              | 1451,5<br>628w    | 1493,5<br>837w  | 1556,9<br>1046w | 1655,7<br>1255w | 1780,0<br>1464w | 1998,2<br>1674w | 2212,5<br>1883w | 2420,8<br>2092w | 2618,5<br>2301w | 2808,8<br>2510w | 3073,2<br>2720w | 3346,2<br>2929w | 3641,3<br>3138w |
| GRV 98                                                 | €              | 1547,9<br>669w    | 1612,7<br>892w  | 1661,0<br>1115w | 1765,6<br>1338w | 1898,4<br>1561w | 2127,1<br>1784w | 2358,4<br>2007w | 2576,8<br>2230w | 2790,8<br>2453w | 2995,3<br>2676w | 3278,1<br>2899w | 3568,8<br>3122w | 3883,8<br>3345w |
| GRV 104                                                | €              | 1661,0<br>710w    | 1719,6<br>947w  | 1763,6<br>1184w | 1875,4<br>1421w | 2015,0<br>1658w | 2262,5<br>1894w | 2502,5<br>2131w | 2743,2<br>2368w | 2966,7<br>2605w | 3180,7<br>2842w | 3484,0<br>3078w | 3792,2<br>3315w | 4124,6<br>3552w |
| GRV 110                                                | €              | 1757,9<br>752w    | 1810,1<br>1002w | 1854,1<br>1253w | 1985,2<br>1504w | 2136,6<br>1754w | 2396,3<br>2005w | 2652,3<br>2255w | 2902,9<br>2506w | 3141,3<br>2757w | 3371,4<br>3007w | 3691,6<br>3258w | 4018,6<br>3508w | 4371,3<br>3759w |
| GRV 116                                                | €              | 1856,2<br>793w    | 1910,8<br>1058w | 1966,1<br>1322w | 2102,6<br>1586w | 2252,0<br>1851w | 2529,0<br>2115w | 2804,1<br>2380w | 3068,7<br>2644w | 3318,3<br>2908w | 3561,0<br>3173w | 3899,5<br>3437w | 4244,6<br>3702w | 4616,4<br>3966w |
| Δt different from 50 K: consult Technical data Browser |                |                   |                 |                 |                 |                 |                 |                 |                 |                 |                 |                 |                 |                 |

$\Delta t$  different from 50 K: consult Technical data Brem

Model  
Grata

vertical  
manifold

height  
cm

length  
cm

GRV 50 - 180

## PRODUCTION ON REQUEST


Thermal output and prices can be obtained by interpolation:

- height of manifolds every 3 cm
- length of radiating tubes every 10 cm

Made-to-measure ( $\pm 3$  mm)

Sizes over 3 m: price on request

Height every 5 cm: increased size +15%



## DOUBLE VERSION GDV

Is obtained by joining two GRV radiators

PRICE GDV GRV x 2 +134,50€

Standard EG fitting (delivery on left, at front; return on right, at rear).

Thermal output GDV: single radiator x1,65

# RING RGH

RINGH is a radiator produced with 20 x 20 mm square radiant tubes and round horizontal

collectors. The numerous sizes available and the high thermal output thanks to the

version with double radiant tubes, make it the ideal radiator to be installed in any room.

## DIMENSIONS mod. RGH e RGDH



Heights: from 160 to 220 cm, every 20 cm

Widths: from 28 to 70 cm, every 3,5 cm


Depth: 5 / 7 cm

Sporgenza dal muro: 8 / 8,5 cm


RGH and RGDH MODEL  
with vertical radiating tubes



RGH



RGDH



| MODEL    | n. el | 8 el            | 9 el            | 10 el           | 11 el           | 12 el           | 13 el            | 14 el            | 15 el            | 16 el            | 17 el            | 18 el            | 19 el            | 20 el            |
|----------|-------|-----------------|-----------------|-----------------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
|          | L cm  | 28              | 31,5            | 35              | 38,5            | 42              | 45,5             | 49               | 52,5             | 56               | 59,5             | 63               | 66,5             | 70               |
|          | H cm  | ▲▼ cm           | 14              | 17,5            | 21              | 24,5            | 28               | 31,5             | 35               | 38,5             | 42               | 45,5             | 49               | 52,5             |
| RGH 160  | €     | 472,00<br>567w  | 493,60<br>638W  | 515,20<br>708W  | 536,80<br>779W  | 558,40<br>850W  | 580,20<br>921W   | 601,70<br>991W   | 623,30<br>1062W  | 644,80<br>1133W  | 666,40<br>1204W  | 688,10<br>1275W  | 709,70<br>1346W  | 731,40<br>1416W  |
| RGDH 160 | €     | 717,90<br>838w  | 748,60<br>943W  | 779,20<br>1047W | 809,90<br>1152W | 840,40<br>1257W | 871,10<br>1362W  | 901,70<br>1466W  | 932,40<br>1571W  | 963,00<br>1676W  | 993,80<br>1781W  | 1024,40<br>1885W | 1055,00<br>1990W | 1085,70<br>2095W |
| RGH 180  | €     | 501,00<br>634w  | 523,70<br>713W  | 546,30<br>792W  | 569,20<br>872W  | 591,90<br>951W  | 614,50<br>1030W  | 637,30<br>1109W  | 660,10<br>1189W  | 682,80<br>1268W  | 705,50<br>1347W  | 728,20<br>1426W  | 750,80<br>1505W  | 773,60<br>1584W  |
| RGDH 180 | €     | 764,00<br>939w  | 796,00<br>1056W | 828,10<br>1174W | 860,30<br>1291w | 892,30<br>1409w | 924,40<br>1526w  | 956,60<br>1643w  | 988,60<br>1761w  | 1020,80<br>1878w | 1052,90<br>1995w | 1084,90<br>2113w | 1117,20<br>2230W | 1149,30<br>2348w |
| RGH 200  | €     | 530,00<br>701w  | 554,00<br>789W  | 577,80<br>876W  | 601,70<br>964w  | 625,40<br>1051w | 649,30<br>1139w  | 673,00<br>1227w  | 696,90<br>1315w  | 720,60<br>1402w  | 744,60<br>1490w  | 768,40<br>1577w  | 792,20<br>1665w  | 815,90<br>1752w  |
| RGDH 200 | €     | 809,80<br>1040w | 843,50<br>1170w | 877,00<br>1300w | 910,60<br>1430w | 944,20<br>1560w | 977,80<br>1690w  | 1011,20<br>1820w | 1044,80<br>1950w | 1078,40<br>2080w | 1112,00<br>2210w | 1145,60<br>2340w | 1179,20<br>2470w | 1212,80<br>2600w |
| RGH 220  | €     | 559,10<br>768w  | 584,00<br>864w  | 608,90<br>960w  | 633,90<br>1056w | 658,80<br>1152w | 683,80<br>1248w  | 708,60<br>1344w  | 733,60<br>1440W  | 758,60<br>1536w  | 783,60<br>1632w  | 808,50<br>1728w  | 833,40<br>1824w  | 858,30<br>1920w  |
| RGDH 220 | €     | 855,80<br>1141w | 890,80<br>1284w | 925,90<br>1427w | 961,00<br>1569w | 995,90<br>1712w | 1031,00<br>1855w | 1066,00<br>1997w | 1101,10<br>2140w | 1136,10<br>2283w | 1171,20<br>2425w | 1206,20<br>2568w | 1241,40<br>2711w | 1276,50<br>2853w |

## STANDARD PRODUCTION

White sablé SB9016 paintwork, brackets white  
Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 6 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with  
colored B.. brackets

Electric version, not available

+15/25%

## STANDARD FITTING





EG ø 1/2"

Other fittings, on request



## TAPPING CENTRES

Mod. RGH e RGDH, with vertical tubes



**FIXINGS**  
Brackets included

Mod. brackets  
RGH G30  
RGDH B15




RING RGH 180-42

## RECOMMENDED VALVES


CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16




KIT SIDE control VALVES QUADRA  
page 271 Art. KQL  
Extra for BREM color list

191,20€  
53,40€



KIT SIDE control VALVES CYL with THERMOSTATIC  
option, page 273 Art. KCL  
Extra for BREM color list

162,50€  
53,40€



SPECIAL FINISHES page 267  
Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

REMOTE FITTINGS Art. REM 42,10€  
Tapping centres: at the rear ▲▽ EG (only mod. RGH)  
DISTANT Valves page 274

KIT SIDE control VALVES TON with Thermostatic  
Head, page 269 Art. KTL 203,70€

# RING RGV

RING-V is a radiator with 20 x 20mm square radiating tubes, and vertical collectors, for

classic use under a window. This is the ideal radiator for any setting as it comes in a variety

of sizes, as well as offering great heat output in the version with double radiating tubes.

## DIMENSIONS mod. RGV e RGDV

Lengths: from 50 to 220 cm  
 Heights: 49/63/70/91 cm  
 Depth: 5 / 7 cm  
 Depth from wall: 8 / 8,5 cm

## RGV and RGDV MODEL with horizontal radiating tubes




RGV



RGDV



RGV RGDV



| MODEL | H cm | n. el | Lcm   | 50     | 60     | 70     | 80     | 90     | 100    | 120     | 140     | 160     | 180     | 200     | 220     |
|-------|------|-------|-------|--------|--------|--------|--------|--------|--------|---------|---------|---------|---------|---------|---------|
|       |      |       | ▲▼ cm | 46,5   | 56,5   | 66,5   | 76,5   | 86,5   | 96,5   | 116,5   | 136,5   | 156,5   | 176,5   | 196,5   | 216,5   |
| RGV   | 49   | 14    | €     | 458,30 | 468,60 | 478,90 | 436,80 | 446,00 | 455,30 | 473,70  | 492,00  | 510,50  | 528,90  | 547,40  | 565,70  |
|       |      |       |       | 349w   | 408w   | 468w   | 528w   | 587w   | 647w   | 766w    | 885w    | 1004w   | 1123w   | 1242w   | 1361w   |
| RGDV  | 49   | 14    | €     | 627,50 | 648,80 | 670,00 | 691,30 | 712,50 | 733,70 | 776,30  | 818,70  | 861,20  | 903,60  | 946,20  | 988,60  |
|       |      |       |       | 499w   | 589w   | 678w   | 768w   | 858w   | 947w   | 1126w   | 1305w   | 1485w   | 1664w   | 1843w   | 2022w   |
| RGV   | 63   | 18    | €     | 535,40 | 545,80 | 556,10 | 505,90 | 515,20 | 524,50 | 543,20  | 561,80  | 580,30  | 598,90  | 617,60  | 636,20  |
|       |      |       |       | 449w   | 525w   | 602w   | 678w   | 755w   | 831w   | 984w    | 1138w   | 1291w   | 1444w   | 1597w   | 1750w   |
| RGDV  | 63   | 18    | €     | 805,20 | 820,70 | 836,20 | 851,60 | 867,10 | 882,60 | 913,50  | 944,50  | 975,40  | 1006,40 | 1037,30 | 1068,30 |
|       |      |       |       | 642w   | 757w   | 872w   | 987w   | 1103w  | 1218w  | 1448w   | 1678w   | 1909w   | 2139w   | 2370w   | 2600w   |
| RGV   | 70   | 20    | €     | 573,20 | 583,60 | 594,30 | 539,90 | 549,40 | 558,70 | 577,50  | 596,30  | 615,10  | 633,80  | 652,60  | 671,40  |
|       |      |       |       | 499w   | 584w   | 669w   | 754w   | 839w   | 924w   | 1094w   | 1264w   | 1434w   | 1604w   | 1774w   | 1944w   |
| RGDV  | 70   | 20    | €     | 865,80 | 880,50 | 895,60 | 910,30 | 925,10 | 940,10 | 969,70  | 999,50  | 1029,30 | 1059,00 | 1088,60 | 1118,40 |
|       |      |       |       | 713w   | 841w   | 969w   | 1097w  | 1225w  | 1353w  | 1609w   | 1865w   | 2121w   | 2377w   | 2633w   | 2889w   |
| RGV   | 91   | 26    | €     | 595,70 | 612,30 | 628,90 | 576,50 | 591,30 | 606,10 | 635,70  | 665,40  | 695,00  | 724,60  | 754,30  | 783,90  |
|       |      |       |       | 648w   | 759w   | 869w   | 980w   | 1090w  | 1201w  | 1422w   | 1643w   | 1864w   | 2085w   | 2307w   | 2528w   |
| RGDV  | 91   | 26    | €     | 871,60 | 895,40 | 919,30 | 943,30 | 967,10 | 990,30 | 1038,90 | 1086,60 | 1134,40 | 1182,30 | 1230,10 | 1277,80 |
|       |      |       |       | 927w   | 1093w  | 1260w  | 1426w  | 1593w  | 1759w  | 2092w   | 2424w   | 2757w   | 3090w   | 3423w   | 3755w   |

MEASURES ON REQUEST: Lengths every 10 cm from 50 to 220 cm (values by interpolation) - NUMBER OF ELEMENTS from 8 to 30

## STANDARD PRODUCTION

White sablé SB9016 paintwork, brackets white  
 Tolerance ± 3mm - Air vent ø 1/8"  
 MAXIMUM OPERATING PRESSURE 6 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with  
 colored B.. brackets  
 Electric version, not available

+15/25%

## STANDARD FITTING

EG ø 1/2"





Other fittings, on request





## TAPPING CENTRES


Mod. RGV e RGDV, with horizontal tubes



## RECOMMENDED VALVES


CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16




KIT SIDE control VALVES QUADRA  
page 271 Art. KQL  
Extra for BREM color list

191,20€  
53,40€



KIT SIDE control VALVES CYL with THERMOSTATIC  
option, page 273 Art. KCL  
Extra for BREM color list

162,50€  
53,40€



REMOTE FITTINGS Art. REM 42,10€  
Tapping centres: at the rear ▲▽ EG (only mod. RGV)  
DISTANT Valves page 274

KIT SIDE control VALVES TON with Thermostatic  
Head, page 269 Art. KTL 203,70€



RING RGDV 70-120

## SPECIAL FINISHES

page 267  
Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

# WIND

design Luigi Brembilla

The WIND mini-column radiators are built using elements from three to six columns,

made from circular cross section radiating tubes. Depending on the number requested,

the batteries of elements are obtained by welding the required number together.

ELEMENT STEP: PE = 3 cm


TUBES DIAMETER:  $\varnothing = 1,5$  cm

LENGTH OF RADIATORS ( $\pm 3$  mm):  
number of elements x 3 cm

Rear metal reinforcement from 21 elements

H= from 29 to 200 cm

L= from 30 to 108 cm (every 3 cm)




MODEL W 3 with 3 radiating tubes element

MODEL W 4 with 4 radiating tubes element

MODEL W 5 with 5 radiating tubes element


MODEL W 6 with 6 radiating tubes element



## STANDARD TAPPING CENTRES

AC - BD / AD - BC  $\varnothing 1/2"$

Side fittings  $\blacktriangle \nabla = H-4,6$  cm



## TAPPING CENTRES $\pm 6$ CM

Use chrome-plated offset couplings to adjust the tapping centres up to 6 cm (Art. EC.. page 278)



## STANDARD PRODUCTION

SB9016 white sablé paintwork, with brackets

Air vent  $\varnothing 1/2"$  - Tolerance  $\pm 3$  mm

MAXIMUM WORKING PRESSURE, 8 BAR

## PRODUCTION ON REQUEST

Brem color chart painting with brackets

in the same color


Batteries with non standard n° of elements.

## STANDARD FITTINGS

AC - BD / AD - BC  $\varnothing 1/2"$


Fittings EG or GE on request

Special fittings, page 278




## SPECIAL FITTINGS ON REQUEST

Connections EG  $\varnothing$  1/2" (GE) with sleeve and baffle  
Art. AS 91,20€



W 3 y = 5 cm      W 5 y = 7 cm  
W 4 y = 5,5 cm      W 6 y = 7,5 cm




FIXINGS  
Brackets included



## RECOMMENDED VALVES


CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer  $\varnothing$  16, copper  $\varnothing$  12, 14)
- n°2 Chrome wall plates  $\varnothing$  48, hole  $\varnothing$  16




ANGLED TON VALVES KIT  
page 269

Art. KVS 137,10€



KIT ANGLED VALVES CYL with thermostatic option  
page 273  
Art. KCS 149,90€  
Extra for BREM color list 53,40€



KIT ANGLED VALVES TON with THERMOSTATIC  
Head, page 269  
Art. KTS 190,30€



WIND 3200 12 el.

## SPECIAL FINISHES

page 267

Finishes Gold, Bronze, Brushed Nickel for 2 valves

Brushed Nickel FITTING KIT extra Art. RN 30,50€

# WIND

| MOD.                                                                                 | H<br>cm                                                                             | ▲▼<br>cm | p n° el<br>cm L cm | 1el<br>(3) | 10el<br>(30)    | 11el<br>(33)    | 12el<br>(36)    | 13el<br>(39)    | 14el<br>(42)    | 15el<br>(45)    | 16el<br>(48)    | 17el<br>(51)    | 18el<br>(54)    | 19el<br>(57)    | 20el<br>(60)    |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------|--------------------|------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| EN 442 Watt $\Delta t$ 50K ( $\Delta t$ 40K = Wx0,755) - ( $\Delta t$ 30K = Wx0,526) |                                                                                     |          |                    |            |                 |                 |                 |                 |                 |                 |                 |                 |                 |                 |                 |
| W 3065                                                                               |    | 66,6     | 62                 | 6,5        | € 30,80<br>42w  | 306,20<br>417w  | 336,80<br>459w  | 367,40<br>500w  | 397,80<br>542w  | 428,50<br>584w  | 459,40<br>625w  | 490,00<br>667w  | 520,50<br>709w  | 551,00<br>750w  | 581,60<br>792w  |
| W 3075                                                                               |    | 76,6     | 72                 | 6,5        | € 32,50<br>48w  | 323,50<br>484w  | 355,80<br>533w  | 388,20<br>581w  | 420,70<br>630w  | 452,80<br>678w  | 485,20<br>727w  | 517,40<br>775w  | 549,80<br>824w  | 582,10<br>872w  | 614,70<br>921w  |
| W 3085                                                                               |    | 86,6     | 82                 | 6,5        | € 34,00<br>54w  | 340,40<br>541w  | 374,60<br>595w  | 408,80<br>649w  | 443,10<br>703w  | 476,90<br>757w  | 511,10<br>811w  | 545,20<br>865w  | 579,30<br>919w  | 613,20<br>973w  | 647,10<br>1028w |
| W 3180                                                                               |    | 178,3    | 173,7              | 6,5        | € 66,00<br>107w | 656,40<br>1070w | 721,80<br>1177w | 787,50<br>1284w | 853,20<br>1391w | 918,70<br>1499w | 984,50<br>1606w | 1049,8<br>1713w | 1115,7<br>1820w | 1181,3<br>1927w | 1246,9<br>2034w |
| W 3200                                                                               |                                                                                     | 198,3    | 193,7              | 6,5        | € 73,40<br>118w | 733,30<br>1183w | 806,40<br>1301w | 879,80<br>1420w | 952,90<br>1538w | 1026,5<br>1656w | 1099,7<br>1775w | 1173,2<br>1893w | 1246,1<br>2011w | 1319,6<br>2129w | 1392,7<br>2248w |
| W 4065                                                                               |    | 66,6     | 62                 | 8,9        | € 35,10<br>52w  | 349,30<br>518w  | 384,20<br>570w  | 419,10<br>622w  | 454,20<br>674w  | 489,20<br>726w  | 523,90<br>777w  | 559,00<br>829w  | 594,00<br>881w  | 629,10<br>933w  | 663,70<br>985w  |
| W 4075                                                                               |                                                                                     | 76,6     | 72                 | 8,9        | € 37,00<br>60w  | 366,80<br>597w  | 403,40<br>657w  | 439,90<br>717w  | 476,70<br>776w  | 513,20<br>836w  | 549,80<br>896w  | 586,70<br>955w  | 623,20<br>1015w | 659,80<br>1075w | 696,30<br>1135w |
| W 4085                                                                               |                                                                                     | 86,6     | 82                 | 8,9        | € 38,30<br>68w  | 383,70<br>676w  | 422,20<br>744w  | 460,50<br>811w  | 499,10<br>879w  | 537,50<br>946w  | 575,90<br>1014w | 614,10<br>1082w | 652,10<br>1149w | 690,60<br>1217w | 729,00<br>1284w |
| W 4180                                                                               |    | 178,3    | 173,7              | 8,9        | € 71,50<br>131w | 714,40<br>1307w | 786,00<br>1438w | 857,50<br>1568w | 928,70<br>1699w | 1000,0<br>1830w | 1071,7<br>1960w | 1143,1<br>2091w | 1214,3<br>2222w | 1285,9<br>2353w | 1357,2<br>2483w |
| W 4200                                                                               |                                                                                     | 198,3    | 193,7              | 8,9        | € 79,50<br>145w | 797,10<br>1453w | 876,60<br>1599w | 956,40<br>1744w | 1036,1<br>1889w | 1115,7<br>2035w | 1195,4<br>2180w | 1275,0<br>2326w | 1354,8<br>2471w | 1434,5<br>2616w | 1514,4<br>2762w |
| W 5027                                                                               |  | 29,1     | 24,5               | 11,3       | € 33,80<br>27w  | 338,80<br>270w  | 372,30<br>297w  | 406,00<br>324w  | 440,30<br>352w  | 473,80<br>379w  | 507,80<br>406w  | 541,90<br>433w  | 575,60<br>460w  | 609,50<br>487w  | 643,10<br>514w  |
| W 5053                                                                               |                                                                                     | 54,6     | 50                 | 11,3       | € 38,90<br>53w  | 388,20<br>530w  | 427,10<br>583w  | 465,60<br>635w  | 504,70<br>688w  | 543,20<br>741w  | 582,10<br>794w  | 621,40<br>847w  | 659,80<br>900w  | 698,80<br>953w  | 737,40<br>1006w |
| W 5065                                                                               |                                                                                     | 66,6     | 62                 | 11,3       | € 39,40<br>63w  | 394,80<br>631w  | 434,20<br>694w  | 473,40<br>757w  | 513,00<br>820w  | 552,40<br>883w  | 591,80<br>946w  | 631,20<br>1010w | 671,10<br>1073w | 710,30<br>1136w | 749,60<br>1199w |
| W 5075                                                                               |  | 76,6     | 72                 | 11,3       | € 41,60<br>73w  | 416,40<br>732w  | 457,60<br>806w  | 499,60<br>879w  | 541,10<br>952w  | 582,70<br>1025w | 624,10<br>1099w | 665,60<br>1172w | 707,40<br>1245w | 749,30<br>1318w | 790,70<br>1391w |
| W 5085                                                                               |                                                                                     | 86,6     | 82                 | 11,3       | € 42,90<br>82w  | 429,20<br>822w  | 472,10<br>905w  | 514,90<br>987w  | 557,80<br>1069w | 600,50<br>1151w | 643,40<br>1234w | 686,70<br>1316w | 729,10<br>1398w | 772,50<br>1480w | 815,10<br>1563w |
| W 6027                                                                               |  | 29,1     | 24,5               | 13,7       | € 37,20<br>34w  | 368,70<br>338w  | 405,40<br>372w  | 442,70<br>406w  | 479,00<br>439w  | 516,50<br>473w  | 553,30<br>507w  | 589,90<br>541w  | 626,90<br>575w  | 663,70<br>608w  | 700,30<br>642w  |
| W 6053                                                                               |                                                                                     | 54,6     | 50                 | 13,7       | € 43,50<br>64w  | 433,30<br>642w  | 476,80<br>706w  | 520,20<br>771w  | 563,40<br>835w  | 606,70<br>899w  | 650,00<br>963w  | 693,30<br>1028w | 736,80<br>1092w | 780,00<br>1156w | 823,40<br>1220w |
| W 6065                                                                               |                                                                                     | 66,6     | 62                 | 13,7       | € 44,70<br>77w  | 446,40<br>766w  | 490,80<br>843w  | 535,50<br>919w  | 580,60<br>996w  | 625,10<br>1073w | 669,60<br>1149w | 714,30<br>1226w | 759,00<br>1302w | 803,50<br>1379w | 848,20<br>1456w |
| W 6075                                                                               |  | 76,6     | 72                 | 13,7       | € 46,30<br>88w  | 463,60<br>879w  | 509,90<br>967w  | 556,40<br>1055w | 602,80<br>1142w | 649,30<br>1230w | 695,40<br>1318w | 741,70<br>1406w | 788,00<br>1494w | 834,50<br>1582w | 881,10<br>1670w |
| W 6085                                                                               |                                                                                     | 86,6     | 82                 | 13,7       | € 48,40<br>97w  | 481,20<br>969w  | 528,90<br>1066w | 577,10<br>1163w | 625,20<br>1260w | 673,00<br>1357w | 721,30<br>1453w | 769,20<br>1550w | 817,60<br>1647w | 865,50<br>1744w | 913,70<br>1841w |


## HOW TO ORDER

State: model, number of columns, height in cm, number of elements; connection and color.

Mod. Wind      number columns      height cm      number elements

W 3075 - 19 el

E.g.: W 3075 -19, AC 1/2", BRO007



## PRODUCTION ON REQUEST

3 - 9 el. batteries extra charge 29,00€

Batteries with more than 40 el.

extra charge for each radiator 62,20€




EN 442 Watt  $\Delta t$  50K ( $\Delta t$  40K =  $W \times 0,755$ ) - ( $\Delta t$  30K =  $W \times 0,526$ )

| 21el<br>(63)    | 22el<br>(66)    | 23el<br>(69)    | 24el<br>(72)    | 25el<br>(75)    | 26el<br>(78)    | 27el<br>(81)    | 28el<br>(84)    | 29el<br>(87)    | 30el<br>(90)    | 31el<br>(93)    | 32el<br>(96)    | 33el<br>(99)    | 34el<br>(102)   | 35el<br>(105)   | 36el<br>(108)   | MOD.<br>H cm |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|--------------|
| 643,00<br>875w  | 673,70<br>917w  | 704,00<br>959w  | 734,80<br>1001w | 765,40<br>1042w | 796,10<br>1084w | 826,70<br>1126w | 857,10<br>1167w | 887,80<br>1209w | 918,50<br>1251w | 949,10<br>1292w | 979,60<br>1334w | 1010,4<br>1376w | 1040,8<br>1417w | 1071,7<br>1459w | 1102,5<br>1501w | € W 3065     |
| 679,20<br>1017w | 711,30<br>1066w | 744,20<br>1114w | 776,40<br>1163w | 808,80<br>1211w | 840,80<br>1260w | 873,40<br>1308w | 905,60<br>1357w | 938,20<br>1405w | 970,30<br>1453w | 1002,7<br>1502w | 1035,0<br>1550w | 1067,4<br>1599w | 1099,8<br>1647w | 1132,2<br>1696w | 1164,5<br>1744w | € W 3075     |
| 715,20<br>1136w | 749,50<br>1190w | 783,70<br>1244w | 817,70<br>1298w | 851,60<br>1352w | 885,50<br>1406w | 919,70<br>1460w | 954,00<br>1514w | 988,00<br>1568w | 1022,1<br>1622w | 1056,0<br>1677w | 1090,3<br>1731w | 1124,1<br>1785w | 1158,3<br>1839w | 1192,6<br>1893w | 1226,4<br>1947w | € W 3085     |
| 1378,2<br>2248w | 1443,8<br>2355w | 1509,4<br>2462w | 1575,1<br>2569w | 1640,8<br>2676w | 1706,1<br>2783w | 1771,7<br>2890w | 1837,6<br>2997w | 1903,1<br>3104w | 1968,8<br>3211w | 2034,3<br>3318w | 2099,9<br>3425w | 2165,9<br>3532w | 2231,3<br>3639w | 2297,0<br>3746w | 2362,3<br>3853w | € W 3180     |
| 1539,7<br>2484w | 1612,8<br>2603w | 1686,2<br>2721w | 1759,3<br>2839w | 1832,8<br>2958w | 1906,1<br>3076w | 1979,4<br>3194w | 2052,7<br>3312w | 2126,1<br>3431w | 2199,2<br>3549w | 2272,7<br>3667w | 2345,8<br>3786w | 2419,2<br>3904w | 2492,6<br>4022w | 2565,8<br>4141w | 2639,3<br>4259w | € W 3200     |
| 733,40<br>1088w | 768,40<br>1140w | 803,50<br>1192w | 838,10<br>1244w | 873,40<br>1296w | 908,50<br>1348w | 943,20<br>1399w | 978,10<br>1451w | 1013,2<br>1503w | 1047,9<br>1555w | 1082,6<br>1607w | 1117,8<br>1659w | 1152,6<br>1710w | 1187,5<br>1762w | 1222,7<br>1814w | 1257,3<br>1866w | € W 4065     |
| 770,00<br>1254w | 806,40<br>1314w | 843,20<br>1373w | 879,30<br>1433w | 916,70<br>1493w | 953,00<br>1553w | 990,00<br>1612w | 1026,6<br>1672w | 1063,0<br>1732w | 1099,8<br>1791w | 1136,4<br>1851w | 1172,9<br>1911w | 1209,8<br>1971w | 1246,1<br>2030w | 1283,1<br>2090w | 1319,6<br>2150w | € W 4075     |
| 805,70<br>1420w | 844,30<br>1487w | 882,60<br>1555w | 921,20<br>1622w | 959,40<br>1690w | 997,70<br>1758w | 1036,1<br>1825w | 1074,3<br>1893w | 1112,8<br>1960w | 1151,4<br>2028w | 1189,9<br>2096w | 1228,4<br>2163w | 1266,7<br>2231w | 1305,2<br>2298w | 1343,6<br>2366w | 1381,9<br>2434w | € W 4085     |
| 1500,2<br>2745w | 1571,5<br>2875w | 1642,9<br>3006w | 1714,5<br>3137w | 1786,0<br>3267w | 1857,4<br>3398w | 1928,8<br>3529w | 2000,0<br>3660w | 2071,7<br>3790w | 2143,0<br>3921w | 2214,7<br>4052w | 2285,8<br>4182w | 2357,4<br>4313w | 2428,8<br>4444w | 2500,3<br>4574w | 2571,5<br>4705w | € W 4180     |
| 1673,5<br>3052w | 1753,0<br>3198w | 1832,8<br>3343w | 1912,5<br>3488w | 1992,4<br>3634w | 2071,9<br>3779w | 2151,7<br>3924w | 2231,3<br>4070w | 2311,0<br>4215w | 2390,6<br>4360w | 2470,5<br>4506w | 2549,9<br>4651w | 2629,6<br>4796w | 2709,5<br>4942w | 2789,0<br>5087w | 2868,8<br>5232w | € W 4200     |
| 711,00<br>568w  | 744,70<br>595w  | 778,70<br>622w  | 812,40<br>649w  | 846,30<br>676w  | 880,00<br>703w  | 914,10<br>730w  | 947,70<br>757w  | 982,00<br>784w  | 1015,7<br>811w  | 1049,4<br>838w  | 1083,5<br>865w  | 1117,0<br>892w  | 1150,9<br>919w  | 1185,0<br>946w  | 1218,6<br>973w  | € W 5027     |
| 815,00<br>1112w | 854,10<br>1165w | 892,80<br>1218w | 931,40<br>1271w | 970,30<br>1324w | 1009,1<br>1377w | 1047,9<br>1430w | 1086,8<br>1483w | 1125,6<br>1536w | 1164,5<br>1589w | 1203,3<br>1642w | 1242,0<br>1695w | 1280,9<br>1748w | 1319,6<br>1800w | 1358,4<br>1853w | 1397,3<br>1906w | € W 5053     |
| 828,60<br>1325w | 868,00<br>1388w | 907,30<br>1451w | 947,20<br>1514w | 986,50<br>1577w | 1026,1<br>1640w | 1065,5<br>1704w | 1105,0<br>1767w | 1144,4<br>1830w | 1183,8<br>1893w | 1223,4<br>1956w | 1262,8<br>2019w | 1302,0<br>2082w | 1341,5<br>2145w | 1381,1<br>2208w | 1420,4<br>2271w | € W 5065     |
| 873,90<br>1538w | 915,40<br>1611w | 957,30<br>1684w | 998,80<br>1758w | 1040,1<br>1831w | 1082,0<br>1904w | 1123,5<br>1977w | 1165,2<br>2051w | 1206,7<br>2124w | 1248,7<br>2197w | 1290,0<br>2270w | 1331,7<br>2344w | 1373,3<br>2417w | 1414,9<br>2490w | 1456,3<br>2563w | 1498,0<br>2636w | € W 5075     |
| 901,00<br>1727w | 944,20<br>1809w | 986,80<br>1892w | 1029,7<br>1974w | 1073,0<br>2056w | 1115,5<br>2138w | 1158,6<br>2221w | 1201,4<br>2303w | 1244,5<br>2385w | 1287,3<br>2467w | 1330,0<br>2550w | 1372,8<br>2632w | 1416,0<br>2714w | 1458,9<br>2796w | 1501,5<br>2879w | 1544,7<br>2961w | € W 5085     |
| 774,30<br>710w  | 811,10<br>744w  | 848,20<br>777w  | 885,00<br>811w  | 922,00<br>845w  | 958,60<br>879w  | 995,70<br>913w  | 1032,3<br>946w  | 1069,3<br>980w  | 1106,2<br>1014w | 1143,0<br>1048w | 1179,8<br>1082w | 1216,5<br>1115w | 1253,7<br>1149w | 1290,5<br>1183w | 1327,3<br>1217w | € W 6027     |
| 910,00<br>1349w | 953,80<br>1413w | 996,60<br>1477w | 1040,0<br>1541w | 1083,6<br>1606w | 1127,1<br>1670w | 1169,8<br>1734w | 1213,5<br>1798w | 1256,8<br>1862w | 1300,3<br>1927w | 1343,7<br>1991w | 1387,0<br>2055w | 1430,2<br>2119w | 1473,5<br>2184w | 1517,0<br>2248w | 1560,3<br>2312w | € W 6053     |
| 937,30<br>1609w | 982,10<br>1686w | 1026,7<br>1762w | 1070,9<br>1839w | 1116,0<br>1915w | 1160,5<br>1992w | 1204,8<br>2069w | 1249,6<br>2145w | 1294,5<br>2222w | 1339,2<br>2298w | 1383,3<br>2375w | 1428,1<br>2452w | 1473,1<br>2528w | 1517,5<br>2605w | 1562,2<br>2682w | 1606,8<br>2758w | € W 6065     |
| 973,60<br>1846w | 1020,1<br>1933w | 1066,1<br>2021w | 1112,5<br>2109w | 1159,1<br>2197w | 1205,6<br>2285w | 1251,7<br>2373w | 1298,1<br>2461w | 1344,4<br>2549w | 1390,8<br>2636w | 1437,1<br>2724w | 1483,4<br>2812w | 1529,6<br>2900w | 1576,6<br>2988w | 1622,7<br>3076w | 1669,1<br>3164w | € W 6075     |
| 1009,8<br>2035w | 1057,7<br>2132w | 1105,7<br>2229w | 1154,2<br>2326w | 1202,0<br>2422w | 1250,1<br>2519w | 1298,2<br>2616w | 1346,2<br>2713w | 1394,5<br>2810w | 1442,6<br>2907w | 1490,6<br>3004w | 1538,8<br>3101w | 1586,8<br>3198w | 1634,6<br>3294w | 1682,9<br>3391w | 1731,1<br>3488w | € W 6085     |

$\Delta t$  autres que 50 K : consulter les Données techniques de Brem


#### FITTINGS $\varnothing$ 1/2" ON REQUEST

- EG - GE with sleeve and baffle  
(tapp. centres: L - 6 cm) Art. AS 91,20€  
- CD - DC with baffle  
(tapping centres: L+8,4 cm)  
Extra Art. AS 91,20€



Rear metal reinforcement from 21 elements

STANDARD FITTING  
 $\varnothing$  1/2"  
AC - BD / AD - BC



# CANNUCCIA STRAW

CANNUCCIA is a funny heated towel rail inspired by the famous plastic straw used

for drinks. CANNUCCIA can be hook for dresses or towel rail and is available in


three sizes, with different angles to compose various configurations in different colors.

## DIMENSIONS

H = 160/175/190 cm

L = from 15 to 51 cm

P = 17/14/16 cm



| MODEL STRAW (Cannuccia) | H-L cm     | Standard white sablé SB 9016 € | Δt 50 K watt | EN 442 Δt 40 K watt | Δt 30 K watt | ▲ ▼ t.c. cm | Height H cm | Width L cm | Weight M Kg | Volume V dm <sup>3</sup> | DUAL FUEL VERSION with E.H.E. and* Watt € |        |
|-------------------------|------------|--------------------------------|--------------|---------------------|--------------|-------------|-------------|------------|-------------|--------------------------|-------------------------------------------|--------|
| CANN                    | 160-28     | 602,60                         | 141          | 106                 | 74           | 3,6         | 160         | 27,2       | 4,2         | 4,4                      | -                                         | -      |
| CANN                    | 175-15     | 624,50                         | 155          | 117                 | 82           | 3,6         | 175         | 14,7       | 4,5         | 4,7                      | -                                         | -      |
| CANN                    | 190-19     | 646,20                         | 167          | 126                 | 88           | 3,6         | 190         | 19,1       | 4,8         | 5,1                      | -                                         | -      |
| CANN                    | 160/175-40 | 973,60                         | 301          | 227                 | 158          | 12          | 175         | 35,7       | 8,1         | 9,1                      | 300                                       | 102,20 |
| CANN                    | 160/190-40 | 995,20                         | 313          | 236                 | 165          | 12          | 190         | 35,7       | 8,4         | 9,5                      | 300                                       | 102,20 |
| CANN                    | 175/190-27 | 1017,00                        | 327          | 247                 | 172          | 12          | 190         | 23,2       | 8,7         | 9,9                      | 400                                       | 103,40 |
| CANN-3                  | 190-48     | 1293,70                        | 473          | 357                 | 249          | 24          | 190         | 47,7       | 12,2        | 14,3                     | 500                                       | 105,60 |
| CAN-P                   | 160/190-47 | 1272,40                        | 568          | 429                 | 244          | 19          | 190         | 42,7       | 16,3        | 11,2                     | 650                                       | 107,80 |
| CAN-3                   | 190-51     | 1570,90                        | 807          | 609                 | 342          | 27          | 190         | 50,7       | 22,7        | 16,5                     | 800                                       | 112,60 |

\*Dual fuel valve or T to be added p.207  
Thermostats p.208-209

## TOWEL HOLDER MCA: STANDARD COLORS

- white sablé SB 9016 - quartz grey SB 7039  
- black sablé SB 9005 - same color as the radiator

Art. MCA 30 84,60€ 30/15 cm (L/p)  
Art. MCA 36 91,30€ 36/18 cm (L/p)

In one paintwork to Brem color list different from the radiator  
Extra 52,90€

## STANDARD PRODUCTION

White sablé SB9016 paintwork with brackets  
Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 8 BAR

## PRODUCTION ON REQUEST

Paintwork to BREM color list with colored brackets  
+15/25%

Electric version e-Cannuccia, page 213


## STANDARD FITTING

EG ø 1/2"

EG ø 3/8" fittings on request




## TAPPING CENTRES CANN ... MODEL



CANN-P  
160/190-47

CANN-3P  
190-51


## CANN-P.. MODEL with radiating panel




## RECOMMENDED VALVES

### CHROME VALVES KIT with:


- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16



ANGLED mod. MINI VALVES KIT page 270  
chrome-plated Art. KMS 124,00€



KIT ANGLED VALVES CYL with thermostatic option page 273  
Art. KCS 149,90€  
Extra for BREM color list 53,40€



KIT ANGLED chrome VALVES mod. TON with THERMOSTATIC Head, p.269 Art. KTS190,30€

## SPECIAL FINISHES

page 267  
Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

## REMOTE FITTINGS

Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲ ▼ EG  
DISTANT Valves page 274



CANN 160/190-40

# CHEM-M

CHEM-M is a towel holder made of 9cm diameter round tubes with the top section


curved towards the wall. Available in different heights, it is completed with a

reversible towel rail and a double hook for bathrobes.

## DIMENSIONS

Width: da 9 a 93cm  
Height: 96 /196 /216 /236 cm  
Depth: 18 cm  
Depth from wall: 18 cm

design Davide Diliberto  
**FRENCH**  
DESIGN AWARDS



| MODEL  | H/L<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50K<br>watt | EN 442<br>Δt 40K<br>watt | Δt 30K<br>watt | ▲▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm <sup>3</sup> | DUAL FUEL VERSION<br>with E.H.E. * and sleeve<br>Watt € |        |
|--------|-----------|--------------------------------------|----------------|--------------------------|----------------|------------------|-------------------|------------------|-------------------|--------------------------------|---------------------------------------------------------|--------|
| CHEM-M | 196-40    | 752,60                               | 326            | 250                      | 177            | 5                | 196               | 40               | 10,6              | 5,1                            | 300                                                     | 127,40 |
| CHEM-M | 196-54    | 987,80                               | 655            | 502                      | 355            | 5                | 196               | 54               | 21,0              | 10,2                           | 650                                                     | 129,60 |
| CHEM-M | 196-68    | 1229,00                              | 984            | 754                      | 533            | 5                | 196               | 68               | 31,5              | 15,3                           | 900                                                     | 140,20 |
| CHEM-M | 216-40    | 787,90                               | 367            | 281                      | 199            | 14               | 216               | 40               | 11,7              | 5,7                            | 400                                                     | 136,60 |
| CHEM-M | 216-54    | 1040,80                              | 737            | 565                      | 399            | 14               | 216               | 54               | 23,2              | 11,4                           | 800                                                     | 136,60 |
| CHEM-M | 216-68    | 1299,50                              | 1107           | 848                      | 600            | 14               | 216               | 68               | 34,8              | 17,1                           | 1200                                                    | 148,50 |
| CHEM-M | 236-40    | 823,20                               | 408            | 313                      | 221            | 28               | 236               | 40               | 12,8              | 6,4                            | 400                                                     | 127,40 |
| CHEM-M | 236-54    | 1093,70                              | 819            | 627                      | 444            | 28               | 236               | 54               | 25,4              | 12,8                           | 900                                                     | 140,20 |
| CHEM-M | 236-68    | 1370,10                              | 1230           | 942                      | 667            | 28               | 236               | 68               | 38,1              | 19,2                           | 1200                                                    | 148,50 |

On request elements with heights 206, 226. Prices and yields by interpolation.

\*E.H.E. only with cable  
Wall-mounted thermostats p.208

Towel holder and hanger can be mounted to the left or right side.

Towel holder and hanger: STANDARD COLORS  
- white sablé SB 9016 - quartz grey SB 7039  
- black sablé SB 9005 - same color as the radiator

In one paintwork to Brem color list different from the radiator  
Extra 52,90€



## STANDARD PRODUCTION

White sablé SB9016 paintwork with brackets  
Tolerance ± 3mm - Air vent ø 1/8"  
MAXIMUM OPERATING PRESSURE 8 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with colored brackets  
+15/25%  
Electric version, e.Chem-M p.214


STANDARD FITTING EG ø 1/2", on the back of the tube with straight valves.  
On request: side connections with angle valves.







## TAPPING CENTRES

### CHEM-M ..40




### CHEM-M ..54 / ..68



## RECOMMENDED VALVES

### CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16



### KIT STRAIGHT VALVES TON


page 269

Art. KVD 149,30€

### STRAIGHT MINI VALVES KIT chrome-plated

page 270

Art. KMD 136,90€



### SPECIAL FINISHES

Finishes Gold, Bronze, Brushed Nickel for 2 valves


Brushed Nickel FITTING KIT extra Art. RN 30,50€

### KIT STRAIGHT VALVES CYL with THERMOSTATIC option, page.273

Extra for BREM color list

Art. KCD 158,80€

53,40€



### KIT STRAIGHT VALVES TON with THERMOSTATIC Head, page 273

Art. KTD 202,40€

# CHEM-S

CHEM, the 9-cm diameter tube with the final section that curves towards the wall, also

comes in a heated towel rail version. It is produced in different models thanks to the

design Davide Diliberto addition of one, two or three square tubular attached to one or two vertical elements.

FRENCH  
DESIGN AWARDS



## DIMENSIONS

Width: 50,5 cm



Height: 216 / 216 cm

Depth: 18 cm

Depth from wall: 18 cm



Mod. CHEM-S ..DL..  
with 1 tube at the rear



| MODEL             | H-L<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50K<br>watt | EN 442<br>Δt 40K<br>watt | Δt 30K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E.* and sleeve<br>Watt € |        |
|-------------------|-----------|--------------------------------------|----------------|--------------------------|----------------|-------------------|-------------------|------------------|-------------------|--------------------|--------------------------------------------------------|--------|
| CHEM-S 196-50/1   | 196       | 764,40                               | 424            | 325                      | 230            | 5                 | 196               | 50,5             | 12,5              | 5,8                | 400                                                    | 127,40 |
| CHEM-S 196-50/2   | 196       | 858,50                               | 522            | 400                      | 283            | 5                 | 196               | 50,5             | 14,7              | 6,5                | 500                                                    | 129,60 |
| CHEM-S 196-50/3   | 196       | 952,60                               | 620            | 475                      | 336            | 5                 | 196               | 50,5             | 16,9              | 7,2                | 650                                                    | 131,80 |
| CHEM-S 196D-50/1  | 196       | 999,60                               | 753            | 577                      | 408            | 14                | 196               | 50,5             | 22,8              | 10,9               | 800                                                    | 136,60 |
| CHEM-S 196D-50/2  | 196       | 1093,70                              | 851            | 652                      | 461            | 14                | 196               | 50,5             | 25,0              | 11,6               | 900                                                    | 140,20 |
| CHEM-S 196D-50/3  | 196       | 1187,80                              | 949            | 727                      | 514            | 14                | 196               | 50,5             | 27,2              | 12,3               | 900                                                    | 140,20 |
| CHEM-S 196D-60/1  | 196       | 1024,40                              | 773            | 592                      | 419            | 14                | 196               | 60,5             | 23,3              | 11,0               | 800                                                    | 136,60 |
| CHEM-S 196D-60/2  | 196       | 1134,30                              | 891            | 683                      | 483            | 14                | 196               | 60,5             | 26,0              | 11,8               | 900                                                    | 140,20 |
| CHEM-S 216-50/1   | 216       | 799,70                               | 465            | 356                      | 252            | 5                 | 216               | 50,5             | 13,6              | 6,4                | 500                                                    | 129,60 |
| CHEM-S 216-50/2   | 216       | 893,80                               | 563            | 431                      | 305            | 5                 | 216               | 50,5             | 15,8              | 7,1                | 500                                                    | 129,60 |
| CHEM-S 216-50/3   | 216       | 987,80                               | 661            | 506                      | 358            | 5                 | 216               | 50,5             | 18,0              | 7,8                | 650                                                    | 131,80 |
| CHEM-S 216D-50/1  | 216       | 1034,90                              | 835            | 640                      | 453            | 14                | 216               | 50,5             | 25,0              | 12,1               | 800                                                    | 136,60 |
| CHEM-S 216D-50/2  | 216       | 1129,00                              | 933            | 715                      | 506            | 14                | 216               | 50,5             | 27,2              | 12,8               | 900                                                    | 140,20 |
| CHEM-S 216D-50/3  | 216       | 1223,00                              | 1031           | 790                      | 559            | 14                | 216               | 50,5             | 29,4              | 13,5               | 900                                                    | 140,20 |
| CHEM-S 216D-60/1  | 216       | 1059,60                              | 855            | 655                      | 463            | 14                | 216               | 60,5             | 25,5              | 12,2               | 800                                                    | 136,60 |
| CHEM-S 216D-60/2  | 216       | 1169,60                              | 973            | 745                      | 527            | 14                | 216               | 60,5             | 28,2              | 13,0               | 900                                                    | 140,20 |
| CHEM-S 216DL-60/2 | 216       | 1331,50                              | 1161           | 889                      | 629            | 14                | 216               | 60,5             | 31,4              | 14,0               | 1200                                                   | 159,40 |

Square elements protruding to the left, without supplement. Custom heights on request.

\*E.H.E. only with cable  
Wall-mounted thermostats p.208

## STANDARD PRODUCTION

White sablé SB9016 paintwork brackets white  
Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 8 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with colored  
brackets +15/25%

Electric version e.Chem-S, pag. 215



## STANDARD FITTING

EG ø 1/2"




Only with straight valves.



## TAPPING CENTRES CHEM-S ..



## CHEM-S..D



FIXINGS  
brackets  
included




CHEM-S 216-50/1

## RECOMMENDED VALVES

### CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer  $\varnothing 16$ , copper  $\varnothing 12, 14$ )
- n°2 Chrome wall plates  $\varnothing 48$ , hole  $\varnothing 16$



KIT STRAIGHT VALVES TON  
page 269

Art. KVD 149,30€

STRAIGHT MINI VALVES KIT

page 270


chrome-plated or white color Art. KMD 136,90€

### SPECIAL FINISHES

page 267

Finishes Gold, Bronze, Brushed Nickel for 2 valves

Brushed Nickel FITTING KIT extra Art. RN 30,50€




KIT STRAIGHT VALVES CYL with THERMOSTATIC  
option, page.273

Art. KCD 158,80€

Extra for BREM color list

53,40€



KIT STRAIGHT VALVES TON with THERMOSTATIC  
Head, page 273

Art. KTD 202,40€

# FRAC

design Luigi Brembilla

FRAC is the BREM heated towel rail characterized by impeccably pure lines.

The lightness given by its extremely small radiating tubes and the unique design of the

manifold that frames it make for a perfectly balanced composition.


## DIMENSIONS

Width: 124/39/49/54/59 cm


Height: 44/59/69/99/129/159/189 cm

Depth: 1,8 cm

Depth from wall: 8,8 cm



FRAC 44-124




FRAC 59-124




FRAC 69-124



FRAC 99-..



FRAC 129-..



FRAC 159-..



FRAC 189-..

| MODEL       | HL<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt € |        |
|-------------|----------|--------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|-------------------------------------------------------|--------|
| FRAC 44-124 | 44       | 623,00                               | 477             | 361                       | 252             | 112               | 44                | 124              | 6,9               | 2,5                | 500                                                   | 129,60 |
| FRAC 59-124 | 59       | 745,00                               | 661             | 500                       | 349             | 112               | 59                | 124              | 9,2               | 3,2                | 650                                                   | 131,80 |
| FRAC 69-124 | 69       | 858,50                               | 784             | 593                       | 414             | 112               | 69                | 124              | 10,7              | 3,6                | 800                                                   | 136,60 |
| FRAC 99-39  | 99       | 617,70                               | 387             | 293                       | 204             | 27                | 99                | 39               | 5,6               | 2,0                | 400                                                   | 127,40 |
| FRAC 99-49  | 99       | 639,40                               | 471             | 357                       | 249             | 37                | 99                | 49               | 6,7               | 2,3                | 500                                                   | 129,60 |
| FRAC 129-39 | 129      | 717,80                               | 514             | 389                       | 271             | 27                | 129               | 39               | 7,3               | 2,6                | 500                                                   | 129,60 |
| FRAC 129-49 | 129      | 739,90                               | 626             | 474                       | 331             | 37                | 129               | 49               | 8,7               | 3                  | 650                                                   | 131,80 |
| FRAC 129-54 | 129      | 750,20                               | 682             | 516                       | 360             | 42                | 129               | 54               | 9,4               | 3,2                | 650                                                   | 131,80 |
| FRAC 159-39 | 159      | 848,60                               | 641             | 485                       | 338             | 27                | 159               | 39               | 9,1               | 3,2                | 650                                                   | 131,80 |
| FRAC 159-49 | 159      | 870,20                               | 781             | 591                       | 412             | 37                | 159               | 49               | 10,8              | 3,7                | 800                                                   | 136,60 |
| FRAC 159-54 | 159      | 902,90                               | 846             | 640                       | 447             | 42                | 159               | 54               | 11,6              | 3,9                | 900                                                   | 140,20 |
| FRAC 189-39 | 189      | 937,00                               | 768             | 36                        | 406             | 27                | 189               | 39               | 10,8              | 3,8                | 800                                                   | 136,60 |
| FRAC 189-59 | 189      | 991,40                               | 1104            | 836                       | 583             | 47                | 189               | 59               | 14,8              | 5,0                | 1200                                                  | 148,50 |

Thermostats p.208-209

## STANDARD PRODUCTION

White sablé paintwork SB9016, brackets B70  
Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 8 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with colored B70  
brackets

Electric version e.FRAC, page 228

## STANDARD FITTING

REG ø 1/2"

with reverse valves


Fittings ø 3/8", on request







## TAPPING CENTRES

Rear fittings for reverse valves standard



## MIXED VERSION



FIXINGS  
Brackets B70 included

## RECOMMENDED VALVES

CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16

## SPECIAL FINISHES


Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

page 267


## REMOTE FITTINGS

Tapping centres: at the rear of radiator ▲▼ EG L-6 cm  
DISTANT Valves page 274

Art. REM 42,10€




Lengths up to 6 m.




KIT REVERSE VALVES TON  
page 269

Art. KVR 137,10€



KIT REVERSE VALVES CYL with thermostatic option  
page 273  
Extra for BREM color list

Art. KCR 149,90€  
53,40€



KIT REVERSE VALVES TON with THERMOSTATIC  
Head page 269

Art. KTR 190,30€



FRAC 159-39

# KUAD


A new sense of harmony in the bathroom:  
KUAD is a reversible towel-heater that can

be fitted with either the flat or the curved  
side of the collectors in full view.

We recommend using Quadra valves if the  
flat side of the collectors is visible.

## DIMENSIONS

Width 35 / 45 / 50 / 55 / 60 cm  
Height 75 / 112,5 / 150 / 175 cm  
Depth 3,8 cm  
Depth from wall 10,5 cm



| MODEL     | HL<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442 | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt | €      |
|-----------|----------|--------------------------------------|-----------------|--------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|-----------------------------------------------------|--------|
| KUAD      | 75-45    | 412,90                               | 371             | 282    | 197             | 30,5              | 75                | 45               | 6,9               | 3,0                | 400                                                 | 127,40 |
| KUAD      | 75-50    | 420,30                               | 415             | 315    | 220             | 35,5              | 75                | 50               | 7,4               | 3,2                | 400                                                 | 127,40 |
| KUAD      | 112-45   | 615,20                               | 546             | 414    | 289             | 30,5              | 112,5             | 45               | 10,3              | 4,5                | 500                                                 | 129,60 |
| KUAD      | 112-50   | 627,20                               | 609             | 462    | 323             | 35,5              | 112,5             | 50               | 11,1              | 4,8                | 650                                                 | 131,80 |
| KUAD      | 112-55   | 639,00                               | 673             | 511    | 357             | 40,5              | 112,5             | 55               | 11,9              | 5,1                | 650                                                 | 131,80 |
| KUAD SLIM | 150-35   | 752,50                               | 553             | 420    | 293             | 20,5              | 150               | 35               | 13,7              | 5,9                | 500                                                 | 129,60 |
| KUAD      | 150-45   | 769,80                               | 713             | 541    | 378             | 30,5              | 150               | 45               | 13,7              | 5,9                | 650                                                 | 131,80 |
| KUAD      | 150-50   | 780,90                               | 792             | 601    | 420             | 35,5              | 150               | 50               | 14,8              | 6,4                | 800                                                 | 136,60 |
| KUAD      | 150-55   | 794,10                               | 872             | 662    | 462             | 40,5              | 150               | 55               | 15,9              | 6,8                | 900                                                 | 140,20 |
| KUAD SLIM | 175-35   | 849,00                               | 643             | 488    | 341             | 20,5              | 175               | 35               | 13,4              | 5,9                | 650                                                 | 131,80 |
| KUAD      | 175-45   | 870,00                               | 821             | 623    | 435             | 30,5              | 175               | 45               | 15,9              | 6,9                | 800                                                 | 136,60 |
| KUAD      | 175-50   | 889,60                               | 910             | 691    | 482             | 35,5              | 175               | 50               | 17,2              | 7,4                | 900                                                 | 140,20 |
| KUAD      | 175-60   | 928,80                               | 1088            | 826    | 577             | 45,5              | 175               | 60               | 19,7              | 8,4                | 1200                                                | 148,50 |


Made-to-measure versions on request

Available Stock in standard white


Thermostats p.208-209

KUAD is reversible and it can be installed with  
curved (C) or squared (Q) manifolds at front.  
As standard it has squared (Q) manifolds at front  
State if the manifold front side is curved (C)

AS  
STANDARD



ON  
REQUEST



## STANDARD PRODUCTION

White sablé SB9016 paintwork, M8KB  
brackets - Air vent ø 1/8" - Tolerance ± 3mm  
MAXIMUM OPERATING PRESSURE 8 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with chrome-plated  
M8KC brackets +15/25%  
Electric version e.KUAD, page 238


## STANDARD FITTING

REG ø 1/2"  
Fittings ø 3/8", on request  
KUAD as a divider, page 202




## TAPPING CENTRES

Standard connection REG with reverse valves




ON REQUEST  
EG fittings



Height is 4 cm less (H1) for:

- EG fitting (t.c. L-2,2cm)
- side fittings (t.c. H1-4cm)

Extra Art. AS 91,20€



FIXINGS  
Brackets included



Art. M8K..

□ Mod. h 180cm



KUAD 75-50

## RECOMMENDED VALVES

CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16

SPECIAL FINISHES


Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

page 267

REMOTE FITTINGS

Tapping centres: at the rear of radiator ▲ ▽ L-2cm  
DISTANT Valves page 274

Art. REM 42,10€



KIT REVERSE VALVES QUADRA


page 271

Art. KQR

180,10€

Extra for BREM color list

53,40€



KIT REVERSE VALVES CYL with thermostatic option


page 273

Art. KCR

149,90€

Extra for BREM color list

53,40€




KIT REVERSE VALVES TON with THERMOSTATIC

Head page 269

Art. KTR

190,30€



REM



The high thermal output and much reduced protrusion of the round tubes with curved

corners are the main characteristics of the MAHN heated towel rail. The beauty of

radiators using thin tubes is highlighted by the absence of sharp corners.






## DIMENSIONS

Width 28/50/60/75 cm

Height 68,3/89,3/116,8/144,3/177,3 cm

Depth 6,5 cm

Depth from wall 9,5 cm



MAHN 70 - 50

MAHN 90 - 50

MAHN 120 - 50

MAHN 150 - ...

MAHN 180 - ...

| MODEL                 | H/L<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and*<br>Watt € |        |
|-----------------------|-----------|--------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|-------------------------------------------------|--------|
| MAHN                  | 70-50     | 584,00                               | 420             | 317                       | 220             | 47                | 68,3              | 50               | 5,5               | 3,31               | 400                                             | 103,40 |
| MAHN                  | 90-50     | 742,70                               | 549             | 414                       | 287             | 47                | 89,3              | 50               | 7,0               | 4,22               | 500                                             | 105,60 |
| MAHN                  | 120-50    | 883,60                               | 684             | 516                       | 358             | 47                | 116,8             | 50               | 9,0               | 5,47               | 650                                             | 107,80 |
| Slim-MAHN             | 150-28    | 955,60                               | 541             | 408                       | 283             | 25                | 144,3             | 28               | 7,5               | 5,21               | 500                                             | 105,60 |
| MAHN                  | 150-50    | 1047,30                              | 833             | 629                       | 436             | 47                | 144,3             | 50               | 11                | 6,73               | 800                                             | 112,60 |
| MAHN                  | 150-60    | 1098,00                              | 986             | 744                       | 516             | 57                | 144,3             | 60               | 12,6              | 7,31               | 900                                             | 116,20 |
| Slim-MAHN             | 180-28    | 1135,30                              | 683             | 516                       | 357             | 25                | 177,3             | 28               | 9,7               | 6,76               | 650                                             | 107,80 |
| MAHN                  | 180-50    | 1238,70                              | 1056            | 797                       | 552             | 47                | 177,3             | 50               | 13,9              | 8,40               | 1200                                            | 124,50 |
| MAHN                  | 180-60    | 1302,20                              | 1226            | 926                       | 641             | 57                | 177,3             | 60               | 15,8              | 9,14               | 1200                                            | 124,50 |
| MAHN                  | 180-75    | 1408,50                              | 1562            | 1179                      | 817             | 72                | 177,3             | 75               | 18,7              | 10,25              | 1500                                            | 135,40 |
| MAHN-PLUS             | 150-50    | 1797,70                              | 1604            | 1211                      | 842             | 47                | 144,3             | 50               | 20,5              | 13,20              | 1500                                            | 135,40 |
| CHROME-PLATED VERSION |           |                                      |                 |                           |                 |                   |                   |                  |                   |                    |                                                 |        |
| M-CROM                | 70-50     | 1178,10                              | 336             | 254                       | 176             | 47                | 68,3              | 50               | 5,5               | 3,31               | 300                                             | 102,30 |
| M-CROM                | 90-50     | 1501,50                              | 439             | 331                       | 229             | 47                | 89,3              | 50               | 7,0               | 4,22               | 400                                             | 103,40 |
| M-CROM                | 120-50    | 1785,20                              | 547             | 413                       | 286             | 47                | 116,8             | 50               | 9,0               | 5,47               | 500                                             | 105,60 |
| M-CROM                | 150-50    | 2115,50                              | 666             | 502                       | 349             | 47                | 144,3             | 50               | 11                | 6,73               | 650                                             | 107,80 |
| M-CROM                | 180-28    | 2288,30                              | 546             | 411                       | 285             | 25                | 177,3             | 28               | 9,7               | 6,76               | 500                                             | 105,60 |
| M-CROM                | 180-50    | 2502,50                              | 845             | 638                       | 442             | 47                | 177,3             | 50               | 13,9              | 8,40               | 900                                             | 116,20 |

Chrome plated finish with chrome-plated brackets

\*Dual fuel valve or T to be added p.207  
Thermostats p.208-209

## STANDARD PRODUCTION

White sablé SB9016 paintwork, M8B brackets

Air vent ø 1/8" - Tolerance ± 3mm

MAXIMUM OPERATING PRESSURE 8 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with chrome-plated M8C brackets

+15/25%

Electrical version e.Mahn, page 244

## STANDARD FITTING

EG ø 1/2"

Fittings on request, page 279

Accessories, page 277






## TAPPING CENTRES

EG vertical standard fittings

Side fittings, on request




Side fittings (▲▽: H-4cm)


Extra

Art. AS 91,20€

MAHN PLUS EG fittings ø 1/2"



left front delivery, right rear return



## FIXINGS

Brackets included




Art. M8..  
MAHN PLUS  
Art. M4..

MAHN h 180 cm

## RECOMMENDED VALVES


CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16



KIT ANGLED VALVES TON  
page 269

Art. KVS 137,10€



KIT SIDE control VALVES CYL with THERMOSTATIC  
option, page 273

Extra for BREM color list

Art. KCL 162,50€

53,40€



Lengths up to 6 m.

## REMOTE FITTINGS

Art. REM 42,10€

Tapping centres: at the rear of radiator ▲▽ EG

DISTANT Valves page 274

## SPECIAL FINISHES

page 267

Finishes Gold, Bronze, Brushed Nickel for 2 valves

Brushed Nickel FITTING KIT extra Art. RN 30,50€

# MAHN-AIR

The harmony of rhythms and alternations of round tubes with curved corners and spaces,

give shape to a collection of very practical towel warmers with a simple and attractive

design suitable for installation from the living area bathroom to the master bathroom.

## DIMENSIONS

Width 51/61/75 cm

Height 82/111/112/142/155/172/180/186 cm

Depth 6,5 cm Depth from wall 10 cm




MAHN-AIR 82-51




MAHN-AIR 112-51



MAHN-AIR 142-51




MAHN-AIR 186-51




MAHN-A2R 111-51




MAHN-A2R 142-51




MAHN-A2R 172-51



MAHN-A3R 128-51



MAHN-A3R 155-51



MAHN-A3R 180-51

| MODELE   | HxL<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt € |        |
|----------|-----------|--------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|-------------------------------------------------------|--------|
| MAHN-AIR | 82-51     | 525,50                               | 294             | 221                       | 154             | 36                | 81,5              | 51               | 4,0               | 1,8                | 300                                                   | 126,20 |
| MAHN-AIR | 112-51    | 594,20                               | 393             | 296                       | 206             | 36                | 111,5             | 51               | 5,5               | 2,5                | 400                                                   | 127,40 |
| MAHN-AIR | 142-51    | 751,00                               | 491             | 370                       | 257             | 36                | 141,5             | 51               | 6,9               | 3,2                | 500                                                   | 129,60 |
| MAHN-AIR | 186-51    | 867,10                               | 638             | 480                       | 334             | 36                | 186,5             | 51               | 9,1               | 4,2                | 650                                                   | 131,80 |
| MAHN-AIR | 186-61    | 911,60                               | 716             | 539                       | 374             | 46                | 186,5             | 61               | 10,0              | 4,5                | 650                                                   | 131,80 |
| MAHN-A2R | 111-51    | 705,50                               | 503             | 379                       | 263             | 36                | 111               | 51               | 6,7               | 3                  | 500                                                   | 129,60 |
| MAHN-A2R | 142-51    | 839,30                               | 633             | 477                       | 331             | 36                | 141,6             | 51               | 8,6               | 3,8                | 650                                                   | 131,80 |
| MAHN-A2R | 172-51    | 929,00                               | 764             | 575                       | 400             | 36                | 172,2             | 51               | 10,4              | 4,7                | 800                                                   | 136,60 |
| MAHN-A2R | 172-61    | 976,60                               | 868             | 654                       | 454             | 46                | 172,2             | 61               | 11,6              | 5,1                | 900                                                   | 140,20 |
| MAHN-A3R | 128-51    | 861,80                               | 650             | 489                       | 340             | 36                | 128,5             | 51               | 8,7               | 3,8                | 650                                                   | 131,80 |
| MAHN-A3R | 155-51    | 942,50                               | 775             | 584                       | 405             | 36                | 154,5             | 51               | 10,4              | 4,6                | 800                                                   | 136,60 |
| MAHN-A3R | 180-51    | 1012,70                              | 900             | 678                       | 471             | 36                | 180,5             | 51               | 12,1              | 5,4                | 900                                                   | 140,20 |
| MAHN-A3R | 180-61    | 1166,70                              | 1027            | 773                       | 537             | 46                | 180,5             | 61               | 13,6              | 5,9                | -                                                     | -      |

Thermostats p.208-209

## STANDARD PRODUCTION

White sablé SB9016 paintwork, B35 brackets

Air vent ø 1/8" - Tolerance ± 3mm

MAXIMUM OPERATING PRESSURE 8 BAR

## PRODUCTION ON REQUEST

Paintwork to Brem color list with colored B35 brackets


Electric version e.Mahn-AIR, page 245

## STANDARD FITTING

REG ø 1/2"

Fittings ø 3/8", on request


Fittings on request, page 279




## TAPPING CENTRES

Standard connection REG with reverse valves




### MAHN-AIR



### MAHN-A2R



### MAHN-A3R




**FIXINGS**  
Brackets B35 included

## RECOMMENDED VALVES


CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16




**KIT REVERSE VALVES TON**  
page 269

Art. KVR 137,10€



**KIT REVERSE VALVES CYL** with thermostatic option  
page 273  
Art. KCR 149,90€  
Extra for BREM color list 53,40€



**KIT REVERSE VALVES TON** with THERMOSTATIC  
Head page 269  
Art. KTR 190,30€

## SPECIAL FINISHES

page 267  
Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

## REMOTE FITTINGS

Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲ ▽ L -3cm  
DISTANT Valves page 274



Lengths up to 6 m.

MAHN-AIR 142-51

MAHN-A2R 142-51

MAHN-A3R 155-51



# PLANK

PLANK is a modern design towel rail warmer with 20 x 20 mm square tubes and

round manifolds. Suitable for any setting and available in different heights and

widths, can satisfy any request of heating performance for your bathroom


## DIMENSIONS

Width: 40/50/60/120 cm


Height: 44/52/88/124/172/180 cm

Depth: 5 cm


Depth from wall: 8 cm




PLANK 45 - 120




PLANK 50 - 120




PLANK 90 - ..




PLANK 125 - ..



PLANK 170 - ..



PLANK 180 - 60



| MODEL | H-L<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and*<br>Watt € |        |
|-------|-----------|--------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|-------------------------------------------------|--------|
| PLANK | 45-120    | 460,10                               | 489             | 369                       | 257             | 117               | 44                | 120              | 8,4               | 3,5                | -                                               | -      |
| PLANK | 50-120    | 497,10                               | 608             | 459                       | 320             | 117               | 52                | 120              | 10,5              | 4,4                | -                                               | -      |
| PLANK | 90-40     | 365,80                               | ▶ 390           | 294                       | 205             | 37                | 88                | 40               | 7,0               | 3,1                | 400                                             | 103,40 |
| PLANK | 90-50     | 379,70                               | ▶ 463           | 350                       | 244             | 47                | 88                | 50               | 8,2               | 3,6                | 500                                             | 105,60 |
| PLANK | 125-40    | 489,40                               | ▶ 539           | 407                       | 284             | 37                | 124               | 40               | 9,6               | 4,3                | 500                                             | 105,60 |
| PLANK | 125-50    | 506,40                               | ▶ 640           | 483                       | 337             | 47                | 124               | 50               | 11,4              | 5,0                | 650                                             | 107,80 |
| PLANK | 125-60    | 523,20                               | 741             | 559                       | 390             | 57                | 124               | 60               | 13,1              | 5,7                | 800                                             | 112,60 |
| PLANK | 170-40    | 669,80                               | ▶ 757           | 572                       | 398             | 37                | 172               | 40               | 13,5              | 6,0                | 800                                             | 112,60 |
| PLANK | 170-50    | 696,20                               | ▶ 899           | 679                       | 473             | 47                | 172               | 50               | 15,9              | 7,0                | 900                                             | 116,20 |
| PLANK | 180-60    | 763,70                               | 1110            | 838                       | 584             | 57                | 180               | 60               | 19,4              | 8,4                | 1200                                            | 124,50 |

▶ Available Stock in standard white

\*Dual fuel valve or T to be added p.207  
Thermostats p.208-209

## STANDARD PRODUCTION

White sablé SB9016 paintwork, G30 brackets  
Tolerance  $\pm 3$  mm - Air vent  $\varnothing 1/2"$

MAXIMUM OPERATING PRESSURE 8 BAR


## PRODUCTION ON REQUEST

Paint to Brem color list with G30 colored  
brackets

Electric version e.PLANK, page 249



## STANDARD FITTINGS

EG  $\varnothing 1/2"$






## TAPPING CENTRES



## RECOMMENDED VALVES

### CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16



### ANGLED QUADRA VALVES KIT


page 271

Art. KQS

180,10€

Extra for BREM color list

53,40€



### KIT SIDE control VALVES CYL with THERMOSTATIC


option, page 273

Art. KCL

162,50€

Extra for BREM color list

53,40€



### REMOTE FITTINGS


Art. REM

42,10€

Tapping centres: at the rear of radiator ▲ ▼ EG

DISTANT Valves page 274

Lengths up to 6 m.



### KIT SIDE control VALVES TON with Thermostatic

Head, page 269

Art. KTL

203,70€



PLANK 90-50

# PLANK-AIR

PLANK-AIR is a modern design towel rail warmer with 20 x 20 mm square tubes and

round manifolds. Suitable for any setting and available in five heights and four

widths, can satisfy any request of heating performance for your bathroom

## DIMENSIONS

Width: 40/50/60/120 cm

Height: 44/60/92/116/156/180 cm

Depth: 5 cm


Depth from wall: 8 cm




PLANK-AIR 44 - 120




PLANK-AIR 60 - 120




PLANK-AIR 92 - ..




PLANK-AIR 116 - ..



PLANK-AIR 156 - ..



PLANK-AIR 180 - 60



| MODEL     | H/L<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and*<br>Watt € |        |
|-----------|-----------|--------------------------------------|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|-------------------------------------------------|--------|
| PLANK-AIR | 44-120    | 416,10                               | 379             | 286                       | 199             | 117               | 44                | 120              | 6,6               | 2,8                | -                                               | -      |
| PLANK-AIR | 60-120    | 474,50                               | 507             | 383                       | 267             | 117               | 60                | 120              | 8,8               | 3,7                | -                                               | -      |
| PLANK-AIR | 92-40     | 329,20                               | 321             | 242                       | 169             | 37                | 92                | 40               | 5,8               | 2,7                | 300                                             | 102,20 |
| PLANK-AIR | 92-50     | 352,90                               | 376             | 284                       | 198             | 47                | 92                | 50               | 6,7               | 3,0                | 400                                             | 103,40 |
| PLANK-AIR | 116-40    | 401,30                               | 402             | 304                       | 211             | 37                | 116               | 40               | 7,3               | 3,3                | 400                                             | 103,40 |
| PLANK-AIR | 116-50    | 446,10                               | 471             | 356                       | 248             | 47                | 116               | 50               | 8,5               | 3,8                | 500                                             | 105,60 |
| PLANK-AIR | 156-40    | 496,50                               | 537             | 405                       | 282             | 37                | 156               | 40               | 9,8               | 4,5                | 500                                             | 105,60 |
| PLANK-AIR | 156-50    | 528,40                               | 629             | 475                       | 331             | 47                | 156               | 50               | 11,3              | 5,1                | 650                                             | 107,80 |
| PLANK-AIR | 156-60    | 559,40                               | 721             | 544                       | 379             | 57                | 156               | 60               | 12,9              | 5,7                | 800                                             | 112,60 |
| PLANK-AIR | 180-40    | 591,80                               | 618             | 467                       | 325             | 37                | 180               | 40               | 11,2              | 5,1                | 650                                             | 107,80 |
| PLANK-AIR | 180-50    | 610,80                               | 724             | 547                       | 381             | 47                | 180               | 50               | 13,0              | 5,9                | 800                                             | 112,60 |
| PLANK-AIR | 180-60    | 649,20                               | 830             | 627                       | 437             | 57                | 180               | 60               | 14,8              | 6,6                | 900                                             | 116,20 |

\*Dual fuel valve or T to be added p.207  
Thermostats p.208-209

## STANDARD PRODUCTION

White sablé SB9016 paintwork, G30 brackets, tolerance ± 3 mm - Air vent ø 1/2"

MAXIMUM OPERATING PRESSURE 8 BAR

## PRODUCTION ON REQUEST

Paint to Brem color list with G30 colored brackets +15/25%



Electric version e.PLANK-AIR, page 249

## STANDARD FITTINGS

EG ø 1/2"



## TAPPING CENTRES




**FIXINGS**  
G30 Brackets  
included

## RECOMMENDED VALVES

**CHROME VALVES KIT with:**

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16




**ANGLED QUADRA VALVES KIT**  
page 271

Art. KQS

180,10€

Extra for BREM color list

53,40€



**KIT SIDE control VALVES CYL with THERMOSTATIC**  
option, page 273

Art. KCL

162,50€

Extra for BREM color list

53,40€




**REMOTE FITTINGS**

Art. REM

42,10€

Tapping centres: at the rear of radiator ▲ ▼ EG  
DISTANT Valves page 274



**KIT SIDE control VALVES TON with Thermostatic**  
Head, page 269

Art. KTL 203,70€



PLANK-AIR 156-50

# PLUS 12

The PLUS 12 towel warmer is produced with thin  $\varnothing 12$  tubes that emit very high yields.

The manifolds, with their round tubes, are extremely compact to minimise space.

The PLUS 12 comes in all the shades in the Brem colour list.


## DIMENSIONS

Widths: 40/50/60/75 cm


Heights: 85/115/145/175 cm

Depth: 4 cm


Depth from wall: 9 cm




PLUS12 85 - ..



PLUS12 115 - ..



PLUS12 145 - ..



PLUS12 175 - ..



| MODEL   | HxL<br>cm | Standard white<br>sablé SB9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and*<br>Watt € |        |
|---------|-----------|-------------------------------------|-----------------|---------------------------|-----------------|------------------|-------------------|------------------|-------------------|--------------------|-------------------------------------------------|--------|
| PLUS 12 | 85-40     | 394,10                              | 382             | 291                       | 205             | 37               | 85                | 40               | 5                 | 1,9                | 400                                             | 103,40 |
| PLUS 12 | 85-50     | 401,50                              | 455             | 347                       | 244             | 47               | 85                | 50               | 5,8               | 2,2                | 500                                             | 105,60 |
| PLUS 12 | 115-40    | 560,60                              | 531             | 405                       | 285             | 37               | 115               | 40               | 7,0               | 2,6                | 500                                             | 105,60 |
| PLUS 12 | 115-50    | 576,90                              | 633             | 482                       | 339             | 47               | 115               | 50               | 8,1               | 3,0                | 650                                             | 107,80 |
| PLUS 12 | 145-40    | 642,50                              | 679             | 517                       | 364             | 37               | 145               | 40               | 8,9               | 3,4                | 650                                             | 107,80 |
| PLUS 12 | 145-50    | 662,60                              | 812             | 619                       | 435             | 47               | 145               | 50               | 10,3              | 3,8                | 800                                             | 112,60 |
| PLUS 12 | 145-60    | 687,70                              | 944             | 719                       | 506             | 57               | 145               | 60               | 11,8              | 4,2                | 900                                             | 116,20 |
| PLUS 12 | 175-40    | 734,40                              | 828             | 631                       | 444             | 37               | 175               | 40               | 10,8              | 4,1                | 800                                             | 112,60 |
| PLUS 12 | 175-50    | 768,90                              | 990             | 754                       | 531             | 47               | 175               | 50               | 12,6              | 4,6                | 900                                             | 116,20 |
| PLUS 12 | 175-60    | 788,50                              | 1151            | 877                       | 617             | 57               | 175               | 60               | 14,4              | 5,1                | 1200                                            | 124,50 |
| PLUS 12 | 175-75    | 892,20                              | 1394            | 1062                      | 747             | 72               | 175               | 75               | 17,0              | 5,9                | 1500                                            | 135,40 |

► Available Stock in standard white

\*Dual fuel valve or T to be added p.207  
Thermostats p.208-209

## STANDARD PRODUCTION

White sablé SB9016 paintwork, M8GB  
brackets, Tolerance  $\pm 3$  mm - Air vent  $\varnothing 1/2"$   
MAXIMUM OPERATING PRESSURE 6 BAR

## PRODUCTION ON REQUEST

Paint to Brem color list with  
chrome-plated brackets M8GC +15/25%  
Electric version e.Plus12, page 251

## STANDARD FITTINGS



EG  $\varnothing 1/2"$

Accessories, page 277





## TAPPING CENTRES




**FIXINGS**  
Brackets included



Art. M8G..

□ Mod. h 175cm



PLUS 12 175-50

## RECOMMENDED VALVES

**CHROME VALVES KIT with:**



- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16

## SPECIAL FINISHES

page 267  
Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€


## REMOTE FITTINGS

Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲▼ EG  
DISTANT Valves page 274




KIT ANGLED VALVES TON  
page 269

Art. KVS 137,10€



KIT SIDE control VALVES CYL with THERMOSTATIC  
option, page 273 Art. KCL 162,50€  
Extra for BREM color list 53,40€



KIT SIDE control VALVES TON with Thermostatic  
Head, page 269 Art. KTL 203,70€

# PLUS 18

Towel warmer with a classic design suitable for installation in any bathroom.

Made with vertical manifolds and round horizontal tubes is available in six heights

and four widths. The radiant tubes have the terminals with an exclusive spherical shape.


## DIMENSIONS

Width 42/52/62 cm

Height 79,2/122,4/158,4/180 cm

Depth 4,7 cm

Depth from wall 8,9 cm



| MODEL   | HxL<br>cm | Standard white<br>sablé SB9016<br>€ |   | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and*<br>Watt € |        |
|---------|-----------|-------------------------------------|---|-----------------|---------------------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|-------------------------------------------------|--------|
| PLUS 18 | 80-52     | 302,40                              | ▶ | 408             | 310                       | 217             | 45                | 79,2              | 52               | 7,2               | 2,9                | 400                                             | 103,40 |
| PLUS 18 | 125-42    | 379,70                              |   | 516             | 392                       | 275             | 35                | 122,4             | 42               | 9,2               | 3,8                | 500                                             | 105,60 |
| PLUS 18 | 125-52    | 393,80                              | ▶ | 607             | 462                       | 324             | 45                | 122,4             | 52               | 10,7              | 4,3                | 650                                             | 107,80 |
| PLUS 18 | 160-42    | 457,10                              |   | 650             | 494                       | 346             | 35                | 158,4             | 42               | 11,6              | 4,8                | 650                                             | 107,80 |
| PLUS 18 | 160-52    | 478,10                              | ▶ | 764             | 581                       | 407             | 45                | 158,4             | 52               | 13,5              | 5,5                | 800                                             | 112,60 |
| PLUS 18 | 160-62    | 500,60                              |   | 878             | 668                       | 468             | 55                | 158,4             | 62               | 15,5              | 6,2                | 900                                             | 116,20 |
| PLUS 18 | 180-42    | 538,60                              |   | 756             | 575                       | 403             | 35                | 180               | 42               | 13,5              | 5,6                | 800                                             | 112,60 |
| PLUS 18 | 180-52    | 562,60                              | ▶ | 889             | 676                       | 474             | 45                | 180               | 52               | 15,7              | 6,4                | 900                                             | 116,20 |
| PLUS 18 | 180-62    | 586,50                              |   | 1022            | 777                       | 545             | 55                | 180               | 62               | 18,0              | 7,2                | 1200                                            | 124,50 |

▶ Available Stock in standard white

\*Dual fuel valve or T to be added p.207  
Thermostats p.208-209

## STANDARD PRODUCTION

White sablé SB9016 paintwork - white G40 brackets; Tolerance  $\pm 3$  mm - Air vent  $\varnothing 1/2"$

MAXIMUM OPERATING PRESSURE 8 BAR

## PRODUCTION ON REQUEST

Paint to Brem color list with G40 colored brackets



Electric version e.PLUS 18, page 251

## STANDARD FITTINGS

EG  $\varnothing 1/2"$



## TAPPING CENTRES



**FIXINGS**  
Brackets Art. G40  
included




PLUS 18 125-52

## RECOMMENDED VALVES

CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16




KIT ANGLED VALVES TON  
page 269

Art. KVS 137,10€

## SPECIAL FINISHES

page 267  
Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€




KIT SIDE control VALVES CYL with THERMOSTATIC  
option, page 273  
Art. KCL 162,50€  
Extra for BREM color list 53,40€

## REMOTE FITTINGS

Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲ ▼ EG  
DISTANT Valves page 274



Lengths up to 6 m



KIT SIDE control VALVES TON with Thermostatic  
Head, page 269  
Art. KTL 203,70€

# PLUS-AIR

Towel warmer with a classic design suitable for installation in any bathroom. Made with

vertical collectors and round horizontal tubes, it is available in six heights and four

widths. The radiant tubes have terminals with an exclusive spherical shape.


## DIMENSIONS

Width 42/52/62 cm


Height 101/136/171/185 cm

Depth 4,7 cm


Depth from wall 7,8 cm




PLUS-AIR 101-...




PLUS-AIR 136-...



PLUS-AIR 171-...



PLUS-AIR 185-...



| MODEL    | H-L<br>cm | Standard white<br>sablé SB9016<br>€ | EN 442          |                 |                 | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION        |        |
|----------|-----------|-------------------------------------|-----------------|-----------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|--------------------------|--------|
|          |           |                                     | Δt 50 K<br>watt | Δt 40 K<br>watt | Δt 30 K<br>watt |                   |                   |                  |                   |                    | with E.H.E. and*<br>Watt | €      |
| PLUS-AIR | 101-42    | 322,80                              | 314             | 239             | 167             | 35                | 101               | 42               | 2,5               | 5,7                | 300                      | 102,20 |
| PLUS-AIR | 101-52    | 334,80                              | 363             | 276             | 193             | 45                | 101               | 52               | 2,8               | 6,6                | 400                      | 103,40 |
| PLUS-AIR | 136-42    | 368,40                              | 420             | 319             | 224             | 35                | 136               | 42               | 3,3               | 7,7                | 400                      | 103,40 |
| PLUS-AIR | 136-52    | 382,00                              | 485             | 369             | 259             | 45                | 136               | 52               | 3,7               | 8,8                | 500                      | 105,60 |
| PLUS-AIR | 171-42    | 416,00                              | 526             | 400             | 280             | 35                | 171               | 42               | 4,2               | 9,6                | 500                      | 105,60 |
| PLUS-AIR | 171-52    | 435,10                              | 608             | 462             | 324             | 45                | 171               | 52               | 4,7               | 11                 | 650                      | 107,80 |
| PLUS-AIR | 171-62    | 455,60                              | 689             | 524             | 367             | 55                | 171               | 62               | 5,1               | 12,4               | 650                      | 107,80 |
| PLUS-AIR | 185-42    | 457,90                              | 569             | 433             | 303             | 35                | 185               | 42               | 4,5               | 10,4               | 500                      | 105,60 |
| PLUS-AIR | 185-52    | 478,10                              | 657             | 500             | 350             | 45                | 185               | 52               | 5,0               | 11,9               | 650                      | 107,80 |
| PLUS-AIR | 185-62    | 498,60                              | 744             | 566             | 397             | 55                | 185               | 62               | 5,6               | 13,4               | 800                      | 112,60 |

\*Dual fuel valve or T to be added p.207  
Thermostats p.208-209

## STANDARD PRODUCTION

White sablé SB9016 paintwork - G30 white brackets; Tolerance  $\pm 3$  mm - Air vent  $\varnothing 1/2"$

MAXIMUM OPERATING PRESSURE 8 BAR

## PRODUCTION ON REQUEST

Paint to Brem color list with G30 colored brackets

Electric version ePlus-AIR p. 252



## STANDARD FITTINGS

EG  $\varnothing 1/2"$





## TAPPING CENTRES




**FIXINGS**  
Brackets Art. G30  
included

## RECOMMENDED VALVES


**CHROME VALVES KIT with:**

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16




**KIT ANGLED VALVES TON**  
page 269

Art. KVS 137,10€




**KIT SIDE control VALVES CYL with THERMOSTATIC**  
option, page 273  
Art. KCL 162,50€  
Extra for BREM color list 53,40€



**KIT SIDE control VALVES TON with Thermostatic**  
Head, page 269  
Art. KTL 203,70€

**SPECIAL FINISHES** page 267  
Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

**REMOTE FITTINGS** Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲ ▼ EG  
**DISTANT Valves** page 274



PLUS-AIR 171-52

# RAW VERTICAL MODELS

RAW a particularly iconic product, its curved 25 mm diameter tubes have been

assembled and welded to form box shapes with an attractive diagonal cross in the centre.

Form without form, three dimensional and yet empty, a framework.

design Davide Diliberto

## DIMENSIONS


Width : 50/77 cm

Height : 50/77/104/130/157/183/210 cm


Depth : 10 cm

Depth from wall : 13,5 cm


## RAW1



## RAW2



## RAW3



A'DESIGN AWARD  
WINNER 2019  
GOLD


## VERTICAL MODELS

|      | HL<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | Δt 30 K<br>watt | ▲▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt | €      |
|------|----------|--------------------------------------|-----------------|---------------------------|-----------------|------------------|-------------------|------------------|-------------------|--------------------|-----------------------------------------------------|--------|
| RAW1 | 50-50    | 632,90                               | 287             | 219                       | 155             | 42               | 50,5              | 50,5             | 4,4               | 2,1                | 300                                                 | 126,20 |
| RAW1 | 77-50    | 731,40                               | 356             | 272                       | 192             | 42               | 77,0              | 50,5             | 5,5               | 2,7                | 400                                                 | 127,40 |
| RAW1 | 104-50   | 815,80                               | 421             | 320                       | 224             | 42               | 103,5             | 50,5             | 6,7               | 3,3                | 400                                                 | 127,40 |
| RAW2 | 104-50   | 1054,90                              | 578             | 440                       | 308             | 42               | 103,5             | 50,5             | 8,8               | 4,3                | 500                                                 | 129,60 |
| RAW2 | 130-50   | 1118,10                              | 647             | 539                       | 342             | 42               | 130,0             | 50,5             | 9,9               | 4,9                | 650                                                 | 131,80 |
| RAW2 | 157-50A  | 1181,40                              | 712             | 539                       | 376             | 42               | 156,5             | 50,5             | 11,1              | 5,5                | 800                                                 | 136,60 |
| RAW2 | 157-50B  | 1181,40                              | 717             | 543                       | 379             | 42               | 156,5             | 50,5             | 11,1              | 5,4                | 800                                                 | 136,60 |
| RAW2 | 183-50   | 1216,50                              | 782             | 592                       | 413             | 42               | 183,0             | 50,5             | 12,3              | 6,0                | 800                                                 | 136,60 |
| RAW2 | 210-50   | 1265,80                              | 846             | 637                       | 442             | 42               | 209,5             | 50,5             | 13,5              | 6,6                | 900                                                 | 140,20 |
| RAW3 | 157-50   | 1476,80                              | 868             | 657                       | 458             | 42               | 156,5             | 50,5             | 13,2              | 6,4                | 900                                                 | 140,20 |
| RAW3 | 157-77   | 1547,20                              | 1077            | 815                       | 569             | 68,5             | 156,5             | 77,0             | 16,6              | 8,2                | 1200                                                | 148,50 |
| RAW3 | 183-50   | 1504,90                              | 938             | 710                       | 495             | 42               | 183,0             | 50,5             | 14,3              | 7,0                | 900                                                 | 140,20 |
| RAW3 | 210-50A  | 1519,10                              | 1003            | 755                       | 525             | 42               | 209,5             | 50,5             | 15,5              | 7,6                | 900                                                 | 140,20 |
| RAW3 | 210-50B  | 1519,10                              | 1007            | 758                       | 527             | 42               | 209,5             | 50,5             | 15,5              | 7,6                | 900                                                 | 140,20 |

Other sizes and with 60 cm wide elements on request.

Thermostats p.228-229

MIXED VERSION  
fittings EG ▲▼ 5 cm



## STANDARD PRODUCTION

White sablé SB9016 paintwork, B35 brackets  
Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 8 BAR

## PRODUCTION ON REQUEST

Paintwork to BREM color list with  
colored B35 brackets

Electric version, e.Raw page 254

+15/25%

## STANDARD FITTING EG ø 1/2"


Fittings 3/8" on request  
Feet and dividers, on request  
Special fittings, page 278



## TAPPING CENTRES

EG vertical standard fittings

Side fittings, on request without extra



## DESIGN YOUR RADIATOR BY COMPOSING BASIC MODULES

Request feasibility and quotation



RAW1 50-50



RAW1 50-77



RAW1 50-104




RAW1 77-50



RAW1 104-50

## FIXINGS


Brackets included



## RECOMMENDED VALVES

CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16




KIT ANGLED VALVES MINI page 270  
chrome-plated or white color Art. KMS 124,00€

## SPECIAL FINISHES

Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€



page 267



KIT SIDE control VALVES CYL with THERMOSTATIC  
option, page 273 Art. KCL 162,50€  
Extra for BREM color list 53,40€

## REMOTE FITTINGS

Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲▼ EG  
DISTANT Valves page 274



KIT SIDE control VALVES TON with Thermostatic  
Head, page 269 Art. KTL 203,70€



RAW3 210-50B RAW2 210-50



# RAW

## HORIZONTAL MODELS

RAW a particularly iconic product, its curved 25 mm diameter tubes have been

assembled and welded to form box shapes with an attractive diagonal cross in the centre.

Form without form, three dimensional and yet empty, a framework.

design Davide Diliberto

### DIMENSIONS

Width : 77/104 cm



Height : 50 /77/104/130/157 cm

Depth : 10 cm

Depth from wall : 13,5 cm



### RAW1




RAW1 50-77



RAW1 50-104


### RAW2



RAW2 50-104




RAW2 50-130



RAW2 50-157A



RAW2 50-157B




RAW2 77-104



RAW2 104-77

### RAW3





RAW3 50-157

| HORIZONTAL MODEL | H-L cm  | Standard white sablé SB 9016 € | Δt 50 K watt | EN 442 Δt 40 K watt | Δt 30 K watt | ▲ ▼ t.c. cm | Height H cm | Width L cm | Weight M Kg | Volume V dm³ | DUAL FUEL VERSION with E.H.E. and sleeve Watt € |        |
|------------------|---------|--------------------------------|--------------|---------------------|--------------|-------------|-------------|------------|-------------|--------------|-------------------------------------------------|--------|
| RAW1             | 50-77   | 731,40                         | 356          | 272                 | 192          | 68,5        | 50,5        | 77,0       | 5,5         | 2,7          | 400                                             | 127,40 |
| RAW1             | 50-104  | 815,80                         | 421          | 320                 | 224          | 95          | 50,5        | 103,5      | 6,7         | 3,3          | 400                                             | 127,40 |
| RAW2             | 50-104  | 1054,90                        | 578          | 440                 | 308          | 95          | 50,5        | 103,5      | 8,8         | 4,3          | 650                                             | 131,80 |
| RAW2             | 50-130  | 1118,10                        | 647          | 492                 | 345          | 121,5       | 50,5        | 130        | 9,9         | 4,9          | 650                                             | 131,80 |
| RAW2             | 50-157A | 1181,40                        | 712          | 539                 | 376          | 148         | 50,5        | 156,5      | 11,1        | 5,5          | 650                                             | 131,80 |
| RAW2             | 50-157B | 1181,40                        | 717          | 543                 | 379          | 148         | 50,5        | 156,5      | 11,1        | 5,4          | 650                                             | 131,80 |
| RAW2             | 77-104  | 1181,40                        | 717          | 543                 | 379          | 95          | 77,0        | 103,5      | 11,1        | 5,4          | 650                                             | 131,80 |
| RAW2             | 104-77  | 1181,40                        | 726          | 548                 | 384          | 68,5        | 103,5       | 77,0       | 11,1        | 5,4          | 800                                             | 136,60 |
| RAW3             | 50-157  | 1476,80                        | 868          | 657                 | 458          | 148         | 50,5        | 156,5      | 13,2        | 6,4          | 900                                             | 140,20 |

\*horizontal resistance

Thermostats p.228-229

MIXED VERSION  
fittings EG ▲ ▼ 5 cm



### STANDARD PRODUCTION

White "sablé" paintwork - white B35 brackets

Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 8 BAR

### PRODUCTION ON REQUEST

Paintwork to BREM color list with colored B35 brackets

Electric version, e.Raw page 254


+15/25%

### STANDARD FITTING EG ø 1/2"

Fittings 3/8" on request

Feet and dividers, on request

Special fittings, page 279






## TAPPING CENTRES


EG vertical standard fittings

Side fittings, on request without extra



### FIXINGS


Brackets included



## RECOMMENDED VALVES

CHROME VALVES KIT with:


- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16



KIT ANGLED VALVES MINI page 270  
chrome-plated or white color Art. KMS 124,00€

### SPECIAL FINISHES



Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€



KIT SIDE control VALVES CYL with THERMOSTATIC  
option, page 273 Art. KCL 162,50€  
Extra for BREM color list 53,40€

### REMOTE FITTINGS

Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲▼ EG  
DISTANT Valves page 274



KIT SIDE control VALVES TON with Thermostatic  
Head, page 269 Art. KTL 203,70€



RAW2 104 77

# SHAR

SHAR has all the main characteristics of a traditional heated towel rail. Its aesthetic

harmony arises from the semi-oval shape of the manifolds, which are reduced to minimum

dimensions and with radiating tubes of  $\varnothing$  15 mm, they portray lightness and solidity.


## DIMENSIONS

Width 33 / 45 / 50 / 60 / 75 cm


Height 71,8 / 110,3 / 140,6 / 181,8 cm

Depth 3 cm


Depth from wall 10 cm



SHAR 70-...




SHAR 110-...



SHAR 140-...



SHAR 180-...



| MODEL            | H-L<br>cm | Standard white<br>sablé SB 9016<br>€ | EN 442<br>$\Delta t$ 50K<br>watt | $\Delta t$ 40K<br>watt | $\Delta t$ 30K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm <sup>3</sup> | DUAL FUEL VERSION<br>with E.H.E. and*<br>Watt € |        |
|------------------|-----------|--------------------------------------|----------------------------------|------------------------|------------------------|-------------------|-------------------|------------------|-------------------|--------------------------------|-------------------------------------------------|--------|
| SHAR 70-45       | 70-45     | 400,00                               | 353                              | 267                    | 181                    | 42                | 71,8              | 45               | 4,9               | 3,12                           | 400                                             | 103,40 |
| SHAR 70-50       | 70-50     | 410,90                               | 389                              | 294                    | 200                    | 47                | 71,8              | 50               | 5,3               | 3,27                           | 400                                             | 103,40 |
| SHAR 70-60       | 70-60     | 427,10                               | 458                              | 346                    | 235                    | 57                | 71,8              | 60               | 6,1               | 3,59                           | 500                                             | 105,60 |
| SHAR 110-45      | 110-45    | 519,70                               | 526                              | 397                    | 270                    | 42                | 110,3             | 45               | 7,4               | 4,74                           | 500                                             | 105,60 |
| SHAR 110-50      | 110-50    | 532,90                               | 580                              | 438                    | 298                    | 47                | 110,3             | 50               | 8,0               | 4,97                           | 650                                             | 107,80 |
| SHAR 110-60      | 110-60    | 556,50                               | 684                              | 516                    | 352                    | 57                | 110,3             | 60               | 9,2               | 5,45                           | 650                                             | 107,80 |
| Slim SHAR 140-33 | 140-33    | 612,00                               | 468                              | 353                    | 241                    | 30                | 140,6             | 33               | 7,3               | 4,51                           | 500                                             | 105,60 |
| SHAR 140-45      | 140-45    | 653,50                               | 653                              | 493                    | 336                    | 42                | 140,6             | 45               | 9,3               | 6,00                           | 650                                             | 107,80 |
| SHAR 140-50      | 140-50    | 671,30                               | 720                              | 544                    | 370                    | 47                | 140,6             | 50               | 10,0              | 6,29                           | 800                                             | 112,60 |
| SHAR 140-60      | 140-60    | 699,90                               | 851                              | 643                    | 437                    | 57                | 140,6             | 60               | 11,6              | 6,88                           | 900                                             | 116,20 |
| Slim SHAR 180-33 | 180-33    | 748,00                               | 618                              | 467                    | 318                    | 30                | 181,8             | 33               | 9,7               | 4,89                           | 650                                             | 107,80 |
| SHAR 180-45      | 180-45    | 798,80                               | 870                              | 657                    | 447                    | 42                | 181,8             | 45               | 12,2              | 7,85                           | 900                                             | 116,20 |
| SHAR 180-50      | 180-50    | 820,70                               | 955                              | 721                    | 491                    | 47                | 181,8             | 50               | 13,2              | 8,24                           | 900                                             | 116,20 |
| SHAR 180-60      | 180-60    | 856,60                               | 1126                             | 850                    | 579                    | 57                | 181,8             | 60               | 15,3              | 9,03                           | 1200                                            | 124,50 |
| SHAR 180-75      | 180-75    | 912,90                               | 1363                             | 1029                   | 701                    | 72                | 181,8             | 75               | 18,1              | 10,21                          | 1500                                            | 135,40 |
| VERSION - CHROME |           |                                      |                                  |                        |                        |                   |                   |                  |                   |                                |                                                 |        |
| S-CROM 70-50     | 70-50     | 941,20                               | 311                              | 235                    | 160                    | 47                | 71,8              | 50               | 5,3               | 3,27                           | 300                                             | 102,20 |
| S-CROM 110-50    | 110-50    | 1220,80                              | 464                              | 350                    | 238                    | 47                | 110,3             | 50               | 8,0               | 4,97                           | 500                                             | 105,60 |
| S-CROM 110-60    | 110-60    | 1303,90                              | 547                              | 413                    | 281                    | 57                | 110,3             | 60               | 9,2               | 5,45                           | 500                                             | 105,60 |
| S-CROM 140-33    | 140-33    | 1400,30                              | 374                              | 282                    | 193                    | 30                | 140,6             | 33               | 7,3               | 4,51                           | 400                                             | 103,40 |
| S-CROM 140-50    | 140-50    | 1538,80                              | 576                              | 435                    | 296                    | 47                | 140,6             | 50               | 10,0              | 6,29                           | 650                                             | 107,80 |
| S-CROM 180-33    | 180-33    | 1715,20                              | 494                              | 373                    | 254                    | 30                | 181,8             | 33               | 9,7               | 4,89                           | 500                                             | 105,60 |
| S-CROM 180-45    | 180-45    | 1836,40                              | 696                              | 526                    | 358                    | 42                | 181,8             | 45               | 12,2              | 7,85                           | 650                                             | 107,80 |
| S-CROM 180-50    | 180-50    | 1879,00                              | 764                              | 577                    | 393                    | 47                | 181,8             | 50               | 13,2              | 8,24                           | 800                                             | 112,60 |

Made-to-measure versions on request Available Stock in standard white

\*Dual fuel valve or T to be added p.207  
Thermostats p.208-209

MAXIMUM OPERATING PRESSURE 8 BAR

## STANDARD PRODUCTION

White "sablé" paintwork-white brackets M8B  
Chrome-plated finish with chrome-pl. brackets  
Tolerance  $\pm$  3 mm - Air vent  $\varnothing$  1/8"

## PRODUCTION ON REQUEST

Paint to Brem color list with  
chrome-plated M8C brackets +15/25%  
Electric version e.Shar, page 257



## STANDARD FITTINGS

EG  $\varnothing$  1/2"  
Special fittings, page 279  
Shar as a divider, page 202




## TAPPING CENTRES

EG vertical standard fittings



Side fittings on request ▲▼ H-4 cm, ø 1/2"  
Extra Art. AS 91,20€



FIXINGS  
Brackets included




Art. M8..

☒ SHAR h 180 cm

## RECOMMENDED VALVES


CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø16




KIT ANGLED VALVES TON  
page 269

Art. KVS 137,10€




KIT SIDE control VALVES CYL with THERMOSTATIC  
option, page 273 Art. KCL 162,50€  
Extra for BREM color list 53,40€



KIT SIDE control VALVES TON with Thermostatic  
Head, page 269 Art. KTL 203,70€

SPECIAL FINISHES page 267  
Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

REMOTE FITTINGS Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲▼ EG  
DISTANT Valves page 274



S-CROM 140-50



# SHAR-AIR

SHAR-AIR is the traditional towel warmer suitable for any room. The semioval main-

pipes and the tubes with a diameter of 15 mm are repeated at different rates, forming

harmonious balance and wide range of thermal outputs.

## DIMENSIONS

Width 50 / 60 cm


Height 94,5/105,5/122/124,5/144,5/162/182/183,5/184,5 cm

Depth 3 cm

Depth from wall 10 cm




SHAR-AIR  
95-50



SHAR-AIR  
125-50




SHAR-AIR  
162-50




SHAR-AIR  
184-..




SHAR-A2R  
122-50



SHAR-A2R  
162-50




SHAR-A2R  
182-..



SHAR-A3R  
105-50



SHAR-A3R  
145-50



SHAR-A3R  
183-..

| MODEL    | HL<br>cm | Standard white<br>sablé SB 9016<br>€ | EN 442          |                 |                 | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt € |        |
|----------|----------|--------------------------------------|-----------------|-----------------|-----------------|-------------------|-------------------|------------------|-------------------|--------------------|-------------------------------------------------------|--------|
| SHAR-AIR | 95-50    | 536,70                               | Δt 50 K<br>watt | Δt 40 K<br>watt | Δt 30 K<br>watt | 38                | 94,5              | 50               | 5                 | 2,4                | 300                                                   | 126,20 |
| SHAR-AIR | 125-50   | 585,30                               | 387             | 289             | 199             | 38                | 124,5             | 50               | 6,3               | 3                  | 400                                                   | 127,40 |
| SHAR-AIR | 162-50   | 684,90                               | 493             | 369             | 253             | 38                | 162               | 50               | 7,9               | 3,8                | 500                                                   | 129,60 |
| SHAR-AIR | 184-50   | 722,50                               | 558             | 417             | 287             | 38                | 184,5             | 50               | 8,9               | 4,3                | 500                                                   | 129,60 |
| SHAR-AIR | 184-60   | 750,50                               | 636             | 476             | 327             | 48                | 184,5             | 60               | 9,9               | 4,7                | 650                                                   | 131,80 |
| SHAR-A2R | 122-50   | 665,30                               | 498             | 373             | 256             | 38                | 122               | 50               | 7,6               | 3,5                | 500                                                   | 129,60 |
| SHAR-A2R | 162-50   | 796,70                               | 647             | 484             | 333             | 38                | 162               | 50               | 9,7               | 4,5                | 650                                                   | 131,80 |
| SHAR-A2R | 182-50   | 853,10                               | 721             | 539             | 371             | 38                | 182               | 50               | 10,8              | 5                  | 800                                                   | 136,60 |
| SHAR-A2R | 182-60   | 905,70                               | 837             | 626             | 430             | 48                | 182               | 60               | 12,3              | 5,6                | 900                                                   | 140,20 |
| SHAR-A3R | 105-50   | 639,90                               | 479             | 358             | 246             | 38                | 105,5             | 50               | 7,2               | 3,3                | 500                                                   | 129,60 |
| SHAR-A3R | 145-50   | 786,80                               | 639             | 478             | 328             | 38                | 144,5             | 50               | 9,5               | 4,3                | 650                                                   | 131,80 |
| SHAR-A3R | 183-50   | 945,40                               | 799             | 598             | 411             | 38                | 183,5             | 50               | 11,7              | 5,4                | 800                                                   | 136,60 |
| SHAR-A3R | 183-60   | 1008,60                              | 932             | 697             | 479             | 48                | 183,5             | 60               | 13,4              | 6,1                | 900                                                   | 140,20 |

Thermostats p.228-229

## STANDARD PRODUCTION

White sablé SB9016 paintwork, B70 brackets

Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 8 BAR

## PRODUCTION ON REQUEST

Paintwork to BREM color list with

colored B70 brackets

Electric version e.Shar-AIR page 258

+15/25%

## STANDARD FITTINGS

REG ø 1/2"

Feet and dividers, page 202


Special fittings, page 279






## TAPPING CENTRES



REG fittings with reverse valves as standard  
SHAR-AIR



SHAR-A2R



SHAR-A3R




**FIXINGS**  
Brackets B70 included

## RECOMMENDED VALVES


CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16




KIT REVERSE VALVES TON  
page 269

Art. KVR 137,10€



KIT REVERSE VALVES CYL with thermostatic option  
page 273  
Art. KCR 149,90€  
Extra for BREM color list 53,40€




KIT REVERSE VALVES TON with THERMOSTATIC  
Head page 269  
Art. KTR 190,30€

## SPECIAL FINISHES

page 267  
Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

## REMOTE FITTINGS

Art. REM 42,10€  
Tapping centres: at the rear of radiator ▲ ▽ L - 16cm  
DISTANT Valves page 274



SHAR-AIR 162-50

SHAR-A2R 162-50

SHAR-A3R 183-50

# START START CURVO

The START heated towel rail is produced using thin radiating  $\varnothing 12$  tubes connected to vertical manifolds forming the exclusive

pointed arch shape. The straight version is unusual in that it has offset upper tubes to improve the distribution of the heat. The

START CURVO is the first heated towel rail with rounded surfaces. The original design of pure and slightly arched lines makes START unique.


## DIMENSIONS

Width 35 / 45 / 55 / 60 cm


Height 75 / 90 / 120 / 150 / 180 cm

Depth 4,7 cm


Depth from wall 10 cm




START 75 - ...



START 90 - ...  
ST-CURVO 90-55




START 120 - ...  
ST-CURVO 120-55



START 150 - ...  
ST-CURVO 150-55



START 180 - ...



| MODEL                      | H/L<br>cm | Standard white<br>sablé SB 9016<br>€ | Δt 50K<br>watt | EN 442<br>Δt 40K<br>watt | Δt 30K<br>watt | ▲ ▼<br>t.c.<br>cm | Height<br>H<br>cm | Width<br>L<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm <sup>3</sup> | DUAL FUEL VERSION<br>with E.H.E. and sleeve<br>Watt | €      |
|----------------------------|-----------|--------------------------------------|----------------|--------------------------|----------------|-------------------|-------------------|------------------|-------------------|--------------------------------|-----------------------------------------------------|--------|
| START                      | 75-45     | 418,50                               | 339            | 256                      | 174            | 31                | 75                | 45               | 4,4               | 1,46                           | 300                                                 | 126,20 |
| START                      | 75-55     | 438,30                               | 401            | 303                      | 206            | 41                | 75                | 55               | 5,0               | 1,65                           | 400                                                 | 127,40 |
| START                      | 90-45     | 511,80                               | 409            | 309                      | 210            | 31                | 90                | 45               | 5,4               | 1,79                           | 400                                                 | 127,40 |
| START                      | 90-55     | 533,60                               | 484            | 365                      | 249            | 41                | 90                | 55               | 6,2               | 2,03                           | 500                                                 | 129,60 |
| START                      | 120-45    | 612,00                               | 552            | 417                      | 284            | 31                | 120               | 45               | 7,4               | 2,46                           | 500                                                 | 129,60 |
| START                      | 120-55    | 634,00                               | 654            | 494                      | 336            | 41                | 120               | 55               | 8,6               | 2,79                           | 650                                                 | 131,80 |
| Slim START                 | 150-35    | 742,80                               | 573            | 433                      | 295            | 21                | 150               | 35               | 7,1               | 2,43                           | 650                                                 | 131,80 |
| START                      | 150-45    | 764,40                               | 703            | 531                      | 361            | 31                | 150               | 45               | 9,4               | 3,12                           | 650                                                 | 131,80 |
| START                      | 150-55    | 797,10                               | 832            | 628                      | 428            | 41                | 150               | 55               | 10,9              | 3,54                           | 800                                                 | 136,60 |
| START                      | 180-45    | 876,50                               | 861            | 650                      | 443            | 31                | 180               | 45               | 11,5              | 3,78                           | 900                                                 | 140,20 |
| START                      | 180-55    | 909,10                               | 1016           | 767                      | 522            | 41                | 180               | 55               | 13,3              | 4,30                           | 900                                                 | 140,20 |
| START                      | 180-60    | 931,30                               | 1094           | 826                      | 562            | 46                | 180               | 60               | 14,2              | 4,56                           | 1200                                                | 148,50 |
| CHROME-PLATED- START       |           |                                      |                |                          |                |                   |                   |                  |                   |                                |                                                     |        |
| ST-CROM                    | 90-45     | 1139,80                              | 327            | 247                      | 168            | 31                | 90                | 45               | 5,4               | 1,79                           | 300                                                 | 126,20 |
| ST-CROM                    | 90-55     | 1189,00                              | 386            | 291                      | 199            | 41                | 90                | 55               | 6,2               | 2,03                           | 400                                                 | 127,40 |
| ST-CROM                    | 120-45    | 1361,70                              | 442            | 334                      | 227            | 31                | 120               | 45               | 7,4               | 2,46                           | 400                                                 | 127,40 |
| ST-CROM                    | 120-55    | 1410,90                              | 523            | 395                      | 269            | 41                | 120               | 55               | 8,6               | 2,79                           | 500                                                 | 129,60 |
| ST-CROM                    | 150-45    | 1702,00                              | 562            | 424                      | 289            | 31                | 150               | 45               | 9,4               | 3,12                           | 500                                                 | 129,60 |
| ST-CROM                    | 150-55    | 1776,10                              | 666            | 503                      | 343            | 41                | 150               | 55               | 10,9              | 3,54                           | 650                                                 | 131,80 |
| ST-CROM                    | 180-35    | 1902,70                              | 565            | 427                      | 291            | 21                | 180               | 35               | 9,6               | 2,94                           | 500                                                 | 129,60 |
| ST-CROM                    | 180-55    | 2025,30                              | 813            | 614                      | 418            | 41                | 180               | 55               | 13,3              | 4,30                           | 800                                                 | 136,60 |
| START CURVO                |           |                                      |                |                          |                |                   |                   |                  |                   |                                |                                                     |        |
| ST-CURVO                   | 90-55     | 732,80                               | 484            | 365                      | 249            | 39,5              | 90                | 54               | 6,2               | 2,03                           | 500                                                 | 129,60 |
| ST-CURVO                   | 120-55    | 851,30                               | 654            | 494                      | 336            | 39,5              | 120               | 54               | 8,6               | 2,79                           | 650                                                 | 131,80 |
| ST-CURVO                   | 150-55    | 1038,70                              | 832            | 628                      | 428            | 39,5              | 150               | 54               | 10,9              | 3,54                           | 900                                                 | 140,20 |
| CHROME-PLATED- START CURVO |           |                                      |                |                          |                |                   |                   |                  |                   |                                |                                                     |        |
| C-CROM                     | 120-55    | 1778,60                              | 523            | 395                      | 269            | 39,5              | 120               | 54               | 8,6               | 2,79                           | 500                                                 | 129,60 |
| C-CROM                     | 150-55    | 2169,60                              | 666            | 503                      | 343            | 39,5              | 150               | 54               | 10,9              | 3,54                           | 650                                                 | 131,80 |

Customized dimensions on request

Available Stock in standard white

Thermostats p.228-229

## STANDARD PRODUCTION

White sablé SB9016 paintwork, brackets white

Tolerance  $\pm 3$  mm - Air vent  $\varnothing 1/8"$

Maximum operating pressure 8 bar

## PRODUCTION ON REQUEST

Paint to Brem color list

chrome-plated M.. brackets

Electric version e.Start page 259


+15/25%

## STANDARD FITTING

REG  $\varnothing 1/2"$


EG and side fittings, on request

Start as a divider, page 202




## TAPPING CENTRES REG

Model START, as standard REG connections




Model START CURVO, as standard REG connections



Height (H1) is 4 cm less for:

- EG FITTING (t.c. L-1,8cm)
- SIDE FITTINGS AC/BD (t.c. H1-4cm)

On request Extra Art. AS 91,20€



FIXINGS  
Brackets included



START Art. M8..




Start CURVO Art. M4F..

■ H 180 cm

## RECOMMENDED VALVES


CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16



KIT REVERSE VALVES TON  
page 269

Art. KVR 137,10€




KIT REVERSE VALVES CYL with thermostatic option  
page 273

Extra for BREM color list

Art. KCR 149,90€

53,40€



KIT REVERSE VALVES TON with THERMOSTATIC  
Head page 269

Art. KTR 190,30€

## SPECIAL FINISHES


Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

page 267

## REMOTE FITTINGS

Tapping centres: at the rear of radiator ▲▽ EG  
DISTANT Valves page 274

Art. REM 42,10€



Lengths up to 6 m



START 180-45

# SHAR DIVIS START DIVIS KUAD DIVIS




## TOWEL HEATER DIVIDERS

SHAR, START and KUAD heated towel rail, with the addition of feet and side or


ceiling fittings, can be used as partitions in bathrooms, kitchens or other rooms

wherever you want a stylish, functional separation.

### REVERSE FITTINGS



### VERTICAL FITTINGS



### TOWEL HEATER DIVIDERS

SHAR DIVIS: standard H + 19 cm (P\*)

START/KUAD DIVIS: standard H + 15 cm (P\*)

MANIFOLD FOOT (P\*)

Shar foot (each) Art. PC19 100,10€

Start/Kuad foot (each) Art. PC15 100,10€

FOOT COVER (each) Art. PT 36,60€

PAINTED SIDE BRACKET can be reduced from 10 to 4 cm Art. F10 83,90€

PAINTED CEILING BRACKET can be reduced from 25 to 4 cm Art. F25 87,50€

CHROME-PLATED BRACKET (with 1/8" sleeve) adjustable, 4-6 cm Art. FC4 71,80€

REVERSE or SIDE ø 1/2" FITTINGS

for towel heaters dividers Art. AS 91,20€

Side fitting tapping centre Shar: H - 4 cm

Side fitting tapping centre Start/Kuad: H - 4 - 4 cm

Reverse fitting tapping centre Shar: L - 17,7 cm

Reverse fitting tapping centre Start/Kuad: L - 14 cm

SLEEVE ø 1/2" or ø 3/8" for




Electrical Immersion Heater p. 207

Art. M12 24,00€

Art. M38 24,00€

"Always send us a drawing with measurements"

### SIDE FITTINGS



CHROME PLATED TOWEL HEATER DIVIDERS  
Ask for feasibility study and estimate.

CROSS AS A DIVIDER page 58

### STANDARD PRODUCTION

White "sablé" paintwork -RAL9016

Air vent ø 1/8" - Tolerance ± 3mm

MAXIMUM OPERATING PRESSURE 8 BAR

### PRODUCTION ON REQUEST

Paintwork to Brem color list with specified brackets +15/25%


Chrome-plated version, on request

### STANDARD FITTING

REG (BD/AC) ø 1/2"

EG ø 1/2"


Electric version, on request






## SHAR MODEL

### SIDE FITTINGS




### REVERSE FITTINGS




## START/KUAD MODEL

### SIDE FITTINGS



### REVERSE FITTINGS



The price of towel heater dividers is obtained by adding to the cost of the standard white model:

- feet, brackets and fittings,
- accessories, valves, tube covers and rose washers

E.g. 1: START DIVIS (water) 180-55 (H+15cm)

|                                       |     |          |
|---------------------------------------|-----|----------|
| START 180-55 white                    | n°1 | 909,10€  |
| Art. PC15 foot h=15                   | n°2 | 200,20€  |
| Art. FC4                              | n°1 | 71,80€   |
| Art. AS towel heater divider fittings | n°1 | 91,20€   |
| Tot.                                  |     | 1272,30€ |

E.g. 2: SHAR DIVIS (dual fuel version) 180-50 (H+19cm)

|                                       |     |          |
|---------------------------------------|-----|----------|
| SHAR 180-50 white                     | n°1 | 820,70€  |
| Art. PC19 foot h=19 cm                | n°1 | 100,10€  |
| Art. FC4                              | n°2 | 143,60€  |
| Art. M38 for R.E.                     | n°1 | 24,00€   |
| Art. R900II for R.E. 900W             | n°1 | 116,20€  |
| Art. AS towel heater divider fittings | n°1 | 91,20€   |
| Tot.                                  |     | 1295,80€ |


E.g. 5: e.KUAD DIVIS (electric) 175-50 (H+15cm)

|                        |           |          |
|------------------------|-----------|----------|
| e.KUAD 175-50 white    | n°1       | 889,60€  |
| Art. PC15 foot h=15 cm | n°1       | 100,10€  |
| Art. FC4               | n°2       | 143,60€  |
| KIT RT 900IIT          | n°1       | 255,30€  |
| White Termostat        | Art. DYPB | 89,60€   |
| Tot.                   |           | 1478,20€ |

## RECOMMENDED VALVES


### CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16




KIT REVERSE VALVES TON  
page 269

Art. KVR 137,10€



KIT REVERSE VALVES CYL with thermostatic option  
page 273  
Art. KCR 149,90€  
Extra for BREM color list 53,40€




KIT REVERSE VALVES TON with THERMOSTATIC  
Head page 269  
Art. KTR 190,30€

### SPECIAL FINISHES

Finishes Gold, Bronze, Brushed Nickel for 2 valves  
Brushed Nickel FITTING KIT extra Art. RN 30,50€

page 267

### SIDE FITTINGS VALVES



KIT STRAIGHT VALVES TON  
p. 269 Art. KVD 149,30€



START DIVIS 180-55





# ELECTRIC INDEX

- A GREEN CHOICE
- INDEPENDENCE FROM THE CENTRAL HEATING SYSTEM
- FOR EXTRA HEAT AT LOW TEMPERATURES
- SMART DOMOTIC DIALOGUE
- ENERGY-SAVING PTC ELECTRICAL HEATING ELEMENTS AND A SPECIAL ADJUSTABLE FITTING ON THE REAR


## RADIATORS COLLECTION

|           | page |
|-----------|------|
| e.CHEM    | 214  |
| e.CLAK    | 216  |
| e.CROSS-G | 220  |
| e.CROSS-Q | 221  |
| e.CROSS-V | 220  |
| e.LAME    | 230  |
| e.LAME-UP | 231  |
| e.HERG    | 235  |
| e.PHUL    | 247  |
| e.REGULAR | 255  |

*BREM offers a wide range of radiators and electric towel warmers representing nearly all products presented by Brem.*

## TOWEL HEATER COLLECTION

|                       | page |
|-----------------------|------|
| e.ALIS                | 210  |
| e.ASYMM e.ASYMP       | 211  |
| e.CAMEO               | 212  |
| e.CANNUCCIA STRAW     | 213  |
| e.CHEM-M e.CHEM-S     | 214  |
| e.CLARK               | 217  |
| e.CROSS               | 218  |
| e.CROSS-CROM ..-FO/FA | 219  |
| e.CROSS-Q             | 221  |
| e.CROSS-R             | 222  |
| e.CUBICO              | 223  |
| e.DUO                 | 224  |
| e.ESSEN               | 225  |
| e.FIT                 | 226  |
| e.FLAG                | 227  |
| e.FRAC                | 228  |
| e.FREE                | 229  |
| e.GEOMETRICA-T ..-O   | 230  |
| e.GEOMETRICA-Q ..-R   | 231  |
| e.GUEST               | 232  |
| e.HAND                | 233  |
| e.HERG-OT             | 234  |
| e.HERG'S              | 235  |
| e.HOOK                | 236  |
| e.KORE PLUS           | 237  |
| e.KUAD                | 238  |
| e.KUO                 | 239  |
| e.LAMATH              | 240  |
| e.LAME SLIM           | 242  |
| e.MAHN                | 244  |
| e.MAHN-AIR            | 245  |
| e.MANT                | 246  |
| e.PIT                 | 248  |
| e.PLANK e.PLANK-AIR   | 249  |
| e.PLATT               | 250  |
| e.PLUS 12             | 251  |
| e.PLUS18 e.PLUS-AIR   | 252  |
| e.QUAR                | 253  |
| e.RAW                 | 254  |
| e.SBARRA e.SBARRA-UP  | 256  |
| e.SHAR                | 257  |
| e.SHAR-AIR            | 258  |
| e.START               | 259  |
| e.UNIPLATT            | 260  |
| e.VELETTA             | 261  |
| e.VISION              | 262  |
| e.ZOOM                | 263  |



# ELECTRIC HEATING ELEMENT

BREM uses PTC electric heating element. PTC means "Positive Temperature Coefficient" and characterizes the electrical behaviour of the semiconductor heater segment: with increasing temperature the resistance of the PTC element rises instantaneously and reduces automatically the power output generating the so called "self-limiting" effect.

1200W and 1500W electric heating elements work using constant power and are equipped with thermal limiter that stops the emission of heat.

The class II PTC heating up process will automatically go through three phases:

- Start-up. In the first 60 sec the PTC works at 130% circa of the nominal power ("turbo boost power" effect) to trigger best the convection inside the radiator;
- Nominal power phase. In this phase the PTC heating elements reaches the equilibrium temperature working at the nominal power;
- Energy saving phase. With the increasing of the ambient temperature the power output decreases until a new equilibrium is reached where the power consumption is reduced (typically at 70% - 80% of the nominal power).

The PTC electric heating elements (CE marked) have the following advantages:

- Intrinsic safety (no risk of overheating, burnings or fire)
- No need of thermofuse and therefore no more burnt heaters also in case of partial filling
- Reduced diameter and length vs constant power heaters (in particular 11 mm diameter also for class II elements)
- No cold lengths (differently from constant power heaters which require not heating zones for the thermostat and the thermofuse)
- Better circulation and faster heat-up times
- Absolutely no noise due to cavitation effects
- Better duration thanks to the reduction of the PTC on/off phases.

**ELECTRIC RESISTANCE R...II WITH CABLE**, in stainless steel with special 3/8" connection and 1.5 m long cable to be connected to the electrical system. The terminal part can be rotated  $\pm 90^\circ$  to allow the electric cable to be directed directly towards the wall or to the side, where it connects better to the electrical socket (3/8" to 1/2" adapter included)


**ELECTRIC RESISTANCE R...IIF WITH FASTON** in stainless steel with 1/2" connection, without cable, is equipped with faston connectors for connecting the thermostat.

## E.H.E. CLASS II

| power absorbed | average consumption | ø 3/8" with cable | ø 1/2" with faston | PRICE   |
|----------------|---------------------|-------------------|--------------------|---------|
| R.E. 250W      | ~0,19 KWH           | Art. R250II       | Art. R250IIF       | 101,10€ |
| R.E. 300W      | ~0,225 KWH          | Art. R300II       | Art. R300IIF       | 102,20€ |
| R.E. 400W      | ~0,30 KWH           | Art. R400II       | Art. R400IIF       | 103,40€ |
| R.E. 500W      | ~0,375 KWH          | Art. R500II       | Art. R500IIF       | 105,60€ |
| R.E. 650W      | ~0,49 KWH           | Art. R650II       | Art. R650IIF       | 107,80€ |
| R.E. 800W      | ~0,60 KWH           | Art. R800II       | Art. R800IIF       | 112,60€ |
| R.E. 900W      | ~0,675 KWH          | Art. R900II       | Art. R900IIF       | 116,20€ |
| R.E. *1200W    | ~0,90 KWH           | Art. R1200II      | Art. R1200IIF      | 124,50€ |
| R.E. *1500W    | ~1,125 KWH          | Art. R1500II      | Art. R1500IIF      | 135,40€ |

\*Electric Heating Element working with constant power e.g. Average consumption 0,46/0,52 KWH (average 0,49KWH) per hour with 650W electric heater x cost of KWH in the bill


The EU 2015/1188 ECODESIGN standard provides that electric towel heaters and radiators, in order to save energy, work with devices equipped with weekly programming, electronic temperature control and open window detector.



Electric Heating Element POSITION  
 © Horizontal E.H.E. (on request in D)  
 © Vertical E.H.E. (on request in E)  
 To verify for each model

## WARNINGS

TOWEL HEATERS WITH CLASS II ELECTRIC HEATING ELEMENT CAN BE INSTALLED INSIDE SPACE 2, WITH CABLE INSIDE SPACE 3



E.H.E. Cable Cover

Sleeve 3/8" Art. CCRE38 73,40€  
 Sleeve 1/2" Art. CCRE12 73,40€





# MIXED TOWEL HEATERS & RADIATORS

## ARTICLES FOR MIXED VERSIONS

By applying an electric resistance to the Brem towel warmers, they heat the rooms in the intermediate seasons when the centralized system is off (hydraulic and electric operation).

The application of the electric heating element is thanks to:

- $\varnothing 3/8"$  special sleeve welded on the return tube
- or  $\varnothing 1/2"$  sleeve for digital thermostat
- chrome plated TR accessory mounted on the return tube
- using the mixed valve for the connection

|          |        |
|----------|--------|
| Art. M38 | 24,00€ |
| Art. M12 | 24,00€ |
| Art. TR  | 24,00€ |


### MIXED VERSIONS with SLEEVE

Put the  $\varnothing 3/8"$  or  $\varnothing 1/2"$  sleeve for the electric heating element on the return manifold



### MIXED VERSIONS with TR Accessory

The tapping centres are reduced by 8 cm



LAME Mixed versions


### MIXED VERSIONS WITH MIXED VALVES

BREM offers a side control valve, complete with a  $\varnothing 1/2"$  fitting for the electrical heating element, to be installed on the right manifold of the return.

Using the mixed valve results in an increase in depth from the wall of 2cm.

#### VALVES TON CHROME MIXED


|                                                 |      |            |        |
|-------------------------------------------------|------|------------|--------|
| TON side control, with fitting and round washer | Art. | multilayer | copper |
|                                                 |      | €          | €      |
| side control (S) delivery                       | LS.. | 65,90      | 63,60  |
| TON side control MIXED (D) LXDX..               |      | 103,70     | 101,30 |
| KIT TON MIXED                                   | KLXD | 188,20     |        |



Mixed Valve (D) TON Art. LXDX

#### VALVE CYL CHROME MIXED LOCKSHIELD

|                                                 |       |            |        |
|-------------------------------------------------|-------|------------|--------|
| CYL side control, with fitting and round washer | Art.  | multilayer | copper |
|                                                 |       | €          | €      |
| side control (S) (delivery)                     | CLS.. | 85,30      | 82,90  |
| CYL lockshield MIXED (D) CYLXD                  |       | 98,20      | 95,80  |
| KIT CYL MIXED                                   | KCLXD | 202,10     |        |



Mixed Lockshield (D) CYL Art. CYLXD

#### VALVE QUADRA CHROME MIXED

|                                                    |       |            |        |
|----------------------------------------------------|-------|------------|--------|
| QUADRA side control, with fitting and round washer | Art.  | multilayer | copper |
|                                                    |       | €          | €      |
| side control (S) (delivery)                        | QLS.. | 86,40      | 84,00  |
| QUADRA MIXED (D) QLXD..                            |       | 112,00     | 109,80 |
| KIT QUADRA MIXTE                                   | KQLX  | 220,30     |        |



Mixed Valve (D) QUADRA Art. QLXD



UNI PLATT Mixed Quadra valve with thermostat



START Mixed version

THE RESISTANCE MUST WORK CONNECTED TO A THERMOSTAT  
compliant with ECODESIGN STANDARDS (pages 208-209)



UNI PLATT Mixed Quadra valve

# KIT RE and Wi-Fi THERMOSTATS

## RE KIT ELECTRIC HEATING ELEMENT with CABLE

RE KIT with:

- Class II Electric Heating Element  $\varnothing 1/2"$  with adjustable cable ( $\pm 90^\circ$ )
- Filling with diathermic liquid and test
- Chrome-plated plugs and brackets for wall fixing

|         |                                     |       |      |          |         |
|---------|-------------------------------------|-------|------|----------|---------|
| KIT RE  | cl.II with Electric Heating Element | 250W  | Art. | R250IIE  | 191,90€ |
| KIT RE  | cl.II with Electric Heating Element | 300W  | Art. | R300IIE  | 193,80€ |
| KIT RE  | cl.II with Electric Heating Element | 400W  | Art. | R400IIE  | 195,70€ |
| KIT RE  | cl.II with Electric Heating Element | 500W  | Art. | R500IIE  | 208,50€ |
| KIT RE  | cl.II with Electric Heating Element | 650W  | Art. | R650IIE  | 222,90€ |
| KIT RE  | cl.II with Electric Heating Element | 800W  | Art. | R800IIE  | 240,50€ |
| KIT RE  | cl.II with Electric Heating Element | 900W  | Art. | R900IIE  | 255,30€ |
| KIT RE* | cl.II with Electric Heating Element | 1200W | Art. | R1200IIE | 276,30€ |
| KIT RE* | cl.II with Electric Heating Element | 1500W | Art. | R1500IIE | 298,00€ |

\*Electric heating element working with constant power



E.H.E. Cable Cover  
Sleeve 3/8" Art. CCRE38 73,40€  
Sleeve 1/2" Art. CCRE12 73,40€

THE HEATER MUST WORK CONNECTED TO A THERMOSTATIC CONTROL

## KIT RT-WIFI

TR-WIFI is a wifi system with a single-zone thermostat, gateway and receiver that allows you to turn on, turn off and program up to 6 electric towel warmers directly or via wifi with the free dedicated App.

The RT-WIFI Kit includes:

- Thermostat (battery operated)
- Built-in receiver
- Gateway

Art. KITRT-wifi 199,80€

Additional receiver for electric radiators and split AC: 1 for each electrical radiator (up to 6)

Art. SA868 64,20€

## THERMOSTATS WiFi

compiants with ECODESIGN standards



FREE APP

SALUS RT310i



### FEATURES

- Switching volt free and 230V
- Optional control via Smartphone, Tablet or PC
- Easy to use App
- Pre-paired wireless communication, so no more dip switches!
- Wall or desk mounted thermostat
- Choose to use schedule or control manually
- Adjustable frost protection when the thermostat is off
- Wireless communication test function
- Suitable for heating or cooling applications

## OPTIONAL

On wall box for receiver

Art. SUNI 19,90€



8,4 x 8,4 x 2,8 cm

### RT-WIFI PROGRAMS

- Daily program for the entire week (every day is the same)
- Program for weekdays and weekends (5/2)
- Daily program (every day is different)
- Vacation Mode Program stops the system, to resume the set program.

5 Year Warranty

## KIT ELY-WIFI TOP DESIGN

KIT ELY-WIFI is a wifi system with a single-zone thermostat advanced area for heating and cooling systems that allows you to manage the climate of your home with ease and comfort; controls up to 16 electric radiators.

Art. KITELY-wifi 396,10€

KIT ELY TOP Design includes:

- Thermostat with magnetic charging base and magnetic plate for wall mounting
- Rechargeable Li-ion battery with wireless recharging.
- Gateway a 230V
- Receiver (Relay)



Additional receiver for electric radiators and (split AC): 1 for each electrical device (up to 16)

Art. SA600 99,10€



App: Salus Premium Lite



Magnetic wall plate



Thermostat

Magnetic charging base



GOOGLE Assistance

COMPATIBLE with: alexa

### KIT ELY TOP DESIGN WIFI

Modern design with a metallic ring and negative display. WiFi setup via Bluetooth. Controls heating and cooling via app or locally. Energy optimisation features. Zigbee 2.4 GHz communication.

# KIT RT and THERMOSTATS ON THE RADIATOR

## RT KIT ELECTRIC HEATING ELEMENT with FASTON


RT KIT with:

- Class II Electric Heating Element (double protection)  $\varnothing 1/2"$  with Faston
- Filling with diathermic liquid and test
- Chrome-plated plugs and brackets for wall fixing

|         |                                     |       |      |          |         |
|---------|-------------------------------------|-------|------|----------|---------|
| KIT RT  | cl.II with Electric Heating Element | 250W  | Art. | R250IIT  | 191,90€ |
| KIT RT  | cl.II with Electric Heating Element | 300W  | Art. | R300IIT  | 193,80€ |
| KIT RT  | cl.II with Electric Heating Element | 400W  | Art. | R400IIT  | 195,70€ |
| KIT RT  | cl.II with Electric Heating Element | 500W  | Art. | R500IIT  | 208,50€ |
| KIT RT  | cl.II with Electric Heating Element | 650W  | Art. | R650IIT  | 222,90€ |
| KIT RT  | cl.II with Electric Heating Element | 800W  | Art. | R800IIT  | 240,50€ |
| KIT RT  | cl.II with Electric Heating Element | 900W  | Art. | R900IIT  | 255,30€ |
| KIT RT* | cl.II with Electric Heating Element | 1200W | Art. | R1200IIT | 276,30€ |
| KIT RT* | cl.II with Electric Heating Element | 1500W | Art. | R1500IIT | 298,00€ |

\*Electric heating element working with constant power

THE HEATER MUST WORK CONNECTED TO A THERMOSTATIC CONTROL



## THERMOSTATS on the RADIATOR compiants with ECODESIGN standards


### THERMOSTAT DYP

DYNAMIC PRO is a white or black digital chronothermostat that can be positioned on the right or left of the towel warmer; 90 cm cable and with 2.5 cm adjustable cable cover.

\*possible sleeve for the E.H.E.  
(check the drawings of each model)

- White thermostat with white cable cover  
adjustable in depth

Art. DYPB 89,60€



- Black thermostat, complete with black  
cable cover

Art. DYPN 103,40€



### REMOTE CONTROL for DYP Thermostats

Infrared remote control with display and wall mounting support (magnetic coupling) is equipped with double transmitter and presence sensor

Art. TIR 41,00€

10,8 x 5,3 x 2,3 cm



### CIRCLE Wi-Fi THERMOSTAT (up to 800w heating elements)

The innovative Wifi user interface allows the control of the towel warmers with a dedicated App from a device such as a tablet or a smartphone with both Android and iOS operating systems.  
80 cm cable length


- Chrome and glossy black finish Art. CIR-wifi 198,50€





# e.ALIS-ONE

TECHNICAL DATA p. 52  
ELECTRIC KIT DATA p. 208-209



ALIS-ONE 70-51



ALIS-ONE 56-51




ALIS-ONE 56-91 / 56-121




ALIS-ONE 98-51



ALIS-ONE 126-51



ALIS-ONE 154-51



ALIS-ONE 182-51



| MODEL    | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors |           | KIT HEATING ELEMENT with: |                           |        |
|----------|-------------|--------------------------------------|-------------|-----------|---------------------------|---------------------------|--------|
|          |             |                                      | +15%<br>€   | +25%<br>€ | Cable R...E<br>Art. (VW)  | Faston R...T<br>Art. (VW) | €      |
| ALIS-ONE | 56-51       | 546,60                               | 628,60      | 683,30    | R300IIE                   | R300IIT                   | 193,80 |
| ALIS-ONE | 56-91       | 640,00                               | 736,00      | 800,00    | R500IIE                   | R500IIT                   | 208,50 |
| ALIS-ONE | 56-121      | 710,10                               | 816,60      | 887,60    | R650IIE                   | R650IIT                   | 222,90 |
| ALIS-ONE | 70-51       | 586,00                               | 673,90      | 732,50    | R400IIE                   | R400IIT                   | 195,70 |
| ALIS-ONE | 98-51       | 664,80                               | 764,50      | 831,00    | R500IIE                   | R500IIT                   | 208,50 |
| ALIS-ONE | 126-51      | 743,70                               | 855,30      | 929,60    | R650IIE                   | R650IIT                   | 222,90 |
| ALIS-ONE | 154-51      | 822,50                               | 945,90      | 1028,10   | R800IIE                   | R800IIT                   | 240,50 |
| ALIS-ONE | 182-51      | 901,40                               | 1036,60     | 1126,80   | R900IIE                   | R900IIT                   | 255,30 |

HEATING ELEMENT POSITION  
© Vertical Heating Element



G

THERMOSTATS Wi-Fi FOR KIT RE P. 208

ACCESSORIES FOR

E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)



Art. SA868 64,20€

KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€

Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)





Art. SA600 99,10€






TECHNICAL DATA p. 54  
ELECTRIC KIT DATA p. 208-209



| MODEL | H - L<br>cm | Standard white     | BREM Colors | BREM Colors | KIT HEATING ELEMENT with: |                          |        |
|-------|-------------|--------------------|-------------|-------------|---------------------------|--------------------------|--------|
|       |             | sablé SB 9016<br>€ | +15%<br>€   | +25%<br>€   | Cable R...E<br>Art. (W)   | Faston R...T<br>Art. (W) | €      |
| ASYMM | 105-48      | 695,30             | 799,60      | 869,10      | R500IIE                   | R500IIT                  | 208,50 |
| ASYMM | 145-48      | 841,60             | 967,80      | 1052,00     | R650IIE                   | R650IIT                  | 222,90 |
| ASYMM | 180-48      | 963,30             | 1107,80     | 1204,10     | R900IIE                   | R900IIT                  | 255,30 |
| ASYMP | 105-48      | 831,00             | 955,70      | 1038,80     | R650IIE                   | R650IIT                  | 222,90 |
| ASYMP | 145-48      | 1018,00            | 1170,70     | 1272,50     | R800IIE                   | R800IIT                  | 240,50 |
| ASYMP | 145-56      | 1059,00            | 1217,90     | 1323,80     | R900IIE                   | R900IIT                  | 255,30 |
| ASYMP | 180-56      | 1180,70            | 1357,80     | 1475,90     | R1200IIE                  | R1200IIT                 | 276,30 |

HEATING ELEMENT POSITION  
E Vertical Heating Element



## ELECTRIC VERSIONS

THERMOSTATS ON THE RADIATOR FOR KIT RT P. 209

THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

THERMOSTAT CIRCLE Wi-Fi  
up to 800 W  
heating elements




ø 6 x 8 h x 5 cm



Chrome/Black finish  
Art. CIR-wifi 198,50€



TECHNICAL DATA p. 120  
ELECTRIC KIT DATA p. 208-209



CAMEO 104-54

CAMEO 134-54

CAMEO.. 184-54

CAMEO-R.. 184-54  
CAMEO-R.. 214-54


| MODEL                                | H - L<br>cm | Standard white<br>sablé SB 9016 | BREM Colors | BREM Colors | KIT HEATING ELEMENT with: |                          |        |
|--------------------------------------|-------------|---------------------------------|-------------|-------------|---------------------------|--------------------------|--------|
|                                      |             | €                               | +15%<br>€   | +25%<br>€   | Cable R...E<br>Art. (W)   | Faston R...T<br>Art. (W) | €      |
| CAMEO 104-54                         | 104-54      | 1049,30                         | 1206,70     | 1311,60     | R500IIE                   | R500IIT                  | 208,50 |
| CAMEO 134-54                         | 134-54      | 1170,30                         | 1345,80     | 1462,90     | R650IIE                   | R650IIT                  | 222,90 |
| CAMEO 184-54                         | 134-54      | 1342,40                         | 1543,80     | 1678,00     | R900IIE                   | R900IIT                  | 255,30 |
| CAMEO-L 184-54                       | 184-54      | 1585,80                         | 1823,70     | 1982,30     | R1200IIE                  | R1200IIT                 | 276,30 |
| Models without towel bar - RADIATORS |             |                                 |             |             |                           |                          |        |
| CAMEO-R 184-54                       | 184-54      | 1281,50                         | 1473,70     | 1601,90     | R900IIE                   | R900IIT                  | 255,30 |
| CAMEO-RL 184-54                      | 184-54      | 1524,90                         | 1753,60     | 1906,10     | R1200IIE                  | R1200IIT                 | 276,30 |
| CAMEO-R 214-54                       | 184-54      | 1382,20                         | 1589,50     | 1727,80     | R1200IIE                  | R1200IIT                 | 276,30 |
| CAMEO-RL 214-54                      | 214-54      | 1822,70                         | 2096,10     | 2278,40     | R1500IIE                  | R1500IIT                 | 298,00 |

Towel bar on the right side, on request without extra

Additional or deductible towel bar CAMEO  
Art. MCA 60,90€

TOWEL BAR CAMEO: STANDARD COLORS  
- white sablé SB 9016 - quartz grey SB 7039  
- black sablé SB 9005 - same color as the radiator  
In one paintwork to Brem color list different from the radiator  
Extra Art. CM 52,90€

HEATING ELEMENT POSITION  
© Vertical Heating Element



## THERMOSTATS Wi-Fi FOR KIT RE P. 208

## ACCESSORIES FOR

E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)

Art. SA868

64,20€



KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€



Additional receiver: 1 for each electrical radiators  
or split AC (up to 16) Art. SA600 99,10€



# e.CANNUCCIA STRAW

TECHNICAL DATA  
and other dimensions p. 168  
ELECTRIC KIT DATA p. 208-209

design Bettazzi+Percoco Architects



| MODEL (STRAW) | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors |           | KIT HEATING ELEMENT with: |                          |        |
|---------------|-------------|--------------------------------------|-------------|-----------|---------------------------|--------------------------|--------|
|               |             |                                      | +15%<br>€   | +25%<br>€ | Cable R...E<br>Art. (W)   | Faston R...T<br>Art. (W) | €      |
| CANN          | 160-28      | 602,60                               | 693,00      | 753,30    | R250IIE                   | R250IIT                  | 191,90 |
| CANN          | 175-15      | 624,50                               | 718,20      | 780,60    | R250IIE                   | R250IIT                  | 191,90 |
| CANN          | 190-19      | 646,20                               | 743,10      | 807,80    | R250IIE                   | R250IIT                  | 191,90 |
| CANN          | 160/175-40  | 973,60                               | 1119,60     | 1217,00   | R300IIE                   | R300IIT                  | 193,80 |
| CANN          | 160/190-40  | 995,20                               | 1144,50     | 1244,00   | R300IIE                   | R300IIT                  | 193,80 |
| CANN          | 175/190-27  | 1017,00                              | 1169,60     | 1271,30   | R400IIE                   | R400IIT                  | 195,70 |
| CANN-3        | 190-48      | 1293,70                              | 1487,80     | 1617,10   | R500IIE                   | R500IIT                  | 208,50 |
| CAN-P         | 160/190-47  | 1272,40                              | 1463,30     | 1590,50   | R650IIE                   | R650IIT                  | 222,90 |
| CAN-3P        | 190-51      | 1570,90                              | 1806,50     | 1963,60   | R800IIE                   | R800IIT                  | 240,50 |

TOWEL BAR with wall fixings  
(white or in the radiator color)

Art. MCA 30 84,60€ 30/15 cm (L/p)  
Art. MCA 36 91,30€ 36/18 cm (L/p)



HEATING ELEMENT Position  
©Vertical Heating Element



## ELECTRIC VERSIONS

THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

THERMOSTAT CIRCLE Wi-Fi  
up to 800 W  
heating elements



ø 6 x 8 h x 5 cm



Chrome/Black finish  
Art. CIR-wifi 198,50€




ELECTRIC





TECHNICAL DATA and other dimensions p. 150, 170  
ELECTRIC KIT DATA p. 208-209





| MODEL  | H - L<br>cm | Standard white<br>sablé SB 9016 | BREM Colors<br>+15% | BREM Colors<br>+25% | KIT HEATING ELEMENT with: |                         |        |
|--------|-------------|---------------------------------|---------------------|---------------------|---------------------------|-------------------------|--------|
|        |             | €                               | €                   | €                   | Cable R..E<br>Art. (W)    | Faston R..T<br>Art. (W) | €      |
| CHEM   | 196-1       | 682,10                          | 784,40              | 852,60              | R300IIE                   | -                       | 193,80 |
| CHEM   | 196-2       | 917,30                          | 1054,90             | 1146,60             | R650IIE                   | -                       | 222,90 |
| CHEM   | 196-3       | 1152,50                         | 1325,40             | 1440,60             | R900IIE                   | -                       | 255,30 |
| CHEML  | 196-1       | 787,90                          | 906,10              | 984,90              | R500IIE                   | -                       | 208,50 |
| CHEML  | 196-2       | 1129,00                         | 1298,40             | 1411,30             | R900IIE                   | -                       | 255,30 |
| CHEML  | 196-3       | 1470,00                         | 1690,50             | 1837,50             | R1500IIE                  | -                       | 276,00 |
| CHEM   | 216-1       | 717,40                          | 825,00              | 896,80              | R400IIE                   | -                       | 195,70 |
| CHEM   | 216-2       | 970,30                          | 1115,80             | 1212,90             | R800IIE                   | -                       | 240,50 |
| CHEM   | 216-3       | 1223,00                         | 1406,50             | 1528,80             | R1200IIE                  | -                       | 276,30 |
| CHEML  | 216-1       | 827,90                          | 952,10              | 1034,90             | R500IIE                   | -                       | 208,50 |
| CHEML  | 216-2       | 1191,30                         | 1370,00             | 1489,10             | R1200IIE                  | -                       | 276,30 |
| CHEML  | 216-3       | 1554,70                         | 1787,90             | 1943,40             | R1500IIE                  | -                       | 298,00 |
| CHEM-M | 196-40      | 752,60                          | 865,50              | 940,80              | R300IIE                   | -                       | 193,80 |
| CHEM-M | 196-54      | 987,80                          | 1136,00             | 1234,80             | R650IIE                   | -                       | 222,90 |
| CHEM-M | 216-40      | 787,90                          | 906,10              | 984,90              | R400IIE                   | -                       | 195,70 |
| CHEM-M | 216-54      | 1040,80                         | 1196,90             | 1301,00             | R800IIE                   | -                       | 240,50 |

CHEM-M, Towel holder and Knob

standard colors: white sablé SB 9016  
quartz grey SB 7039 jet black SB 9005  
Paintwork to Brem color list Extra Art.CM 52,90€

ONLY with Wi-Fi THERMOSTATS for KIT RE



HEATING ELEMENT POSITION  
© Vertical Heating Element



G

THERMOSTATS Wi-Fi FOR KIT RE P. 208

ACCESSORIES FOR

E.H.E. white cable cover  
integrated in the radiator bracket

The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)

Art. SA868

64,20€



KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€

Additional receiver: 1 for each electrical radiators  
or split AC (up to 16) Art. SA600 99,10€






# e.CHEM-S

design Davide Diliberto

TECHNICAL DATA and other dimensions p. 172  
ELECTRIC KIT DATA p. 208-209



| MODEL             | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with: |                        |        |
|-------------------|-------------|--------------------------------------|--------------------------|--------------------------|---------------------------|------------------------|--------|
|                   |             |                                      |                          |                          | Cable R...E Art. (VV)     | Faston R...T Art. (VV) | €      |
| CHEM-S 196-50/1   |             | 764,40                               | 879,10                   | 955,50                   | R400IIE                   | -                      | 195,70 |
| CHEM-S 196-50/2   |             | 858,50                               | 987,30                   | 1073,10                  | R500IIE                   | -                      | 208,50 |
| CHEM-S 196-50/3   |             | 952,60                               | 1095,50                  | 1190,80                  | R650IIE                   | -                      | 222,90 |
| CHEM-S 196D-50/1  |             | 999,60                               | 1149,50                  | 1249,50                  | R800IIE                   | -                      | 240,50 |
| CHEM-S 196D-50/2  |             | 1093,70                              | 1257,80                  | 1367,10                  | R900IIE                   | -                      | 255,30 |
| CHEM-S 196D-50/3  |             | 1187,80                              | 1366,00                  | 1484,80                  | R900IIE                   | -                      | 255,30 |
| CHEM-S 216-50/1   |             | 799,70                               | 919,70                   | 999,60                   | R500IIE                   | -                      | 208,50 |
| CHEM-S 216-50/2   |             | 893,80                               | 1027,90                  | 1117,30                  | R500IIE                   | -                      | 208,50 |
| CHEM-S 216-50/3   |             | 987,80                               | 1136,00                  | 1234,80                  | R650IIE                   | -                      | 222,90 |
| CHEM-S 216D-50/1  |             | 1034,90                              | 1190,10                  | 1293,60                  | R800IIE                   | -                      | 240,50 |
| CHEM-S 216D-50/2  |             | 1129,00                              | 1298,40                  | 1411,30                  | R900IIE                   | -                      | 255,30 |
| CHEM-S 216D-60/1  |             | 1059,50                              | 1218,50                  | 1324,40                  | R900IIE                   | -                      | 255,30 |
| CHEM-S 216DL-60/2 |             | 1331,50                              | 1531,20                  | 1664,40                  | R1200IIE                  | -                      | 276,30 |

ONLY with Wi-Fi THERMOSTATS for KIT RE

HEATING ELEMENT POSITION  
© Vertical Heating Element



G

## ELECTRIC VERSIONS

THERMOSTATS Wi-Fi FOR KIT RE P. 208

The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)

Art. SA868

64,20€

KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver


Art. KITELY-wifi 396,10€

Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)

Art. SA600


99,10€

TECHNICAL DATA and other dimensions p. 86, 88  
ELECTRIC KIT DATA p. 208-209




| MODEL | H - L<br>cm | Standard white<br>sablé SB 9016 | BREM Colors |           | KIT HEATING ELEMENT with: |                         |        |
|-------|-------------|---------------------------------|-------------|-----------|---------------------------|-------------------------|--------|
|       |             | €                               | +15%<br>€   | +25%<br>€ | Cable R..E<br>Art. (W)    | Faston R..T<br>Art. (W) | €      |
| CKV   | 45-110      | 1041,20                         | 1197,40     | 1301,50   | R500IIE                   | R500IIT                 | 208,50 |
| CKV   | 54-110      | 1110,20                         | 1276,70     | 1387,80   | R650IIE                   | R650IIT                 | 222,90 |
| CKH   | 80-45       | 788,30                          | 906,50      | 985,40    | R400IIE                   | R400IIT                 | 195,70 |
| CKH   | 80-54       | 866,10                          | 996,00      | 1082,60   | R500IIE                   | R500IIT                 | 208,50 |
| CKH   | 130-45      | 951,40                          | 1094,10     | 1189,30   | R650IIE                   | R650IIT                 | 222,90 |
| CKH   | 130-54      | 1040,00                         | 1196,00     | 1300,00   | R800IIE                   | R800IIT                 | 240,50 |
| CKH   | 180-36      | 1018,90                         | 1171,70     | 1273,60   | R800IIE                   | R800IIT                 | 240,50 |
| CKH   | 180-45      | 1114,40                         | 1281,60     | 1393,00   | R900IIE                   | R900IIT                 | 255,30 |
| CKLH  | 180-36      | 1319,40                         | 1517,30     | 1649,30   | R900IIE                   | R900IIT                 | 255,30 |
| CKLH  | 180-45      | 1430,50                         | 1645,10     | 1788,10   | R1200IIE                  | R1200IIT                | 276,30 |
| CKLH  | 180-54      | 1566,70                         | 1801,70     | 1958,40   | R1500IIE                  | R1500IIT                | 298,00 |
| CKH   | 200-54      | 1274,10                         | 1465,20     | 1592,60   | R1200IIE                  | R1200IIT                | 276,30 |
| CKLH  | 200-54      | 1694,40                         | 1948,60     | 2118,00   | R1500IIE                  | R1500IIT                | 298,00 |

CLAK-FO/FA Gilded Leaf/Silver Leaf: Price x 1,9



KNOBS with magnet  
page 277




Towel bar MAGNET  
page 277

RAM Magnetic  
TOWEL BAR page  
277



HEATING ELEMENT POSITION  
© Vertical Heating Element



## THERMOSTATS Wi-Fi FOR KIT RE P. 208

## ACCESSORIES FOR

E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)

Art. SA868

64,20€



KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€


Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)



Art. SA600

99,10€

TECHNICAL DATA and other dimensions p. 122  
ELECTRIC KIT DATA p. 208-209



| MODEL           | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with: |                         |        |
|-----------------|-------------|--------------------------------------|--------------------------|--------------------------|---------------------------|-------------------------|--------|
|                 |             |                                      |                          |                          | Cable R. E<br>Art. (W)    | Faston R. T<br>Art. (W) | €      |
| CLARK 80-36/64  |             | 1102,40                              | 1267,80                  | 1378,00                  | R500IIE                   | R500IIT                 | 208,50 |
| CLARK 80-45/84  |             | 1233,10                              | 1418,10                  | 1541,40                  | R650IIE                   | R650IIT                 | 222,90 |
| CLARK 130-36/64 |             | 1233,00                              | 1418,00                  | 1541,30                  | R650IIE                   | R650IIT                 | 222,90 |
| CLARK 130-45/84 |             | 1396,10                              | 1605,50                  | 1745,10                  | R800IIE                   | R800IIT                 | 240,50 |
| CLARK 180-36/64 |             | 1431,60                              | 1646,30                  | 1789,50                  | R900IIE                   | R900IIT                 | 255,30 |
| CLARK 180-45/84 |             | 1559,00                              | 1792,90                  | 1948,80                  | R1200IIE                  | R1200IIT                | 276,30 |

## TOWEL BAR CLARK

STANDARD COLORS:  
- white sablé SB9016  
- grey sablé SB7039  
- black sablé SB9005  
- same color ordered with the radiator +15/25%  
Paintwork to Brem color list Extra Art. CMC74,50€

HEATING ELEMENT POSITION  
© Vertical Heating Element



## ELECTRIC VERSIONS

THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

### THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

### REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

### THERMOSTAT CIRCLE Wi-Fi up to 800 W heating elements



ø 6 x 8 x 5 cm



Chrome/Black finish  
Art. CIR-wifi 198,50€







# e.CROSS WITH CROSSED SQUARES

design Luigi Brembilla


TECHNICAL DATA and other dimensions p. 56  
ELECTRIC KIT DATA p. 208-209



| MODEL        | H - L<br>cm | Standard white<br>sabré SB 9016 | BREM Colors | BREM Colors | KIT HEATING ELEMENT with: |                          |        |
|--------------|-------------|---------------------------------|-------------|-------------|---------------------------|--------------------------|--------|
|              |             | €                               | +15%<br>€   | +25%<br>€   | Cable R...E<br>Art. (W)   | Faston R...T<br>Art. (W) | €      |
| CROSS 48-88  | 48-88       | 768,20                          | 883,40      | 960,30      | R400IIE                   | R400IIT                  | 195,70 |
| CROSS 48-128 | 48-128      | 1066,50                         | 1226,50     | 1333,10     | R650IIE                   | R650IIT                  | 222,90 |
| CROSS 56-152 | 56-152      | 1156,10                         | 1329,50     | 1445,10     | R800IIE                   | R800IIT                  | 240,50 |
| CROSS 64-96  | 64-96       | 867,60                          | 997,70      | 1084,50     | R500IIE                   | R500IIT                  | 208,50 |
| CROSS 88-48  | 88-48       | 754,00                          | 867,10      | 942,50      | R400IIE                   | R400IIT                  | 195,70 |
| CROSS 88-120 | 88-120      | 939,50                          | 1080,40     | 1174,40     | R650IIE                   | R650IIT                  | 222,90 |
| CROSS 128-48 | 128-48      | 1058,30                         | 1217,00     | 1322,90     | R650IIE                   | R650IIT                  | 222,90 |
| CROSS 152-56 | 152-56      | 1146,10                         | 1318,00     | 1432,60     | R800IIE                   | R800IIT                  | 240,50 |
| CROSS 168-64 | 168-64      | 1224,90                         | 1408,60     | 1531,10     | R900IIE                   | R900IIT                  | 255,30 |
| CROSS 184-48 | 184-48      | 1375,70                         | 1582,10     | 1719,60     | R900IIE                   | R900IIT                  | 255,30 |
| CROSS 184-56 | 184-56      | 1434,70                         | 1649,90     | 1793,40     | R900IIE                   | R900IIT                  | 255,30 |



HEATING EL. POSITION  
⊙ Horizontal Heating El.  
⊙ Vertical Heating El.



THERMOSTATS Wi-Fi FOR KIT RE P. 208

ACCESSORIES FOR

E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)



Art. SA868 64,20€

KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€

Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)



Art. SA600 99,10€




# e.CROSS-CROM WITH OVERLAPPING SQUARES

# e.CROSS-FO/FA GILDED/SILVER LEAF

design Luigi Brembilla

TECHNICAL DATA and other dimensions p. 63  
ELECTRIC KIT DATA p. 208-209




| MODEL<br>WITH OVERLAPPING<br>SQUARES | H-L<br>cm | Chrome-plated<br>standard<br>€ | KIT HEATING ELEMENT with: |                           |        |
|--------------------------------------|-----------|--------------------------------|---------------------------|---------------------------|--------|
| Cross CROM                           | 48-88     | 1790,00                        | Cable R...E<br>Art. (VV)  | Faston R...T<br>Art. (VV) | €      |
| Cross CROM                           | 48-128    | 2484,90                        | R300IIE                   | R300IIT                   | 193,80 |
| Cross CROM                           | 56-152    | 2693,70                        | R500IIE                   | R500IIT                   | 208,50 |
| Cross CROM                           | 64-96     | 2021,70                        | R650IIE                   | R650IIT                   | 222,90 |
| Cross CROM                           | 88-56     | 1828,50                        | R400IIE                   | R400IIT                   | 195,70 |
| Cross CROM                           | 88-120    | 2188,40                        | R500IIE                   | R500IIT                   | 208,50 |
| Cross CROM                           | 128-48    | 2465,20                        | R500IIE                   | R500IIT                   | 208,50 |
| Cross CROM                           | 152-56    | 2670,40                        | R650IIE                   | R650IIT                   | 222,90 |
| Cross CROM                           | 184-48    | 3543,90                        | R800IIE                   | R800IIT                   | 240,50 |
| Cross CROM                           | 184-56    | 3695,80                        | R900IIE                   | R900IIT                   | 255,30 |

| MODEL<br>WITH OVERLAPPING<br>SQUARES | H-L<br>cm | Gilded/Silver<br>leaf<br>€ | KIT HEATING ELEMENT with: |                           |        |
|--------------------------------------|-----------|----------------------------|---------------------------|---------------------------|--------|
| Cross FO/FA                          | 48-88     | 2151,20                    | Cable R...E<br>Art. (VV)  | Faston R...T<br>Art. (VV) | €      |
| Cross FO/FA                          | 48-128    | 2986,00                    | R400IIE                   | R400IIT                   | 195,70 |
| Cross FO/FA                          | 64-96     | 2429,10                    | R650IIE                   | R650IIT                   | 222,90 |
| Cross FO/FA                          | 88-48     | 2111,00                    | R500IIE                   | R500IIT                   | 208,50 |
| Cross FO/FA                          | 88-120    | 2284,70                    | R400IIE                   | R400IIT                   | 195,70 |
| Cross FO/FA                          | 128-48    | 2630,20                    | R650IIE                   | R650IIT                   | 222,90 |
| Cross FO/FA                          | 152-56    | 3093,10                    | R800IIE                   | R800IIT                   | 240,50 |
| Cross FO/FA                          | 168-64    | 3209,40                    | R900IIE                   | R900IIT                   | 255,30 |
| Cross FO/FA                          | 184-48    | 3348,70                    | R900IIE                   | R900IIT                   | 255,30 |
| Cross FO/FA                          | 184-56    | 3492,50                    | R900IIE                   | R900IIT                   | 255,30 |



HEATING EL. POSITION  
⊙ Horizontal Heating El.  
⊙ Vertical Heating El.



## ELECTRIC VERSIONS

## THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

### THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

### REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

### THERMOSTAT CIRCLE Wi-Fi

up to 800 W  
heating elements



ø 6 x 8 h x 5 cm

Chrome/Black finish  
Art. CIR-wifi 198,50€




ELECTRIC



# e.CROSS-G - e.CROSS-V

TECHNICAL DATA and other dimensions  
CROSS-G page 46, CROSS-V page 50  
ELECTRIC KIT DATA page 208-209




CGH 181-39 CGH 181-45 CGH 201-51 CGH 201-63 5,5




CROSS-2V 52-104




CROSS-V 52-144



CROSS-..V ..52




CROSS-V ..80




CROSS-V ..2V

| MODEL           | H - L<br>cm | Standard white<br>sablé SB 9016 | BREM Colors<br>+15% | BREM Colors<br>+25% | KIT HEATING ELEMENT with: |                          |        |
|-----------------|-------------|---------------------------------|---------------------|---------------------|---------------------------|--------------------------|--------|
|                 |             | €                               | €                   | €                   | Cable R...E<br>Art. (W)   | Faston R...T<br>Art. (W) | €      |
| CGH 181-39      | 181-39      | 1159,20                         | 1333,10             | 1449,00             | R800IIE                   | R800IIT                  | 240,50 |
| CGH 181-45      | 181-45      | 1216,30                         | 1398,70             | 1520,40             | R900IIE                   | R900IIT                  | 255,30 |
| CGH 201-45      | 201-45      | 1284,20                         | 1476,80             | 1605,30             | R900IIE                   | R900IIT                  | 255,30 |
| CGH 201-51      | 201-51      | 1341,40                         | 1542,60             | 1676,80             | R1200IIE                  | R1200IIT                 | 276,30 |
| CGH 201-63      | 201-63      | 1455,90                         | 1674,30             | 1819,90             | R1500IIE                  | R1500IIT                 | 298,00 |
| CROSS-V 52-144  | 52-144      | 772,20                          | 888,00              | 965,30              | R650IIE                   | R650IIT                  | 222,90 |
| CROSS-2V 52-104 | 52-104      | 1140,80                         | 1311,90             | 1426,00             | R900IIE                   | R900IIT                  | 255,30 |
| CROSS-2V 52-144 | 52-144      | 1467,00                         | 1687,10             | 1833,80             | R1200IIE                  | R1200IIT                 | 276,30 |
| CROSS-V 184-52  | 1059,20     | 1218,10                         | 1324,00             | 1455,30             | R900IIE                   | R900IIT                  | 255,30 |
| CROSS-V 184-80  | 1465,30     | 1685,10                         | 1831,60             | 2000,30             | R1200IIE                  | R1200IIT                 | 276,30 |
| CROSS-V 208-80  | 1512,60     | 1739,50                         | 1890,80             | 2080,30             | R1500IIE                  | R1500IIT                 | 298,00 |
| CROSS-2V 184-52 | 1059,20     | 1218,10                         | 1324,00             | 1455,30             | R1500IIE                  | R1500IIT                 | 298,00 |

Other sizes on request



HEATING EL. POSITION  
Ⓒ Horizontal Heating El.  
Ⓓ Vertical Heating El.



## THERMOSTATS Wi-Fi FOR KIT RE P. 208

## ACCESSORIES FOR



E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€

The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)

Art. SA868

64,20€



KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€

Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)

Art. SA600


99,10€



# e.CROSS-Q WITH OVERLAPPING SQUARES


design Luigi Brembilla

TECHNICAL DATA and other dimensions p. 60  
ELECTRIC KIT DATA p. 208-209



| MODEL           | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with: |                          |        |
|-----------------|-------------|--------------------------------------|--------------------------|--------------------------|---------------------------|--------------------------|--------|
|                 |             |                                      |                          |                          | Cable R...E<br>Art. (W)   | Faston R...T<br>Art. (W) | €      |
| CROSS-QD 48-48  | 48-48       | 465,40                               | 535,20                   | 581,80                   | R250IIE                   | R250IIT                  | 191,90 |
| CROSS-QD 56-56  | 56-56       | 506,70                               | 582,70                   | 633,40                   | R300IIE                   | R300IIT                  | 193,80 |
| CROSS-QD 64-64  | 64-64       | 531,80                               | 611,60                   | 664,80                   | R400IIE                   | R400IIT                  | 195,70 |
| CROSS-Q 48-88   | 48-88       | 731,70                               | 841,50                   | 914,60                   | R400IIE                   | R400IIT                  | 195,70 |
| CROSS-Q 48-128  | 48-128      | 1015,70                              | 1168,10                  | 1269,60                  | R650IIE                   | R650IIT                  | 222,90 |
| CROSS-Q 56-152  | 56-152      | 1101,00                              | 1266,20                  | 1376,30                  | R800IIE                   | R800IIT                  | 240,50 |
| CROSS-Q 64-96   | 64-96       | 826,10                               | 950,00                   | 1032,60                  | R500IIE                   | R500IIT                  | 208,50 |
| CROSS-Q 88-48   | 88-48       | 718,10                               | 825,80                   | 897,60                   | R400IIE                   | R400IIT                  | 195,70 |
| CROSS-Q 88-120  | 88-120      | 894,50                               | 1028,70                  | 1118,10                  | R650IIE                   | R650IIT                  | 206,40 |
| CROSS-Q 128-48  | 128-48      | 1008,00                              | 1159,20                  | 1260,00                  | R650IIE                   | R650IIT                  | 222,90 |
| CROSS-Q 152-48  | 152-48      | 1059,70                              | 1218,70                  | 1324,60                  | R650IIE                   | R650IIT                  | 222,90 |
| CROSS-Q 170-56  | 170-56      | 1290,40                              | 1484,00                  | 1613,00                  | R800IIE                   | R800IIT                  | 240,50 |
| CROSS-Q 186-48  | 186-48      | 1310,20                              | 1506,70                  | 1637,80                  | R900IIE                   | R900IIT                  | 255,30 |
| CROSS-Q 186-100 | 186-100     | 2132,50                              | 2452,40                  | 2665,60                  | R1500IIE                  | R1500IIT                 | 298,00 |
| CROSS-Q 202-56  | 202-56      | 1374,60                              | 1580,80                  | 1718,30                  | R1200IIE                  | R1200IIT                 | 276,30 |

HEATING EL. POSITION  
⊙ Horizontal Heating El.  
⊙ Vertical Heating El.



## ELECTRIC VERSIONS

THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

THERMOSTAT CIRCLE Wi-Fi  
up to 800 W  
heating elements



ø 6 x 8 x 5 cm



Chrome/Black finish  
Art. CIR-wifi 198,50€



ELECTRIC







# e.CROSS-R

design Luigi Brembilla


TECHNICAL DATA and other dimensions p. 66  
ELECTRIC KIT DATA p. 208-209





CROSS-R 70-104/124  
R-CROM 70-124





CROSS-R 70-144




CROSS-R2 70-144/164




CROSS-R 137-56  
R-CROM 137-64




CROSS-RD 137-56



R-CROM 177-64



CROSS-RD 177-64



| MODELE        | H - L<br>cm | Standard white<br>sablé SB 9016 | BREM Colors | BREM Colors | KIT HEATING ELEMENT with: |                         |        |
|---------------|-------------|---------------------------------|-------------|-------------|---------------------------|-------------------------|--------|
|               |             | €                               | +15%<br>€   | +25%<br>€   | Cable R..E<br>Art. (W)    | Faston R..T<br>Art. (W) | €      |
| CROSS-R       | 70-104      | 829,80                          | 954,30      | 1037,30     | R400IIE                   | R400IIT                 | 195,70 |
| CROSS-R       | 70-124      | 908,10                          | 1044,30     | 1135,10     | R500IIE                   | R500IIT                 | 208,50 |
| CROSS-R       | 70-144      | 986,40                          | 1134,40     | 1233,00     | R500IIE                   | R500IIT                 | 208,50 |
| CROSS-R2      | 70-144      | 1259,80                         | 1448,80     | 1574,80     | R650IIE                   | R650IIT                 | 222,90 |
| CROSS-R2      | 70-164      | 1443,70                         | 1660,30     | 1804,60     | R800IIE                   | R800IIT                 | 240,50 |
| CROSS-R       | 137-56      | 919,30                          | 1057,20     | 1149,10     | R500IIE                   | R500IIT                 | 208,50 |
| CROSS-RD      | 137-56      | 1244,00                         | 1430,60     | 1555,00     | R650IIE                   | R650IIT                 | 222,90 |
| CROSS-RD      | 177-64      | 1382,00                         | 1589,30     | 1727,50     | R800IIE                   | R800IIT                 | 240,50 |
| CHROME FINISH |             |                                 |             |             |                           |                         |        |
| R-CROM        | 70-124      | 2152,30                         | -           | -           | R400IIE                   | R400IIT                 | 195,70 |
| R-CROM        | 137-56      | 2262,00                         | -           | -           | R500IIE                   | R500IIT                 | 208,50 |
| R-CROM        | 177-64      | 2730,10                         | -           | -           | R500IIE                   | R500IIT                 | 208,50 |

HEATING ELEMENT POSITION  
© Vertical Heating Element



G

THERMOSTATS Wi-Fi FOR KIT RE P. 208

ACCESSORIES FOR

E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)



Art. SA868 64,20€

KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€


Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)



Art. SA600 99,10€




TECHNICAL DATA p. 124  
ELECTRIC KIT DATA p. 208-209



| MODELE'25 | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with: |                          |        |
|-----------|-------------|--------------------------------------|--------------------------|--------------------------|---------------------------|--------------------------|--------|
|           |             |                                      |                          |                          | Cable R..E<br>Art. (VV)   | Faston R..T<br>Art. (VV) | €      |
| CUBICO    | 74-44       | 708,70                               | 815,00                   | 885,90                   | R400IIE                   | R400IIT                  | 195,70 |
| CUBICO    | 90-44       | 785,10                               | 902,90                   | 981,40                   | R500IIE                   | R500IIT                  | 208,50 |
| CUBICO    | 118-44      | 870,10                               | 1000,60                  | 1087,60                  | R650IIE                   | R650IIT                  | 222,90 |
| CUBICO    | 142-44      | 944,30                               | 1085,90                  | 1180,40                  | R800IIE                   | R800IIT                  | 240,50 |
| CUBICO    | 162-44      | 1006,40                              | 1157,40                  | 1258,00                  | R900IIE                   | R900IIT                  | 255,30 |
| CUBICO-2  | 162-44      | 1040,00                              | 1196,00                  | 1300,00                  | R900IIE                   | R900IIT                  | 255,30 |
| CUBICO-2  | 146-49      | 1026,30                              | 1180,20                  | 1282,90                  | R900IIE                   | R900IIT                  | 255,30 |
| CUBICO-2  | 174-54      | 1111,90                              | 1278,70                  | 1389,90                  | R1200IIE                  | R1200IIT                 | 276,30 |

TOWEL BAR CUBICO: STANDARD COLORS  
 - white sablé SB 9016 - quartz grey SB 7039  
 - black sablé SB 9005 - same color as the radiator  
 In one paintwork to Brem color list different from the radiator  
 Extra Art.CM 52,90€

HEATING ELEMENT POSITION  
 © Vertical Heating Element



## ELECTRIC VERSIONS

THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

THERMOSTAT CIRCLE Wi-Fi  
 up to 800 W  
 heating elements




ø 6 x 8 x 5 cm



Chrome/Black finish  
 Art. CIR-wifi 198,50€



TECHNICAL DATA p. 126  
ELECTRIC KIT DATA p. 208-209



DUO 101-44

DUO 117-49

DUO 125-54

DUO 133-59

| MODEL | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with<br>Cable R...E Faston R...T<br>Art. (VV) Art. (VV) € |         |        |
|-------|-------------|--------------------------------------|--------------------------|--------------------------|-------------------------------------------------------------------------------|---------|--------|
| DUO   | 101-44      | 685,90                               | 788,80                   | 857,40                   | R500IIE                                                                       | R500IIT | 208,50 |
| DUO   | 117-49      | 820,20                               | 943,20                   | 1025,30                  | R650IIE                                                                       | R650IIT | 222,90 |
| DUO   | 125-54      | 878,50                               | 1010,30                  | 1098,10                  | R800IIE                                                                       | R800IIT | 240,50 |
| DUO   | 133-59      | 918,70                               | 1056,50                  | 1148,40                  | R900IIE                                                                       | R900IIT | 255,30 |

#### BICOLOR SOLUTION:

- BIC10 Cover in a Brem color and back radiator white sablé SB9016 +10%  
Cover in standard white and back in Ral color +10%
- BIC20 Cover in a Brem color and back radiator black sablé SB9005 or grey sablé SB7039 +20%
- BIC35 N° 2 Brem colors of your choice +35%



HEATING ELEMENT POSITION  
© Vertical Heating Element

## THERMOSTATS Wi-Fi FOR KIT RE P. 208

## ACCESSORIES FOR

E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)

Art. SA868

64,20€



KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€


Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)



Art. SA600


99,10€

TECHNICAL DATA and other dimensions p. 70  
ELECTRIC KIT DATA p. 208-209



| MODEL         | H - L<br>cm | Standard white<br>sablé SB 9016 | BREM Colors | BREM Colors | KIT HEATING ELEMENT with |                           |        |
|---------------|-------------|---------------------------------|-------------|-------------|--------------------------|---------------------------|--------|
|               |             | €                               | +15%<br>€   | +25%<br>€   | Cable R...E<br>Art. (VV) | Faston R...T<br>Art. (VV) | €      |
| ESSEN         | 72-40       | 632,10                          | 726,90      | 790,10      | R250IIE                  | R250IIT                   | 191,90 |
| ESSEN PLUS    | 72-52       | 657,70                          | 756,40      | 822,10      | R400IIE                  | R400IIT                   | 195,70 |
| ESSEN         | 72-126      | 943,30                          | 1084,80     | 1179,10     | R650IIE                  | R650IIT                   | 222,90 |
| ESSEN PLUS    | 104-40      | 828,00                          | 952,20      | 1035,00     | R500IIE                  | R500IIT                   | 208,50 |
| ESSEN         | 136-52      | 822,50                          | 945,90      | 1028,10     | R500IIE                  | R500IIT                   | 208,50 |
| ESSEN PLUS    | 136-52      | 1183,50                         | 1361,00     | 1479,40     | R800IIE                  | R800IIT                   | 240,50 |
| ESSEN         | 168-52      | 972,40                          | 1118,30     | 1215,50     | R650IIE                  | R650IIT                   | 222,90 |
| ESSEN PLUS    | 168-52      | 1082,50                         | 1244,90     | 1353,10     | R900IIE                  | R900IIT                   | 255,30 |
| CHROME FINISH |             |                                 |             |             |                          |                           |        |
| Essen CROM    | 136-52      | 1928,80                         | -           | -           | R400IIE                  | R400IIT                   | 195,70 |
| Essen CROM    | 168-52      | 2138,60                         | -           | -           | R500IIE                  | R500IIT                   | 208,50 |

HEATING ELEMENT POSITION  
© Vertical Heating Element



## ELECTRIC VERSIONS

THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

THERMOSTAT CIRCLE Wi-Fi  
up to 800 W  
heating elements




ø 6 x 8 h x 5 cm



Chrome/Black finish  
Art. CIR-wifi 198,50€




TECHNICAL DATA p. 72  
ELECTRIC KIT DATA p. 208-209



FIT 88-48  
FIT 108-48  
FIT 128-..  
FIT 148-48  
FIT 168-28  
FIT 168-..  
FIT 188-56

| MODEL      | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with: |                          |        |
|------------|-------------|--------------------------------------|--------------------------|--------------------------|---------------------------|--------------------------|--------|
|            |             |                                      |                          |                          | Cable R..E<br>Art. (VV)   | Faston R..T<br>Art. (VV) | €      |
| FIT 88-48  | 88-48       | 704,30                               | 809,90                   | 880,40                   | R400IIE                   | R400IIT                  | 195,70 |
| FIT 108-48 | 108-48      | 747,90                               | 860,10                   | 934,90                   | R500IIE                   | R500IIT                  | 208,50 |
| FIT 128-40 | 128-40      | 777,70                               | 894,40                   | 972,10                   | R500IIE                   | R500IIT                  | 208,50 |
| FIT 128-56 | 128-56      | 877,90                               | 1009,60                  | 1097,40                  | R650IIE                   | R650IIT                  | 222,90 |
| FIT 148-48 | 148-48      | 904,40                               | 1040,10                  | 1130,50                  | R650IIE                   | R650IIT                  | 222,90 |
| FIT 168-28 | 168-28      | 909,40                               | 1045,80                  | 1136,80                  | R500IIE                   | R500IIT                  | 208,50 |
| FIT 168-40 | 168-40      | 940,60                               | 1081,70                  | 1175,80                  | R650IIE                   | R650IIT                  | 222,90 |
| FIT 168-56 | 168-56      | 1002,80                              | 1153,20                  | 1253,50                  | R800IIE                   | R800IIT                  | 240,50 |
| FIT 168-64 | 168-64      | 1017,00                              | 1169,60                  | 1271,30                  | R900IIE                   | R900IIT                  | 255,30 |
| FIT 188-56 | 188-56      | 1067,80                              | 1228,00                  | 1334,80                  | R900IIE                   | R900IIT                  | 255,30 |

HEATING ELEMENT POSITION  
© Vertical Heating Element



## THERMOSTATS Wi-Fi FOR KIT RE P. 208

## ACCESSORIES FOR

E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)

Art. SA868

64,20€



KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€

Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)


Art. SA600

99,10€





TECHNICAL DATA p. 128  
ELECTRIC KIT DATA p. 208-209



FLAG 74-44

FLAG 90-44

FLAG 118-44

FLAG 142-44

FLAG 162-44

| MODEL | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with: |                          |        |
|-------|-------------|--------------------------------------|--------------------------|--------------------------|---------------------------|--------------------------|--------|
|       |             |                                      |                          |                          | Cable R..E<br>Art. (VV)   | Faston R..T<br>Art. (VV) | €      |
| FLAG  | 74-44       | 668,40                               | 768,70                   | 835,50                   | R400IIE                   | R400IIT                  | 195,70 |
| FLAG  | 90-44       | 744,80                               | 856,50                   | 931,00                   | R500IIE                   | R500IIT                  | 208,50 |
| FLAG  | 118-44      | 890,30                               | 1023,80                  | 1112,90                  | R650IIE                   | R650IIT                  | 222,90 |
| FLAG  | 142-44      | 964,40                               | 1109,10                  | 1205,50                  | R800IIE                   | R800IIT                  | 240,50 |
| FLAG  | 162-44      | 1026,60                              | 1180,60                  | 1283,30                  | R900IIE                   | R900IIT                  | 255,30 |

TOWEL BAR FLAG: STANDARD COLORS

- white sablé SB 9016 - quartz grey SB 7039  
- black sablé SB 9005 - same color as the radiator

In one paintwork to Brem color list different from the radiator  
Extra Art.CM 52,90€

HEATING ELEMENT POSITION  
© Vertical Heating Element



## ELECTRIC VERSIONS

THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

THERMOSTAT CIRCLE Wi-Fi  
up to 800 W  
heating elements




ø 6 x 8 x 5 cm



Chrome/Black finish  
Art. CIR-wifi 198,50€



TECHNICAL DATA and other dimensions page 174  
ELECTRIC KIT DATA page 208-209




| MODELE      | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with: |                        |        |
|-------------|-------------|--------------------------------------|--------------------------|--------------------------|---------------------------|------------------------|--------|
|             |             |                                      |                          |                          | Cable R.E<br>Art. (W)     | Faston R.T<br>Art. (W) | €      |
| FRAC 44-124 | 44-124      | 593,30                               | 682,30                   | 741,60                   | R500IIE                   | R500IIT                | 208,50 |
| FRAC 59-124 | 59-124      | 709,50                               | 815,90                   | 886,90                   | R650IIE                   | R650IIT                | 222,90 |
| FRAC 69-124 | 69-124      | 817,60                               | 940,20                   | 1022,00                  | R800IIE                   | R800IIT                | 240,50 |
| FRAC 84-39  | 84-39       | 499,40                               | 574,30                   | 624,30                   | R300IIE                   | R300IIT                | 193,80 |
| FRAC 84-49  | 84-49       | 518,20                               | 595,90                   | 647,80                   | R400IIE                   | R400IIT                | 195,70 |
| FRAC 99-39  | 99-39       | 588,20                               | 676,40                   | 735,30                   | R400IIE                   | R400IIT                | 195,70 |
| FRAC 99-49  | 99-49       | 608,90                               | 700,20                   | 761,10                   | R500IIE                   | R500IIT                | 208,50 |
| FRAC 129-39 | 129-39      | 683,60                               | 786,10                   | 854,50                   | R500IIE                   | R500IIT                | 193,10 |
| FRAC 129-49 | 129-49      | 704,60                               | 810,30                   | 880,80                   | R650IIE                   | R650IIT                | 206,40 |
| FRAC 159-39 | 159-39      | 808,20                               | 929,40                   | 1010,30                  | R650IIE                   | R650IIT                | 222,90 |
| FRAC 159-49 | 159-49      | 828,80                               | 953,10                   | 1036,00                  | R800IIE                   | R800IIT                | 240,50 |
| FRAC 159-54 | 159-54      | 902,90                               | 1038,30                  | 1128,60                  | R900IIE                   | R900IIT                | 255,30 |
| FRAC 189-39 | 189-39      | 937,00                               | 1077,60                  | 1171,30                  | R800IIE                   | R800IIT                | 240,50 |
| FRAC 189-59 | 189-59      | 944,20                               | 1085,80                  | 1180,30                  | R1200IIE                  | R1200IIT               | 276,30 |

CHROME HOOK  
(ø 3 x 3,5 cm) p.277 Art. AC n°2 90,90€



HEATING ELEMENT POSITION  
© Vertical Heating Element



## THERMOSTATS Wi-Fi FOR KIT RE P. 208

## ACCESSORIES FOR

E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)

Art. SA868

64,20€



KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€


Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)




Art. SA600

99,10€

TECHNICAL DATA  
and other dimensions page 74  
ELECTRIC KIT DATA page 208-209





FREE 24-64




FREE 24-84



FREE 24-104



FREE 24-124



FREE 24-144



FREE 24-164



CABLE COVER FREE  
E.H.E. L = 12 cm  
Art. CCREF 89,60€

| MODEL'25 | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with |                        |        |
|----------|-------------|--------------------------------------|--------------------------|--------------------------|--------------------------|------------------------|--------|
|          |             |                                      |                          |                          | Cable R.E<br>Art. (W)    | Faston R.T<br>Art. (W) | €      |
| FREE     | 24-64       | 351,70                               | 404,50                   | 439,60                   | R250IIE                  | R250IIT                | 191,90 |
| FREE     | 24-84       | 392,20                               | 451,00                   | 490,30                   | R250IIE                  | R250IIT                | 191,90 |
| FREE     | 24-104      | 432,80                               | 497,70                   | 541,00                   | R300IIE                  | R300IIT                | 193,80 |
| FREE     | 24-124      | 473,30                               | 544,30                   | 591,60                   | R300IIE                  | R300IIT                | 193,80 |
| FREE     | 24-144      | 514,00                               | 591,10                   | 642,50                   | R400IIE                  | R400IIT                | 195,70 |
| FREE     | 24-164      | 554,70                               | 637,90                   | 693,40                   | R500IIE                  | R500IIT                | 193,10 |



HEATING ELEMENT POSITION  
Ⓐ Horizontal Heating Element  
On request, Element in Ⓑ



## ELECTRIC VERSIONS

## THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

### THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

### REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

### THERMOSTAT CIRCLE Wi-Fi up to 800 W heating elements



ø 6 x 8 h x 5 cm




Chrome/Black finish  
Art. CIR-wifi 198,50€





TECHNICAL DATA and other dimensions page 130  
ELECTRIC KIT DATA page 208-209



ON REQUEST, FREE OF CHARGE, TOWEL BAR WITH THE LEFT EXTENSION

| MODEL   | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with: |                         |        |
|---------|-------------|--------------------------------------|--------------------------|--------------------------|---------------------------|-------------------------|--------|
|         |             |                                      |                          |                          | Cable R..E<br>Art. (W)    | Faston R..T<br>Art. (W) | €      |
| Geo-T   | 58-56       | 893,80                               | 1027,90                  | 1117,30                  | R300IIE                   | R300IIT                 | 193,80 |
| Geo-TL  | 58-56       | 1093,70                              | 1257,80                  | 1367,10                  | R500IIE                   | R500IIT                 | 208,50 |
| Geo-T   | 58-87       | 923,20                               | 1061,70                  | 1154,00                  | R400IIE                   | R400IIT                 | 195,70 |
| Geo-TL  | 58-87       | 1123,10                              | 1291,60                  | 1403,90                  | R500IIE                   | R500IIT                 | 208,50 |
| Geo-O   | 54-89       | 952,60                               | 1095,50                  | 1190,80                  | R500IIE                   | R500IIT                 | 208,50 |
| Geo-OL  | 54-89       | 1152,50                              | 1325,40                  | 1440,60                  | R800IIE                   | R800IIT                 | 240,50 |
| Geo-O   | 54-116      | 993,80                               | 1142,90                  | 1242,30                  | R500IIE                   | R500IIT                 | 208,50 |
| Geo-OL  | 54-116      | 1193,70                              | 1372,80                  | 1492,10                  | R800IIE                   | R800IIT                 | 240,50 |
| Geo-OV  | 87-56       | 1070,20                              | 1230,70                  | 1337,80                  | R500IIE                   | R500IIT                 | 208,50 |
| Geo-OVL | 87-56       | 1270,10                              | 1460,60                  | 1587,60                  | R800IIE                   | R800IIT                 | 240,50 |
| Geo-OV  | 87-87       | 1099,60                              | 1264,50                  | 1374,50                  | R650IIE                   | R650IIT                 | 222,90 |
| Geo-OVL | 87-87       | 1299,50                              | 1494,40                  | 1624,40                  | R800IIE                   | R800IIT                 | 240,50 |


TOWEL BAR GEO: STANDARD COLORS

- white sablé SB 9016
- quartz grey SB 7039
- black sablé SB 9005
- same color as the radiator

In one paintwork to Brem color list different from the radiator  
Extra Art.CM 52,90€



HEATING ELEMENT POSITION  
© Vertical Heating Element



THERMOSTATS Wi-Fi FOR KIT RE P. 208

ACCESSORIES FOR



E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€

The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)



Art. SA868 64,20€

KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€

Additional receiver: 1 for each electrical radiators  
or split AC (up to 16) Art. SA600 99,10€






# e.GEOMETRICA

## e.GEO-QUADRA e.GEO-RETTANGOLARE


TECHNICAL DATA and other dimensions page 132  
ELECTRIC KIT DATA page 208-209



| MODEL         | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with: |                          |        |
|---------------|-------------|--------------------------------------|--------------------------|--------------------------|---------------------------|--------------------------|--------|
|               |             |                                      |                          |                          | Cable R..E<br>Art. (VV)   | Faston R..T<br>Art. (VV) | €      |
| Geo-Q 58-56   | 58-56       | 946,70                               | 1088,70                  | 1183,40                  | R400IIE                   | R400IIT                  | 195,70 |
| Geo-QL 58-56  | 58-56       | 1146,70                              | 1318,70                  | 1433,40                  | R500IIE                   | R500IIT                  | 208,50 |
| Geo-Q 58-87   | 58-87       | 976,10                               | 1122,50                  | 1220,10                  | R400IIE                   | R400IIT                  | 195,70 |
| Geo-QL 58-87  | 58-87       | 1164,20                              | 1338,80                  | 1455,30                  | R500IIE                   | R500IIT                  | 208,50 |
| Geo-Q 67-65   | 67-65       | 1009,00                              | 1160,40                  | 1261,30                  | R500IIE                   | R500IIT                  | 208,50 |
| Geo-QL 67-65  | 67-65       | 1244,20                              | 1430,80                  | 1555,30                  | R650IIE                   | R650IIT                  | 222,90 |
| Geo-Q 67-102  | 67-102      | 1044,30                              | 1200,90                  | 1305,40                  | R650IIE                   | R650IIT                  | 222,90 |
| Geo-QL 67-102 | 67-102      | 1273,70                              | 1464,80                  | 1592,10                  | R800IIE                   | R800IIT                  | 240,50 |
| Geo-R 54-92   | 54-92       | 1039,60                              | 1195,50                  | 1299,50                  | R650IIE                   | R650IIT                  | 222,90 |
| Geo-R 54-123  | 54-123      | 1080,80                              | 1242,90                  | 1351,00                  | R650IIE                   | R650IIT                  | 222,90 |
| Geo-R 63-102  | 63-102      | 1186,00                              | 1363,90                  | 1482,50                  | R800IIE                   | R800IIT                  | 240,50 |
| Geo-R 63-138  | 63-138      | 1227,20                              | 1411,30                  | 1534,00                  | R900IIE                   | R900IIT                  | 255,30 |
| Geo-RV 87-56  | 87-56       | 1064,30                              | 1223,90                  | 1330,40                  | R650IIE                   | R650IIT                  | 222,90 |
| Geo-RVL 87-56 | 87-56       | 1264,30                              | 1453,90                  | 1580,40                  | R800IIE                   | R800IIT                  | 240,50 |
| Geo-RV 87-87  | 87-87       | 1093,70                              | 1257,80                  | 1367,10                  | R650IIE                   | R650IIT                  | 222,90 |

TOWEL BAR GEO: STANDARD COLORS  
- white sablé SB 9016 - quartz grey SB 7039  
- black sablé SB 9005 - same color as the radiator  
In one paintwork to Brem color list different from the radiator  
Extra Art.CM 52,90€

ON REQUEST, BAR with DOUBLE PROJECTION



HEATING ELEMENT POSITION  
© Vertical Heating Element



## ELECTRIC VERSIONS

THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

THERMOSTAT CIRCLE Wi-Fi  
up to 800 W  
heating elements



ø 6 x 8 h x 5 cm



Chrome/Black finish  
Art. CIR-wifi 198,50€




ELECTRIC




TECHNICAL DATA page 28  
ELECTRIC KIT DATA page 208

## FREESTANDING MODELS




## SUSPENDED MODELS and MODELS WITH FEET



| MODEL               | H - L<br>cm | Standard white     | BREM Colors | BREM Colors | KIT HEATING ELEMENT with: |                        |        |
|---------------------|-------------|--------------------|-------------|-------------|---------------------------|------------------------|--------|
|                     |             | sablé SB 9016<br>€ | +15%<br>€   | +25%<br>€   | Cable R.E<br>Art. (W)     | Faston R.T<br>Art. (W) | €      |
| GUEST 88-12         | 88          | 391,70             | 450,50      | 489,60      | R250IIE                   | R250IIF                | 191,90 |
| GUEST 88-22         | 88          | 526,40             | 605,40      | 658,00      | R400IIE                   | R400IIF                | 195,70 |
| GUEST 182-22        | 182         | 613,50             | 705,50      | 766,90      | R500IIE                   | R500IIF                | 208,50 |
| GUEST 182-32        | 182         | 695,00             | 799,30      | 868,80      | R650IIE                   | R650IIF                | 222,90 |
| GUEST 182-32D       | 182         | 753,40             | 866,40      | 941,80      | R650IIE                   | R650IIF                | 222,90 |
| MODELS WITH FEET    |             |                    |             |             |                           |                        |        |
| GUEST 104-12        | 104         | 428,00             | 492,20      | 535,00      | R300IIE                   | R300IIF                | 193,80 |
| GUEST 104-22        | 104         | 562,70             | 647,10      | 703,40      | R400IIE                   | R400IIF                | 195,70 |
| GUEST 198-22        | 198         | 649,80             | 747,30      | 812,30      | R500IIE                   | R500IIF                | 208,50 |
| GUEST 198-32        | 198         | 731,20             | 840,90      | 914,00      | R650IIE                   | R650IIF                | 222,90 |
| GUEST 198-32D       | 198         | 789,70             | 908,20      | 987,10      | R800IIE                   | R800IIF                | 240,50 |
| FREESTANDING MODELS |             |                    |             |             |                           |                        |        |
| GUEST 104-12        | 104         | 498,50             | 573,30      | 623,10      | R300IIE                   | R300IIF                | 193,80 |
| GUEST 104-22        | 104         | 633,20             | 728,20      | 791,50      | R400IIE                   | R400IIF                | 195,70 |



HEATING ELEMENT POSITION  
© Vertical Heating Element



G

THERMOSTATS Wi-Fi FOR KIT RE P. 208

ACCESSORIES FOR

White cable cover or  
radiator color (Painted  
together) for E.H.E.)

Art.CCRE38 ø 3/8"  
73,40€  
Art.CCRE12 ø 1/2"  
73,40€



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)

Art. SA868

64,20€



KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€

Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)

Art. SA600

99,10€



# e.HAND


design Luigi Brembilla

Electric heated towel rail for bathroom towels available in two sizes: 55 and 123 cm; powered by electrical supply 24VDC.


Hand can be installed horizontally or vertically, left or right, high or low connection, to allow free compositions.

## DIMENSIONS


Lengths: 7,7 / 55 / 123 cm  
Heights: 7,7 / 55 / 123 cm  
Depth / Depth from wall: 7 cm



HAND 8-55



HAND 8-123



HAND 123-8



SPECIAL GALVANIC FINISHES on request

GOLD  
BRONZE  
NICKEL BRUSHED  
BLACK NICKEL

| MODEL      | PRICES INCLUDE THE ELECTRIC ELEMENT, 24VDC |                    |                          |                          | Heating ELEMENT<br>24VDC - Class III<br>THERMAL OUTPUT<br>/Consumption |
|------------|--------------------------------------------|--------------------|--------------------------|--------------------------|------------------------------------------------------------------------|
|            | Standard white<br>H - L<br>cm              | sablé SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ |                                                                        |
| HAND 8-55  |                                            | 526,40             | 605,40                   | 658,00                   | 30 W                                                                   |
| HAND 8-123 |                                            | 694,40             | 798,60                   | 868,00                   | 75 W                                                                   |
| HAND 55-8  |                                            | 526,40             | 605,40                   | 658,00                   | 30 W                                                                   |
| HAND 123-8 |                                            | 694,40             | 798,60                   | 868,00                   | 75 W                                                                   |

Prepare 24vDC CONTROLLED LIGHT POINT with SELV POWER SUPPLY

HAND: suitable for bathrobes  
Art. HB 44,20€



## ELECTRIC VERSIONS

THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209 DO NOT USE with HAND

THERMOSTAT mod. DYP



White with white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with black cable cover  
Art. DYPN 103,40€

REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

THERMOSTAT CIRCLE Wi-Fi  
up to 800 W  
heating elements



ø 6 x 8 h x 5 cm



Chrome/Black finish  
Art. CIR-wifi 198,50€



ELECTRIC






# e.HERG-ÖT

design Luigi Brembilla

TECHNICAL DATA and other dimensions p. 30  
ELECTRIC KIT DATA p. 208-209




HERG-ÖT 185-42

HERG-ÖT 212-50 ..58

| MODEL                          | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors<br>+15%<br>€               | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with: |                         |        |
|--------------------------------|-------------|--------------------------------------|----------------------------------------|--------------------------|---------------------------|-------------------------|--------|
|                                |             |                                      |                                        |                          | Cable R.E<br>Art. (W)     | Faston R..T<br>Art. (W) | €      |
| HERG-ÖT 185-42                 |             | 995,20                               | 1144,50                                | 1244,00                  | R650IIE                   | -                       | 222,90 |
| HERG-ÖT 185-50                 |             | 1163,20                              | 1337,70                                | 1454,00                  | R800IIE                   | -                       | 240,50 |
| HERG-ÖT 185-58                 |             | 1204,20                              | 1384,80                                | 1505,30                  | R900IIE                   | -                       | 255,30 |
| Angled HERG-ÖT, extra Art. HOI |             | 108,80€                              | ONLY with Wi-Fi THERMOSTATS for KIT RE |                          |                           |                         |        |



HEATING ELEMENT POSITION  
© Vertical Heating Element



THERMOSTATS Wi-Fi FOR KIT RE P. 208

ACCESSORIES FOR

E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)

Art. SA868

64,20€



KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€

Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)



Art. SA600

99,10€

# e.HERG'S TOWEL HEATERS

# e.HERG RADIATORS

design Luigi Brembilla

## TECHNICAL DATA


HERG RADIATORS page 14

HERG'S TOWEL-HEATERS page 32


On request other dimensions

ELECTRIC KIT DATA page 208-209


## HERG HGS



HGS 200/50 HGS 200/80 HGS..



HERG'S 65-42 HERG'S 92-50 HERG'S 120-50



HERG'S 148-50 HERG'S 175-58



HERG'S 92-50




HGS 200/50 - 7el

| MODEL          | H - L<br>cm            | Standard white<br>sabù SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with: |                        |        |
|----------------|------------------------|-------------------------------------|--------------------------|--------------------------|---------------------------|------------------------|--------|
| Towel-heaters  |                        |                                     |                          |                          | Cable R.E<br>Art. (W)     | Faston R.T<br>Art. (W) | €      |
| HERG'S 65-42   |                        | 533,80                              | 613,90                   | 667,30                   | R250IIE                   | R250IIT                | 191,90 |
| HERG'S 92-50   |                        | 642,40                              | 738,80                   | 803,00                   | R400IIE                   | R400IIT                | 195,70 |
| HERG'S 120-50  |                        | 786,40                              | 904,40                   | 983,00                   | R500IIE                   | R500IIT                | 208,50 |
| HERG'S 148-50  |                        | 895,10                              | 1029,40                  | 1118,90                  | R650IIE                   | R650IIT                | 222,90 |
| HERG'S 175-58  |                        | 1031,40                             | 1186,10                  | 1289,30                  | R800IIE                   | R800IIT                | 240,50 |
| Radiators      | Hcm/PE - n°el. L<br>cm |                                     |                          |                          |                           |                        |        |
| HGS 180/80-5el | 34                     | 976,60                              | 1123,10                  | 1220,80                  | R900IIE                   | R900IIT                | 255,30 |
| HGS 200/50-5el | 22                     | 1016,00                             | 1168,40                  | 1270,00                  | R800IIE                   | R800IIT                | 240,50 |
| HGS 200/80-5el | 34                     | 1016,00                             | 1168,40                  | 1270,00                  | R900IIE                   | R900IIT                | 255,30 |
| HGS 200/80-6el | 42                     | 1145,40                             | 1317,20                  | 1431,80                  | R1200IIE                  | R1200IIT               | 276,30 |
| HGS 200/50-7el | 32                     | 1275,10                             | 1466,40                  | 1593,90                  | R1200IIE                  | R1200IIT               | 276,30 |
| HGS 200/80-8el | 58                     | 1404,70                             | 1615,40                  | 1755,90                  | R1500IIE                  | R1500IIT               | 298,00 |
| HGS 200/50-9el | 42                     | 1534,40                             | 1764,60                  | 1918,00                  | R1500IIE                  | R1500IIT               | 298,00 |

PE = step (distance between the midpoints of 2 elements)

HEATING ELEMENT POSITION  
© Vertical Heating Element



## ELECTRIC VERSIONS

THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

### THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

### REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

### THERMOSTAT CIRCLE Wi-Fi

up to 800 W  
heating elements




ø 6 x 8 x 5 cm



Chrome/Black finish  
Art. CIR-wifi 198,50€



TECHNICAL DATA and other dimensions p.34  
ELECTRIC KIT DATA p. 208-209



| MODEL  | H - L<br>cm | Standard white<br>sablé SB 9016 | BREM Colors<br>+15% | BREM Colors<br>+25% | KIT HEATING ELEMENT with: |                         |        |
|--------|-------------|---------------------------------|---------------------|---------------------|---------------------------|-------------------------|--------|
|        |             | €                               | €                   | €                   | Cable R..E<br>Art. (W)    | Faston R..T<br>Art. (W) | €      |
| HOOK   | 180-20      | 771,80                          | 887,60              | 964,80              | R400IIE                   | R400IIT                 | 195,70 |
| HOOK   | 180-30      | 981,70                          | 1129,00             | 1227,10             | R500IIE                   | R500IIT                 | 208,50 |
| HOOK   | 210-10      | 580,80                          | 667,90              | 726,00              | R250IIE                   | R250IIT                 | 191,90 |
| HOOK   | 210-20      | 790,60                          | 909,20              | 988,30              | R400IIE                   | R400IIT                 | 195,70 |
| HOOK   | 210-30      | 1000,20                         | 1150,20             | 1250,30             | R650IIE                   | R650IIT                 | 222,90 |
| HOOK-2 | 180-20      | 971,80                          | 1117,60             | 1214,80             | R500IIE                   | R500IIT                 | 208,50 |
| HOOK-2 | 180-30      | 996,80                          | 1146,30             | 1246,00             | R650IIE                   | R650IIT                 | 222,90 |
| HOOK-2 | 210-20      | 1156,50                         | 1330,00             | 1445,60             | R650IIE                   | R650IIT                 | 222,90 |
| HOOK-2 | 210-30      | 1181,20                         | 1358,40             | 1476,50             | R900IIE                   | R900IIT                 | 255,30 |

KNOB mod. HK: STANDARD COLORS  
- white sablé SB 9016 - quartz grey SB 7039  
- black sablé SB 9005 - same color as the radiator  
In one paintwork to Brem color list different from the radiator  
Extra Art. CM 52,90€

KNOB, on demand without extra


Mod. PO



Mod. ARO



HEATING ELEMENT POSITION  
© Vertical Heating Element



G

## THERMOSTATS Wi-Fi FOR KIT RE P. 208

## ACCESSORIES FOR

E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)

Art. SA868

64,20€



KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€

Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)



Art. SA600


99,10€




# e.KORE PLUS

design Luigi Brembilla


TECHNICAL DATA and other dimensions p.76  
ELECTRIC KIT DATA p. 208-209




KORE-P 55-124




KORE-P 98-54



KORE-P 140-54



KORE-P 180-54



HEATING ELEMENT POSITION  
© Vertical Heating Element



G

| MODEL  | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with: |                         |        |
|--------|-------------|--------------------------------------|--------------------------|--------------------------|---------------------------|-------------------------|--------|
|        |             |                                      |                          |                          | Cable R..E<br>Art. (W)    | Faston R..T<br>Art. (W) | €      |
| KORE-P | 55-124      | 658,80                               | 757,60                   | 823,50                   | R500IIE                   | R500IIT                 | 208,50 |
| KORE-P | 98-54       | 567,70                               | 652,90                   | 709,60                   | R400IIE                   | R400IIT                 | 195,70 |
| KORE-P | 140-54      | 687,10                               | 790,20                   | 858,90                   | R500IIE                   | R500IIT                 | 208,50 |
| KORE-P | 180-54      | 738,90                               | 849,70                   | 923,60                   | R650IIE                   | R650IIT                 | 222,90 |

## ELECTRIC VERSIONS

### THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

#### THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

#### REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

#### THERMOSTAT CIRCLE Wi-Fi up to 800 W heating elements



ø 6 x 8 x 5 cm



Chrome/Black finish  
Art. CIR-wifi 198,50€




ELECTRIC



TECHNICAL DATA and other dimensions p. 176  
ELECTRIC KIT DATA p. 208-209

e.KUAD has squared manifolds at front as standard.  
State if the manifolds front side are curved



| MODEL     | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with: |                         |        |
|-----------|-------------|--------------------------------------|--------------------------|--------------------------|---------------------------|-------------------------|--------|
|           |             |                                      |                          |                          | Cable R..E<br>Art. (W)    | Faston R..T<br>Art. (W) | €      |
| KUAD      | 75-50       | 420,30                               | 483,30                   | 525,40                   | R400IIE                   | R400IIT                 | 195,70 |
| KUAD      | 112-50      | 627,20                               | 721,30                   | 784,00                   | R650IIE                   | R650IIT                 | 222,90 |
| KUAD      | 150-50      | 780,90                               | 898,00                   | 976,10                   | R800IIE                   | R800IIT                 | 240,50 |
| KUAD Slim | 175-35      | 849,00                               | 976,40                   | 1061,30                  | R650IIE                   | R650IIT                 | 222,90 |
| KUAD      | 175-50      | 889,60                               | 1023,00                  | 1112,00                  | R900IIE                   | R900IIT                 | 255,30 |

Towel heaters height = H - 4 cm (71-108,5-146-171cm)



HEATING ELEMENT POSITION  
© Vertical Heating Element



## THERMOSTATS Wi-Fi FOR KIT RE P. 208

## ACCESSORIES FOR

E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)

Art. SA868

64,20€



KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€



Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)




Art. SA600

99,10€


TECHNICAL DATA and other dimensions p. 36  
ELECTRIC KIT DATA p. 208-209



KUO 110..



KUO 140..




KUO 180..



| MODEL      | H - L<br>cm | Standard white<br>sablé SB 9016 | BREM Colors<br>+15% | BREM Colors<br>+25% | KIT HEATING ELEMENT with: |                        |        |
|------------|-------------|---------------------------------|---------------------|---------------------|---------------------------|------------------------|--------|
|            |             | €                               | €                   | €                   | Cable R.E<br>Art. (W)     | Faston R.T<br>Art. (W) | €      |
| KUO 110-25 | 110-25      | 591,00                          | 679,70              | 738,80              | R400IIE                   | R400IIT                | 195,70 |
| KUO 110-35 | 110-35      | 664,70                          | 764,40              | 830,90              | R500IIE                   | R500IIT                | 208,50 |
| KUO 140-25 | 140-25      | 676,30                          | 777,70              | 845,40              | R500IIE                   | R500IIT                | 208,50 |
| KUO 140-35 | 140-35      | 775,30                          | 891,60              | 969,10              | R650IIE                   | R650IIT                | 222,90 |
| KUO 140-42 | 140-42      | 918,30                          | 1056,00             | 1147,90             | R800IIE                   | R800IIT                | 240,50 |
| KUO 180-25 | 180-25      | 845,80                          | 972,70              | 1057,30             | R650IIE                   | R650IIT                | 222,90 |
| KUO 180-35 | 180-35      | 1013,40                         | 1165,40             | 1266,80             | R900IIE                   | R900IIT                | 255,30 |
| KUO 180-42 | 180-42      | 1054,30                         | 1212,40             | 1317,90             | R1200IIE                  | R1200IIT               | 276,30 |



HEATING ELEMENT POSITION  
© Vertical Heating Element



G

## ELECTRIC VERSIONS

### THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

#### THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

#### REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

#### THERMOSTAT CIRCLE Wi-Fi up to 800 W heating elements



ø 6 x 8 x 5 cm




Chrome/Black finish  
Art. CIR-wifi 198,50€






TECHNICAL DATA and other dimensions p. 38  
ELECTRIC KIT DATA p. 208-209



| MODEL  | H - n°<br>cm-el | Standard white<br>sablé SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with: |                        |        |
|--------|-----------------|--------------------------------------|--------------------------|--------------------------|---------------------------|------------------------|--------|
|        |                 |                                      |                          |                          | Cable R.E<br>Art. (W)     | Faston R.T<br>Art. (W) | €      |
| LAMATH | 190-2           | 723,40                               | 831,90                   | 904,30                   | R400IIE                   | R400IIT                | 195,70 |
| LAMATH | 190-3           | 857,40                               | 986,00                   | 1071,80                  | R500IIE                   | R500IIT                | 208,50 |
| LAMATH | 190-4           | 991,90                               | 1140,70                  | 1239,90                  | R650IIE                   | R650IIT                | 222,90 |
| LAMATH | 210-2           | 774,60                               | 890,80                   | 968,30                   | R500IIE                   | R500IIT                | 208,50 |
| LAMATH | 210-3           | 927,10                               | 1066,20                  | 1158,90                  | R650IIE                   | R650IIT                | 222,90 |
| LAMATH | 210-4           | 1079,60                              | 1241,50                  | 1349,50                  | R800IIE                   | R800IIT                | 240,50 |



HEATING ELEMENT POSITION  
© Vertical Heating Element



G

## THERMOSTATS Wi-Fi FOR KIT RE p. 208

## ACCESSORIES FOR

E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)



Art. SA868 64,20€

KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver


Art. KITELY-wifi 396,10€

Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)



Art. SA600 99,10€

TECHNICAL DATA and other dimensions p. 10  
ELECTRIC KIT DATA p. 208-209



| MODEL      | H-n°<br>cm-el | L<br>cm | Standard white     | BREM Colors | BREM Colors | KIT HEATING ELEMENT with: |                         |        |
|------------|---------------|---------|--------------------|-------------|-------------|---------------------------|-------------------------|--------|
|            |               |         | sablé SB 9016<br>€ | +15%<br>€   | +25%<br>€   | Cable R..E<br>Art. (W)    | Faston R..T<br>Art. (W) | €      |
| LAME 190-2 | 11            |         | 625,00             | 718,80      | 781,30      | R400IIE                   | R400IIT                 | 195,70 |
| LAME 190-3 | 17            |         | 768,40             | 883,70      | 960,50      | R500IIE                   | R500IIT                 | 208,50 |
| LAME 190-4 | 23            |         | 911,80             | 1048,60     | 1139,80     | R650IIE                   | R650IIT                 | 222,90 |
| LAME 190-5 | 29            |         | 1055,30            | 1213,60     | 1319,10     | R800IIE                   | R800IIT                 | 240,50 |
| LAME 190-6 | 35            |         | 1198,50            | 1378,30     | 1498,10     | R900IIE                   | R900IIT                 | 255,30 |
| LAME 210-5 | 29            |         | 1148,60            | 1320,90     | 1435,80     | R900IIE                   | R900IIT                 | 255,30 |
| LAME 210-7 | 41            |         | 1472,60            | 1693,50     | 1840,80     | R1200IIE                  | R1200IIT                | 276,30 |
| LAME 210-8 | 47            |         | 1634,80            | 1880,00     | 2043,50     | R1500IIE                  | R1500IIT                | 298,00 |

HEATING ELEMENT POSITION  
© Vertical Heating Element



## ELECTRIC VERSIONS

THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

THERMOSTAT CIRCLE Wi-Fi  
up to 800 W  
heating elements



ø 6 x 8 h x 5 cm





Chrome/Black finish  
Art. CIR-wifi 198,50€




# e.LAME SLIM

design Davide Brembilla


TECHNICAL DATA and other dimensions p. 40  
ELECTRIC KIT DATA p. 208-209




LAME Slim 190/2



LAME Slim .../3



LAME Slim ..../4



LAME Slim 210/5

15,7



| MODEL           | H - n°<br>cm-el | L<br>cm | Standard white<br>sabré SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with:<br>Cable R..E Faston R..T<br>Art. (VV) Art. (VV) € |         |        |
|-----------------|-----------------|---------|--------------------------------------|--------------------------|--------------------------|------------------------------------------------------------------------------|---------|--------|
| LAME SLIM 190/2 | 11              |         | 713,10                               | 820,10                   | 891,40                   | R400IIE                                                                      | R400IIT | 181,20 |
| LAME SLIM 190/3 | 17              |         | 856,60                               | 985,10                   | 1070,80                  | R500IIE                                                                      | R500IIT | 193,10 |
| LAME SLIM 190/4 | 23              |         | 999,80                               | 1149,80                  | 1249,80                  | R650IIE                                                                      | R650IIT | 206,40 |
| LAME SLIM 210/3 | 17              |         | 918,70                               | 1056,50                  | 1148,40                  | R500IIE                                                                      | R500IIT | 208,50 |
| LAME SLIM 210/4 | 23              |         | 1081,70                              | 1244,00                  | 1352,10                  | R800IIE                                                                      | R800IIT | 240,50 |
| LAME SLIM 210/5 | 29              |         | 1259,30                              | 1448,20                  | 1574,10                  | R900IIE                                                                      | R900IIT | 255,30 |

Width with towel bar 30 cm, and 36 cm for mod 210/5



HEATING ELEMENT POSITION  
© Vertical Heating Element



G

THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

ACCESSORIES FOR

THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

THERMOSTAT CIRCLE Wi-Fi  
up to 800 W  
heating elements



ø 6 x 8 x 5 cm



Chrome/Black finish  
Art. CIR-wifi 198,50€







# e.LAME-UP

design Davide Brembilla


TECHNICAL DATA and other dimensions p. 12  
ELECTRIC KIT DATA p. 208-209

Standard position on the short side  
On request: position on the long side  
Extra



Art. LAME-UPL 72,50€





LAME-UP  
200-4





LAME-UP  
200-5



LAME-UP  
200-6



LAME-UP  
230-6



LAME-UP  
200-8  
230-8

| MODEL                   | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€               | KIT HEATING ELEMENT with: |                        |        |
|-------------------------|-------------|--------------------------------------|--------------------------|----------------------------------------|---------------------------|------------------------|--------|
|                         |             |                                      |                          |                                        | Cable R.E<br>Art. (W)     | Faston R.T<br>Art. (W) | €      |
| LAME-UP 200-4           | 200-4       | 1032,60                              | 1187,50                  | 1290,80                                | R650IIE                   | -                      | 222,90 |
| LAME-UP 200-5           | 200-5       | 1279,00                              | 1470,90                  | 1598,80                                | R800IIE                   | -                      | 240,50 |
| LAME-UP 200-6           | 200-6       | 1449,80                              | 1667,30                  | 1812,30                                | R900IIE                   | -                      | 255,30 |
| LAME-UP 200-8           | 200-8       | 1862,70                              | 2142,10                  | 2328,40                                | R1200IIE                  | -                      | 276,30 |
| LAME-UP 230-6           | 230-6       | 1572,40                              | 1808,30                  | 1965,50                                | R1200IIE                  | -                      | 276,30 |
| LAME-UP 230-8           | 230-8       | 2010,00                              | 2311,50                  | 2512,50                                | R1500IIE                  | -                      | 298,00 |
| Led light page 12   n.1 |             | Art. F.LED1                          | 65,00€                   | ONLY with Wi-Fi THERMOSTATS for KIT RE |                           |                        |        |
| n.2                     |             | Art. F.LED2                          | 108,20€                  |                                        |                           |                        |        |



HEATING ELEMENT POSITION  
© Vertical Heating Element



## ELECTRIC VERSIONS

THERMOSTATS Wi-Fi FOR KIT RE P. 208

E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)

Art. SA868

64,20€



KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€





Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)

Art. SA600

99,10€



TECHNICAL DATA and other dimensions p. 178  
ELECTRIC KIT DATA p. 208-209



MAHN 70-50

MAHN 90-50

MAHN 120-50

MAHN 150-50

MAHN 180-50

| MODEL     | H - L<br>cm | Standard white<br>sablé SB 9016 | BREM Colors<br>+15% | BREM Colors<br>+25% | KIT HEATING ELEMENT with: |                        |        |
|-----------|-------------|---------------------------------|---------------------|---------------------|---------------------------|------------------------|--------|
|           |             | €                               | €                   | €                   | Cable R.E<br>Art. (W)     | Faston R.T<br>Art. (W) | €      |
| MAHN      | 70-50       | 584,00                          | 671,60              | 730,00              | R400IIE                   | R400IIT                | 195,70 |
| MAHN      | 90-50       | 742,70                          | 854,10              | 928,40              | R500IIE                   | R500IIT                | 208,50 |
| MAHN      | 120-50      | 883,60                          | 1016,10             | 1104,50             | R650IIE                   | R650IIT                | 222,90 |
| MAHN      | 150-50      | 1047,30                         | 1204,40             | 1309,10             | R800IIE                   | R800IIT                | 240,50 |
| Slim-MAHN | 180-28      | 1135,30                         | 1305,60             | 1419,10             | R650IIE                   | R650IIT                | 222,90 |
| MAHN      | 180-60      | 1302,20                         | 1497,50             | 1627,80             | R1200IIE                  | R1200IIT               | 276,30 |



HEATING ELEMENT POSITION  
© Vertical Heating Element



G

## THERMOSTATS Wi-Fi FOR KIT RE P. 208

## ACCESSORIES FOR

E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)

Art. SA868

64,20€



KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€

Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)


Art. SA600

99,10€



# e.MAHN-AIR

TECHNICAL DATA and other dimensions p. 180  
ELECTRIC KIT DATA p. 208-209




| MODEL           | H - L<br>cm | Standard white<br>sabré SB 9016 | BREM Colors<br>+15% | BREM Colors<br>+25% | KIT HEATING ELEMENT with: |                         |        |
|-----------------|-------------|---------------------------------|---------------------|---------------------|---------------------------|-------------------------|--------|
|                 |             | €                               | €                   | €                   | Cable R..E<br>Art. (W)    | Faston R..T<br>Art. (W) | €      |
| MAHN-AIR 82-51  | 82-51       | 525,50                          | 604,30              | 656,90              | R300IIE                   | R300IIT                 | 193,80 |
| MAHN-AIR 112-51 | 112-51      | 594,20                          | 683,30              | 742,80              | R400IIE                   | R400IIT                 | 195,70 |
| MAHN-AIR 142-51 | 142-51      | 751,00                          | 863,70              | 938,80              | R500IIE                   | R500IIT                 | 208,50 |
| MAHN-AIR 186-51 | 186-51      | 867,10                          | 997,20              | 1083,90             | R650IIE                   | R650IIT                 | 222,90 |
| MAHN-A2R 111-51 | 111-51      | 705,50                          | 811,30              | 881,90              | R500IIE                   | R500IIT                 | 208,50 |
| MAHN-A2R 142-51 | 142-51      | 839,30                          | 965,20              | 1049,10             | R650IIE                   | R650IIT                 | 222,90 |
| MAHN-A2R 172-51 | 172-51      | 929,00                          | 1068,40             | 1161,30             | R800IIE                   | R800IIT                 | 240,50 |
| MAHN-A2R 172-61 | 172-61      | 976,60                          | 1123,10             | 1220,80             | R900IIE                   | R900IIT                 | 255,30 |
| MAHN-A3R 128-51 | 128-51      | 861,80                          | 991,10              | 1077,30             | R650IIE                   | R650IIT                 | 222,90 |
| MAHN-A3R 155-51 | 155-51      | 942,50                          | 1083,90             | 1178,10             | R800IIE                   | R800IIT                 | 240,50 |
| MAHN-A3R 180-51 | 180-51      | 1012,70                         | 1164,60             | 1265,90             | R900IIE                   | R900IIT                 | 255,30 |

CHROME HOOK, only Mahn-A2R et A3R  
(ø 3 x 3,5 cm) p. 277 Art. AC n°2 90,90€



HEATING ELEMENT POSITION  
© Vertical Heating Element



## ELECTRIC VERSIONS

THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

THERMOSTAT CIRCLE Wi-Fi  
up to 800 W  
heating elements



ø 6 x 8 h x 5 cm



Chrome/Black finish  
Art. CIR-wifi 198,50€




ELECTRIC





TECHNICAL DATA and other dimensions p. 138  
ELECTRIC KIT DATA p. 208-209




| MODEL | H - L<br>cm | Standard white<br>sablé SB 9016 | BREM Colors<br>+15% | BREM Colors<br>+25% | KIT HEATING ELEMENT with: |                        |        |
|-------|-------------|---------------------------------|---------------------|---------------------|---------------------------|------------------------|--------|
|       |             | €                               | €                   | €                   | Cable R.E<br>Art. (W)     | Faston R.T<br>Art. (W) | €      |
| MANT  | 80-45       | 862,70                          | 992,10              | 1078,40             | R400IIE                   | R400IIT                | 195,70 |
| MANT  | 80-54       | 940,50                          | 1081,60             | 1175,60             | R500IIE                   | R500IIT                | 208,50 |
| MANT  | 130-45      | 1032,50                         | 1187,40             | 1290,60             | R650IIE                   | R650IIT                | 222,90 |
| MANT  | 130-54      | 1121,20                         | 1289,40             | 1401,50             | R800IIE                   | R800IIT                | 240,50 |
| MANT  | 180-36      | 1100,10                         | 1265,10             | 1375,10             | R650IIE                   | R650IIT                | 222,90 |
| MANT  | 180-45      | 1202,30                         | 1382,60             | 1502,90             | R900IIE                   | R900IIT                | 255,30 |

TOWEL BAR MANT: STANDARD COLORS  
- white sablé SB 9016      - quartz grey SB 7039  
- black sablé SB 9005      - same color as the radiator  
In one paintwork to Brem color list different from the radiator  
Extra Art. CM 52,90€

On request, free of charge, the bar on the right



HEATING ELEMENT POSITION  
© Vertical Heating Element



## THERMOSTATS Wi-Fi FOR KIT RE P. 208

## ACCESSORIES FOR



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)



Art. SA868 64,20€

KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver


Art. KITELY-wifi 396,10€

Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)



Art. SA600 99,10€

## ELECTRIC




HKC



RAM

A vertical, minimalist grey cabinet with a white handle and a white base, labeled 'MAGNET'. The cabinet is shown in a close-up, highlighting its sleek design and the contrast between the grey body and white accents. The word 'MAGNET' is printed in a light grey font in the bottom left corner.

HEATING ELEMENT POSITION  
 Ⓒ Vertical Heating Element



KNOBS with magnet  
page 277

TOWEL BAR MAGNET  
page 277

G

## THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

ø 7 x 9 x 5 cm



## REMOTE CONTROL for thermostats DYP

10.8 x 5.3 x 2.3 cm




THERMOSTAT CIRCLE Wi-Fi  
up to 800 W  
heating elements



ø 6 x 8h x 5cm




TECHNICAL DATA and other dimensions p. 78  
ELECTRIC KIT DATA p. 208-209



| MODEL        | H - L<br>cm | Standard white     | BREM Colors | BREM Colors | KIT HEATING ELEMENT with: |                         |        |
|--------------|-------------|--------------------|-------------|-------------|---------------------------|-------------------------|--------|
|              |             | sablé SB 9016<br>€ | +15%<br>€   | +25%<br>€   | Cable R..E<br>Art. (W)    | Faston R..T<br>Art. (W) | €      |
| e.PIT 60-126 | 60-126      | 1093,80            | 1257,90     | 1367,30     | R650IIE                   | R650IIT                 | 222,90 |
| e.PIT 72-126 | 72-126      | 1314,30            | 1511,40     | 1642,90     | R900IIE                   | R900IIT                 | 255,30 |
| e.PIT 99-48  | 99-48       | 849,90             | 977,40      | 1062,40     | R400IIE                   | R400IIT                 | 195,70 |
| e.PIT 132-48 | 132-48      | 1153,90            | 1327,00     | 1442,40     | R650IIE                   | R650IIT                 | 222,90 |
| e.PIT 176-32 | 176-32      | 1237,80            | 1423,50     | 1547,30     | R800IIE                   | R800IIT                 | 240,50 |
| e.PIT 176-56 | 176-56      | 1344,30            | 1545,90     | 1680,40     | R900IIE                   | R900IIT                 | 255,30 |

Prices include the additional manifold

HEATING ELEMENT POSITION  
© Vertical Heating Element



## THERMOSTATS Wi-Fi FOR KIT RE P. 208

## ACCESSORIES FOR

E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)



Art. SA868 64,20€

KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€

Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)




Art. SA600 99,10€



# e.PLANK e.Plank-AIR

TECHNICAL DATA and other dimensions p. 182,184  
ELECTRIC KIT DATA p. 208-209



| MODEL     | H - L<br>cm | Standard white<br>sablé SB 9016 | BREM Colors |           | KIT HEATING ELEMENT with: |                        |        |
|-----------|-------------|---------------------------------|-------------|-----------|---------------------------|------------------------|--------|
|           |             | €                               | +15%<br>€   | +25%<br>€ | Cable R.E<br>Art. (W)     | Faston R.T<br>Art. (W) | €      |
| PLANK     | 90-40       | 365,80                          | 420,70      | 457,30    | R400IIE                   | R400IIT                | 195,70 |
| PLANK     | 90-50       | 379,70                          | 436,70      | 474,60    | R500IIE                   | R500IIT                | 208,50 |
| PLANK     | 125-50      | 506,40                          | 582,40      | 633,00    | R650IIE                   | R650IIT                | 222,90 |
| PLANK     | 170-40      | 669,80                          | 770,30      | 837,30    | R800IIE                   | R800IIT                | 240,50 |
| PLANK     | 170-50      | 696,20                          | 800,60      | 870,30    | R900IIE                   | R900IIT                | 255,30 |
| PLANK     | 180-60      | 763,70                          | 878,30      | 954,60    | R1200IIE                  | R1200IIT               | 276,30 |
| Plank-AIR | 92-50       | 352,90                          | 405,80      | 441,10    | R400IIE                   | R400IIT                | 195,70 |
| Plank-AIR | 116-50      | 446,10                          | 513,00      | 557,60    | R500IIE                   | R500IIT                | 208,50 |
| Plank-AIR | 156-50      | 528,40                          | 607,70      | 660,50    | R650IIE                   | R650IIT                | 222,90 |
| Plank-AIR | 180-50      | 610,80                          | 702,40      | 763,50    | R800IIE                   | R800IIT                | 240,50 |
| Plank-AIR | 180-60      | 649,20                          | 746,60      | 811,50    | R900IIE                   | R900IIT                | 255,30 |

HEATING ELEMENT POSITION  
© Vertical Heating Element



## ELECTRIC VERSIONS

THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

THERMOSTAT CIRCLE Wi-Fi  
up to 800 W  
heating elements



ø 6 x 8 x 5 cm

Chrome/Black finish  
Art. CIR-wifi 198,50€




ELECTRIC



# e.PLATT

## COLOR/INOX/GILDED-SILVER LEAF

TECHNICAL DATA and other dimensions p. 140 -143  
ELECTRIC KIT DATA p. 208-209



PLATT .. 84-50

PLATT .. 133-50

PLATT .. 140 60


| MODEL                          | H - L<br>cm | Standard white<br>sablé SB 9016 | BREM Colors | BREM Colors | KIT HEATING ELEMENT with: |                          |        |
|--------------------------------|-------------|---------------------------------|-------------|-------------|---------------------------|--------------------------|--------|
|                                |             | €                               | +15%<br>€   | +25%<br>€   | Cable R..E<br>Art. (VV)   | Faston R..T<br>Art. (VV) | €      |
| Platt COLOR 84-50              | 84-50       | 853,40                          | 981,40      | 1066,80     | R400IIE                   | R400IIT                  | 195,70 |
| Platt COLOR 133-50             | 133-50      | 1154,10                         | 1327,20     | 1442,60     | R650IIE                   | R650IIT                  | 222,90 |
| Platt COLOR 140-60             | 140-60      | 1306,90                         | 1502,90     | 1633,60     | R800IIE                   | R800IIT                  | 240,50 |
| PLATT INOX SATIN               |             |                                 |             |             |                           |                          |        |
| Platt INOX 84-50               | 84-50       | 1247,40                         | -           | -           | R400IIE                   | R400IIT                  | 195,70 |
| Platt INOX 133-50              | 133-50      | 1635,90                         | -           | -           | R650IIE                   | R650IIT                  | 222,90 |
| Platt INOX 140-60              | 140-60      | 1734,70                         | -           | -           | R800IIE                   | R800IIT                  | 240,50 |
| FO GILDED LEAF/ FA SILVER LEAF |             |                                 |             |             |                           |                          |        |
| Platt FO/FA 84-50              | 84-50       | 1613,00                         | -           | -           | R400IIE                   | R400IIT                  | 195,70 |
| Platt FO/FA 133-50             | 133-50      | 2130,70                         | -           | -           | R650IIE                   | R650IIT                  | 222,90 |
| Platt FO/FA 140-60             | 140-60      | 2417,80                         | -           | -           | R800IIE                   | R800IIT                  | 240,50 |

TOWEL BAR PLATT: STANDARD COLORS  
- white sablé SB 9016 - quartz grey SB 7039  
- black sablé SB 9005 - same color as the radiator  
In one paintwork to Brem color list different from the radiator  
Extra Art. CM 52,90€

Towel bar in BR0019 color for gilded leaf,  
in BR0002 color for silver leaf as standard.  
Gilded/silver leaf towel bar Extra (each) 150,90€  
Chrome-plated towel bar as standard for Platt Color



HEATING ELEMENT POSITION  
© Vertical Heating Element



## THERMOSTATS Wi-Fi FOR KIT RE P. 208

## ACCESSORIES FOR



E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€

The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)

Art. SA868

64,20€



KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€

Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)


Art. SA600

99,10€



# e.PLUS 12

TECHNICAL DATA and other dimensions p. 186  
ELECTRIC KIT DATA p. 208-209



| MODEL'25 | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with: |                          |        |
|----------|-------------|--------------------------------------|--------------------------|--------------------------|---------------------------|--------------------------|--------|
|          |             |                                      |                          |                          | Cable R..E<br>Art. (VV)   | Faston R..T<br>Art. (VV) | €      |
| PLUS 12  | 85-40       | 394,10                               | 453,20                   | 492,60                   | R400IIE                   | R400IIT                  | 195,70 |
| PLUS 12  | 85-50       | 401,50                               | 461,70                   | 501,90                   | R500IIE                   | R500IIT                  | 208,50 |
| PLUS 12  | 115-50      | 576,90                               | 663,40                   | 721,10                   | R650IIE                   | R650IIT                  | 222,90 |
| PLUS 12  | 145-50      | 662,60                               | 762,00                   | 828,30                   | R800IIE                   | R800IIT                  | 240,50 |
| PLUS 12  | 175-60      | 788,50                               | 906,80                   | 985,60                   | R1200IIE                  | R1200IIT                 | 276,30 |

CHROME HOOK  
ø3 x 3,5 cm, p. 277

Art. AC n°2 90,90€



HEATING ELEMENT POSITION  
© Vertical Heating Element



G

## ELECTRIC VERSIONS

THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

THERMOSTAT CIRCLE Wi-Fi  
up to 800 W  
heating elements



ø 6 x 8 h x 5 cm




Chrome/Black finish  
Art. CIR-wifi 198,50€






# e.PLUS 18 e.Plus-AIR


TECHNICAL DATA and other dimensions p. 188-190  
ELECTRIC KIT DATA p. 208-209




PLUS 18 80-52




PLUS 18 125-...




PLUS 18 160-52




PLUS 18 180-...




PLUS-AIR 101..




PLUS-AIR 136-..



PLUS-AIR 171-52




PLUS-AIR 185-62



| MODEL    | H - L<br>cm | Standard white<br>sabré SB 9016 | BREM Colors<br>+15% | BREM Colors<br>+25% | KIT HEATING ELEMENT with: |                         |        |
|----------|-------------|---------------------------------|---------------------|---------------------|---------------------------|-------------------------|--------|
|          |             | €                               | €                   | €                   | Cable R..E<br>Art. (W)    | Faston R..T<br>Art. (W) | €      |
| PLUS 18  | 80-52       | 302,40                          | 347,80              | 378,00              | R400IIE                   | R400IIT                 | 195,70 |
| PLUS 18  | 125-42      | 379,70                          | 436,70              | 474,60              | R500IIE                   | R500IIT                 | 208,50 |
| PLUS 18  | 125-52      | 393,80                          | 452,90              | 492,30              | R650IIE                   | R650IIT                 | 222,90 |
| PLUS 18  | 160-52      | 478,10                          | 549,80              | 597,60              | R800IIE                   | R800IIT                 | 240,50 |
| PLUS 18  | 180-52      | 562,60                          | 647,00              | 703,30              | R900IIE                   | R900IIT                 | 255,30 |
| PLUS 18  | 180-62      | 586,50                          | 674,50              | 733,10              | R1200IIE                  | R1200IIT                | 276,30 |
| PLUS-AIR | 101-42      | 322,80                          | 371,20              | 403,50              | R300IIE                   | R300IIT                 | 193,80 |
| PLUS-AIR | 101-52      | 334,80                          | 385,00              | 418,50              | R400IIE                   | R400IIT                 | 195,70 |
| PLUS-AIR | 136-42      | 368,40                          | 423,70              | 460,50              | R400IIE                   | R400IIT                 | 195,70 |
| PLUS-AIR | 136-52      | 382,00                          | 439,30              | 477,50              | R500IIE                   | R500IIT                 | 208,50 |
| PLUS-AIR | 171-52      | 435,10                          | 500,40              | 543,90              | R650IIE                   | R650IIT                 | 222,90 |
| PLUS-AIR | 185-62      | 498,60                          | 573,40              | 623,30              | R800IIE                   | R800IIT                 | 240,50 |



HEATING ELEMENT POSITION  
© Vertical Heating Element



G

THERMOSTATS Wi-Fi FOR KIT RE P. 208

ACCESSORIES FOR

E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)

Art. SA868

64,20€



KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€


Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)



Art. SA600

99,10€

TECHNICAL DATA and other dimensions p. 80  
ELECTRIC KIT DATA p. 208-209



| MODEL  | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with: |                        |        |
|--------|-------------|--------------------------------------|--------------------------|--------------------------|---------------------------|------------------------|--------|
|        |             |                                      |                          |                          | Cable R.E<br>Art. (W)     | Faston R.T<br>Art. (W) | €      |
| QUAR   | 97-46       | 868,10                               | 998,30                   | 1085,10                  | R400IIE                   | R400IIT                | 195,70 |
| QUAR   | 127-46      | 936,50                               | 1077,00                  | 1170,60                  | R500IIE                   | R500IIT                | 208,50 |
| QUAR   | 157-54      | 1060,90                              | 1220,00                  | 1326,10                  | R650IIE                   | R650IIT                | 222,90 |
| QUAR-P | 157-54      | 1318,00                              | 1515,70                  | 1647,50                  | R900IIE                   | R900IIT                | 255,30 |
| QUAR   | 180-62      | 1204,60                              | 1385,30                  | 1505,80                  | R800IIE                   | R800IIT                | 240,50 |
| QUAR-P | 180-38      | 1388,70                              | 1597,00                  | 1735,90                  | R900IIE                   | R900IIT                | 255,30 |
| QUAR-P | 180-62      | 1461,80                              | 1681,10                  | 1827,30                  | R1200IIE                  | R1200IIT               | 276,30 |



HEATING ELEMENT POSITION  
© Vertical Heating Element



## ELECTRIC VERSIONS

### THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

#### THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

#### REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

#### THERMOSTAT CIRCLE Wi-Fi up to 800 W heating elements



ø 6 x 8 h x 5 cm



Chrome/Black finish  
Art. CIR-wifi 198,50€






TECHNICAL DATA and other dimensions p. 192 and 194  
ELECTRIC KIT DATA p. 208-209  
Below, the main dimensions for bathrooms.


## HORIZONTAL MODELS



RAW1 50-50



RAW1 50-104



RAW2 104-77




RAW2 50-130



RAW3 50-157

## VERTICAL MODELS



RAW1 104-50




RAW2 104-50



RAW2 130-50



RAW2 157-50B



RAW2 183-50



RAW3 157-50



RAW3 183-50


| MODEL                    | H - L<br>cm | Standard white<br>sabré SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with: |                         |        |
|--------------------------|-------------|--------------------------------------|--------------------------|--------------------------|---------------------------|-------------------------|--------|
|                          |             |                                      |                          |                          | Cable R.E<br>Art. (VV)    | Faston R.T<br>Art. (VV) | €      |
| <b>HORIZONTAL MODELS</b> |             |                                      |                          |                          |                           |                         |        |
| RAW1                     | 50-50       | 632,90                               | 727,80                   | 791,10                   | R300IIE                   | R300IIT                 | 193,80 |
| RAW1                     | 50-104      | 815,80                               | 938,20                   | 1019,80                  | R400IIE                   | R400IIT                 | 195,70 |
| RAW2                     | 50-130      | 1118,10                              | 1285,80                  | 1397,60                  | R650IIE                   | R650IIT                 | 222,90 |
| RAW3*                    | 50-157      | 1476,80                              | 1698,30                  | 1846,00                  | R800IIE                   | R800IIT                 | 240,50 |
| <b>VERTICAL MODELS</b>   |             |                                      |                          |                          |                           |                         |        |
| RAW1                     | 104-50      | 815,80                               | 938,20                   | 1019,80                  | R400IIE                   | R400IIT                 | 195,70 |
| RAW2                     | 104-50      | 1054,90                              | 1213,10                  | 1318,60                  | R500IIE                   | R500IIT                 | 208,50 |
| RAW2                     | 104-77      | 1181,40                              | 1358,60                  | 1476,80                  | R800IIE                   | R800IIT                 | 240,50 |
| RAW2                     | 130-50      | 1118,10                              | 1285,80                  | 1397,60                  | R650IIE                   | R650IIT                 | 222,90 |
| RAW2                     | 157-50B     | 1181,40                              | 1358,60                  | 1476,80                  | R800IIE                   | R800IIT                 | 240,50 |
| RAW2                     | 183-50      | 1216,50                              | 1399,00                  | 1520,60                  | R800IIE                   | R800IIT                 | 240,50 |
| RAW3                     | 157-50      | 1476,80                              | 1698,30                  | 1846,00                  | R900IIE                   | R900IIT                 | 255,30 |
| RAW3                     | 183-50      | 1504,90                              | 1730,60                  | 1881,10                  | R900IIE                   | R900IIT                 | 255,30 |

\* Horizontal Heating El.

On request, RAW module compositions according to design



HEATING EL. POSITION  
① Horizontal Heating El.  
② Vertical Heating Element



## THERMOSTATS Wi-Fi FOR KIT RE P. 208

## ACCESSORIES FOR

E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)

Art. SA868

64,20€



KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€

Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)

Art. SA600


99,10€






# e.REGULAR



TECHNICAL DATA and other dimensions p. 22  
ELECTRIC KIT DATA p. 208-209




R 75/50-..el  
step 50




R 75/80-..el  
step 80



R../50-..el  
step 50




R../80-..el  
step 50



| MODEL        | Standard white<br>sablé SB 9016 |         | BREM Colors |           | KIT HEATING ELEMENT with: |                         |        |
|--------------|---------------------------------|---------|-------------|-----------|---------------------------|-------------------------|--------|
|              | H/step -n°él.                   | L cm    | +15%<br>€   | +25%<br>€ | Cable R.E<br>Art. (VV)    | Faston R.T<br>Art. (VV) | €      |
| R 75/80-9el  | 66                              | 645,50  | 742,30      | 806,90    | R650IIE                   | R650IIT                 | 222,90 |
| R 75/80-11el | 82                              | 748,30  | 860,50      | 935,40    | R800IIE                   | R800IIT                 | 240,50 |
| R 75/80-13el | 98                              | 851,20  | 978,90      | 1064,00   | R900IIE                   | R900IIT                 | 255,30 |
| R 75/50-11el | 52                              | 748,30  | 860,50      | 935,40    | R650IIE                   | R650IIT                 | 222,90 |
| R 75/50-13el | 62                              | 851,20  | 978,90      | 1064,00   | R800IIE                   | R800IIT                 | 240,50 |
| R 75/50-15el | 72                              | 954,00  | 1097,10     | 1192,50   | R900IIE                   | R900IIT                 | 255,30 |
| R180/80-5el  | 34                              | 864,90  | 994,60      | 1081,10   | R800IIE                   | R800IIT                 | 240,50 |
| R180/80-7el  | 50                              | 1070,50 | 1231,10     | 1338,10   | R1200IIE                  | R1200IIT                | 276,30 |
| R200/50-6el  | 27                              | 1011,40 | 1163,10     | 1264,30   | R900IIE                   | R900IIT                 | 255,30 |
| R200/50-8el  | 37                              | 1225,80 | 1409,70     | 1532,30   | R1200IIE                  | R1200IIT                | 276,30 |
| R200/50-10el | 47                              | 1440,10 | 1656,10     | 1800,10   | R1500IIE                  | R1500IIT                | 298,00 |
| R200/80-8el  | 58                              | 1225,80 | 1409,70     | 1532,30   | R1500IIE                  | R1500IIT                | 298,00 |

PE = step (distance between the midpoints of 2 elements)

HEATING EL. POSITION  
© Vertical Heating Elemen



## ELECTRIC VERSIONS

THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

THERMOSTAT CIRCLE Wi-Fi  
up to 800 W  
heating elements



ø 6 x 8 h x 5 cm



Chrome/Black finish  
Art. CIR-wifi 198,50€




ELECTRIC




# e.SBARRA e.SBARRA-UP


TECHNICAL DATA and other dimensions p. 24  
ELECTRIC KIT DATA p. 208-209




| MODEL    | H - L<br>cm | Standard white<br>sabré SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with: |                        |        |
|----------|-------------|--------------------------------------|--------------------------|--------------------------|---------------------------|------------------------|--------|
|          |             |                                      |                          |                          | Cable R.E<br>Art. (W)     | Faston R.T<br>Art. (W) | €      |
| SBARRA-1 | 18-120      | 508,30                               | 584,50                   | 635,40                   | R300IIE                   | R300IIT                | 193,80 |
| SBARRA-1 | 18-160      | 568,20                               | 653,40                   | 710,30                   | R400IIE                   | R400IIT                | 195,70 |
| SBARRA-1 | 28-120      | 615,80                               | 708,20                   | 769,80                   | R400IIE                   | R400IIT                | 195,70 |
| SBARRA-1 | 28-160      | 684,40                               | 787,10                   | 855,50                   | R500IIE                   | R500IIT                | 208,50 |
| SBARRA-2 | 18-120      | 994,30                               | 1143,40                  | 1242,90                  | R500IIE                   | R500IIT                | 208,50 |
| SBARRA-2 | 18-160      | 1094,70                              | 1258,90                  | 1368,40                  | R650IIE                   | R650IIT                | 222,90 |
| SBARRA-2 | 28-120      | 1198,50                              | 1378,30                  | 1498,10                  | R650IIE                   | R650IIT                | 222,90 |
| SBARRA-2 | 28-160      | 1316,10                              | 1513,50                  | 1645,10                  | R800IIE                   | R800IIT                | 240,50 |
| SB-UP1   | 180-18      | 585,20                               | 673,00                   | 731,50                   | R400IIE                   | R400IIT                | 195,70 |
| SB-UP2   | 180-18      | 1112,00                              | 1278,80                  | 1390,00                  | R650IIE                   | R650IIT                | 222,90 |
| SB-UP2   | 180-28      | 1333,20                              | 1533,20                  | 1666,50                  | R900IIE                   | R900IIT                | 255,30 |
| SB-UP1   | 220-18      | 622,40                               | 715,80                   | 778,00                   | R500IIE                   | R500IIT                | 208,50 |
| SB-UP2   | 220-18      | 1149,30                              | 1321,70                  | 1436,60                  | R800IIE                   | R800IIT                | 240,50 |
| SB-UP2   | 220-28      | 1370,30                              | 1575,80                  | 1712,90                  | R1200IIE                  | R1200IIT               | 276,30 |



KNOBS with magnet page 277



HEATING EL. POSITION  
Ⓐ Horizontal Heating El.  
Ⓑ Vertical Heating Element



## THERMOSTATS Wi-Fi FOR KIT RE P. 208

## ACCESSORIES FOR

E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)

Art. SA868

64,20€



KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€


Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)

Art. SA600

99,10€



TECHNICAL DATA and other dimensions p. 196  
ELECTRIC KIT DATA p. 208-209



| MODEL                | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors |           | KIT HEATING ELEMENT with: |                        |        |
|----------------------|-------------|--------------------------------------|-------------|-----------|---------------------------|------------------------|--------|
|                      |             |                                      | +15%<br>€   | +25%<br>€ | Cable R.E<br>Art. (W)     | Faston R.T<br>Art. (W) | €      |
| SHAR                 | 70-50       | 410,90                               | 472,50      | 513,60    | R400IIE                   | R400IIT                | 195,70 |
| SHAR                 | 70-60       | 427,10                               | 491,20      | 533,90    | R500IIE                   | R500IIT                | 208,50 |
| SHAR                 | 110-45      | 519,70                               | 597,70      | 649,60    | R500IIE                   | R500IIT                | 208,50 |
| SHAR                 | 140-45      | 653,50                               | 751,50      | 816,90    | R650IIE                   | R650IIT                | 222,90 |
| SHAR                 | 180-45      | 798,80                               | 918,60      | 998,50    | R900IIE                   | R900IIT                | 255,30 |
| CHROME-PLATED FINISH |             |                                      |             |           |                           |                        |        |
| S-CROM               | 70-50       | 896,40                               | -           | -         | R300IIE                   | R300IIT                | 193,80 |
| S-CROM               | 110-50      | 1162,70                              | -           | -         | R500IIE                   | R500IIT                | 208,50 |
| S-CROM               | 140-50      | 1465,40                              | -           | -         | R650IIE                   | R650IIT                | 222,90 |
| S-CROM               | 180-50      | 1789,30                              | -           | -         | R800IIE                   | R800IIT                | 240,50 |

CHROME HOOK  
(ø 3 x 3,5 cm) p.277 Art. AC n°2 90,90€



HEATING ELEMENT POSITION  
© Vertical Heating Element



## ELECTRIC VERSIONS

THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

THERMOSTAT CIRCLE Wi-Fi  
up to 800 W  
heating elements



ø 6 x 8 x 5 cm




Chrome/Black finish  
Art. CIR-wifi 198,50€





# e.SHAR-AIR

TECHNICAL DATA and other dimensions p. 198  
ELECTRIC KIT DATA p. 208-209




| MODEL           | H - L<br>cm | Standard white<br>sablé SB 9016 | BREM Colors<br>+15% | BREM Colors<br>+25% | KIT HEATING ELEMENT with: |                          |        |
|-----------------|-------------|---------------------------------|---------------------|---------------------|---------------------------|--------------------------|--------|
|                 |             | €                               | €                   | €                   | Cable R..E<br>Art. (VV)   | Faston R..T<br>Art. (VV) | €      |
| SHAR-AIR 95-50  | 95-50       | 536,70                          | 617,20              | 670,90              | R300IIE                   | R300IIT                  | 193,80 |
| SHAR-AIR 125-50 | 125-50      | 585,30                          | 673,10              | 731,60              | R400IIE                   | R400IIT                  | 195,70 |
| SHAR-AIR 162-50 | 162-50      | 684,90                          | 787,60              | 856,10              | R500IIE                   | R500IIT                  | 208,50 |
| SHAR-AIR 184-60 | 184-60      | 750,50                          | 863,10              | 938,10              | R650IIE                   | R650IIT                  | 222,90 |
| SHAR-A2R 122-50 | 122-50      | 665,30                          | 765,10              | 831,60              | R500IIE                   | R500IIT                  | 208,50 |
| SHAR-A2R 162-50 | 162-50      | 796,70                          | 916,20              | 995,90              | R650IIE                   | R650IIT                  | 222,90 |
| SHAR-A2R 182-50 | 182-50      | 853,10                          | 981,10              | 1066,40             | R800IIE                   | R800IIT                  | 240,50 |
| SHAR-A2R 182-60 | 182-60      | 905,70                          | 1041,60             | 1132,10             | R900IIE                   | R900IIT                  | 255,30 |
| SHAR-A3R 105-50 | 105-50      | 639,90                          | 735,90              | 799,90              | R500IIE                   | R500IIT                  | 208,50 |
| SHAR-A3R 145-50 | 145-50      | 786,80                          | 904,80              | 983,50              | R650IIE                   | R650IIT                  | 222,90 |
| SHAR-A3R 183-50 | 183-50      | 945,40                          | 1087,20             | 1181,80             | R800IIE                   | R800IIT                  | 240,50 |
| SHAR-A3R 183-60 | 183-60      | 1008,60                         | 1159,90             | 1260,80             | R900IIE                   | R900IIT                  | 255,30 |

CHROME HOOK only Shar-A2R e A3R  
(ø 3 x 3,5 cm) p.277 Art. AC n°2 90,90€



HEATING ELEMENT POSITION  
© Vertical Heating Element



THERMOSTATS Wi-Fi FOR KIT RE P. 208

ACCESSORIES FOR

E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)

Art. SA868

64,20€



KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver


Art. KITELY-wifi 396,10€

Additional receiver: 1 for each electrical radiators  
or split AC (up to 16) Art. SA600 99,10€



# e.START e.START CURVO

TECHNICAL DATA and other dimensions p. 200  
ELECTRIC KIT DATA p. 208-209




| MODEL             | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with: |                         |        |
|-------------------|-------------|--------------------------------------|--------------------------|--------------------------|---------------------------|-------------------------|--------|
|                   |             |                                      |                          |                          | Cable R..E<br>Art. (W)    | Faston R..T<br>Art. (W) | €      |
| START 75-45       | 75-45       | 418,50                               | 481,30                   | 523,10                   | R300IIE                   | R300IIT                 | 193,80 |
| START 75-55       | 75-55       | 438,30                               | 504,00                   | 547,90                   | R400IIE                   | R400IIT                 | 195,70 |
| START 90-45       | 90-45       | 511,80                               | 588,60                   | 639,80                   | R400IIE                   | R400IIT                 | 195,70 |
| START 90-55       | 90-55       | 533,60                               | 613,60                   | 667,00                   | R500IIE                   | R500IIT                 | 208,50 |
| START 120-55      | 120-55      | 634,00                               | 729,10                   | 792,50                   | R650IIE                   | R650IIT                 | 222,90 |
| START 150-55      | 150-55      | 797,10                               | 916,70                   | 996,40                   | R800IIE                   | R800IIT                 | 240,50 |
| Slim START 180-35 | 180-35      | 854,70                               | 982,90                   | 1068,40                  | R650IIE                   | R650IIT                 | 222,90 |
| START 180-45      | 180-45      | 876,50                               | 1008,00                  | 1095,60                  | R900IIE                   | R900IIT                 | 255,30 |
| START 180-60      | 180-60      | 931,30                               | 1071,00                  | 1164,10                  | R1200IIE                  | R1200IIT                | 276,30 |
| ST-CURVO 90-55    | 90-55       | 732,80                               | 842,70                   | 916,00                   | R500IIE                   | R500IIT                 | 208,50 |
| ST-CURVO 120-55   | 120-55      | 851,30                               | 979,00                   | 1064,10                  | R650IIE                   | R650IIT                 | 222,90 |
| ST-CURVO 150-55   | 150-55      | 1038,70                              | 1194,50                  | 1298,40                  | R900IIE                   | R900IIT                 | 255,30 |

CHROME HOOK  
(ø 3 x 3,5 cm) p.277 Art. AC n°2 90,90€



Chromed models 55 cm wide on request  
Towel heaters height = H - 4 cm

HEATING ELEMENT POSITION  
© Vertical Heating Element



G

## ELECTRIC VERSIONS

THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

THERMOSTAT CIRCLE Wi-Fi  
up to 800 W  
heating elements



ø 6 x 8 x 5 cm



Chrome/Black finish  
Art. CIR-wifi 198,50€




ELECTRIC



# e.Uni-PLATT

TECHNICAL DATA p. 144  
ELECTRIC KIT DATA p. 208-209



| MODEL     | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with: |                          |        |
|-----------|-------------|--------------------------------------|--------------------------|--------------------------|---------------------------|--------------------------|--------|
|           |             |                                      |                          |                          | Cable R..E<br>Art. (VV)   | Faston R..T<br>Art. (VV) | €      |
| UNI-PLATT | 77-50       | 745,00                               | 856,80                   | 931,30                   | R400IIE                   | R400IIT                  | 195,70 |
| UNI-PLATT | 126-50      | 1021,30                              | 1174,50                  | 1276,60                  | R650IIE                   | R650IIT                  | 222,90 |
| UNI-PLATT | 140-60      | 1176,70                              | 1353,20                  | 1470,90                  | R800IIE                   | R800IIT                  | 240,50 |

TOWEL BARS UNI: STANDARD COLORS  
- white sablé SB 9016 - quartz grey SB 7039  
- black sablé SB 9005 - same color as the radiator  
In one paintwork to Brem color list different from the radiator  
Extra Art.CM 52,90€

Chrome towel bar, (each) Extra 88,30€  
Additional chrome towel bar (each) 162,70€

HEATING ELEMENT POSITION  
© Vertical Heating Element



THERMOSTATS Wi-Fi FOR KIT RE P. 208

ACCESSORIES FOR

E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)

Art. SA868

64,20€



KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€

Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)



Art. SA600


99,10€



# e.VELETTA

design Davide Diliberto

TECHNICAL DATA and other dimensions p. 146  
ELECTRIC KIT DATA p. 208-209




VERSION-SX, on request without extra

| MODEL            | H - L<br>cm | Standard white<br>sablé SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with:<br>Cable®R..E Faston^R..T<br>Art. (W) Art. (W) € |          |        |
|------------------|-------------|--------------------------------------|--------------------------|--------------------------|----------------------------------------------------------------------------|----------|--------|
| VELETTA 135-42   | 135-42      | 1145,80                              | 1317,70                  | 1432,30                  | R650IIE                                                                    | R650IIT  | 222,90 |
| VELETTA 135-50   | 135-50      | 1234,40                              | 1419,60                  | 1543,00                  | R800IIE                                                                    | R800IIT  | 240,50 |
| VELETTA 175-42   | 175-42      | 1212,80                              | 1394,70                  | 1516,00                  | R900IIE                                                                    | R900IIT  | 255,30 |
| VELETTA 175-50   | 175-50      | 1307,30                              | 1503,40                  | 1634,10                  | R900IIE                                                                    | R900IIT  | 255,30 |
| VELETTA-L 175-50 | 175-50      | 1571,60                              | 1807,30                  | 1964,50                  | R1200IIE                                                                   | R1200IIT | 276,30 |


TOWEL BAR VEL: STANDARD COLORS  
- white sablé SB 9016 - quartz grey SB 7039  
- black sablé SB 9005 - same color as the radiator

In one paintwork to Brem color list different from the radiator  
Extra Art.CM 52,90€



Magnetic KNOBS  
NOT INCLUDED  
page 277  
Art. ARC /POC /HKC  
each 95,50€

HEATING ELEMENT POSITION  
© Vertical Heating Element



## ELECTRIC VERSIONS

THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

THERMOSTAT CIRCLE Wi-Fi  
up to 800 W  
heating elements



ø 6 x 8 h x 5 cm




Chrome/Black finish  
Art. CIR-wifi 198,50€




ELECTRIC




TECHNICAL DATA and other dimensions p. 82  
ELECTRIC KIT DATA p. 208-209




VISION-..48-48  
VISION-..56-56  
VISION-..64-64




VISION-..48-80




VISION-..64-112



VISION-2ST 80-48




VISION-1ST 128-56



| MODEL      | H - L<br>cm | Standard white     | BREM Colors | BREM Colors | KIT HEATING ELEMENT with: |                         |        |
|------------|-------------|--------------------|-------------|-------------|---------------------------|-------------------------|--------|
|            |             | sablé SB 9016<br>€ | +15%<br>€   | +25%<br>€   | Cable®R..E<br>Art. (W)    | Faston®R..T<br>Art. (W) | €      |
| VISION-1   | 48-48       | 717,90             | 825,60      | 897,40      | R300IIE                   | R300IIT                 | 193,80 |
| VISION-1   | 56-56       | 747,60             | 859,70      | 934,50      | R400IIE                   | R400IIT                 | 195,70 |
| VISION-1   | 64-64       | 810,70             | 932,30      | 1013,40     | R500IIE                   | R500IIT                 | 208,50 |
| VISION-1   | 48-80       | 822,50             | 945,90      | 1028,10     | R500IIE                   | R500IIT                 | 208,50 |
| VISION-1   | 56-112      | 895,20             | 1029,50     | 1119,00     | R650IIE                   | R650IIT                 | 222,90 |
| VISION-1   | 64-112      | 946,00             | 1087,90     | 1182,50     | R650IIE                   | R650IIT                 | 222,90 |
| VISION-2   | 48-80       | 1138,90            | 1309,70     | 1423,60     | R650IIE                   | R650IIT                 | 222,90 |
| VISION-2   | 64-112      | 1310,00            | 1506,50     | 1637,50     | R900IIE                   | R900IIT                 | 255,30 |
| VISION-2ST | 80-48       | 1312,20            | 1509,00     | 1640,30     | R650IIE                   | R650IIT                 | 222,90 |
| VISION-1ST | 128-56      | 1178,20            | 1354,90     | 1472,80     | R800IIE                   | R800IIT                 | 240,50 |

HEATING ELEMENT POSITION  
© Vertical Heating Element



G

## THERMOSTATS Wi-Fi FOR KIT RE P. 208

## ACCESSORIES FOR

E.H.E. white cable cover  
or radiator color (together)  
Art.CCRE38 ø3/8" 73,40€  
Art.CCRE12 ø1/2" 73,40€



The KIT RT Wi-Fi includes:  
- Thermostat RT (battery)  
- Gateway  
- Built-in receiver

Art. KITRT-wifi 199,80€

Additional receiver  
(up to 6) radiators)

Art. SA868

64,20€



KIT ELY Wi-Fi TOP DESIGN includes:  
- Thermostat with magnetic charging base  
and magnetic plate for wall mounting  
- Gateway a 230V  
- Built-in Receiver

Art. KITELY-wifi 396,10€



Additional receiver: 1 for each electrical radiators  
or split AC (up to 16)

Art. SA600


99,10€




## ELECTRIC KIT DATA p. 208-209




e.ZOOM 50-50




e.ZOOM 60-60




e.ZOOM 70-70



e.ZOOM 80-80



e.ZOOM 90-90




| MODEL'25     | H - L<br>cm | Standard white<br>sabré SB 9016<br>€ | BREM Colors<br>+15%<br>€ | BREM Colors<br>+25%<br>€ | KIT HEATING ELEMENT with: |                          |        |
|--------------|-------------|--------------------------------------|--------------------------|--------------------------|---------------------------|--------------------------|--------|
|              |             |                                      |                          |                          | Cable R..E<br>Art. (VV)   | Faston R..T<br>Art. (VV) | €      |
| e.ZOOM 50-50 |             | 878,50                               | 1010,30                  | 1098,10                  | R400IIE                   | R400IIT                  | 195,70 |
| e.ZOOM 60-60 |             | 978,00                               | 1124,70                  | 1222,50                  | R500IIE                   | R500IIT                  | 208,50 |
| e.ZOOM 70-70 |             | 1077,30                              | 1238,90                  | 1346,60                  | R650IIE                   | R650IIT                  | 222,90 |
| e.ZOOM 80-80 |             | 1214,60                              | 1396,80                  | 1518,30                  | R650IIE                   | R650IIT                  | 222,90 |
| e.ZOOM 90-90 |             | 1379,40                              | 1586,30                  | 1724,30                  | R800IIE                   | R800IIT                  | 240,50 |

Prices include the additional manifold

## ON REQUEST HYDRAULIC VERSION

| MODEL'25   | H-L<br>cm | Standard white<br>sabré SB 9016<br>€ | EN 442<br>Δt 50 K<br>watt | EN 442<br>Δt 40 K<br>watt | EN 442<br>Δt 30 K<br>watt | ▲ ▼<br>t.c.<br>cm | Depth<br>cm | Weight<br>M<br>Kg | Volume<br>V<br>dm³ |
|------------|-----------|--------------------------------------|---------------------------|---------------------------|---------------------------|-------------------|-------------|-------------------|--------------------|
| ZOOM 50-50 |           | 774,00                               | 358                       | 270                       | 188                       | 19                | 11,5        | 7,4               | 2,2                |
| ZOOM 60-60 |           | 873,50                               | 463                       | 350                       | 244                       | 19                | 11,5        | 9,0               | 2,7                |
| ZOOM 70-70 |           | 972,80                               | 577                       | 436                       | 304                       | 19                | 11,5        | 12,1              | 3,6                |
| ZOOM 80-80 |           | 1110,10                              | 681                       | 514                       | 358                       | 19                | 11,5        | 14,3              | 4,3                |
| ZOOM 90-90 |           | 1274,90                              | 804                       | 607                       | 423                       | 19                | 11,5        | 16,8              | 5,0                |

Mixed Version to estimate



REVERSE FITTINGS  
REG ø1/2" ▲▼ 19 cm at the rear



HEATING ELEMENT POSITION  
© Vertical Heating Element



## ELECTRIC VERSIONS

## THERMOSTATS IN THE RADIATOR FOR KIT RT P. 209

### THERMOSTAT mod. DYP



White with  
white cable cover  
Art. DYPB 89,60€

ø 7 x 9 x 5 cm



Black with  
black cable cover  
Art. DYPN 103,40€

### REMOTE CONTROL for thermostats DYP

10,8 x 5,3 x 2,3 cm



Art. TIR 41,00€

### THERMOSTAT CIRCLE Wi-Fi up to 800 W heating elements



ø 6 x 8 h x 5 cm



Chrome/Black finish  
Art. CIR-wifi 198,50€







# VALVES&ACCESSORIES



VALVES 266

TON VALVES 268

TON VALVES KIT 269

MINI VALVES 270

QUADRA VALVES 271

CYL VALVES 272

CYL VALVES KIT 273

DISTANT VALVES 274

SISTEM WiFi 275

SPECIAL VERSIONS 276

BRACKETS 276


ACCESSORIES 277

FITTINGS 278



# CHROME-PLATED VALVES

BREM proposes the substitution of the traditional valves with one type of valve, which can also be used as lock-shield.



Brem valves are complete with:

- chrome-plated o-ring tang ( $\varnothing 3/8'' - 1/2''$ )
- chrome-plated fitting with o-ring
- chrome-plated round washer ( $\varnothing 41 \times 6,5$  mm)
- thermostatic head (for thermostatic valves)

On demand: stainless steel pipe cover to be cut to right size

## VALVES COMPONENTS

### CHROME-PLATED O-RING TANG

$\varnothing 3/8'' - 1/2''$

to connect to the radiator

1/2" Fitting

3/8" Fitting

Art. CVL12 10,00€

Art. CVL38 10,00€



### CHROME-PLATED FITTINGS (24F19)

to connect to the system:



Multilayer FITTINGS  $\varnothing 10-14, 12-16, 13-18, 14-18, 16-20$

Art. RM.. 9,20€



Copper FITTINGS  $\varnothing 10-12-14-15-16-18$

Art. RR..(R10 - R12 - R..) 6,80€

### VALVE FITTING KIT et INSERTS

Chromed fittings and washers for 2 valve (tube multi-couche  $\varnothing 16$  and cuivre  $\varnothing 12-14$ ) Art. RK 38,20



Round washer chrome-plated



Fitting with inserts for multilayer  $\varnothing 16$



Inserts for copper  $\varnothing 12$  and  $\varnothing 14$

### FITTINGS KIT FOR PAIR of COLORED VALVES

n.2 cones

n.2 fittings

n.2 washers



- BRUSHED NICKEL Finish

Supplement Art. RN 30,50€

- BRONZE Finish

Supplement Art. RB 28,50€

- OR Finish

Supplement Art. RO 57,00€



## VALVES ACCESSORIES

ROUND WASHER chrome-plated  $\varnothing 41$  mm for tubes  $\varnothing 10 - 12 - 14 - 15 - 16 - 18 - 1/2''$  (indicate  $\varnothing$ ) Art. RC.. 3,40€



### CHROME-PLATED ECCENTRICS

Adaptors to be mounted between valve and radiator to vary tapping centre from 1 to 6 cm

Art. EC1 1 cm eccentric 14,30€

Art. EC2 2 cm eccentric 19,40€

Art. EC3 3 cm eccentric 22,50€

Specify when ordering if 1/2" or 3/8"



### TUBES COVERS for fittings

10 cm long, polished stainless steel tube: slide over pipes for fitting  $\varnothing \leq 16$  mm and cut in half to size using the round washer to cover the cut.

inner  $\varnothing 15$  mm

Art. CA15 11,10€

inner  $\varnothing 16$  mm

Art. CA16 11,10€

for valves KIT

Art. CA18 12,40€



### SINGLE TUBE COVERING KIT

tapping centres 38mm, 5x10cm squared covering, and n° 2 tubes  $\varnothing 16$  or  $\varnothing 20$  L=7cm

Art. KM16 65,70€

Art. KM20 68,60€



### THERMOSTATIC CHROME-PLATED HEAD

Thermostatic head with liquid sensor (only for valves with thermostatic option)

Art. STC 53,10€



### THERMOSTATIC CHROME-PLATED HEAD

Metal thermostatic head with liquid sensor (only for valves with thermostatic option)

- WHITE and MATT BLACK

Art. STB/STN cad. 61,20€

- BRUSHED NICKEL Finish

Art. STN cad. 78,70€

- BRONZE Finish

Art. STR cad. 76,00€

- GOLD Finish

Art. STO cad. 89,60€



# SPECIAL FINISHES

## VALVES - ACCESSORIES

TON  
VALVE



### GILDED LEAF FINISH

TON and QUADRA valve in gilded leaf.  
O-ring tang  $\varnothing$  1/2" or 3/8", multilayer fitting  $\varnothing$  16,  
copper  $\varnothing$  12, 14 (other diameters by estimate) and  
round washer, all in gold finish

Extra each

Art. VFO 95,20€

QUADRA  
VALVE



### SILVER LEAF FINISH

TON and QUADRA valve in silver leaf.  
O-ring tang  $\varnothing$  1/2" or 3/8", multilayer fitting  $\varnothing$  16,  
copper  $\varnothing$  12, 14 (other diameters by estimate) and  
round washer, all in brushed nickel finish

Extra each

Art. VFA 95,20€



### GOLDEN FINISH

TON and QUADRA valve, oring tang  $\varnothing$  1/2" or  
3/8", fitting (multilayer  $\varnothing$  16, copper  $\varnothing$  12, 14),  
golden finish round washer (variable price)

Extra each

Art. VOR 76,40€



### BRONZE FINISH

TON and QUADRA valve, oring tang  $\varnothing$  1/2" or  
3/8" and fitting (multilayer  $\varnothing$  16, copper  $\varnothing$  12, 14),  
in bronze finish and round washer in bronze color

Extra each

Art. VBZ 34,10€



### BRUSHED NICKEL FINISH

TON and QUADRA valve, oring tang  $\varnothing$  1/2" or  
3/8", fitting (multilayer  $\varnothing$  16, copper  $\varnothing$  12, 14) and  
round washer, all in brushed nickel finish

Extra each

Art. VNS 36,00€



On request:  
CYL VALVES IN SPECIAL FINISHES

# CHROME-PLATED TON VALVE

Easy control valve also usable as a lockshield with tang, fitting and round washer

Valve with chrome thermostatic head, tang, fitting and round washer

## ANGLED TON VALVE

Art. VSM.. 59,20€  
Art. VSR.. 56,90€  
Art. VSF 54,90€



## THERMOSTATIC ANGLED TON VALVE

Art. TSM.. 112,40€  
Art. TSR.. 110,10€  
Art. TSF 107,00€



## STRAIGHT TON VALVE

Art. VDM.. 65,30€  
Art. VDR.. 63,00€  
Art. VDF 60,60€



TON VALVE  
Headwheel ø 28-34 / L 95 / H 57mm

### VALVES LEGEND:

|                        |                     |
|------------------------|---------------------|
| VS.. Angled TON        | FITTINGS for tubes: |
| VD.. Straight TON      | M Multilayer        |
| VR.. Reverse TON       | R Copper            |
| L.. Side control TON   | F Steel ø 1/2"      |
| T.. Thermostatic valve | INDICATE ø OF TUBE  |

## THERMOSTATIC STRAIGHT TON VALVE

Art. TDM.. 118,50€  
Art. TDR.. 116,20€  
Art. TDF 111,80€



## REVERSE TON VALVE

Art. VRM.. 59,20€  
Art. VRR.. 56,90€  
Art. VRF 54,90€



Angled TON Valve Copper fitting  
How to order: ART. VSR14—tube ø14

## THERMOSTATIC REVERSE TON VALVE

Art. TRM.. 112,40€  
Art. TRR.. 110,10€  
Art. TRF 107,00€



## SIDE CONTROL TON VALVE

Indicate always S or D version

Art. L..M.. 65,90€  
Art. L..R.. 63,60€  
Art. L..F 60,70€



## THERMOSTATIC SIDE CONTROL left TON VALVE.

Art. LTSM.. 119,10€  
Art. LISR.. 116,70€  
Art. LTDF 113,90€



## MIXED TON VALVE only ø1/2" Electric Heating EL.

Art. LXDM.. 103,70€  
Art. LXDR.. 101,30€



TUBES COVERS for fittings  
10 cm long, polished stainless steel tube: slide over pipes for fitting ø ≤ 16 mm and cut in half to size using the rose washer to cover the cut  
inner ø15 mm Art. CA15 11,70€  
inner ø16 mm Art. CA16 11,70€



## THERMOSTATIC SIDE CONTROL left TON VALVE

Art. LTDM.. 119,10€  
Art. LTDR.. 116,70€  
Art. LTDF 113,90€



# NICKEL-PLATED TON VALVES KIT

SIDE CONTROL TON VALVES KIT, easy control, nickel-plated valves, chrome round washer.

Art. KVLN 104,80€



The KIT includes 2 easy control valves or a thermostatic valve and a easy control valve, unions, round washer ø 48 and fittings for multilayer pipe ø16 and copper pipe inserts ø12 and ø14

SIDE CONTROL TON VALVES KIT with THERMOSTATIC Head, nickel-plated valves, chrome round washer.

Art. KTLND 161,10€



# CHROME-PLATED TON VALVES KIT

## TON valves KIT

The KIT includes 2 simple regulation valves with tangs, round washers  $\varnothing 48$  and fittings for multilayer pipe  $\varnothing 16$  and 4 copper pipe inserts  $\varnothing 12$  and  $14$



Fitting with inserts for multilayer  $\varnothing 16$



inserts for copper  $\varnothing 14$



inserts for copper  $\varnothing 12$

## TON KIT Thermostatic head

The KIT includes a thermostatic valve and a simple regulation valves, with tangs, round washers  $\varnothing 48$  and fitting with n°6 inserts for pipe multilayer  $\varnothing 16$ , copper  $\varnothing 12 - \varnothing 14$



ANGLED TON VALVES KIT  
Art. KVS 137,10€

ANGLED TON VALVES KIT with THERMOSTATIC Head Art. KTS 190,30€



STRAIGHT TON VALVES KIT  
Art. KVD 149,30€

STRAIGHT TON VALVES KIT with THERMOSTATIC Head Art. KTD 202,40€



REVERSE TON VALVES KIT  
Art. KVR 137,10€

REVERSE TON VALVES KIT with THERMOSTATIC Head Art. KTR 190,30€



SIDE CONTROL TON VALVES KIT  
Art. KVL 150,50€

SIDE CONTROL TON VALVES KIT with THERMOSTATIC Head  
S version Art. KTL 203,70€  
D version Art. KTLD 203,70€



TUBES COVERS for KIT  
10 cm long, polished stainless steel tube: slide over pipes for fitting  $\varnothing \leq 16$  mm and cut in half to size using the rose washer to cover the cut for VALVES KIT  
Art. CA18 12,40€



## TON VALVES KIT for DUAL FUEL VERSIONS



Art. KLXD

SIDE CONTROL TON VALVES KIT S and MIXED VALVE with  $\varnothing 1/2"$  for Electric Heating Element  
Art. KLXD 188,20€

SIDE CONTROL TON VALVES KIT with Thermostatic Head and MIXED  
Art. KTLXD 241,50€



Art. KTLXD



# CHROME-PLATED MINI VALVE

## MINI Model

Easy control valve also usable as a lockshield with tang, fitting and round washer

### ANGLED MINI VALVE

Art. MSM.. 52,70€  
Art. MSR.. 50,30€



### STRAIGHT MINI VALVE

Art. MDM.. 59,10€  
Art. MDR.. 56,80€



### MINI VALVE

Headwheel ø 24 / 71,5 / H 57mm

MINI valve: harmonious combination of essential design, very small size and easy control.

MS.. Angled Mini  
MD.. Straight Mini

FITTINGS for Tubes:  
M Multilayer  
R Copper

INDICATE TUBE Ø

How to order: Angled MINI valve Multilayer fitting  
ART. MS M12-16 ø12-16 tube

## MINI valves KIT

The KIT includes 2 simple regulation valves with tangs, round washers ø 48 and fittings for multilayer pipe ø16 and 4 copper pipe inserts ø12 and 14



### ANGLED MINI VALVES KIT

Art. KMS 124,00€



### STRAIGHT MINI VALVES KIT

Art. KMD 136,90€



### TUBES COVERS for fittings



Ø 18mm, 10 cm long, polished stainless steel tube: slide over pipes for fitting (ø 12, 14, 16 mm) and cut in half to size using the rose washer with adapters to cover the cut.

inner ø15 mm  
inner ø16 mm  
for valves KIT

Art. CA15 11,10€  
Art. CA16 11,10€  
Art. CA18 12,40€

# WHITE MINI VALVE

## Angled WHITE MINI

### ANGLED WHITE MINI VALVE

Valve usable also as lock-shield, complete with chrome-plated O-ring Tang, fitting and round washer.

Art. MSBM.. 52,70€ Ral 9016  
Art. MSBR.. 50,30€ Ral 9016



### ANGLED WHITE MINI VALVE

MINI valve is provided in standard white (chr.-plated O-ring Tang, fitting and round washer)

## Angled WHITE MINI valves KIT



### ANGLED WHITE MINI VALVES KIT

n°2 Standard white MINI valves complete with chrome-plated O-ring Tangs, round washers and fittings (multilayer ø16, copper ø12,14)

Art. KMSB 124,00€ Ral 9016

KIT Fitting brushed NICKEL for n°2 valves  
extra Art. RN 30,50€



# CHROME-PLATED QUADRA VALVE

## QUADRA Model

Easy control valve also usable as a lockshield with tang, fitting and round washer



QUADRA VALVE

Headwheel 26x26 / 86 / H 57mm

QUADRA valve: refined geometrical design to match with other squared shapes.

QS.. QUADRA Angled      FITTINGS for tubes  
 QD.. QUADRA Straight    M Multilayer  
 QR.. QUADRA Reverse    R Copper  
 QL.. QUADRA Side contrl INDICATE tube ø

Reverse QUADRA valve      Copper fitting  
 How to order: ART. QR R14 tube ø14

## QUADRA Valves KIT

The KIT includes 2 simple regulation valves with tangs, round washers ø 48 and fittings for multilayer pipe ø16 and 4 copper pipe inserts ø12 and 14



ANGLED QUADRA VALVES KIT



Art. KQS 180,10€

STRAIGHT QUADRA VALVES KIT



Art. KQD 190,00€

REVERSE QUADRA VALVES KIT




Art. KQR 180,10€

SIDE control QUADRA VALVES KIT




Art. KQL 191,20€

ANGLED QUADRA VALVE




Art. QSM.. 80,70€  
 Art. QSR.. 78,30€

STRAIGHT QUADRA VALVE



Art. QDM.. 85,70€  
 Art. QDR.. 83,40€

REVERSE QUADRA VALVE



Art. QRM.. 80,70€  
 Art. QRR.. 78,30€

SIDE control QUADRA VALVE  
 Always state S or D version.



Art. QL..M.. 86,40€  
 Art. QL..R.. 84,00€

MIXED QUADRA VALVE only ø1/2" for Electric Heating Element. Easy control valve. It can be used together with angled or side control valves. Indicate always S or D version



Art. QLX..M.. 121,00€  
 Art. QLX..R.. 118,60€

# COLORED QUADRA VALVE

## COLORED QUADRA Model

COLORED QUADRA VALVE

Valves in the same BREM color of radiator, complete with chrome-plated O-ring Tang, fitting and round washer (with inserts for multilayer ø16 and copper ø12,14).

EXTRA FOR COLOR n. 2 pieces Art. VC 53,40€



QUADRA COLORED VALVE

ANGLED - STRAIGHT - REVERSE - SIDE CONTROL  
 provided in one color of BREM list  
 (chrome-plated O-ring Tangs, fittings and washer)

## COLORED QUADRA Valves KIT



COLORED QUADRA VALVES KIT

- n°2 QUADRA valves in the same BREM color of radiator, complete with chrome-plated O-ring Tangs, fittings and round washers (with inserts for multilayer ø16 and copper ø12 and ø14).

EXTRA FOR COLOR (KIT) Art. VC 53,40€  
 KIT Fitting brushed NICKEL extra Art. RN 30,50€



KIT Fitting brushed NICKEL for n°2 valves

extra Art. RN 30,50€



# CHROME-PLATED CYL VALVE WITH THERMOSTATIC OPTION

Valve convertible to thermostatic for manual or electronic thermostatic heads.  
Valve and lockshield can be painted in a color from the BREM color.  
O-ring tang, fittings and round washer only chrome-plated.



## VALVE CYL

Headwell ø 31 / 88 / H 57mm

## LOCKSHIELD CYL

Cap ø 26 / 72 / H 57mm

## VALVES LEGEND:

CS.. Angled CYL  
CD.. Straight CYL  
CR.. Reverse CYL  
CL.. Side control CYL

## LOCKSHIELD LEGEND:

CYS.. Angled lockshield CYL  
CYD.. Straight lockshield CYL  
CYR.. Reverse lockshield CYL  
CYL.. Side control lockshield CYL

## FITTINGS for tubes:

M Multilayer

R Copper

Indicate ø of tube.

Angled CYL Valve Copper fitting

How to order: ART. CSR14 tube ø14

Valve and lockshield complete with O-ring tang, fittings and round washer only chrome-plated.

## ANGLED CYL VALVE THERMOSTATIC option



Art. CSM.. 78,90€  
Art. CSR.. 76,60€

## ANGLED CYL LOCKSHIELD.



Art. CYSM.. 52,40€  
Art. CYSR.. 50,00€

## THERMOSTATIC ANGLED CYL VALVE



Art. TSM.. 112,40€  
Art. TSR.. 110,10€

## STRAIGHT CYL VALVE THERMOSTATIC option



Art. CDM.. 83,30€  
Art. CDR.. 80,90€

## STRAIGHT CYL LOCKSHIELD



Art. CYDM.. 56,90€  
Art. CYDR.. 54,50€

## THERMOSTATIC STRAIGHT CYL VALVE



Art. TDM.. 118,50€  
Art. TDR.. 116,10€

## REVERSE CYL VALVE THERMOSTATIC option



Art. CRM.. 78,90€  
Art. CRR.. 76,60€

## REVERSE CYL LOCKSHIELD



Art. CYRM.. 56,90€  
Art. CYRR.. 54,50€

## THERMOSTATIC REVERSE CYL VALVE



Art. TRM.. 112,40€  
Art. TRR.. 110,10€

## SIDE CONTROL CYL VALVE THERMOSTATIC option, Indicate always S or D version.



Art. CL..M.. 85,30€  
Art. CL..R.. 82,90€

## SIDE CONTROL CYL LOCKSHIELD Indicate always S or D version.



Art. CYL..M.. 58,60€  
Art. CYL..R.. 56,30€

## THERMOSTATIC SIDE CONTROL CYL VALVE Indicate always S or D version.



Art. LT..M.. 119,10€  
Art. LT..R.. 116,70€

## TUBES COVERS for fittings



Ø 18mm, 10 cm long, polished stainless steel tube: slide over pipes for fitting (ø 12, 14, 16 mm) and cut in half to size using the rose washer with adaptors to cover the cut.

inner ø15 mm  
inner ø16 mm  
for valves KIT

Art. CA15 11,10€  
Art. CA16 11,10€  
Art. CA18 12,40€

MIXED CYL LOCKSHIELD for ø1/2" Electric Heating El. Easy control valve complete with fitting and round washer, it can be used together with angled or side control valves. Indicate always S or D version.



Art. CYLX..M.. 98,20€  
Art. CYLX..R.. 95,80€

SINGLE TUBE COVERING KIT tapping centres 38mm 100x50mm squared covering, and n° 2 tubes (16 or 20mm ø, 70mm long).

Art. KM16 68,90€  
Art. KM20 72,00€



# CYL VALVE KIT in BREM COLOURS

The valves with thermostatic option and the CYL lockshields can be supplied painted in a colour from the BREM colour list, (O-ring tang, fittings and round washer chrome-plated). Valve or Dual tube CYL KIT: Extra for BREM color list Art. VC 53,40€



CYL painted, fittings and round washer chrome-plated  
Extra for BREM color list + KIT Fitting brushed NICKEL

KIT Fitting brushed NICKEL for n°2 valves  
extra Art. RN 30,50€



# CHROME-PLATED CYL VALVE KIT

## CYL KIT with THERMOSTATIC OPTION

Chrome Valve CYL with thermostatic option and lockshield with tang, washer  $\varnothing 48$  and fitting with n°6 inserts for pipe multilayer  $\varnothing 16$ , copper  $\varnothing 12 - \varnothing 14$



Fitting with inserts for multilayer  $\varnothing 16$



inserts for copper  $\varnothing 14$



inserts for copper  $\varnothing 12$

## CYL KIT with THERMOSTATIC HEAD

Chrome Valves CYL KIT with thermostatic head, with tang, washer  $\varnothing 48$  and fitting with n°6 inserts for pipe multilayer  $\varnothing 16$ , copper  $\varnothing 12 - \varnothing 14$



ANGLED CYL VALVES KIT THERMOSTATIC option Art. KCS 149,90€

ANGLED CYL VALVE KIT with THERMOSTATIC Head Art. KCTS 179,90€



STRAIGHT CYL VALVES KIT THERMOSTATIC option Art. KCD..158,80€

STRAIGHT CYL VALVES KIT with THERMOSTATIC Head Art. KCTD 188,80€



REVERSE CYL VALVES KIT THERMOSTATIC option Art. KCR 149,90€

REVERSE CYL VALVES KIT with THERMOSTATIC Head Art. KCTR 179,90€



Art. KCL

SIDE CONTROL CYL VALVES KIT THERMOSTATIC option Art. KCL 162,50€  
Version D Art. KCLD 162,50€



Art. KCLD

SIDE CONTROL CYL VALVES KIT with THERMOSTATIC Head Art. KCTL 192,60€  
Version D Art. KCTL D 192,60€



Art. KCTL

Art. KCTL D



SINGLE-TUBE CYL VALVE KIT THERMOSTATIC option  $\Delta \nabla 38$ mm with  $\varnothing 10$ mm and 45 cm probe, and flow diverter system to everse delivery and return. Art. KCM 175,90€

probe cm 70 10,10€  
probe cm 100 14,10€

SINGLE TUBE Valve KIT with THERMOSTATIC Head  $\Delta \nabla 38$ mm Art. KTM 206,00€



DUAL TUBE CYL Valve KIT THERMOSTATIC option,  $\Delta \nabla 5$ cm Art. KCB 171,50€

DUAL TUBE Valve KIT with THERMOSTATIC Head,  $\Delta \nabla 5$ cm Art. KTB 201,50€



## CYL VALVE KIT FOR DUAL FUEL VERSIONS



Art. KCLXD

SIDE CONTROL CYL VALVES KIT THERMOSTATIC option, lockshield Mixte Art. KCLXS 202,10€  
D Version Art. KCLXD 202,10€

SIDE CONTROL CYL VALVES KIT THERMOSTATIC lockshield Mixte Art. KCTLXS 232,10€  
D Version Art. KCTLXD 232,10€



Art. KCLXS

# REMOTE VALVES

## REMOTE VALVES GROUP

The remote valves group includes 2 built-in valves in raw brass to be fixed on the wall bracket, with chromed handwheels, washers and chrome fittings for: MULTILAYER or COPPER pipe (indicate  $\varnothing$  of tube)



TON REMOTE Valves GROUP wall recessed with 2 valves, round washers and fittings (provide  $\varnothing$  of tube):  
 MULTILAYER Art. VGM.. 158,00€  
 COPPER Art. VGR.. 155,60€

TON REMOTE Valves GROUP with THERMOSTATIC HEAD and complete fittings (provide  $\varnothing$  of tube):  
 MULTILAYER Art. VGTM.. 211,10€  
 COPPER Art. VGTR.. 208,70€



CYL REMOTE Valves GROUP wall recessed with THERMOSTATIC OPTION with 2 valves, round washers and fittings (provide  $\varnothing$  of tube):  
 MULTILAYER Art. CGM.. 205,70€  
 COPPER Art. CGR.. 201,00€

CYL REMOTE Valves GROUP with THERMOSTATIC HEAD and complete fittings (provide  $\varnothing$  of tube):  
 MULTILAYER Art. CGTM.. 222,70€  
 COPPER Art. CGTR.. 217,90€



QUADRA REMOTE Valves GROUP wall recessed with 2 valves, round washers and fittings (provide  $\varnothing$  of tube):  
 MULTILAYER Art. QGM.. 174,20€  
 COPPER Art. QGR.. 171,20€

Extra for BREM color list Art. VC 53,40€

Remote valves are placed in a low-visibility spot. In case of thermostatic valves, they should be sensitive to room temperature.



## KIT REMOTE VALVES GROUP

The Kit includes 2 raw brass valves to be fixed on the wall bracket, chromed round handwheels, washer and fittings with inserts for multilayer pipes  $\varnothing 16$  and copper  $\varnothing 12$  and  $14$  mm.



Thermostatic TON valves

TON VALVE GROUP KIT with simple regulation  
 Art. KVG 176,60€

TON VALVE GROUP KIT with thermostatic head  
 Art. KVGT 229,80€



CYL remote valves

CYL Valves GROUP KIT thermostatic option  
 Art. KCG 224,30€

CYL Valves GROUP KIT with thermostatic head  
 Art. KCGT 241,30€

Extra for BREM color list Art. VC 53,40€




QUADRA remote valves

QUADRA Valves GROUP KIT with simple regulation  
 Art. KQG 192,90€



Extra for BREM color list Art. VC 53,40€

## FITTINGS AT THE REAR OF RADIATOR



Brem proposes fittings consisting of threaded sleeves ( $\varnothing 24$  F19) welded on the back of the radiator.  
 Art. REM 42,10€

The connection of the pipes from the remote group (up to 6 m.), is made by screwing the  $\varnothing 16$  or  $\varnothing 12-14$  fittings complete with washers, directly to the radiator.  
 Art. RK 38,20€



x - y : see dimensions in each model



# ADVANCED wifi SYSTEM

## THERMOSTATS COMPLIANT WITH ECODESIGN STANDARDS

No matter where you are, your home can always be within reach. You can control

your devices with our free application. With a few simple clicks you can adjust all the

parameters of your living space to meet the needs of you and your family.

### GATEWAY WiFi

The GT-AD Advanced Gateway allows you to control various devices: thermostats, valves, air conditioning, household appliances.

- LED Indication
- Connects all SALUS Smart Home products to the Salus Smart Home app - Salus Premium Lite app
- Cable and WiFi connection (cable connection is needed to set up WiFi)
- Table or wall mounted
- Wireless ZigBee communication
- 5 Year Warranty

### GATEWAY

Art. GT-AD 245,50€



### V-SMART

The thermostatic head V-SMART offers quiet operation, advanced features and Zigbee 3.0 connectivity, ideal for efficient home heating management.

- Operates standalone or pairs with a room thermostat.
- Intuitive interface with a dial knob and LCD display.
- Supports 4 display orientations for flexible radiator installations.
- Interchangeable adapters (M30, M28, RA).

### THERMOSTAT WiFi

wired from SEMI-RECESSED

Art. TWIB 206,70€



8,6 x 8,6 x 2,8 cm

- ZigBee protocol
- 230V power supply
- Large LCD screen
- Humidity sensor
- Thickness outside the wall 1 cm
- Programmable - daily, weekly or 5/2
- Hysteresis  $\pm 0.5$  and  $0.25$
- Dry contact or 230V contact outputs
- ITLC (compensazione del carico della temperatura)
- 2 contacts for presence sensor (external/floor sensor)
- Internal relay - Breaking capacity: 3 (1) A
- Control from the Salus Smart Home app
- Heating / Cooling mode
- Class IV ERP
- Works with the GTAD gateway or independently

For heating centralized installations with autonomous management



Gateway

ø 9 x 5,5 cm



### CENTRAL HEATING



Art. V-SMART 106,20€

Thermostatic head for radiators

ø 5,3 x 9,2 cm

### INDEPENDENT HYDRAULIC HEATING



Art. TWIB 206,70€

Thermostat da incasso



Art. V-SMART 106,20€

Thermostatic head for radiators

### CENTRAL HEATING AND ELECTRIC RADIATORS



Art. V-SMART 106,20€

Thermostatic head for radiators

ø 5,3 x 9,2 cm

### ELY ADVANCE

Art. ELY-AD 212,10€

Thermostat up to 16 receivers



Art. SA600 99,10€

Built-in receiver for electric radiators/split/ accessories (1 pc for each device)

4,5 x 4,5 x 2 cm



### INDEPENDENT HYDRAULIC HEATING AND ELECTRIC RADIATORS



Art. TWIB 206,70€

Thermostat da incasso



Art. V-SMART 106,20€

Thermostatic head for radiators

### ELY ADVANCE

Art. ELY-AD 212,10€

Thermostat up to 16 receivers



Art. SA600 99,10€

Advanced receiver



### OPTIONAL

Additional receiver for electric radiators and split AC: 1 for each electrical device (up to 16)

Art. SA600 99,10€




8,4x8,4x2,8 cm

On Wall Box for relay Art. SUNI 19,90€

COMPATIBLE with: alexa

GOOGLE Assistance

App: SALUS Premium Lite



8,5 x 8,5

### Thermostat ELY DESIGN ADVANCE

Thermostat with charging base and fixing plate: communicates only with electrical devices up to 16 units



# SPECIAL VERSIONS - BRACKETS



## "IN CORNER" RADIATORS

On request, the EGON, FORM and GRATA radiators can be supplied made-to-measure in corner configuration to ensure adequate heating in rooms where the conformation of walls, doors, and windows precludes more traditional positions for the radiators.

The most popular solutions are :

- with internal angle
- with external angle
- with two external angles

Send a detailed drawing for a feasibility study and quotation.




Radiators in corner:

(β) dimension (mm) + standard radiator:

| Mod.           | F2H  | GRH | EH |
|----------------|------|-----|----|
| internal angle | β 25 | 30  | 20 |
| external angle | β 20 | 30  | 25 |

## FORM - GRATA - CROSS -Towel Heater DIVIDERS



Feet and special fixing supports allow radiators and heated towel rails to be used as partitions, providing aesthetically pleasing interior designs.

### FIXINGS

Painted side bracket 10 cm (can be reduced to 4 cm) Art. F10 83,90€


Painted ceiling bracket 25 cm (can be reduced to 4 cm) Art. F25 87,50€

Side chrome-plated bracket with sleeve Adjustment: 4/6 cm Art. FC4 71,80€

Bracket FC4 is screwed into sleeve M18 extra charge Art. M18 23,20€

Different length on request.

CROSS model  
Adjustable foot  
H 12/15 cm



Art. PCV12  
124,70€

### FEET

Manifold foot

H cm 15 Art. PC15 100,10€

H cm 19 Art. PC19 100,10€

Fixed foot

standard H cm 15 Art. PF15 87,90€

Adjustable foot standard

H cm 15/20 Art. PR15 105,60€

Foot cover

(covers the fixing screws) Art. PT... 36,60€

Made-to-measure length feet, on request.

## BRACKETS

The thermoplastic resin or metal brackets allow for depth adjustment and are always included in the package.

Fix the provided brackets to the wall to install. The bottom of the bracket has an oval hole to allow for adjustment on the wall.

Art. B15(mm)  
Art. B27(mm)  
Art. B35(mm)  
Art. B55(mm)  
Art. B70(mm)

Brackets:

(B) white 16,20€  
(V) colored 20,40€



### BRACKET

Mod. EOS.. white (B) 10,10€ colored (V) 13,80€

Mod. META

Art. 105.. 16,20€ 20,40€

Art. 109.. 16,20€ 20,40€

Art. 111.. 16,20€ 20,40€

Mod. WIND

Art. 131.. (w3-w4) 9,10€ 13,30€

Art. 151.. (w5-w6) 9,10€ 13,30€

Art. MH4.. 16,20€ 20,50€

Art. MH14.. 27,40€ 34,30€



White bracket (depth 8 cm) Art. M8B 17,00€  
Art. M8KB 17,00€

Chrome-plated bracket (depth 8 cm) Art. M8C 26,20€  
Art. M8KC 26,20€

White bracket (depth 4 cm): Art. M4B 13,70€  
Art. M4GB 13,70€

Art. M4KB 18,00€  
Art. M4FB 18,00€

Chrome-plated bracket Art. M4C 23,70€  
Art. M4GC 23,70€

Art. M4KC 23,70€  
Art. M4FC 28,90€



# ACCESSORIES

## RAM TOWEL-BAR

Towel holder in painted metal applicable with magnets on all steel panels, (35x44x7 cm)

Magnets capacity 3.5 kg

Art. RAM 173,90€

RAM standard colors: - grey sablé SB7039  
- white sablé SB9016 - black sablé SB9005

In the color of the radiator ordered together +15/25%

On request in one paintwork to Brem color list different from the towel heater Suppl. Art. CM 52,90€



## CLOTHES KNOB

Art. PA 83,20€

Chrome-plated knob for all the towel heaters with round tubes excluding PLUS 18



## CHROME HOOK

Art. AC 96,70€

Chrome-plated hooks for all the towel heaters with round tubes excluding PLUS 18



design Davide Brembilla

## Magnetic towel holder MAGNET

Magnetic towel holder in painted metal applicable on all steel plates.


(40x3,3x6,2 cm) Art. MAG40 144,50€

(50x3,3x6,2 cm) Art. MAG50 149,00€

MAGNET standard colors: - grey sablé SB7039  
- white sablé SB9016 - black sablé SB9005

In the color of the radiator ordered together +15/25%

In other colors Brem Extra Art. CM 49,50€



## Magnetic KNOBS

Metal knobs paint in Brem colours and nickel-chrome base with magnet applicable on flat steel plates and tubes, load capacity 4 kg.

Standard KNOBS: - standard white SB9016

- grey sablé SB 7039 - sablé black SB9005


- same color ordered with the radiator

## Wall coat KNOBS

design Luigi Brembilla

On request KNOBS with wall fixing

Supplement 5,60€



Art. ARO..  
14x4,5x4

## ARO MODEL

Art. ARC 95,50€

Painting up to 3 pieces per table color Brem

Extra 52,90€ - from 4 pieces +15/25%



Art. PO..  
8,5x7x4

## PO MODEL

Art. POC 95,50€

Painting up to 3 pieces per table color Brem

Extra 52,90€ - from 4 pieces +15/25%



Art. HK..  
14x9x5

## - with magnet

Art. HKC 95,50€

Painting up to 3 pieces per table color Brem

Extra 52,90€ - from 4 pieces +15/25%

# FITTINGS


## RADIATOR - TOWEL HEATER

The fittings used to connect the radiators to the heating system consist of two 1/2" or 3/8" diameter sleeves on the manifolds, according to each model.

The technical drawings for each model show how to calculate the distances between the fittings (tapping centres) as well as the min distance from the wall.

Fitting position

- ▲ - delivery
- ▽ - return
- S - air vent
- V - drain



### DUAL TUBE FITTINGS

This fitting is marked with letters showing the position of the other fittings:

- the first shows the delivery
  - the second shows the return
- followed by the fitting diameter: e.g. AC ø 1/2"

### DUAL TUBE FITTINGS




Vertical fitting



Side fitting

### REVERSE DUAL TUBE FITTINGS




Reverse fitting



Vertical fitting




Side fitting




Reverse fitting at the rear

### STANDARD FITTING ø 1/2" or 3/8"

The radiator is produced with standard fittings as shown in the technical data.




FITTINGS ON REQUEST no extra charge unless otherwise indicated according to the models



### SPECIAL FITTINGS

Side, reverse and vertical fittings different from standard productions, ask for feasibility

Art. AS 91,20€






## FITTINGS FOR DUAL TUBE VALVES

Fittings with 5 cm central tapping centre and inner probes (ask for feasibility)

Art. AS 91,20€

pecial connections with 5 cm interaxis or made to measure with separators or any internal probes in the collector, (ask for feasibility)

Art. ASP 128,40€



## FITTINGS FOR SINGLE-TUBE SYSTEM with probe

The radiator is supplied by a  $\varnothing 1/2"$  fitting (aligned to the manifold). The valve probe  $\varnothing 10$ mm (other dimensions on request) passes through the hole of the inside separator where water goes in and out.


Standard single-tube fitting:  $\varnothing 1/2"$   
probe hole:  $\varnothing 10$  mm Art. AM10 59,80€

The single-tube valve (p. 273) is supplied complete with 45 cm probe or small tube; on request:

Art. S70 probe L = 70 cm 13,60€

Art. S100 probe L=100 cm 18,20€

Indicate the diameter of the fitting and probe if not standard.



ASK FOR FEASIBILITY AND FITTINGS POSITION

The BREM  $\varnothing 1/2"$  single-tube chrome-plated valve is fitted with  $\varnothing 10$  mm probe. It can be either manual or thermostat controlled and is fitted with a flow deviator to reverse the delivery and return.

## PLUGS AND AIR VENTS

Art. T18 ch-plated  $\varnothing 1/8"$  plug 3,90€

Art. T14 ch-plated  $\varnothing 1/4"$  plug 3,90€

Art. T38 ch-plated  $\varnothing 3/8"$  plug 3,90€

Art. T12 ch-plated  $\varnothing 1/2"$  plug 3,90€


Art. S18 ch-plated  $\varnothing 1/8"$  air vent 3,90€

Art. S12 ch-plated  $\varnothing 1/2"$  air vent 3,90€

## TOWEL HEATER FRAME


Heated towel rail frame, painted in white, with fitting sleeves, heating element fittings and chrome-plated plug.

Art. CS 131,20€



## SPECIAL FITTINGS ON REQUEST

Custom-made special fittings with special separators or internal probes in the manifold (ask for feasibility) Art. ASP 128,40€



## REMOTE VALVES FITTING

Fittings on the back  $\varnothing 24F19$  (see page 274)

Art. REM 42,10€





# INDEX BREM'ART

ARTISTS' RADIATORS

## ART AND RADIATOR

Perennially in pursuit of new shapes and expressions that are also surprisingly practical in the garb given to heat, Brem asked artists to develop the theme with their own interpretations, inventions, and solutions.

This is "Brem'Art": a line of radiators designed by artists given complete freedom for the most creative expression of the function of heating.

### BREM SPECIAL COLORS AND FINISHES

- BR 0001, a transparent metallic bright finish, highlights the signs of working on iron (welding, scoring, brushing, rings, marks, etc.); the phosphate greasing process enhances the colors of steel in shades of grey, beige, blue, brown, and dark green, and makes each piece unlike any other. This finish is a good example of "Rustic Art" and it is not available for the radiating plates.

- BR 0001 MS, a clear matte finish, transmits all the raw material's "brutality", whereas a shiny finish softens the look (not available for radiating plates).

- BR 0031 is a brushed-metal effect to hide scratches on the plates. Clear varnish.

- BR 0031 ST brushed-metal mat varnish.

- BR 0007 is the color that both comes closest to natural iron and best conceals possible imperfections.

- BR 0021 transparent polished finish, it transmits the brass effect, glimpsing weldings  
- BR 0021 ST transparent mat finish

- BR 0022 BL polished and nuanced rust color finish

- BR 0022 sablé and nuanced rust color finish

Finishes, colors and extras are indicated for each work of art.

EVERY WORK OF ART IS MADE BY HAND:  
THE MINIMUM IMPERFECTIONS AND IRREGULAR SHADING AND TONES OF COLOR ARE UNIQUE TO EACH PIECE AS IN EVERY REAL WORK OF ART.

|                 |       |
|-----------------|-------|
| SPAZIO CHIUSO   | II    |
| MUN             | III   |
| FILU&FERRU      | IV    |
| BACCU MANDARA   | V     |
| CONFINI         | VI    |
| PERCORSO        | VII   |
| CONTINUUM SIPAR | VIII  |
| ERUZIONE        | IX    |
| STROP'          | X     |
| CIRCO D'IDEE    | XI    |
| SCUDO DI ERACLE | XII   |
| NOSTOS          | XIII  |
| FIRE            | XIV   |
| PINAK HOT       | XV    |
| EAGLE           | XVI   |
| GRID            | XVII  |
| SCHAG           | XVIII |
| TERRA LUNARE    | XIX   |
| GRAFFI          | XX    |
| GRAFFI DI LUNA  | XXI   |
| PIET            | XXII  |
| VIRGO           | XXIII |





# Panels: BREM'ART



The Brem'Art panels are built with a thickness of only 2,3cm. The valves can be hidden thanks to the higher cover.

The connections behind the cover allow the thermostatic head, partially visible, to operate by detecting the room temperature.

The electric version is produced with heights 180 and 200 cm and a protrusion of only 5.8 cm because of electrical devices.


## DIMENSIONS HYDRAULIC VERSION

Height 187-207-227 cm  
Width 36-45-54-63-72 cm  
Depth 4.8-5.0 cm  
Depth from wall 7.8 cm



## DIMENSIONS ELECTRIC VERSION

Height 180-200 cm  
Width 36-45-54 cm  
Depth 2.3-4.3 cm  
Depth from wall 5.8 cm



ELECTRIC DATA  
page 208-211

## STANDARD PRODUCTION

Tolerance  $\pm 3$  mm - Air vent  $\varnothing 1/8"$   
MAXIMUM OPERATING PRESSURE 4 BAR

## STANDARD FITTING EG $\varnothing 1/2"$

B'A: Brem'Art panels  
Tapping centres  $\blacktriangle \nabla$  L-15 cm



## FIXINGS

Brackets included  
Mod. Hydraulic B35 (\*3)  
Mod. Electric B55 (\*10)



## RECOMMENDED VALVES

Nickel-plated TON valves, raccords and handwheels



SIDE CONTROL TON VALVES KIT nickel-plated  
easy control and chrome-plated handwheel

Art. KVLN 104,80€

KIT VALVOLE nichelate TON comando LATERALE,  
testa TERMOSTATICA, Art. KTLND 143,80€

SIDE CONTROL TON VALVES KIT chrome  
page 269 Art. KVL 150,50€

SIDE CONTROL TON VALVES KIT chrome with  
thermostatic Head, p.269 Art. KTLD 203,70€

## CHROME VALVES KIT with:

- n°2 Valves with tailpieces, Fittings (multilayer  $\varnothing 16$ ,  
copper  $\varnothing 12-14$ ) and Wall plates  $\varnothing 48$ , hole  $\varnothing 16$

Chrome-plated valves with painting supplement



SIDE CONTROL CYL Valves KIT with THERMO-  
STATIC option, page 273 Art. KCLD 162,50€

SIDE CONTROL CYL Valves KIT chrome with  
thermostatic Head, p.269 Art. KTLD 192,60€

VALVES KIT PAINTED in a color from the Brem color  
EXTRA Art. VC 53,40€

COLORS THERMOSTATIC HEAD page.266

## FITTINGS KIT SPECIAL FINISHES for colored valves pag.266

(cone, raccord, washer in  
Or, Bronze, brushed nickel  
KIT Fittings brushed Nickel Extra Art. RN 30,50€



## ON REQUEST

Heights (H-7cm) and depth 5.5cm as in electric models,  
are available for B'A panels with special fittings :

- FITTINGS EG  $\blacktriangle \nabla$  L-4 cm with visible valves

- REMOTE FITTINGS Art. REM 42,10€

Tapping centres: rear of radiator  $\blacktriangle \nabla$  L-6cm

DISTANT Valves page 274



Rino Carrara proposes a model quite unlike the usual rigid radiator, adding the contents and shapes he loves to include in all his works to create an embracing overall design.

Color recommended by the artist: white sablé  
SB 9016


Other colors BREM list without extra

## RECOMMENDED VALVES

CHROME VALVES KIT with:  
- n°2 Bitube Valve with tailpieces,  
fittings (multilayer ø16, copper ø12-14)  
and wall plates ø 48, hole ø16



STANDARD FITTING EG ø3/8" (or 1/2") ▲▽5 cm



DUAL TUBE left CYL Valves KIT with Thermostatic option, ▲▽5 cm, pag. 273 Art. KCB 171,50€

DUAL TUBE left Valve KIT with THERMOSTATIC Head, ▲▽5 cm, pag. 274 Art. KTB 201,50€

Extra for BREM color list Extra Art. VC 53,40€  
Brushed Nickel FITTING KIT extra Art. RN 30,50€



REMOTE CYL VALVES ASSEMBLY KIT, with (p.274)

Thermostatic option p.274 Art. KCG 224,30€

REMOTE CYL VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KCGT 241,30€

Colored KIT color list Brem Extra Art. VC 53,40€

REMOTE FITTINGS Art. REM 42,10€

Tapping centres: at the rear ▲▽5 cm



SPAZIO CHIUSO

TON REMOTE Valves

MODEL'25

SPAZIO CHIUSO

H-L  
cm

EN 442 Watt  $\Delta t$  50K ( $\Delta t$  40K =  $W \times 0,755$ ) - ( $\Delta t$  30K =  $W \times 0,526$ )

| EN 442<br>Watt<br>$\Delta t$ 50 K | ▲▽<br>t.c.<br>cm | Height<br>cm | Width<br>cm | Depth<br>cm |
|-----------------------------------|------------------|--------------|-------------|-------------|
| 1300                              | 5                | 145          | 95          | 3           |

€

2443,10

145-95

BREM colors list page 281

ELECTRIC VERSION NOT AVAILABLE





FILU&FERRU 187-45

CYL REMOTE Valves

Filu&FERRU.

The name comes from an ancient Sardinian marc distillate.

It is a transparent, strong and generous beverage, deep warmth for tasters and delight for givers. It is family and home intimacy in winter. It is a refreshing and invigorating taste.

I've thought of the name for this Brem radiator because of resonant echoes name "Filo & Ferru" (thread & iron) and for home warmth, hospitality and intimacy.

#### BREM'ART CREATIONS


Steel artwork on matt black background 143 x15x2 cm; the artist suggests the panel in sablé quartz grey color SB 7039.

Other table sablé colors Brem without extra.

#### RECOMMENDED VALVES (pag.II)

CHROME VALVES KIT with:

n°2 Valves with tang, n°2 Fittings (multilayer ø16, copper ø12, 14), n°2 wall plates ø48, hole ø16



STANDARD FITTING EG ø 1/2"

Tapping centres ▲▽ L - 15 cm

Special fittings page 278



EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

| MODEL'25 |      |   | L cm | 36      | 45      | 54      | 63      | 72      |
|----------|------|---|------|---------|---------|---------|---------|---------|
|          | H cm |   | ▲▽cm | 21      | 30      | 39      | 48      | 57      |
| FILU     | 187  | € |      | 2056,00 | 2161,00 | 2270,40 | 2378,30 | 2482,90 |
|          |      |   |      | 713w    | 887w    | 1061w   | 1233w   | 1407w   |
| FILU-L   | 187  | € |      | 2386,60 | 2508,70 | 2658,50 | 2794,40 | 2929,60 |
|          |      |   |      | 909w    | 1181w   | 1453w   | 1723w   | 1996w   |
| FILU     | 207  | € |      | 2116,70 | 2230,40 | 2336,80 | 2449,20 | 2560,10 |
|          |      |   |      | 792w    | 985w    | 1178w   | 1369w   | 1562w   |
| FILU-L   | 207  | € |      | 2495,90 | 2641,20 | 2799,00 | 2934,50 | 3080,20 |
|          |      |   |      | 1011w   | 1313w   | 1616w   | 1916w   | 2219w   |
| FILU     | 227  | € |      | 2187,40 | 2305,90 | 2439,50 | 2546,40 | 2664,90 |
|          |      |   |      | 870w    | 1082w   | 1294w   | 1504w   | 1716w   |
| FILU-L   | 227  | € |      | 2558,40 | 2709,50 | 2873,80 | 3014,90 | 3165,90 |
|          |      |   |      | 1112w   | 1445w   | 1778w   | 2109w   | 2441w   |

BREM colors list page 281

Technical data B'A Panels page II

#### ELECTRIC VERSION

| MODEL'25 |        |         | Standard | KIT RE /KIT RT p.208     |
|----------|--------|---------|----------|--------------------------|
|          | H - L  | color   | €        | Câble R...E/Faston R...T |
|          | cm     |         |          | Art. (WV) €              |
| FILU     | 180-36 | 2056,00 |          | R800II.. 240,50          |
| FILU     | 180-45 | 2161,00 |          | R900II.. 255,30          |
| FILU     | 200-54 | 2336,80 |          | R1200II.. 276,30         |
| FILU-L   | 180-45 | 2508,70 |          | R1200II.. 276,30         |
| FILU-L   | 180-54 | 2658,50 |          | R1500II.. 298,00         |

REMOTE FITTINGS (H-7cm) page II  
DISTANT Valves page 274





Interpretation by Stefano Soddu:  
BACCU MANDARA

The sea is grey, the sky yellow.  
A piece of sea evaporates in the sky  
and obscures it with triangular projection.  
Like a kite, waiting for the rain.


## BREM'ART CREATIONS

Colors sablé rust nuanced SB 0022 and  
sablé quartz grey SB 7039 recommended  
by the artist.

Other colours on request, no extra charge

## RECOMMENDED VALVES (pag.II)

CHROME VALVES KIT with:  
n°2 Valves with tang, n°2 Fittings (multilayer ø16,  
copper ø12, 14), n°2 wall plates ø 48, hole ø16



STANDARD FITTING EG ø 1/2"

Tapping centres ▲▽ L - 15 cm

Special fittings page 278



BACCU MANDARA 187-54

CYL Valve with THERMOSTATIC Head

| ELECTRIC VERSION                                |             |                     |                                        |
|-------------------------------------------------|-------------|---------------------|----------------------------------------|
| MODEL                                           | Standard    | KIT RE/KIT RT p.208 |                                        |
| ⚡                                               | H - L<br>cm | color<br>€          | Câble R...E/Faston R...T<br>Art. (W) € |
| BAC                                             | 180-36      | 2072,80             | R800II.. 240,50                        |
| BAC                                             | 180-45      | 2189,00             | R900II.. 255,30                        |
| BAC                                             | 200-54      | 2697,70             | R1200II.. 276,30                       |
| BACL                                            | 180-45      | 2536,70             | R1200II.. 276,30                       |
| BACL                                            | 180-54      | 2697,70             | R1500II.. 298,00                       |
| Es: BAC 180-45 SB 7039 2189,00€ +               |             |                     |                                        |
| Kit electric R900II.. + Thermostat pag. 208-209 |             |                     |                                        |

ON REQUEST (H-7cm, depth f/wall 5,8cm) pag.II

- FITTINGS EG ▲▽ L - 4 cm with visible valves.

- REMOTE FITTINGS con REMOTE Valves p.274

|       |       | EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526) |                  |                  |                  |                  |                  |
|-------|-------|------------------------------------------------------------|------------------|------------------|------------------|------------------|------------------|
| MODEL | H cm  | L cm<br>▲▽cm                                               | 36<br>21         | 45<br>30         | 54<br>39         | 63<br>48         | 72<br>57         |
| BAC   | 187 € |                                                            | 2072,80<br>713w  | 2189,00<br>887w  | 2309,60<br>1061w | 2428,70<br>1233w | 2544,50<br>1407w |
| BACL  | 187 € |                                                            | 2403,40<br>909w  | 2536,70<br>1181w | 2697,70<br>1453w | 2844,80<br>1723w | 2991,20<br>1996w |
| BAC   | 207 € |                                                            | 2133,50<br>792w  | 2258,40<br>985w  | 2376,00<br>1178w | 2499,60<br>1369w | 2621,70<br>1562w |
| BACL  | 207 € |                                                            | 2512,70<br>1011w | 2669,20<br>1313w | 2838,20<br>1616w | 2984,90<br>1916w | 3141,80<br>2219w |
| BAC   | 227 € |                                                            | 2204,20<br>870w  | 2333,90<br>1082w | 2478,70<br>1294w | 2596,80<br>1504w | 2726,50<br>1716w |
| BACL  | 227 € |                                                            | 2575,20<br>1112w | 2737,50<br>1445w | 2913,00<br>1778w | 3065,30<br>2109w | 3227,50<br>2441w |

BREM colors list page 281

Technical data B'A Panels page II



CAPITONNÉ 187-54

CYL Valve with THERMOSTATIC Head

The effect of the quilting, arranged on a network of squares, is transferred to the metal surface of the B'A plate to evoke a fashion that has remained in the history of furniture.

BREM'ART CREATIONS (page II)

Color recommended by the artist SB 0022


Sablé rust nuanced.

Sablé standard painting at the choice, without extra.

## RECOMMENDED VALVES (pag.II)

CHROME VALVES KIT with:

n°2 Valves with tang, n°2 Fittings (multilayer ø16, copper ø12, 14), n°2 wall plates ø 48, hole ø16



STANDARD FITTING EG ø 1/2"

Tapping centres ▲▼ L - 15 cm

Special fittings page 278



EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

| MODEL'25 | H cm | L cm | 36      | 45      | 54      | 63      | 72      |
|----------|------|------|---------|---------|---------|---------|---------|
|          |      | ▲▼cm | 21      | 30      | 39      | 48      | 57      |
| CAPH     | 187  | €    | 1988,80 | 2110,60 | 2236,80 | 2361,50 | 2482,90 |
|          |      |      | 713w    | 887w    | 1061w   | 1233w   | 1407w   |
| CAPLH    | 187  | €    | 2319,40 | 2458,30 | 2624,90 | 2777,60 | 2929,60 |
|          |      |      | 909w    | 1181w   | 1453w   | 1723w   | 1996w   |
| CAPH     | 207  | €    | 2049,50 | 2180,00 | 2303,20 | 2432,40 | 2560,10 |
|          |      |      | 792w    | 985w    | 1178w   | 1369w   | 1562w   |
| CAPLH    | 207  | €    | 2428,70 | 2590,80 | 2765,40 | 2917,70 | 3080,20 |
|          |      |      | 1011w   | 1313w   | 1616w   | 1916w   | 2219w   |
| CAPH     | 227  | €    | 2120,20 | 2255,50 | 2405,90 | 2529,60 | 2664,90 |
|          |      |      | 870w    | 1082w   | 1294w   | 1504w   | 1716w   |
| CAPLH    | 227  | €    | 2491,20 | 2659,10 | 2840,20 | 2998,10 | 3165,90 |
|          |      |      | 1112w   | 1445w   | 1778w   | 2109w   | 2441w   |

ELECTRIC VERSION

| MODEL'25                                        | Standard | KIT RE/KIT RT p.208      |
|-------------------------------------------------|----------|--------------------------|
| ⚡ H - L                                         | color    | Câble R...E/Faston R...T |
| cm                                              | €        | Art. (WV) €              |
| CAPH 180-36                                     | 1988,80  | R800II.. 240,50          |
| CAPH 180-45                                     | 2110,60  | R900II.. 255,30          |
| CAPH 200-54                                     | 2303,20  | R1200II.. 276,30         |
| CAPLH 180-45                                    | 2458,30  | R1200II.. 276,30         |
| CAPLH 180-54                                    | 2624,90  | R1500II.. 298,00         |
| Es: CAPH 180-45 SB 0022 2110,60€ +              |          |                          |
| Electric Kit R900II.. + Thermostat pag. 208-209 |          |                          |

ON REQUEST (H-7cm, depth f/wall 5,8cm) pag.II

- FITTINGS EG ▲▼ L - 4 cm with visible valves.

- REMOTE FITTINGS con REMOTE Valves p.274

BREM colors list page 281

Technical data B'A Panels page II



A white radiant panel with the three-colour artistic composition that recalls the work that evoke compositional works created in the 90s.

#### BREM'ART CREATIONS (page I)

Colourful composition 20 x 20 cm,


B'A panel satin cream white Ral 9001-S.

Brem colours only on the B'A panel

#### RECOMMENDED VALVES (pag.II)

CHROME VALVES KIT with:

n°2 Valves with tang, n°2 Fittings (multilayer ø16, copper ø12, 14), n°2 wall plates ø 48, hole ø16



STANDARD FITTING EG ø 1/2"

Tapping centres ▲▽ L - 15 cm

Special fittings page 278



MUN 187-45

CYL Valve with THERMOSTATIC option

| ELECTRIC VERSION                                |             |                     |                                         |  |
|-------------------------------------------------|-------------|---------------------|-----------------------------------------|--|
| MODEL                                           | Standard    | KIT RE/KIT RT p.208 |                                         |  |
| ⚡                                               | H - L<br>cm | color<br>€          | Câble R...E/Faston R...T<br>Art. (VV) € |  |
| MUN 180-36                                      | 2016,80     | R800II..            | 240,50                                  |  |
| MUN 180-45                                      | 2121,80     | R900II..            | 255,30                                  |  |
| MUN 200-54                                      | 2297,60     | R1200II..           | 276,30                                  |  |
| MUNL 180-45                                     | 2469,50     | R1200II..           | 276,30                                  |  |
| MUNL 180-54                                     | 2619,30     | R1500II..           | 298,00                                  |  |
| Es: MUN 180-45 Ral 9001-S 2121,80€ +            |             |                     |                                         |  |
| Electric Kit R900II.. + Thermostat pag. 208-209 |             |                     |                                         |  |

ON REQUEST (H-7cm, depth f/wall 5,8cm) pag.II

- FITTINGS EG ▲▽ L - 4 cm with visible valves.

- REMOTE FITTINGS con REMOTE Valves p.274

|       |       | EN 442 Watt Δt 50K (Δt 40K = Wx0,755) · (Δt 30K = Wx0,526) |                  |                  |                  |                  |                  |
|-------|-------|------------------------------------------------------------|------------------|------------------|------------------|------------------|------------------|
| MODEL |       | L cm                                                       | 36               | 45               | 54               | 63               | 72               |
|       | H cm  | ▲▽cm                                                       | 21               | 30               | 39               | 48               | 57               |
| MUN   | 187 € |                                                            | 2016,80<br>713w  | 2121,80<br>887w  | 2231,20<br>1061w | 2339,10<br>1233w | 2443,70<br>1407w |
| MUNL  | 187 € |                                                            | 2347,40<br>909w  | 2469,50<br>1181w | 2619,30<br>1453w | 2755,20<br>1723w | 2890,40<br>1996w |
| MUN   | 207 € |                                                            | 2077,50<br>792w  | 2191,20<br>985w  | 2297,60<br>1178w | 2410,00<br>1369w | 2520,90<br>1562w |
| MUNL  | 207 € |                                                            | 2456,70<br>1011w | 2602,00<br>1313w | 2759,80<br>1616w | 2895,30<br>1916w | 3041,00<br>2219w |
| MUN   | 227 € |                                                            | 2148,20<br>870w  | 2266,70<br>1082w | 2400,30<br>1294w | 2507,20<br>1504w | 2625,70<br>1716w |
| MUNL  | 227 € |                                                            | 2519,20<br>1112w | 2670,30<br>1445w | 2834,60<br>1778w | 2975,70<br>2109w | 3126,70<br>2441w |

BREM colors list page 281

Technical data B'A Panels page II



# CONTINUUM TRE SIPAR.W

RAFFAELE CIOFFI



CONTINUUM TRE 187-54

CYL Valve with THERMOSTATIC option



SIPAR.W 187-54

CYL Valve with THERMOSTATIC Head

Raffaele Cioffi has interpreted warmth by adding 3D effect moulds to the radiator, printed using special heat resistant inks.

The works in the "CONTINUUM and SIPAR.W" series excite the emotions and feature alternating color schemes, thanks to a play of light and shadow

CONTINUUM TRE (H 45 x L 20 cm)

Screen printing,

Color recommended by the artist, BR 0007.

SIPAR.W (H 100 x L 25 cm)

White screen printing.


Color recommended by the artist, SB 3061

Brem colours only on the B'A panel, without extra.

## RECOMMENDED VALVES (pag.II)

CHROME VALVES KIT with:

n°2 Valves with tang, n°2 Fittings (multilayer ø16, copper ø12, 14), n°2 wall plates ø 48, hole ø16



STANDARD FITTING EG ø 1/2"

Tapping centres ▲▽ L - 15 cm

Special fittings page 278



|          |       | EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526) |         |         |         |         |         |
|----------|-------|------------------------------------------------------------|---------|---------|---------|---------|---------|
| MODEL'25 |       | L cm                                                       | 36      | 45      | 54      | 63      | 72      |
| SB 9016  | H cm  | ▲▽cm                                                       | 21      | 30      | 39      | 48      | 57      |
| A*..H    | 187 € |                                                            | 1927,20 | 2032,20 | 2141,60 | 2249,50 | 2354,10 |
|          |       |                                                            | 713w    | 887w    | 1061w   | 1233w   | 1407w   |
| A*..LH   | 187 € |                                                            | 2257,80 | 2379,90 | 2529,70 | 2665,60 | 2800,80 |
|          |       |                                                            | 909w    | 1181w   | 1453w   | 1723w   | 1996w   |
| A*..H    | 207 € |                                                            | 1987,90 | 2101,60 | 2208,00 | 2320,40 | 2431,30 |
|          |       |                                                            | 792w    | 985w    | 1178w   | 1369w   | 1562w   |
| A*..LH   | 207 € |                                                            | 2367,10 | 2512,40 | 2670,20 | 2805,70 | 2951,40 |
|          |       |                                                            | 1011w   | 1313w   | 1616w   | 1916w   | 2219w   |
| A*..H    | 227 € |                                                            | 2058,60 | 2177,10 | 2310,70 | 2417,60 | 2536,10 |
|          |       |                                                            | 870w    | 1082w   | 1294w   | 1504w   | 1716w   |
| A*..LH   | 227 € |                                                            | 2429,60 | 2580,70 | 2745,00 | 2886,10 | 3037,10 |
|          |       |                                                            | 1112w   | 1445w   | 1778w   | 2109w   | 2441w   |

A\*.. C continuum - S sipar.w  
BREM colors list page 281

Technical data B'A Panels page II

## ELECTRIC VERSION

| MODEL'25                                           | Standard | KIT RE /KIT RT p.208   |            |
|----------------------------------------------------|----------|------------------------|------------|
| ⚡ H - L                                            | colorf   | Cable R..E/Faston R..T | Art. (W) € |
| cm                                                 | €        |                        |            |
| A*..H 180-36                                       | 1927,20  | R800II..               | 240,50     |
| A*..H 180-45                                       | 2032,20  | R900II..               | 255,30     |
| A*..H 200-54                                       | 2208,00  | R1200II..              | 276,30     |
| A*..LH 180-45                                      | 2379,90  | R1200II..              | 276,30     |
| A*..LH 180-54                                      | 2529,70  | R1500II..              | 298,00     |
| Es: ACH180-45 continuum BR 0007 2032,20€           |          |                        |            |
| Es: ASLH 180-45 sipar.w SB3061 2379,90€ +          |          |                        |            |
| + Electric Kit R..00II.. + Thermostat page 208-209 |          |                        |            |
| ON REQUEST (H-7cm, depth f/wall 5,8cm) pag.II      |          |                        |            |
| - FITTINGS EG ▲▽ L - 4 cm with visible valves.     |          |                        |            |
| - REMOTE FITTINGS con REMOTE Valves p.274          |          |                        |            |

Steven Cavagna has opted here to use precious gilded leaf details set against an oxidised steel background.

An imaginary stream of cast gold arousing the imagination.

The stream is hand-made and always different for each radiator.


BREM'ART CREATIONS (page I)

Bright shaded rust BR 0022 BL and gilded leaf

Other BREM colors to quote

## RECOMMENDED VALVES (pag.II)

CHROME VALVES KIT with:  
n°2 Valves with tang, n°2 Fittings (multilayer ø16, copper ø12, 14), n°2 wall plates ø 48, hole ø16



STANDARD FITTING EG ø 1/2"

Tapping centres ▲▼ L - 15 cm

Special fittings page 278



ERUZIONE 207-36

CYL Valve with THERMOSTATIC Head

| ELECTRIC VERSION                                  |        |                     |          | EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526) |         |         |         |         |         |
|---------------------------------------------------|--------|---------------------|----------|------------------------------------------------------------|---------|---------|---------|---------|---------|
| MODEL'25                                          | Color  | KIT RE/KIT RT p.208 | MODEL'25 | L cm                                                       | 36      | 45      | 54      | 63      | 72      |
| ⚡                                                 | H - L  | Art. (W) €          | H cm     | ▲▼ cm                                                      | 21      | 30      | 39      | 48      | 57      |
| ERH                                               | 180-36 | 2050,40             | ERH      | 187 €                                                      | 2050,40 | 2189,00 | 2320,80 | 2451,10 | 2589,30 |
| ERH                                               | 180-45 | 2189,00             | ERLH     | 187 €                                                      | 2381,00 | 2536,70 | 2708,90 | 2867,20 | 3036,00 |
| ERH                                               | 200-54 | 2387,20             |          |                                                            | 909w    | 1181w   | 1453w   | 1723w   | 1996w   |
| ERLH                                              | 180-45 | 2536,70             | ERH      | 207 €                                                      | 2111,10 | 2258,40 | 2387,20 | 2522,00 | 2666,50 |
| ERLH                                              | 180-54 | 2708,90             | ERLH     | 207 €                                                      | 2490,30 | 2669,20 | 2849,40 | 3007,30 | 3186,60 |
| Es: ERH 180-45 BRO022BL                           |        | 2189,00€            |          |                                                            | 1011w   | 1313w   | 1616w   | 1916w   | 2219w   |
| + Electric Kit R900II.. + Thermostat pag. 208-209 |        |                     | ERH      | 227 €                                                      | 2181,80 | 2333,90 | 2489,90 | 2619,20 | 2771,30 |
|                                                   |        |                     |          |                                                            | 870w    | 1082w   | 1294w   | 1504w   | 1716w   |
|                                                   |        |                     | ERLH     | 227 €                                                      | 2552,80 | 2737,50 | 2924,20 | 3087,70 | 3272,30 |
|                                                   |        |                     |          |                                                            | 1112w   | 1445w   | 1778w   | 2109w   | 2441w   |

ON REQUEST (H+7cm, depth f/wall 5,8cm) pag.II

- FITTINGS EG ▲▼ L - 4 cm with visible valves.

- REMOTE FITTINGS con REMOTE Valves p.274

BREM colors list page 281

Technical data B'A Panels page II





STROP 207-54

STROP 207-45

CYL Valve with THERMOSTATIC Head


Light plays and reflects on the irregular surface to create unexpected, ever-changing effects. The colour is an important part of the work.

Each item is carefully crafted by hand, meaning that no two items are ever the same.

BREM'ART CREATIONS (page I)  
BREM sablé colors paintworks without extra.  
Other BREM colors on request.

## RECOMMENDED VALVES (pag.II)

CHROME VALVES KIT with:  
n°2 Valves with tang, n°2 Fittings (multilayer ø16, copper ø12, 14), n°2 wall plates ø48, hole ø16



STANDARD FITTING EG ø 1/2"  
Tapping centres ▲▼ L - 15 cm  
Special fittings page 278



|          |      | EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526) |                  |                  |                  |                  |                  |    |
|----------|------|------------------------------------------------------------|------------------|------------------|------------------|------------------|------------------|----|
| MODEL'25 |      |                                                            | L cm             | 36               | 45               | 54               | 63               | 72 |
| SB 9016  | H cm | ▲▼cm                                                       | 21               | 30               | 39               | 48               | 57               |    |
| SRH      | 187  | €                                                          | 2072,80<br>713w  | 2189,00<br>887w  | 2309,60<br>1061w | 2428,70<br>1233w | 2544,50<br>1407w |    |
| SRLH     | 187  | €                                                          | 2403,40<br>909w  | 2536,70<br>1181w | 2697,70<br>1453w | 2844,80<br>1723w | 2991,20<br>1996w |    |
| SRH      | 207  | €                                                          | 2133,50<br>792w  | 2258,40<br>985w  | 2376,00<br>1178w | 2499,60<br>1369w | 2621,70<br>1562w |    |
| SRLH     | 207  | €                                                          | 2512,70<br>1011w | 2669,20<br>1313w | 2838,20<br>1616w | 2984,90<br>1916w | 3141,80<br>2219w |    |
| SRH      | 227  | €                                                          | 2204,20<br>870w  | 2333,90<br>1082w | 2478,70<br>1294w | 2596,80<br>1504w | 2726,50<br>1716w |    |
| SRLH     | 227  | €                                                          | 2575,20<br>1112w | 2737,50<br>1445w | 2913,00<br>1778w | 3065,30<br>2109w | 3227,50<br>2441w |    |

BREM colors list page 281

Technical data B'A Panels page II

|                                                   |                 | ELECTRIC VERSION     |                        | KIT RE /KIT RT p.208 |   |
|---------------------------------------------------|-----------------|----------------------|------------------------|----------------------|---|
| MODEL'25                                          | Standard colors | Kit RE /KIT RT p.208 | Cable R..E/Faston R..T | Art. (VV)            | € |
| SRH 180-36                                        | 2072,80         | R800II..             | 240,50                 |                      |   |
| SRH 180-45                                        | 2189,00         | R900II..             | 255,30                 |                      |   |
| SRH 200-54                                        | 2376,00         | R1200II..            | 276,30                 |                      |   |
| SRLH 180-45                                       | 2536,70         | R1200II..            | 276,30                 |                      |   |
| SRLH 180-54                                       | 2697,70         | R1500II..            | 298,00                 |                      |   |
| Es: SRH 180-45 Ral9005-M 2189,00€                 |                 |                      |                        |                      |   |
| + Electric Kit R900II.. + Thermostat pag. 208-209 |                 |                      |                        |                      |   |
| ON REQUEST (H-7cm, depth f/wall 5,8cm) pag.II     |                 |                      |                        |                      |   |
| - FITTINGS EG ▲▼ L - 4 cm with visible valves.    |                 |                      |                        |                      |   |
| - REMOTE FITTINGS con REMOTE Valves p.274         |                 |                      |                        |                      |   |



Steven Cavagna has rudely played around with the material, using the Plasma cutting technique to manually drill a steel plate. The result is a series of irregularities in the metal created by these holes and the burn marks, giving it its significant and unmistakable character.

Brem makes it using the B'A panel.


BREM'ART CREATIONS (page I)

Finish in similar brass shaded and transparent satin varnish BR 0021-S.

## RECOMMENDED VALVES (pag.II)

CHROME VALVES KIT with:

n°2 Valves with tang, n°2 Fittings (multilayer ø16, copper ø12, 14), n°2 wall plates ø 48, hole ø16



STANDARD FITTING EG ø 1 1/2"

Tapping centres ▲▼ L - 15 cm

Special fittings page 278



CIRCO D'IDEE 187-45

CYL Valve with THERMOSTATIC option

| ELECTRIC VERSION        |              |                        |          | EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526) |         |         |         |         |
|-------------------------|--------------|------------------------|----------|------------------------------------------------------------|---------|---------|---------|---------|
| MODEL'25                | Standard     | KIT RE /KIT RT p.208   | MODEL'25 | L cm                                                       |         |         |         |         |
| H - L                   | colors       | Cable R..E/Faston R..T | SB 9016  | ▲▼ cm                                                      |         |         |         |         |
| cm                      | €            | Art. (W) €             | H cm     |                                                            |         |         |         |         |
| CRH 180-45              | 2256,20      | R900II.. 255,30        | CRH 187  | €                                                          | 2128,80 | 45      | 54      | 63      |
| CRH 200-54              | 2454,40      | R1200II.. 276,30       | CRLH 187 | €                                                          | 713w    | 30      | 39      | 48      |
| CRLH 180-45             | 2603,90      | R1200II.. 276,30       | CRH 207  | €                                                          | 2459,40 | 887w    | 1061w   | 1233w   |
| CRLH 180-54             | 2776,10      | R1500II.. 298,00       | CRLH 207 | €                                                          | 909w    | 2603,90 | 1453w   | 1723w   |
| Es: CRH 180-45          | BR0021-S     | 2256,20€               | CRH 227  | €                                                          | 2189,50 | 2325,60 | 2454,40 | 2589,20 |
| + Electric Kit R900II.. | + Thermostat | pag. 208-209           | CRLH 227 | €                                                          | 792w    | 985w    | 1178w   | 1369w   |
|                         |              |                        |          |                                                            | 2568,70 | 2736,40 | 2916,60 | 3074,50 |
|                         |              |                        |          |                                                            | 1011w   | 1313w   | 1616w   | 1916w   |
|                         |              |                        |          |                                                            | 2260,20 | 2401,10 | 2557,10 | 2686,40 |
|                         |              |                        |          |                                                            | 870w    | 1082w   | 1294w   | 1504w   |
|                         |              |                        |          |                                                            | 2631,20 | 2804,70 | 2991,40 | 3154,90 |
|                         |              |                        |          |                                                            | 1112w   | 1445w   | 1778w   | 2109w   |

ON REQUEST (H=7cm, depth f/wall 5,8cm) pag.II

- FITTINGS EG ▲▼ L - 4 cm with visible valves.

- REMOTE FITTINGS con REMOTE Valves p.274

BREM colors list page 281

Technical data B'A Panels page II



SCUDO DI ERACLE 207-54

CYL Valve with THERMOSTATIC Head

Dedicated to the greatest antique greek hero, Scudo di Eracle is made of copper by the artist for BREM'ART. Antonio Pizzolante, with his own hands, creates the shield of Heracles out of copper; once again the artist joins together form and function, beyond the time.

SCUDO DI ERACLE (H 98 x L 28cm)


The artist suggests the plate in SB 0022 sablé rust nuanced color.

Note that this color nuance is not repeatable and has stains and tons always different, that make it unique.

BREM sablé colors paintworks without extra.

## RECOMMENDED VALVES (pag.II)

CHROME VALVES KIT with:  
n°2 Valves with tang, n°2 Fittings (multilayer ø16, copper ø12, 14), n°2 wall plates ø 48, hole ø16



STANDARD FITTING EG ø 1/2"  
Tapping centres ▲▽ L - 15 cm  
Special fittings page 278



|          |       | EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526) |         |         |         |         |         |
|----------|-------|------------------------------------------------------------|---------|---------|---------|---------|---------|
| MODEL'25 |       | L cm                                                       | 36      | 45      | 54      | 63      | 72      |
|          | H cm  | ▲▽cm                                                       | 21      | 30      | 39      | 48      | 57      |
| SEH      | 187 € |                                                            | 2291,20 | 2396,20 | 2505,60 | 2613,50 | 2718,10 |
|          |       |                                                            | 713w    | 887w    | 1061w   | 1233w   | 1407w   |
| SELH     | 187 € |                                                            | 2621,80 | 2743,90 | 2893,70 | 3029,60 | 3164,80 |
|          |       |                                                            | 909w    | 1181w   | 1453w   | 1723w   | 1996w   |
| SEH      | 207 € |                                                            | 2351,90 | 2465,60 | 2572,00 | 2684,40 | 2795,30 |
|          |       |                                                            | 792w    | 985w    | 1178w   | 1369w   | 1562w   |
| SELH     | 207 € |                                                            | 2731,10 | 2876,40 | 3034,20 | 3169,70 | 3315,40 |
|          |       |                                                            | 1011w   | 1313w   | 1616w   | 1916w   | 2219w   |
| SEH      | 227 € |                                                            | 2422,60 | 2541,10 | 2674,70 | 2781,60 | 2900,10 |
|          |       |                                                            | 870w    | 1082w   | 1294w   | 1504w   | 1716w   |
| SELH     | 227 € |                                                            | 2793,60 | 2944,70 | 3109,00 | 3250,10 | 3401,10 |
|          |       |                                                            | 1112w   | 1445w   | 1778w   | 2109w   | 2441w   |

BREM colors list page 281

Technical data B'A Panels page II

## ELECTRIC VERSION

| MODEL'25                                          | Standard | KIT RE /KIT RT p.208   |
|---------------------------------------------------|----------|------------------------|
| ⚡ H - L                                           | color    | Cable R..E/Faston R..T |
| cm                                                | €        | Art. (W) €             |
| SEH 180-36                                        | 2291,20  | R800II.. 240,50        |
| SEH 180-45                                        | 2396,20  | R900II.. 255,30        |
| SEH 200-54                                        | 2572,00  | R1200II.. 276,30       |
| SELH 180-45                                       | 2743,90  | R1200II.. 276,30       |
| SELH 180-54                                       | 2893,70  | R1500II.. 298,00       |
| Es: SEH180-45 SB 0022 2396,20€                    |          |                        |
| + Electric Kit R900II.. + Thermostat pag. 208-209 |          |                        |

ON REQUEST (H-7cm, depth f/wall 5,8cm) pag.II  
- FITTINGS EG ▲▽ L - 4 cm with visible valves.  
- REMOTE FITTINGS con REMOTE Valves p.274



Nostos creates a warm and welcoming feel, designed to act as a multi-sensory link between everyday objects and people's most intimate experiences.

A metaphor for a personal journey exploring the relationship between space and home. In fact, the artist defines Nostos as the archetype of Odysseus' own "homecoming", as the story of an unpredictable journey, capable of changing the aspects of life.

## BREM'ART CREATIONS (page I)


The work Nostos is hand painted by the artist and with the color line Ultramarine Blue Ral 5002 (standard); on request, the line, in the color Yellow Ochre Ral 1032, Pompeii Red Ral 3011, Patina Green Ral 6000.

The artist proposes the panels in Sablè quartz grey color SB 7039.

BREM sablé colors paintworks without extra.

## RECOMMENDED VALVES (pag.II)

CHROME VALVES KIT with:  
n°2 Valves with tang, n°2 Fittings (multilayer ø16, copper ø12, 14), n°2 wall plates ø 48, hole ø16



STANDARD FITTING EG ø 1/2"

Tapping centres ▲▼ L - 15 cm

Special fittings page 278



NOSTOS 187-45

CYL Valve with THERMOSTATIC option

| ELECTRIC VERSION                                  |          |                        |            |
|---------------------------------------------------|----------|------------------------|------------|
| MODEL'25                                          | Standard | KIT RE /KIT RT p.208   |            |
| H - L                                             | color    | Cable R..E/Faston R..T | Art. (W) € |
| cm                                                | €        |                        |            |
| N.. 180-45                                        | 2250,60  | R900II..               | 255,30     |
| N.. 200-54                                        | 2454,40  | R1200II..              | 276,30     |
| N..-L 180-45                                      | 2598,30  | R1200II..              | 276,30     |
| N..-L 180-54                                      | 2776,10  | R1500II..              | 298,00     |
| Es: NOSTOS 180-45 SB 7039 2454,40€                |          |                        |            |
| + Electric Kit R900II.. + Thermostat pag. 208-209 |          |                        |            |

ON REQUEST (H-7cm, depth f/wall 5,8cm) pag.II

- FITTINGS EG ▲▼ L - 4 cm with visible valves.

- REMOTE FITTINGS con REMOTE Valves p.274

| MODEL'25 | H cm | L cm | ▲▼ cm |
|----------|------|------|-------|
| NOSTOS   | 187  | 45   | 30    |
| NOSTOS-L | 187  | 54   | 39    |
| NOSTOS   | 207  | 45   | 30    |
| NOSTOS-L | 207  | 54   | 39    |
| NOSTOS   | 227  | 45   | 30    |
| NOSTOS-L | 227  | 54   | 39    |

BREM colors list page 281

| EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526) |         |         |         |
|------------------------------------------------------------|---------|---------|---------|
|                                                            | 45      | 54      | 63      |
|                                                            | 30      | 39      | 48      |
| NOSTOS                                                     | 2250,60 | 2388,00 | 2523,90 |
|                                                            | 887w    | 1061w   | 1233w   |
| NOSTOS-L                                                   | 2598,30 | 2776,10 | 2940,00 |
|                                                            | 1181w   | 1453w   | 1723w   |
| NOSTOS                                                     | 2320,00 | 2454,40 | 2594,80 |
|                                                            | 985w    | 1178w   | 1369w   |
| NOSTOS-L                                                   | 2730,80 | 2916,60 | 3080,10 |
|                                                            | 1313w   | 1616w   | 1916w   |
| NOSTOS                                                     | 2395,50 | 2557,10 | 2692,00 |
|                                                            | 1082w   | 1294w   | 1504w   |
| NOSTOS-L                                                   | 2799,10 | 2991,40 | 3160,50 |
|                                                            | 1445w   | 1778w   | 2109w   |

Technical data B'A Panels page II



# FIRE

## NICOLA EVANGELISTI

Flashing light marks on a shaded mirror, hand-engraved by the artist Nicola Evangelisti, glare of light a fragment of red lava Murano glass (30x30cm).

Light, warmth and reflection bring together art and design in a unique and special way.


### BREM'ART CREATIONS (page I)

The artist suggests the panels in Sablè quartz grey color SB 7039.


Other table sablè colors Brem without supplement.

### RECOMMENDED VALVES (pag.II)

CHROME VALVES KIT with:  
n°2 Valves with tang, n°2 Fittings (multilayer ø16, copper ø12, 14), n°2 wall plates ø 48, hole ø16



STANDARD FITTING EG ø 1/2"  
Tapping centres ▲▽ L - 15 cm  
Special fittings page 278



FIRE 187-54

CYL Valve with THERMOSTATIC Head

|          |      | EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526) |                  |                  |                  |                  |
|----------|------|------------------------------------------------------------|------------------|------------------|------------------|------------------|
| MODEL'25 |      | L cm                                                       | 45               | 54               | 63               | 72               |
|          | H cm | ▲▽cm                                                       | 30               | 39               | 48               | 57               |
| FIRE     | 187  | €                                                          | 2065,80<br>887w  | 2175,20<br>1061w | 2283,10<br>1233w | 2387,70<br>1407w |
| FIRE-L   | 187  | €                                                          | 2413,50<br>1181w | 2563,30<br>1453w | 2699,20<br>1723w | 2834,40<br>1996w |
| FIRE     | 207  | €                                                          | 2135,20<br>985w  | 2241,60<br>1178w | 2354,00<br>1369w | 2464,90<br>1562w |
| FIRE-L   | 207  | €                                                          | 2546,00<br>1313w | 2703,80<br>1616w | 2839,30<br>1916w | 2985,00<br>2219w |
| FIRE     | 227  | €                                                          | 2210,70<br>1082w | 2344,30<br>1294w | 2451,20<br>1504w | 2569,70<br>1716w |
| FIRE-L   | 227  | €                                                          | 2614,30<br>1445w | 2778,60<br>1778w | 2919,70<br>2109w | 3070,70<br>2441w |

BREM colors list page 281


Technical data B'A Panels page II

### ELECTRIC VERSION

| MODEL'25                                        | Standard color | KIT RE /KIT RT p.208              |
|-------------------------------------------------|----------------|-----------------------------------|
| ⚡ H - L cm                                      | €              | Cable R..E/Faston R..T Art. (W) € |
| FIRE 180-45                                     | 2065,80        | R900II.. 255,30                   |
| FIRE 200-54                                     | 2241,60        | R1200II.. 276,30                  |
| FIRE-L 180-45                                   | 2413,50        | R1200II.. 276,30                  |
| FIRE-L 180-54                                   | 2563,30        | R1500II.. 298,00                  |
| Es: FIRE 180-45 SB 7039 2065,80€+               |                |                                   |
| Kit electric R900II.. + Thermostat pag. 208-209 |                |                                   |

ON REQUEST (H-7cm, depth f/wall 5,8cm) pag.II  
- FITTINGS EG ▲▽ L - 4 cm with visible valves.  
- REMOTE FITTINGS con REMOTE Valves p.274

A large crystal mirror is crossed by a flash of white light (Lightsquare 30x30cm, Pinakhot-2 150x30cm, Luxury Lux 150x7cm). The black crystal is framed by the radiator.



The artist proposes the radiator in black 9005 BREM colors paintworks without extra.




## RECOMMENDED VALVES

CHROME VALVES KIT with: Valves with tang, Fittings (multilayer ø16, copper ø12, 14), and wall plates ø 48, hole ø16

DUAL TUBE CYL Valve KIT with Thermostatic option, ▲▽ 5cm, pag. 273 Art. KCB 171,50€

DUAL TUBE CYL Valve KIT with THERMOSTATIC Head, ▲▽ 5cm, pag. 274 Art. KTB 201,50€

In Brem color list EXTRA Art. VC 53,40€



STANDARD FITTING  
EG ø3/8" ▲▽ 5 cm  
On request ø1/2"



REMOTE CYL VALVES ASSEMBLY KIT, with (p.274) Thermostatic option p.274 Art. KCG 224,30€

REMOTE CYL VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KCGT 241,30€

Brushed Nickel FITTING KIT extra Art. RN 30,50€

REMOTE FITTINGS (▲▽ L-6 cm) p. II  
DISTANT Valves page 274



## MODEL'25

LIGHTSQUARE  
LIGHTSQUARE-C

PINAKHOT-2  
PINAKHOT-C

LUXURY LUX  
LUXURY LUX-C

BREM colors list +15/+25% page 281

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

| Standard<br>color<br>€ | EN 442<br>Watt<br>Δt 50 K | ▲ ▽<br>t.c.<br>cm | Depth<br>cm | KIT RE / KIT RT p.208<br>Cable R..E/Faston R..T<br>Art. (W) € |
|------------------------|---------------------------|-------------------|-------------|---------------------------------------------------------------|
| 1347,20                | 289                       | 5                 | 9           | R300II.. 193,80                                               |
| 1709,50                | 523                       | 5                 | 9           | R500II.. 208,50                                               |
| 2506,30                | 756                       | 5                 | 9           | R800II.. 240,50                                               |
| 2868,50                | 1245                      | 5                 | 9           | R1200II.. 276,30                                              |
| 1398,10                | 654                       | 5                 | 9           | R650II.. 222,90                                               |
| 1774,80                | 1095                      | 5                 | 9           | R1200II.. 276,30                                              |





EAGLE 187-54

CYL Valve with THERMOSTATIC Head


A radiant plate, with the addition of sheets and tubes to obtain an original and dynamic plastic effect, made on the Clak model.

BREM'ART CREATIONS (page I)

Brushed-metal finish BR 0031ST and soft touch matt transparent varnish.

Sablé colors Brem without supplement.


Other BREM colors to quote



## RECOMMENDED VALVES (pag.II)

CHROME VALVES KIT with:

n°2 Valves with tang, n°2 Fittings (multilayer ø16, copper ø12, 14), n°2 wall plates ø 48, hole ø16



STANDARD FITTING EG ø 1/2"

Tapping centres ▲▽ L - 15 cm

Special fittings page 278



| MODEL'25 |      | EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526) |         |         |         |         |
|----------|------|------------------------------------------------------------|---------|---------|---------|---------|
|          | H cm | L cm                                                       | 45      | 54      | 63      | 72      |
|          |      | ▲▽cm                                                       | 30      | 39      | 48      | 57      |
| EAGLEH   | 187  | €                                                          | 2037,80 | 2175,20 | 2311,10 | 2443,70 |
|          |      |                                                            | 887w    | 1061w   | 1233w   | 1407w   |
| EAGLELH  | 187  | €                                                          | 2385,50 | 2563,30 | 2727,20 | 2890,40 |
|          |      |                                                            | 1181w   | 1453w   | 1723w   | 1996w   |
| EAGLEH   | 207  | €                                                          | 2107,20 | 2241,60 | 2382,00 | 2520,90 |
|          |      |                                                            | 985w    | 1178w   | 1369w   | 1562w   |
| EAGLELH  | 207  | €                                                          | 2518,00 | 2703,80 | 2867,30 | 3041,00 |
|          |      |                                                            | 1313w   | 1616w   | 1916w   | 2219w   |
| EAGLEH   | 227  | €                                                          | 2182,70 | 2344,30 | 2479,20 | 2625,70 |
|          |      |                                                            | 1082w   | 1294w   | 1504w   | 1716w   |
| EAGLELH  | 227  | €                                                          | 2586,30 | 2778,60 | 2947,70 | 3126,70 |
|          |      |                                                            | 1445w   | 1778w   | 2109w   | 2441w   |

BREM colors list page 281

Technical data B'A Panels page II

## ELECTRIC VERSION

| MODEL'25                                                                              | Standard color | KIT RE /KIT RT p.208              |
|---------------------------------------------------------------------------------------|----------------|-----------------------------------|
| ⚡ H - L cm                                                                            | €              | Cable R..E/Faston R..T Art. (W) € |
| E..H 180-45                                                                           | 2037,80        | R900II.. 255,30                   |
| E..H 200-54                                                                           | 2241,60        | R1200II.. 276,30                  |
| E..LH 180-45                                                                          | 2385,50        | R1200II.. 276,30                  |
| E..LH 180-54                                                                          | 2563,30        | R1500II.. 298,00                  |
| Es: EAGLEH 180-45 BR0031ST 2037,80€ + Kit electric R900II.. + Thermostat pag. 208-209 |                |                                   |

ON REQUEST (H-7cm, depth f/wall 5,8cm) pag.II

- FITTINGS EG ▲▽ L - 4 cm with visible valves.

- REMOTE FITTINGS con REMOTE Valves p.274



The texture of a square mesh grid shines through under the surface treated with a smoothing of resin-based mixes.

Each piece is hand-made, so unique.


#### BREM'ART CREATIONS (page I)

Standard "sablé" colors are recommended by the artist.

Other Ral colors in the sablé finish only on request.

#### RECOMMENDED VALVES (pag.II)

CHROME VALVES KIT with:  
n°2 Valves with tang, n°2 Fittings (multilayer ø16, copper ø12, 14), n°2 wall plates ø 48, hole ø16



#### STANDARD FITTING EG ø 1/2"

Tapping centres ▲▼ L - 15 cm

Special fittings page 278



GRID 187-45

CYL Valve with THERMOSTATIC Head

#### ELECTRIC VERSION

| MODEL'25                                        | H - L<br>cm | Standard<br>color<br>€ | KIT RE/KIT RT p.208<br>Câble R..E/Faston R..T<br>Art. (W) € |
|-------------------------------------------------|-------------|------------------------|-------------------------------------------------------------|
| G..H 180-36                                     | 180         | 2005,60                | R800II.. 240,50                                             |
| G..H 180-45                                     | 180         | 2121,80                | R900II.. 255,30                                             |
| G..H 200-54                                     | 200         | 2308,80                | R1200II.. 276,30                                            |
| G..LH 180-45                                    | 180         | 2469,50                | R1200II.. 276,30                                            |
| G..LH 180-54                                    | 180         | 2630,50                | R1500II.. 298,00                                            |
| Es: GRID 180-45 2166,60€ +                      |             |                        |                                                             |
| Kit electric R900II.. + Thermostat pag. 208-209 |             |                        |                                                             |

ON REQUEST (H=7cm, depth f/wall 5,8cm) pag.II

- FITTINGS EG ▲▼ L - 4 cm with visible valves.

- REMOTE FITTINGS con REMOTE Valves p.274

| MODEL'25 | H cm | L cm<br>▲▼cm | 36<br>27         | 45<br>30         | 54<br>39         | 63<br>48         | 72<br>57         |
|----------|------|--------------|------------------|------------------|------------------|------------------|------------------|
| GRIDH    | 187  | €            | 2005,60<br>713w  | 2121,80<br>887w  | 2242,40<br>1061w | 2361,50<br>1233w | 2477,30<br>1407w |
| GRIDLH   | 187  | €            | 2336,20<br>909w  | 2469,50<br>1181w | 2630,50<br>1453w | 2777,60<br>1723w | 2924,00<br>1996w |
| GRIDH    | 207  | €            | 2066,30<br>792w  | 2191,20<br>985w  | 2308,80<br>1178w | 2432,40<br>1369w | 2554,50<br>1562w |
| GRIDLH   | 207  | €            | 2445,50<br>1011w | 2602,00<br>1313w | 2771,00<br>1616w | 2917,70<br>1916w | 3074,60<br>2219w |
| GRIDH    | 227  | €            | 2137,00<br>870w  | 2266,70<br>1082w | 2411,50<br>1294w | 2529,60<br>1504w | 2659,30<br>1716w |
| GRIDLH   | 227  | €            | 2508,00<br>1112w | 2670,30<br>1445w | 2845,80<br>1778w | 2998,10<br>2109w | 3160,30<br>2441w |

BREM colors list page 281

Technical data B'A Panels page II





CYL Valve with THERMOSTATIC Head

From the radiant plate a drape is born: it animates the surface evoking sensations of intense and profound life.

The color becomes the protagonist of fascinating shades in whose furrows memories settle.

#### BREM'ART CREATIONS (page I)

The work is hand painted in the color broom Yellow SB 1032 (standard), Ral reference 1032


On request in the color Pompeii Red SB 3011, Ultramarine Blue SB 5002 or patina Green SB 6000. The color number corresponds to the RAL color list.

Other Ral colors in the sablè finish only on request.

Pompeii Red  
SB 3011Ultramarine  
Blue SB 5002Patina Green  
SB 6000

#### RECOMMENDED VALVES (pag.II)

CHROME VALVES KIT with:  
n°2 Valves with tang, n°2 Fittings (multilayer ø16, copper ø12, 14), n°2 wall plates ø 48, hole ø16



STANDARD FITTING EG ø 1/2"  
Tapping centres ▲▽ L - 15 cm  
Special fittings page 278



|       |      | EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526) |         |         |         |         |         |
|-------|------|------------------------------------------------------------|---------|---------|---------|---------|---------|
| MODEL |      | L cm                                                       | 36      | 45      | 54      | 63      | 72      |
|       | H cm | ▲▽cm                                                       | 21      | 30      | 39      | 48      | 57      |
| SGH   | 187  | €                                                          | 2184,80 | 2301,00 | 2421,60 | 2540,70 | 2656,50 |
|       |      |                                                            | 713w    | 887w    | 1061w   | 1233w   | 1407w   |
| SGLH  | 187  | €                                                          | 2515,40 | 2648,70 | 2809,70 | 2956,80 | 3103,20 |
|       |      |                                                            | 909w    | 1181w   | 1453w   | 1723w   | 1996w   |
| SGH   | 207  | €                                                          | 2245,50 | 2370,40 | 2488,00 | 2611,60 | 2733,70 |
|       |      |                                                            | 792w    | 985w    | 1178w   | 1369w   | 1562w   |
| SGLH  | 207  | €                                                          | 2624,70 | 2781,20 | 2950,20 | 3096,90 | 3253,80 |
|       |      |                                                            | 1011w   | 1313w   | 1616w   | 1916w   | 2219w   |
| SGH   | 227  | €                                                          | 2316,20 | 2445,90 | 2590,70 | 2708,80 | 2838,50 |
|       |      |                                                            | 870w    | 1082w   | 1294w   | 1504w   | 1716w   |
| SGLH  | 227  | €                                                          | 2687,20 | 2849,50 | 3025,00 | 3177,30 | 3339,50 |
|       |      |                                                            | 1112w   | 1445w   | 1778w   | 2109w   | 2441w   |

BREM colors list page 281

Technical data B'A Panels page II

#### ELECTRIC VERSION

| MODEL                                             | Standard | KIT RE /KIT RT p.208   |
|---------------------------------------------------|----------|------------------------|
| ⚡ H - L                                           | color    | Cable R..E/Faston R..T |
| cm                                                | €        | Art. (W) €             |
| SGH 180-36                                        | 2184,80  | R800II.. 240,50        |
| SGH 180-45                                        | 2301,00  | R900II.. 255,30        |
| SGH 200-54                                        | 2488,00  | R1200II.. 276,30       |
| SGLH 180-45                                       | 2648,70  | R1200II.. 276,30       |
| SGLH 180-54                                       | 2809,70  | R1500II.. 298,00       |
| Es:SGH 180-45 SB3011                              | 2301,00€ |                        |
| + Kit electric R900II.. + Thermostat pag. 208-209 |          |                        |

ON REQUEST (H-7cm, depth f/wall 5,8cm) pag.II  
- FITTINGS EG ▲▽ L - 4 cm with visible valves.  
- REMOTE FITTINGS con REMOTE Valves p.274



An imaginary walk on the uneven surface of the moon, the sensation of overcoming space and gravity for the very first time: this is the message that Steven Cavagna gets across by adding softness to a radiator.

BREM'ART CREATIONS (page I)


Standard "sablé" colors recommended.



On request: Model Terra Art. TRH  
Only with horizontal textures.  
Thermal output and prices like the Terra Lunare.

## RECOMMENDED VALVES (pag.II)

CHROME VALVES KIT with:  
n°2 Valves with tang, n°2 Fittings (multilayer ø16, copper ø12, 14), n°2 wall plates ø 48, hole ø16



STANDARD FITTING EG ø 1/2"

Tapping centres ▲▽ L - 15 cm

Special fittings page 278



TERRA LUNARE 207-45

CYL Valve with THERMOSTATIC Head

### ELECTRIC VERSION

| MODEL'25                                                                     | H - L<br>cm | Standard<br>color<br>€ | KIT RE/KIT RT p.208<br>Câble R..E./Faston R..T<br>Art. (W) € |
|------------------------------------------------------------------------------|-------------|------------------------|--------------------------------------------------------------|
| TEH                                                                          | 180-36      | 2162,40                | R800II.. 240,50                                              |
| TEH                                                                          | 180-45      | 2284,20                | R900II.. 255,30                                              |
| TEH                                                                          | 200-54      | 2476,80                | R1200II.. 276,30                                             |
| TELH                                                                         | 180-45      | 2631,90                | R1200II.. 276,30                                             |
| TELH                                                                         | 180-54      | 2798,50                | R1500II.. 298,00                                             |
| Es: TEH 180-45 2284,20€ + Kit electric R900II..<br>+ Thermostat pag. 208-209 |             |                        |                                                              |

ON REQUEST (H-7cm, depth f/wall 5,8cm) pag.II

- FITTINGS EG ▲▽ L - 4 cm with visible valves.


- REMOTE FITTINGS con REMOTE Valves p.274

| MODEL'25 |       | EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526) |                  |                  |                  |                  |                  |
|----------|-------|------------------------------------------------------------|------------------|------------------|------------------|------------------|------------------|
|          | H cm  | L cm<br>▲▽cm                                               | 36<br>21         | 45<br>30         | 54<br>39         | 63<br>48         | 72<br>57         |
| TEH      | 187 € |                                                            | 2162,40<br>713w  | 2284,20<br>887w  | 2410,40<br>1061w | 2535,10<br>1233w | 2656,50<br>1407w |
| TELH     | 187 € |                                                            | 2493,00<br>909w  | 2631,90<br>1181w | 2798,50<br>1453w | 2951,20<br>1723w | 3103,20<br>1996w |
| TEH      | 207 € |                                                            | 2223,10<br>792w  | 2353,60<br>985w  | 2476,80<br>1178w | 2606,00<br>1369w | 2733,70<br>1562w |
| TELH     | 207 € |                                                            | 2602,30<br>1011w | 2764,40<br>1313w | 2939,00<br>1616w | 3091,30<br>1916w | 3253,80<br>2219w |
| TEH      | 227 € |                                                            | 2293,80<br>870w  | 2429,10<br>1082w | 2579,50<br>1294w | 2703,20<br>1504w | 2838,50<br>1716w |
| TELH     | 227 € |                                                            | 2664,80<br>1112w | 2832,70<br>1445w | 3013,80<br>1778w | 3171,70<br>2109w | 3339,50<br>2441w |

BREM colors list page 281

Technical data B'A Panels page II





CYL REMOTE Valves

GRAFFI has a merely furrow form surface. This gave birth to a radiator that creates very particular atmosphere, where light and color play an important role. Each piece is hand-made, than unique.

## BREM'ART CREATIONS (page I)

Standard "sablé" colors recommended by the artist.

Other Ral colors in the sablé finish only on request.

## ESECUZIONI BREM'ART (pag.I)


Colori sablé tabella Brem, consigliati dall'artista.

Altri colori Ral nella sola finitura sablé a preventivo.

Other Ral colors in the sablé finish only on request.

## RECOMMENDED VALVES (pag.II)

CHROME VALVES KIT with:  
n°2 Valves with tang, n°2 Fittings (multilayer ø16, copper ø12, 14), n°2 wall plates ø 48, hole ø16



STANDARD FITTING EG ø 1/2"  
Tapping centres ▲▽ L - 15 cm  
Special fittings page 278



|          |      | EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526) |         |         |         |         |         |
|----------|------|------------------------------------------------------------|---------|---------|---------|---------|---------|
| MODEL'25 |      | L cm                                                       | 36      | 45      | 54      | 63      | 72      |
|          | H cm | ▲▽cm                                                       | 32      | 41      | 50      | 59      | 57      |
| GfH      | 187  | €                                                          | 2005,60 | 2121,80 | 2242,40 | 2361,50 | 2477,30 |
|          |      |                                                            | 713w    | 887w    | 1061w   | 1233w   | 1407w   |
| GfLH     | 187  | €                                                          | 2336,20 | 2469,50 | 2630,50 | 2777,60 | 2924,00 |
|          |      |                                                            | 909w    | 1181w   | 1453w   | 1723w   | 1996w   |
| GfH      | 207  | €                                                          | 2066,30 | 2191,20 | 2308,80 | 2432,40 | 2554,50 |
|          |      |                                                            | 792w    | 985w    | 1178w   | 1369w   | 1562w   |
| GfLH     | 207  | €                                                          | 2445,50 | 2602,00 | 2771,00 | 2917,70 | 3074,60 |
|          |      |                                                            | 1011w   | 1313w   | 1616w   | 1916w   | 2219w   |
| GfH      | 227  | €                                                          | 2137,00 | 2266,70 | 2411,50 | 2529,60 | 2659,30 |
|          |      |                                                            | 870w    | 1082w   | 1294w   | 1504w   | 1716w   |
| GfLH     | 227  | €                                                          | 2508,00 | 2670,30 | 2845,80 | 2998,10 | 3160,30 |
|          |      |                                                            | 1112w   | 1445w   | 1778w   | 2109w   | 2441w   |

BREM colors list page 281

Technical data B'A Panels page II

## ELECTRIC VERSION

| MODEL'25    | Standard | KIT RE /KIT RT p.208   |
|-------------|----------|------------------------|
| ⚡ H - L     | color    | Cable R..E/Faston R..T |
| cm          | €        | Art. (W) €             |
| GfH 180-36  | 2005,60  | R800II.. 240,50        |
| GfH 180-45  | 2121,80  | R900II.. 255,30        |
| GfH 200-54  | 2308,80  | R1200II.. 276,30       |
| GfLH 180-45 | 2469,50  | R1200II.. 276,30       |
| GfLH 180-54 | 2630,50  | R1500II.. 298,00       |

REMOTE FITTINGS (H=7cm) page II  
DISTANT Valves page 274



GRAFFI welcomes the moon and becomes GRAFFI DI LUNA, where furrows leave room to a smooth, rising moon.

## BREM'ART CREATIONS (page I)


Standard "sablé" colors recommended by the artist, other colors on request.

Other Ral colors in the sablé finish only on request.



## RECOMMENDED VALVES (pag.II)

CHROME VALVES KIT with:  
n°2 Valves with tang, n°2 Fittings (multilayer ø16, copper ø12, 14), n°2 wall plates ø 48, hole ø16



STANDARD FITTING EG ø 1 1/2"

Tapping centres ▲▼ L - 15 cm

Special fittings page 278



GRAFFI DI LUNA 187-45

CYL Valve with THERMOSTATIC Head

### ELECTRIC VERSION

| MODEL'25                                                                     | Standard   | KIT RE/KIT RT p.208                   |
|------------------------------------------------------------------------------|------------|---------------------------------------|
| ⚡ H - L<br>cm                                                                | color<br>€ | Câble R..E/Faston R..T<br>Art. (WV) € |
| GUH 180-36                                                                   | 2095,20    | R800II.. 240,50                       |
| GUH 180-45                                                                   | 2217,00    | R900II.. 255,30                       |
| GUH 200-54                                                                   | 2409,60    | R1200II.. 276,30                      |
| GULH 180-45                                                                  | 2564,70    | R1200II.. 276,30                      |
| GULH 180-54                                                                  | 2731,30    | R1500II.. 298,00                      |
| Es: GUH 180-45 2217,00€ + Kit electric R900II..<br>+ Thermostat pag. 208-209 |            |                                       |

ON REQUEST (H=7cm, depth f/wall 5,8cm) pag.II

- FITTINGS EG ▲▼ L - 4 cm with visible valves.

- REMOTE FITTINGS con REMOTE Valves p.274

| MODEL'25 |      |   | L cm | 36      | 45      | 54      | 63      | 72      |
|----------|------|---|------|---------|---------|---------|---------|---------|
|          | H cm |   | ▲▼cm | 32      | 41      | 50      | 59      | 57      |
| GUH      | 187  | € |      | 2095,20 | 2217,00 | 2343,20 | 2467,90 | 2589,30 |
|          |      |   |      | 713w    | 887w    | 1061w   | 1233w   | 1407w   |
| GULH     | 187  | € |      | 2425,80 | 2564,70 | 2731,30 | 2884,00 | 3036,00 |
|          |      |   |      | 909w    | 1181w   | 1453w   | 1723w   | 1996w   |
| GUH      | 207  | € |      | 2155,90 | 2286,40 | 2409,60 | 2538,80 | 2666,50 |
|          |      |   |      | 792w    | 985w    | 1178w   | 1369w   | 1562w   |
| GULH     | 207  | € |      | 2535,10 | 2697,20 | 2871,80 | 3024,10 | 3186,60 |
|          |      |   |      | 1011w   | 1313w   | 1616w   | 1916w   | 2219w   |
| GUH      | 227  | € |      | 2226,60 | 2361,90 | 2512,30 | 2636,00 | 2771,30 |
|          |      |   |      | 870w    | 1082w   | 1294w   | 1504w   | 1716w   |
| GULH     | 227  | € |      | 2597,60 | 2765,50 | 2946,60 | 3104,50 | 3272,30 |
|          |      |   |      | 1112w   | 1445w   | 1778w   | 2109w   | 2441w   |

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

BREM colors list page 281

Technical data B'A Panels page II





PIET 187-45

CYL Valve with THERMOSTATIC Head

The design of this radiator is a tribute to Piet Mondrian and his neoplasticism style, where the artist has manually drawn intersecting vertical and horizontal lines on a material background to create a work of clean geometric rigour.

**BREM'ART CREATIONS**


Sablé white SB9016 finish, parallelepiped in relief pattern and red color.

Other sablé colors Brem without extra

Other Ral colors in the sablé finish only on request.

**RECOMMENDED VALVES** (pag.11)

CHROME VALVES KIT with:  
n°2 Valves with tang, n°2 Fittings (multilayer ø16, copper ø12, 14), n°2 wall plates ø 48, hole ø16

**STANDARD FITTING EG ø 1/2"**

Tapping centres ▲▽ L - 15 cm  
Special fittings page 278



EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)

| MODEL '25 |      |   | L cm | 36      | 45      | 54      | 63      | 72      |
|-----------|------|---|------|---------|---------|---------|---------|---------|
|           | H cm |   | ▲▽cm | 21      | 30      | 39      | 48      | 57      |
| PIET      | 187  | € |      | 1960,80 | 2077,00 | 2208,80 | 2327,90 | 2443,70 |
|           |      |   |      | 713w    | 887w    | 1061w   | 1233w   | 1407w   |
| PIET-L    | 187  | € |      | 2291,40 | 2424,70 | 2596,90 | 2744,00 | 2890,40 |
|           |      |   |      | 909w    | 1181w   | 1453w   | 1723w   | 1996w   |
| PIET      | 207  | € |      | 2021,50 | 2146,40 | 2275,20 | 2398,80 | 2520,90 |
|           |      |   |      | 792w    | 985w    | 1178w   | 1369w   | 1562w   |
| PIET-L    | 207  | € |      | 2400,70 | 2557,20 | 2737,40 | 2884,10 | 3041,00 |
|           |      |   |      | 1011w   | 1313w   | 1616w   | 1916w   | 2219w   |
| PIET      | 227  | € |      | 2092,20 | 2221,90 | 2377,90 | 2496,00 | 2625,70 |
|           |      |   |      | 870w    | 1082w   | 1294w   | 1504w   | 1716w   |
| PIET-L    | 227  | € |      | 2463,20 | 2625,50 | 2812,20 | 2964,50 | 3126,70 |
|           |      |   |      | 1112w   | 1445w   | 1778w   | 2109w   | 2441w   |

**ELECTRIC VERSION**

| MODEL'25                                          |        | Standard | KIT RE/KIT RT p.208    |
|---------------------------------------------------|--------|----------|------------------------|
| ⚡                                                 | H - L  | color    | Cable R..E/Faston R..T |
|                                                   | cm     | €        | Art. (W) €             |
| PIET                                              | 180-36 | 1960,80  | R800II.. 240,50        |
| PIET                                              | 180-45 | 2077,00  | R900II.. 255,30        |
| PIET                                              | 200-54 | 2275,20  | R1200II.. 276,30       |
| PIET-L                                            | 180-45 | 2424,70  | R1200II.. 276,30       |
| PIET-L                                            | 180-54 | 2596,90  | R1500II.. 298,00       |
| Es: VR2H 180-45 SB9016 2077,00€                   |        |          |                        |
| + Kit electric R900II.. + Thermostat pag. 208-209 |        |          |                        |

ON REQUEST (H-7cm, depth f/wall 5,8cm) pag.11  
- FITTINGS EG ▲▽ L - 4 cm with visible valves.  
- REMOTE FITTINGS con REMOTE Valves p.274



VIRGO, with its surface graved by nearly signed furrows, creates a minimal decoration inspired by nature. Splits crack like cuts the surface producing discontinuities and revealing the inner core of the radiator.

Each piece is hand-made, than unique.  
Sablé standard colors at choice, satinated colors for the furrows, other colors on request.

## BREM'ART CREATIONS


Sablé gray SB9006 finish, parallelepiped in relief gray and red color.

Other sablè colors Brem without extra

Other Ral colors in the sablè finish only on request.

## RECOMMENDED VALVES (pag.II)

CHROME VALVES KIT with:  
n°2 Valves with tang, n°2 Fittings (multilayer ø16, copper ø12, 14), n°2 wall plates ø 48, hole ø16



STANDARD FITTING EG ø 1/2"

Tapping centres ▲▼ L - 15 cm

Special fittings page 278



VIRGO 2/187-45  
CYL Valve with THERMOSTATIC Option

VIRGO 3/187-54  
CYL Valve with THERMOSTATIC Head

### ELECTRIC VERSION

| MODEL'25                                          | H - L<br>cm | Standard<br>color<br>€ | KIT RE/KIT RT p.208<br>Câble R..E/Faston R..T<br>Art. (W) € |
|---------------------------------------------------|-------------|------------------------|-------------------------------------------------------------|
| VR..H 180-36                                      | 2105,30     | R800II..               | 240,50                                                      |
| VR..H 180-45                                      | 2223,20     | R900II..               | 255,30                                                      |
| VR..H 200-54                                      | 2721,90     | R1200II..              | 276,30                                                      |
| VR..LH 180-45                                     | 2570,80     | R1200II..              | 276,30                                                      |
| VR..LH 180-54                                     | 2721,90     | R1500II..              | 298,00                                                      |
| Es: VR2H 180-45 Ral9005-M 2223,20€                |             |                        |                                                             |
| + Kit electric R900II.. + Thermostat pag. 208-209 |             |                        |                                                             |

ON REQUEST (H-7cm, depth f/wall 5,8cm) pag.II

- FITTINGS EG ▲▼ L - 4 cm with visible valves.

- REMOTE FITTINGS con REMOTE Valves p.274


| MODEL'25 |      | L cm | 36               | 45               | 54               | 63               | 72               |
|----------|------|------|------------------|------------------|------------------|------------------|------------------|
|          | H cm | ▲▼cm | 21               | 30               | 39               | 48               | 57               |
| VR..H    | 187  | €    | 2105,30<br>713w  | 2223,20<br>887w  | 2333,70<br>1061w | 2454,40<br>1233w | 2560,70<br>1407w |
| VR..LH   | 187  | €    | 2435,90<br>909w  | 2570,80<br>1181w | 2721,90<br>1453w | 2870,40<br>1723w | 3007,30<br>1996w |
| VR..H    | 207  | €    | 2166,00<br>792w  | 2292,50<br>985w  | 2400,20<br>1178w | 2525,30<br>1369w | 2637,80<br>1562w |
| VR..LH   | 207  | €    | 2545,20<br>1011w | 2703,30<br>1313w | 2862,40<br>1616w | 3010,60<br>1916w | 3158,00<br>2219w |
| VR..H    | 227  | €    | 2236,60<br>870w  | 2368,00<br>1082w | 2502,90<br>1294w | 2622,50<br>1504w | 2742,70<br>1716w |
| VR..LH   | 227  | €    | 2607,70<br>1112w | 2771,70<br>1445w | 2937,20<br>1778w | 3091,00<br>2109w | 3243,60<br>2441w |

BREM colors list page 281

Technical data B'A Panels page II

# BREM: COLOR LIST


THIS COLORS LIST SHOULD BE USED ONLY AS A GUIDE; CONSULT THE BREM COLORS CARD IN OUR WHOLE SALLERS



SB 9016 Standard white SABLÈ, C-PROLUX model excluded

## STANDARD COLORS


See technical page of each model



Ral 9016 standard only C-PROLUX - Other models + 15%  
On request other models without supplement


### SEMI-GLOSS COLORS

### SATIN COLORS




RAL 9002 Grey white

Satin RAL 9002-S




RAL 7047 Grey Chinchilla

Satin RAL 7047-S




RAL 7044 Silk grey

Satin RAL 7044-S




RAL 7030 Stone grey

Satin RAL 7030-S




RAL 7006 Grayish beige

Satin RAL 7006-S



RAL 7036 Platinum grey

Satin RAL 7036-S



RAL 7037 Dusty grey

Satin RAL 7037-S



RAL 7015 Slate grey

Satin RAL 7015-S



RAL 5013 Cobalt blue


Satin RAL 5013-S

Selection of RAL colors available in various finishes: semi-gloss, satin, matt and softTOUCH.


**SEMI-GLOSS COLORS** INCREASE +15%  
70-80 GU  
E.g. Ral 9002

**SATIN COLORS** INCREASE +15%  
50-60 GU  
E.g. Ral 9002-S

**SoftTOUCH COLORS** INCREASE +25%  
5-10 GU  
E.g. Ral 9002-ST  
Velveteen and soft touch finish, easy cleaning, fingerprint and abrasion resistant available in all colors.



RAL 9016-M White (matt)



RAL 9010-M Pure white (matt)

**MATT COLORS** INCREASE +15%  
25-35 GU  
E.g. Ral 9005-M

### SEMI-GLOSS COLORS

### MATT COLORS 10 GU



GA05 Brushed NICKEL

Matt GA05-M



GA09 Gunmetal (black grey)

Matt GA09-M

## COLORS WITH GALVANIC REPRODUCTIONS

PRICE ON REQUEST

Painting on mod. lame, Herg, Regular Torri, Sbarra, Guest, Hergot, Herg's, Kuo, Hook, Cross, Alis, Asym, Fit, Essen, Kore, Quar, Vision, Panels, and models "Tubes Design". Request feasibility and quote.

### SEMI-GLOSS COLORS

### MATT COLORS 10 GU



GA19 GOLD

Matt GOLD GA19-M



GA33 BRONZE

Matt BRONZE GA33-M

## SPECIAL FINISHES + 35%


- BR 0031 only for panels, Cross, Essen, Quar and Pit, is a brushed-metal effect to hide scratches on the surface, clear varnish. (BR 0007 is the color that both comes closest to natural iron and best conceals imperfections).
- BR 0021 transparent polished finish, it transmits the brass effect, glimpsing weldings.
- SB 0022 BL polished and nuanced rust color finish that perfectly fits with the gilded leaf finishes (Eruzione).
- BR 0022ST sablé rust color shaded.

### HIGH-GLOSS COLORS 85-90 GU



BR 0031 Brushed metal

Matt BR 0031-M



BR 0021 Simil-brass clear

Satin BR 0021-S



BR 0022BL Bright rust (shaded color)


### BREM SPECIAL FINISHES (panels excluded)

- BR 0001, a transparent metallic bright finish, highlights the signs of working on iron (welding, scoring, brushing, rings, marks, etc.); the phosphate greasing process enhances the colors of steel in shades of grey, blue, brown, and dark green, and makes each piece unlike any other. This finish is a good example of "Poor Art" and it is not available for the radiating plates.
- BR 0001 MS, a clear matte finish, transmits all the raw material's "brutality", whereas a shiny finish softens the look (not available for radiating plates). These finishes are an expression of "Arte povera".

COLORS FOR ARCHITECTURE: 180 RAL COLORS IN VARIOUS FINISHES  
colors out of Brem list: +25%, + cost contribution upon availability and feasibility




## METAL COLORS +25%



BR 0002 Semi-gloss Aluminium




BR 0006 Semi-gloss Metal aluminium




BR 0007 Semi-gloss Metal grey



BR 0008 Semi-gloss Black nickel




BR 1035 Semi-gloss Pearl beige



BR 0004 Semi-gloss Gilded aluminium




BR 0019 Semi-gloss Metal gold



BR 0033 Semi-gloss Metal bronze

## METAL SATIN COLORS +25%



BR 0019-MS Satin metal gold



BR 0033-MS Satin metal bronze



BR 0002-MS Satin aluminium




BR 0006-MS Satin metal aluminium



BR 0007-MS Satin metal grey

## SABLÉ COLORS +25%



SB 9010 Sablé pure white




SB 7035 Sablé light grey



SB 9006 Sablé aluminium



SB 9007 Sablé grey aluminium



SB 7005 Sablé mouse grey



SB 7039 Sablé quartz grey



SB 7011 Sablé iron grey




SB 9005 Sablé jet black




SB 5002 Sablé ultramarine light blue




SB 2639 Sablé blue



SB 1014 Sablé ivory




SB 370F Sablé beige



SB 356F Sablé beige turtle




SB 2589 Sablé beige grey



SB 1032 Sablé broom yellow



SB 2008 Sablé oxide orange




SB 3013 Sablé tomato red




SB 3003 Sablé ruby red



SB 0022 Sablé rust nuanced



SB 3061 Sablé dark copper



SB 3281 Sablé grey brown



# HEAT, SAVE, and DECORATE

HEAT WHILE SAVING MONEY: THE GREAT CHALLENGE IN BUILDING CLIMATE CONTROL. *ENG. FRANCESCO PAOLETTI*

## HEATING and SAVING

Everyone, and every designer, systems engineer, builder, and lawmaker is looking for ways to save on energy costs today in order to:

- reduce polluting atmospheric emissions;
- optimize comfort performance;
- lower energy consumption.

The world's two most common heating systems are:

### THE RADIATOR SYSTEM,

The classic heating system with a boiler or heat pump and radiators that thanks to rapid heat transmission (**low thermal inertia**) can:

- work with both low and high system water temperatures;
- ensure nearly instantaneous adjustments to temperature variation with user-friendly and inexpensive regulation systems in single rooms or entire areas;
- facilitate installation with lower costs;
- minimize pump electric power consumption.

**The low thermal inertia of the radiators makes it easy to keep the room at comfort temperature (20 °C) only when necessary, in this way permitting significant energy savings.**

### THE UNDERFLOOR RADIANT HEATING SYSTEM

(only with **high thermal inertia**) consists of cross-linked polyethylene or multilayer pipes laid on insulating panel incorporated in the floor's substrate screed and one or more circuits for the area to be heated.

- Floor surface temperature must never exceed 29 °C in the living areas and 35 °C in the service areas.
- Room temperature regulation can be either on/off type with water circulation interruption or delivery water temperature modulation type.
- Temperatures in single rooms/areas are adjusted by motorized valves in every circuit.
- Because the panels cannot ensure adequate comfort, bathrooms are supplied with a heated towel rail with either mixed or electric power.

The heat is initially transmitted to the floor screed and then transferred to the room for heating (**high thermal inertia**) with a substantial delay of usually no less than 6 hours between the request for/interruption of heat emission and the perception of heat in the room, in this way leading to higher energy consumption.

A BUILDING'S ENERGY REQUIREMENT depends on numerous physical phenomena associated with thermal exchange, heat transmission, and the type and characteristics of the heat generators and heating elements.

The main factors involved in determining the energy required to heat a building are therefore:

- the thermohygrometric characteristics of the building's constructive materials;
- the efficiency of the technological systems;
- auxiliary electric power consumption;
- building/heating system interaction;
- the building's intended use.

**Maximum efficiency and sustainability means achieving the maximum level of every parameter involved.**

### THE BUILDING ENVELOPE

is the most important element in determining the energy required to meet its heating needs. The quantity of heat needed to heat a building and therefore its energy requirement depends solely on its constructive features.

The thermal power that must be provided by the heating system to keep the building at a temperature of 20 °C is always the same regardless of the type of heating system used.

For example:

| Energy class | Heated area | Thermal power required |
|--------------|-------------|------------------------|
| - Class A    | 100 sq m    | 4,050 W                |
| - Class G    | 100 sq m    | 13,000 W               |

The thermal power required depends on the building's insulation.

### BUILDING/HEATING SYSTEM INTERACTION

The building's intended use affects the heating system's operating modes:

- continuous;
- discontinuous.

For this reason, the heating system must be capable of optimizing its output as required by the operating mode.

Residential buildings, offices and schools are not occupied uninterruptedly and for such reason can be heated discontinuously, which is very useful whenever energy must be saved (current regulations specify heating system operation to different temperatures during the day).

**A home's comfort temperature (20 °C) must be constantly maintained only when its inhabitants are at home.**

## HEATING SYSTEM EFFICIENCY

is the heating system's performance in terms of:

- output, which depends on the characteristics of the heat generator;
- distribution, which depends on the characteristics of the hydraulic network;
- emission, which depends on the characteristics of the radiators in the room;
- regulation, which depends on the thermal inertia of the radiators.

- **OUTPUT EFFICIENCY** depends on the characteristics of the heat generator and the heating elements. The combustion efficiency for condensing boilers or the COP (coefficient of performance) for heat pumps depends on the average temperature of the system water. The lower this average temperature is, the higher the efficiency is.

- **COMBUSTION EFFICIENCY** depends on:

- the length of the connection network between the heat generator and the heating bodies (the length of the piping must be kept as short as possible and efficient insulation must be used);
- the average temperature of the water inside the piping and above all, its insulation (low temperature: < 50 °C);
- electrical power consumption (circulation pumps, motorized valves): the higher the consumption, the lower the efficiency.

The use of the following heating elements that operate at low temperature is also advised:

- fan coils;
- radiant panels;
- heating elements/radiators.

Regardless of their constructive material, all radiators are suited operation at both high and low temperature.

- **EMISSION EFFICIENCY** is one characteristic of heating elements. The thermal power delivered is indicated in the manufacturers' catalogs.

- **REGULATION EFFICIENCY** depends on numerous parameters, the most important of which is the heating system's thermal inertia. One positive aspect of radiators is the possibility they offer to take advantage of "bonus" temperature rises (sunshine, mid-seasonal rises, indoor heat, the presence of people, etc.) because their low thermal inertia allows them to immediately interrupt heat delivery (a form of regulation that is scarcely efficient for radiant panel systems).

**Low thermal inertia systems follow variations in temperature rapidly (both inside and outside the building) and boast higher regulation efficiency than high thermal inertia systems.**

IN SHORT: THE ENERGY NEED DEPENDS ON THE BUILDING.

THE DELIVERY OF THE ENERGY NEEDED DEPENDS ON THE HEATING SYSTEM.

THE PERFORMANCE OBTAINED BY THE EFFICIENCY OF REGULATION OF DELIVERY IS FUNDAMENTAL.

# RADIANT PANEL and RADIATOR PERFORMANCE COMPARED

RESEARCH CONDUCTED BY ENG. FRANCESCO PAOLETTI PUBLISHED IN: [www.brem.it/riscaldare-risparmiare](http://www.brem.it/riscaldare-risparmiare)

RESEARCH AGREEMENT between the "Sergio Stecco" Energy Department at the UNIVERSITY OF FIRENZE and GLOBAL Srl.

The comparison was made in 2 test chambers of identical dimension, constructive type, and energy needs equivalent to an approx. 50-60 sq m Class A building, one with radiant panels and the other radiators, both equipped with a 7.5 kW heat pump. The thermal profile of the two test chambers may be considered reasonably comparable and therefore assumed as representative. The comparison between the energy consumed by the two systems is unconnected to the type of heat source used and is based on the actual heat entering each system.

## ANALYSIS OF THE RESULTS

Analyzing the energy charts and consumptions of the two systems shows that under all circumstances and operating modes (continuous/discontinuous):

- the radiant panel heating system consumes more energy than the radiator heating system;
- the electrical power consumptions of the radiant panel systems are always higher than those of the radiator system;
- at equivalent temperature set points, and despite the more refined regulation, the temperature of the room heated by radiant panels tends to be always higher than the other room. In particular, during time-band operation, higher temperatures are observed even with the system switched off, which in practice corresponds to moments in which the building is not occupied and therefore no need for heating exists.

This becomes more evident as outdoor temperatures rise and daily temperature variations increase (in mid-season), a condition typical to most heating system operating hours in most parts of Italy.

Also in the tests conducted with radiator water set at higher temperatures that seriously penalized consumption, significant savings were observed in radiator systems (in demonstration of the fact that the optimization of output efficiency may be all in vain if the emission system is not in the condition to maximize regulation efficiency).

In addition to thermal consumptions being always higher, also the electric consumptions of the radiant panel system were also always higher due to the higher pumping power necessary for the circulation of a higher quantity of water than in the radiator circuit.

The inadequacy and economic disadvantages of radiant panel heating for newly constructed Class A civil buildings characterized by very low heating loads and very low thermal inertia is plainly clear to see.

## RESULTS OF FIRST TEST CAMPAIGN

Total energy consumed from 10/02 to 01/05  
Continuous 24 hour operation  
Discontinuous operation with 2 time-bands  
Discontinuous operation with 3 time-bands  
Radiant panel on/off regulation  
Radiator on/off regulation  
Radiant panel average delivery temperature: 40 °C  
Heat pump setpoint temperature: 45 °C  
Radiant panel active energy: 861,898 kW  
Radiator active energy: 638,999 kW

## RADIANT PANEL ENERGY CONSUMPTION +34.9%

| Days |      | Energy Consumption Panels | Energy Consumption Radiators | DIFFERENCE     |
|------|------|---------------------------|------------------------------|----------------|
| from | to   | kWh                       | kWh                          | Panel-Radiator |
| 16/2 | 20/2 | 87,4                      | 79,0                         | + 10,6%        |
| 24/2 | 3/03 | 115,9                     | 82,9                         | +39,8%         |
| 19/3 | 8/04 | 221,7                     | 178,2                        | +24,4%         |

## RESULTS OF SECOND TEST CAMPAIGN

Total energy consumed from 23/11 to 15/04  
Continuous 24 hour operation  
Discontinuous operation with 3 time-bands  
Radiant panel on/off regulation  
Radiator on/off regulation  
Radiant panel average delivery temperature: 35 °C  
Heat pump setpoint temperature: 40 °C  
Radiant panel active energy: 1.756,700 kW  
Radiator active energy: 1.591,400 kW

## RADIANT PANEL CONSUMPTION +10.4%

The second test campaign was conducted with a structure oriented at optimizing the radiant panel system (continuous operation at low temperature) while feeding radiators with water at higher temperatures at the same time (a choice that penalizes heat pump efficiency and consumption)

## THE ENERGY CONSUMPTIONS OF THE RADIANT PANEL system exceeded those of the RADIATOR system by 10 - 40%

### COMPARISON OF THE PERFORMANCES OF THE TWO SYSTEMS

The data selection criteria permitted the identification of the five days that may be considered representative of the different conditions of operation of the two systems in question.

Radiant panel systems clearly show higher thermal consumptions than radiator systems with differences in the range of 4 - 44% on the typical test days considered.

The differences are minimal under continuous operation but increase significantly with time-band operation, in this way confirming the tendency of radiant panels to operate continuously due to their high thermal inertia.

The thermal consumptions of each of the two systems were obtained from the differences in water delivery and return temperatures and the ambient temperature after electrical absorption values were detracted

The results showed the radiator system to have less thermal consumption, varying from 5% under continuous operation (optimum for radiant panels) to 40% for highly discontinuous operation.

The difference between the electric power consumptions and the thermal consumptions of the two systems gradually increased as the warmer months approached in which reduced requests for heat increased the incidence of the heating circulators.

- In all tests, the average temperature of the room with radiant panels was observed to be higher than the room with radiators due to the higher thermal inertia of the radiant panels.
- This explains also why the radiant panel system generally consumes more energy than radiators during hours in which operation is discontinuous.

The table provides total thermal and electric power consumptions in the 24 hours of the five typical days

| TYPICAL DAY | Tot. Thermal Consumption PANELS kWh | Tot. Thermal Consumption RADIATORS kWh | DIFFERENCE Thermal consumption Panel-Radiator | Electric Power Consumption PANELS kWh | Electric Power Consumption RADIATORS kWh | DIFFERENCE electric consumption Panel-Radiator |
|-------------|-------------------------------------|----------------------------------------|-----------------------------------------------|---------------------------------------|------------------------------------------|------------------------------------------------|
| 1           | 41,5                                | 39,7                                   | + 4,5%                                        | 17,1                                  | 15,2                                     | +12,5%                                         |
| 2           | 33,1                                | 26,5                                   | +24,9%                                        | 15,0                                  | 10,3                                     | +45,6%                                         |
| 3           | 19,3                                | 16,7                                   | +15,6%                                        | 10,2                                  | 9,2                                      | +10,9%                                         |
| 4           | 17,7                                | 9,9                                    | +78,8%                                        | 9,6                                   | 7,2                                      | +33,3%                                         |
| 5           | 13,6                                | 11,6                                   | +17,2%                                        | 8,5                                   | 3,6                                      | + 236%                                         |

## THE USER CAN ASSESS HOW MUCH SAVING CAN BE MADE USING THE RADIATOR HEATING SYSTEM IN DISCONTINUOUS OPERATION

The absence of radiators occupying wall space is proposed as an advantage offered by floor heating, which makes no visual impact of its own, but choosing attractive radiators with original shapes built expressly for the spaces available can enable authentic interior architecture that can be personalized by color or rendered nearly invisible by matching the finishing given to the walls

Making the right decision to heat your home is a choice of fundamental importance: the highly vaunted economic advantages of the radiant panel system have been proven to be untrue. The possibility to switch heating on and off quickly and suddenly (the one and only real saving in energy) is still the most appropriate solution today.



# GENERAL SALE CONDITIONS

## PRICE LIST n°25 - FROM 1 MAY 2025 - VAT EXCLUDED

### ORDERS

The selling of BREM products DDU UK retailers according to INCOTERMS 2000, is ruled by the general conditions hereafter listed. Further changes will be valid only if confirmed by us in writing.

The order confirmation must be checked when received, if, within 2 calendar days, further information does not follow, the confirmation is considered valid to start manufacturing.

BREM reserves the right to add modifications to the dimensions and to effect differentiated deliveries for goods in the warehouse and goods in manufacturing.

The technical specifications concerning the BREM radiators, which involve the tolerance of use, must be considered as approximate and subject to variations.

### ORDER MODIFICATIONS

Variations and cancellations of orders are subject to our written approval.

The costs already met will be debited to the buyer. Orders with a fixed-time confirmation can be cancelled or modified only within the delivery term.

The possible modifications, subject to the BREM written approval, to be made on radiators in manufacturing, involve an additional charge of 40-70% of the cost of the radiator; if the required modifications are not possible, the radiator will be completed as standard and debited as the order confirmation.

### DELIVERY

All goods shall be delivered, upon the terms in the confirmation of order that indicates the loading date, by means of BREM's handing over the goods to the shipper who is then responsible for actual delivery of the goods. Should the reseller fail to pick up the delivered goods, the Company reserves the right to debit the reseller the cost and liability of storage and the materials shall be invoiced as normal.

BREM s.r.l. reserves the right to choose the packaging type; special packing materials shall be invoiced separately.

If there is a delay in delivery of the goods by BREM for technical reasons or reasons involving product quality, the reseller may not refuse delivery or collection of the goods ordered.

308

### CLAIMS AND RETURNS

Claims for damage due to transport or lost goods must be pointed out on signing the delivery note with reservation for the received goods, and informing BREM s.r.l. in writing within two days.

Claims for visible manufacturing faults must be communicated at the moment of the unpackaging and before mounting the radiator.

No return will be accepted without our written approval. Damaged radiators or with manufacturing defects must be returned to the company for suitable repairs as these are made-to-measure goods.

### PAYMENT

Unless otherwise agreed, all invoices shall be paid within 30 days, in full and without further discounting.

All delivered goods remain the property of BREM until full payment is made; in the event of non-payment, Brem s.r.l. reserves the right to withdraw any unpaid goods.

### TOLERANCES

Brem radiators are built with great care: the machining and welding at up to 1085° may cause expansion and stretching (tolerance  $\pm$  3mm)

### GUARANTEE

BREM radiators are guaranteed for three years, beginning from the delivery day, provided that they have been used in the appropriate way and the installation has been performed correctly.

All accessories are guaranteed for two year. Any components that are found to have manufacturing or material defects within the warranty period shall be repaired free of charge upon request (in writing), ex your works, without making any changes to the structure or color.

All returns (defective materials) shall be packed and sent to our production site using our courier, after obtaining our written authorization to do so.

Any transport damages due to inadequate packaging will be charged.

The guarantee does not cover products which have not been paid for and products which have been damaged by:

- unsuitable storage of radiators without the plastic packaging and/or in humid locations
- incorrect installation and use;
- incorrect maintenance: cleaning with aggressive detergents can ruin the surface; clean the surface using a damp cloth and polish it with car wax;
- installation carried out by unqualified personnel
- repairs carried out without written permission from BREM s.r.l.;
- addition of aggressive chemical products in the heating system water;
- periodical emptying of the heating system;
- connection to heating systems with an open expansion tank, or to water treatment equipment or to overloaded systems;
- operating pressures higher than those in the technical specifications;
- connection to sanitary water apparatus.
- using hemp on fittings supplied with an O-ring

### APPLICABLE LAW

For all unforeseen issues and in case of dispute, the applicable law to each supply is Italian law (Court of Bergamo, Italy).

### COMPETENT COURT

In the event of a dispute, the sole jurisdiction of the Court of Bergamo (ITALY) is expressly recognized.







**BREM**  
RADIATORS FOR ARCHITECTURE



BREM SRL - VIA DELL' ARTIGIANATO, 8 - 24046 OSIO SOTTO/BERGAMO/ITALY  
Tel.+39 35 482 3636/Fax +39 35 482.4173 - [www.brem.it](http://www.brem.it)/e-mail: [brem@brem.it](mailto:brem@brem.it)