

CROSS-Q

TOWEL HEATERS WITH OVERLAPPING SQUARES

PRICE FROM 10.1.2022 **+10%**

Cross towel heaters can be provided in CROSS-Q version, with overlapping squares,

to obtain a towel heaters 10 cm in depth only. Innovative element thanks to 90° cor-

ners and strong geometric shapes. Finishes can be chosen from the rich Brem color list


DIMENSIONS

Width: 48/56/64/88/96/120/128/152/168 cm

Height: 48/56/64/88/128/152/168/184 cm

Depth: 6 cm

Depth from wall: 9,5 cm



MODEL	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	Δt 30 K watt	▲ ▽ t.c. cm	Height H (H1) cm	Width L (Li) cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable ^o €	W	digital thermostat €
CROSS-Q 48-88	48-88	605,90	394	208	43	48 (24)	88 (48)	7,9	4,8	110,80	400	173,10
CROSS-Q 48-128	48-128	841,10	635	335	99	48 (24)	128 (104)	12,8	7,7	114,60	650	176,90
CROSS-Q 56-88	56-88	630,90	429	227	51	56 (32)	88 (56)	8,6	5,2	110,80	400	173,10
CROSS-Q 56-152	56-152	911,80	772	408	115	56 (32)	152 (120)	15,6	9,4	118,80	800	181,10
CROSS-Q 64-96	64-96	684,20	480	253	59	64 (32)	96 (64)	9,7	5,9	112,70	500	175,00
CROSS-Q 64-168	64-168	953,90	892	471	131	64 (32)	168 (136)	17,6	10,7	121,90	900	177,40
CROSS-Q 88-48	88-48	594,70	394	208	37	88	48 (24)	7,9	4,8	110,80	400	173,10
CROSS-Q 88-56	88-56	619,00	429	227	45	88	56 (32)	8,6	5,2	110,80	400	173,10
CROSS-Q 88-120	88-120	740,90	617	326	69	88	120 (56)	12,4	7,5	114,60	650	176,90
CROSS-Q 128-48	128-48	834,70	623	329	37	128	48 (24)	12,8	7,7	114,60	650	176,90
CROSS-Q 128-56	128-56	871,20	656	346	45	128	56 (32)	13,5	8,2	114,60	650	176,90
CROSS-Q 152-48	152-48	877,60	673	355	37	152	48 (24)	13,8	8,4	114,60	650	176,90
CROSS-Q 152-56	152-56	904,00	757	400	45	152	56 (32)	15,6	9,4	118,80	800	181,10
CROSS-Q 168-64	168-64	966,10	875	462	45	168	64 (32)	18,7	11,3	121,90	900	184,20
CROSS-Q 184-48	184-48	1085,10	890	470	37	184	48 (24)	18,7	11,3	121,90	900	184,20
CROSS-Q 184-56	184-56	1131,60	956	505	45	184	56 (32)	20,0	12,1	121,90	900	184,20
CROSS-Q 184-64	184-64	1179,50	1038	548	45	184	64 (32)	21,8	13,2	121,90	900	184,20

Ready Stock

(Δt 40K = W Δt 50Kx0,755)

^oRadio frequency chronothermostat p.227

STANDARD PRODUCTION

White "sablé" paintwork - B35 brackets

Tolerance ± 3 mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST

Paintwork to Brem color list with

colored B35 brackets

Electric version e.Cross-Q, page 244


+15/25%

STANDARD FITTING

REG ø 1/2"


On request fitting ø3/8"

Special fittings, page 287




TAPPING CENTRES


Horizontal Models



Vertical Models



TECHNICAL DATA page 66



FIXINGS
Brackets included
position page 66


RECOMMENDED VALVES

as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:


- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



REVERSE TON VALVES KIT
page 277

Art. KVR 119,20€



REVERSE TON VALVES KIT with
THERMOSTATIC head

Art. KTR 165,50€

QUADRA COLORED VALVES

page 279

REMOTE FITTINGS

Art. REM 36,60€

tapping centres ▲▼ L¹ - 6cm



2,5±



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT

Art. KVG 153,60€


REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVGt 199,80€









CROSS-Q 184-48

CROSS-Q TECHNICAL DATA (for overlapping squares)

TAPPING CENTRES AND FIXINGS




EHE: sleeve for Electric Heating Element (on request)




BRACKETS POSITION


HORIZONTAL models



VERTICAL models



TAPPING CENTRES with REVERSE VALVES



▲ M delivery
▼ R return

