

CROSS WITH CROSSED SQUARES

design Luigi Brembilla

Interwoven squares and rectangles to create a radiator with an unusual look.

Can be used as a towelheater, or simply as decorative feature in any room.

The geometric shapes can be multiplied at will, always resulting in a harmonious whole.

DIMENSIONS



Width: 48/56/64/88/96/120/128/152/168 cm

Height: 48/56/64/88/128/152/168/184 cm


Depth: 11 cm

Depth from wall: 13,5 cm

TECHNICAL DRAWINGS p.59





CROSS 88 -...



CROSS 88-120




CROSS 128-48 CROSS 128-56




4,5 ±

CROSS 48-88
CROSS 56-88
CROSS 64-96




4,5 ±

CROSS 48-128 / 56-152 / 64-168



CROSS 152/168..




CROSS 184-48 CROSS 184-..

MODEL	H-L cm	Standard white sablé SB9016 €	Δt 50 K watt	EN 442 Δt 40 K watt	Δt 30 K watt	▲ ▼ t.c. cm	Height H (H _i) cm	Width L (L _i) cm	Weight M Kg	Volume V dm ³	DUAL FUEL VERSION with E.H.E. and sleeve Watt €	
CROSS 48-88	48-88	768,20	394	297	208	74	48 (24)	88	7,9	4,8	400	127,40
CROSS 48-128	48-128	1066,50	635	479	335	114	48 (24)	128	12,8	7,7	650	131,80
CROSS 56-88	56-88	799,80	429	324	227	74	56 (32)	88	8,6	5,2	400	127,40
CROSS 56-152	56-152	1156,10	772	583	408	138	56 (32)	152	15,6	9,4	800	136,60
CROSS 64-96	64-96	867,60	480	362	253	82	64 (32)	96	9,7	5,9	500	129,60
CROSS 64-168	64-168	1209,30	892	673	471	154	64 (32)	168	17,6	10,7	900	140,20
CROSS 88-48	88-48	754,00	394	297	208	19	88	48 (24)	7,9	4,8	400	127,40
CROSS 88-56	88-56	784,80	429	324	227	19	88	56 (32)	8,6	5,2	400	127,40
CROSS 88-120	88-120	939,50	617	466	327	106	88	120 (56)	12,4	7,5	650	131,80
CROSS 128-48	128-48	1058,30	623	470	329	19	128	48 (24)	12,8	7,7	650	131,80
CROSS 128-56	128-56	1104,70	656	495	346	19	128	56 (32)	13,5	8,2	650	131,80
CROSS 152-48	152-48	1112,70	673	508	355	19	152	48 (24)	13,8	8,4	650	131,80
CROSS 152-56	152-56	1146,10	757	572	400	19	152	56 (32)	15,6	9,4	800	136,60
CROSS 168-64	168-64	1224,90	875	661	462	19	168	64 (32)	18,7	11,3	900	140,20
CROSS 184-48	184-48	1375,70	890	672	470	19	184	48 (24)	18,7	11,3	900	140,20
CROSS 184-56	184-56	1434,70	956	722	505	19	184	56 (32)	20,0	12,1	900	140,20
CROSS 184-64	184-64	1495,50	1038	784	548	19	184	64 (32)	21,8	13,2	1200	148,50
C-DIVIS*	196-48	1620,30	890	672	470	5	196	48+4	19,1	11,3	900	140,20

► Ready Stock

Thermostats p.208-209

*Cross-Dividing to be used as a partition element with lateral fixings and foot (adjustable h=12/18 cm) welded, fixing B35 page 58



STANDARD PRODUCTION

White sablé SB9016 paintwork - B70 brackets

Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST

Paintwork to Brem color list with colored B70 brackets

Electric versions e.Cross, p.218


+15/25%

STANDARD FITTING

REG ø 1/2"


On request fitting ø 3/8"

Special fittings, page 279




TAPPING CENTRES

Horizontal models



*sleeve E.H.E.
Dual Fuel version

Vertical models




FIXINGS
Brackets included
position page 59



RECOMMENDED VALVES

CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16




REVERSE QUADRA VALVES KIT
page 271 Art. KQR
Extra for BREM color list

180,10€
53,40€




REVERSE CYL VALVES KIT with thermostatic option,
page 273 Art. KCR 149,90€
Extra for BREM color list

53,40€



REMOTE FITTINGS Art. REM 42,10€
Tapping centres: at the rear ▲▽ L¹ - 6cm
DISTANT Valves page 274



REVERSE VALVES TON KIT with THERMOSTATIC
Head, page 273 Art. KTR 190,30€



CROSS 48-128



CROSS 152-56




CROSS 184-56



C-DIVIS 196 - 48


CROSS DIVIS DIVIDING CROSS



STANDARD FITTING

AC $\varnothing 1/2"$


BD on request










RECOMMENDED VALVES
STRAIGHT valves QUADRA KIT
p. 271 Art. KQD 190,00€

CROSS TECHNICAL DRAWINGS (CROSSED SQUARES)

TAPPING CENTRES AND FITTINGS




► M delivery
► R return
EHE: Sleeve for
Electric Heating
Element (on request)




BRACKETS POSITION


HORIZONTAL
models



VERTICAL
models



TAPPING CENTRES with REVERSE VALVES



► M delivery
► R return

