

The EGON radiator is produced using flattened tubes, curved horizontally or vertically:

the imperceptible curvature of the tube, which determines the shape of the EGON radiator


is slightly larger than the traditional flattened tube and increases the emission of heat.

EH MODEL


with flat vertical tubes

L = from 1 to 15 el. (every 7,7 cm)

H = from 60 to 300 cm



EH




EGON EH ...

EV MODEL


with flat horizontal tubes

L = from 60 to 300 cm

H = from 1 to 15 elements
(every 7,65 cm)



EV



EGON EV...

HOW TO ORDER

State: model, height in cm, number of elements; fitting and color

E.g.: EH 180 - 5 el - EG ø 1/2" - SB 9010

STANDARD PRODUCTION

White sablé SB9016 paintwork - EOS brackets

Air vent ø 1/2" - Tolerance ± 3 mm - Maximum

Maximum operating pressure, 4 BAR.

PRODUCTION ON REQUEST

Paintwork to Brem color list up to 3 m (ask for feasibility in case of higher values) +15/25%

Feet and fixings

page 276

STANDARD FITTINGS


EG ø 1/2"

AC or BD fittings on request



Special fittings, page 278



TAPPING CENTRES EH MODEL
EG vertical fittings as standard
Side fittings on request without extra




EV MODEL



| Mod. | a cm | b cm | c cm |
|------|---------|---------|---------|
| EH | 8 | 8 | 8 |
| EV | 8 | 9 | 7 |


□ from H or L 220 cm
⊗ for special fittings



RECOMMENDED VALVES


CHROME VALVES KIT with:

- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16




SIDE CONTROL TON VALVES KIT
page 271

Art. KVL 150,50€




SIDE CONTROL CYL VALVES KIT with THERMO-
STATIC option, page 273 Art. KCL 162,50€
Extra for BREM color list 53,40€



SPECIAL FINISHES page 267
Finishes Gold, Bronze, Brushed Nickel for 2 valves
Brushed Nickel FITTING KIT extra Art. RN 30,50€

REMOTE FITTINGS Art. REM 42,10€
Tapping centres: at the rear of radiator ▲▽ L- 5 cm
DISTANT Valves page 274




SIDE CONTROL TON VALVES KIT with Thermo-
static Head, page 269 Art. KTL 203,70€

| MOD. | (n° el) L cm | EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526) | | | | | | | | | | | | | | |
|--------|-----------------|--|----------------|----------------|----------------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| | | 1 el 8,0 | 2 el 15,7 | 3 el 23,5 | 4 el 31,2 | 5 el 39,0 | 6 el 46,7 | 7 el 54,5 | 8 el 62,2 | 9 el 70,0 | 10 el 77,7 | 11 el 85,5 | 12 el 93,3 | 13 el 101,0 | 14 el 108,8 | 15 el 116,5 |
| H cm | ▲▼ cm | 4,0 | 11,7 | 19,5 | 27,2 | 35,0 | 42,7 | 50,5 | 58,2 | 66,0 | 73,7 | 81,5 | 89,3 | 97,0 | 104,8 | 112,5 |
| EH 60 | € | 164,30 51w | 207,20 102w | 250,80 153w | 292,90 204w | 336,10 255w | 379,30 306w | 420,00 357w | 463,60 408w | 506,90 459w | 548,40 510w | 592,30 561w | 633,20 612w | 677,20 663w | 719,40 714w | 761,00 765w |
| EH 80 | € | 189,10 68w | 238,30 136w | 289,10 204w | 338,50 272w | 387,90 340w | 437,60 408w | 487,10 476w | 535,90 544w | 587,10 612w | 636,50 680w | 684,40 748w | 733,90 816w | 783,20 884w | 833,10 952w | 883,50 1020w |
| EH 100 | € | 203,80 83w | 257,90 166w | 314,00 249w | 367,90 332w | 422,40 415w | 478,40 498w | 533,80 581w | 589,60 664w | 644,10 747w | 698,40 830w | 753,60 913w | 808,10 996w | 863,60 1079w | 918,00 1162w | 973,70 1245w |
| EH 120 | € | 223,80 97w | 280,40 194w | 338,50 291w | 395,20 388w | 454,70 485w | 511,20 582w | 569,50 679w | 626,40 776w | 684,40 873w | 742,70 970w | 800,40 1067w | 857,60 1164w | 915,30 1261w | 973,70 1358w | 1031,60 1455w |
| EH 140 | € | 233,30 112w | 295,50 224w | 358,50 336w | 419,00 448w | 481,60 560w | 543,80 672w | 604,40 784w | 667,20 896w | 728,70 1008w | 791,80 1120w | 852,30 1232w | 914,30 1344w | 977,10 1456w | 1037,70 1568w | 1100,00 1680w |
| EH 160 | € | 250,80 127w | 321,30 254w | 392,80 381w | 464,40 508w | 535,90 635w | 607,70 762w | 679,50 889w | 751,10 1016w | 822,60 1143w | 893,40 1270w | 964,80 1397w | 1036,70 1524w | 1108,60 1651w | 1178,40 1778w | 1251,90 1905w |
| EH 180 | € | 266,70 143w | 342,40 286w | 417,50 429w | 494,10 572w | 569,50 715w | 644,90 858w | 720,40 1001w | 797,10 1144w | 872,40 1287w | 947,70 1430w | 1023,10 1573w | 1098,30 1716w | 1173,80 1859w | 1250,40 2002w | 1326,10 2145w |
| EH 190 | € | 275,50 151w | 352,40 302w | 430,00 453w | 506,90 604w | 582,30 755w | 660,00 906w | 736,10 1057w | 814,20 1208w | 890,60 1359w | 967,30 1510w | 1045,10 1661w | 1121,70 1812w | 1198,60 1963w | 1276,40 2114w | 1352,70 2265w |
| EH 200 | € | 282,90 159w | 360,90 318w | 439,70 477w | 518,30 636w | 597,10 795w | 674,70 954w | 753,60 1113w | 831,30 1272w | 910,40 1431w | 988,60 1590w | 1067,40 1749w | 1145,50 1908w | 1223,20 2067w | 1302,00 2226w | 1380,30 2385w |
| EH 210 | € | 289,10 167w | 370,70 334w | 454,70 501w | 535,90 668w | 618,60 835w | 701,90 1002w | 783,20 1169w | 866,10 1336w | 948,50 1503w | 1031,60 1670w | 1114,40 1837w | 1195,60 2004w | 1278,50 2171w | 1360,10 2338w | 1444,20 2505w |
| EH 220 | € | 292,90 175w | 380,70 350w | 465,50 525w | 552,40 700w | 640,10 875w | 726,50 1050w | 811,80 1225w | 899,40 1400w | 985,70 1575w | 1072,20 1750w | 1160,00 1925w | 1245,40 2100w | 1331,70 2275w | 1419,70 2450w | 1505,70 2625w |
| EH 240 | € | 312,60 192w | 404,10 384w | 494,10 576w | 585,20 768w | 674,70 960w | 766,20 1152w | 856,50 1344w | 947,70 1536w | 1037,70 1728w | 1129,00 1920w | 1219,10 2112w | 1310,80 2304w | 1401,50 2496w | 1492,40 2688w | 1582,60 2880w |
| EH 260 | € | 327,40 208w | 422,40 416w | 520,00 624w | 616,40 832w | 711,60 1040w | 808,10 1248w | 904,40 1456w | 1002,20 1664w | 1096,90 1872w | 1193,00 2080w | 1289,90 2288w | 1385,00 2496w | 1482,40 2704w | 1578,80 2912w | 1675,60 3120w |
| EH 280 | € | 342,40 224w | 443,40 448w | 546,10 672w | 647,40 896w | 750,20 1120w | 851,00 1344w | 953,90 1568w | 1055,50 1792w | 1156,10 2016w | 1259,10 2240w | 1358,90 2464w | 1461,60 2688w | 1562,60 2912w | 1665,10 3136w | 1766,50 3360w |
| EH 300 | € | 364,40 240w | 474,20 480w | 585,20 720w | 694,30 960w | 804,40 1200w | 914,30 1440w | 1025,40 1680w | 1135,20 1920w | 1244,30 2160w | 1353,90 2400w | 1464,00 2640w | 1575,20 2880w | 1685,00 3120w | 1793,90 3360w | 1903,80 3600w |


Δt different from 50 K: consult Technical data Brem

PANELS

Mod. Egon horizontal manifold height cm number elements
EH 200 - 7 EL



EH



PRODUCTION ON REQUEST

Height of plate every 10 cm: thermal output and prices can be obtained by interpolation

Made-to-measure (±3 mm)

Thermal output by interpolation:

Sizes over 15 el. and 3 m: price on request

Height per cm: increased size +20%

DOUBLE VERSIONS EDH

Is obtained by joining two plates EH
EDH price EH x 2 + 134,50€

Standard EG fitting (delivery on left, at front; return on right, at rear).


Thermal output EDH: single radiator x 1,60

EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)


| MOD. | L cm | 60 | 80 | 100 | 120 | 140 | 160 | 180 | 200 | 220 | 240 | 260 | 280 | 300 |
|---------------------|-------|----------------|----------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| H cm | ▲▼ cm | 57,8 | 77,8 | 97,8 | 117,8 | 137,8 | 157,8 | 177,8 | 197,8 | 217,8 | 237,8 | 257,8 | 277,8 | 297,8 |
| EV 1el. H 8,0 | € | 164,30 50w | 189,10 66w | 203,80 83w | 223,80 100w | 233,30 116w | 250,80 133w | 266,70 149w | 282,90 166w | 292,90 183w | 312,60 199w | 327,40 216w | 342,40 232w | 364,40 249w |
| EV 2el. H 15,7 | € | 207,20 100w | 238,30 133w | 257,90 166w | 280,40 199w | 295,50 232w | 321,30 266w | 342,40 299w | 362,20 332w | 380,70 365w | 404,10 398w | 422,40 432w | 443,40 465w | 474,20 498w |
| EV 3el. H 23,5 | € | 250,80 149w | 289,10 199w | 314,00 249w | 338,50 299w | 358,50 349w | 392,80 398w | 417,50 448w | 439,70 498w | 465,50 548w | 494,10 598w | 520,00 647w | 546,10 697w | 585,20 747w |
| EV 4el. H 31,2 | € | 292,90 199w | 338,50 266w | 367,90 332w | 395,20 398w | 419,00 465w | 464,40 531w | 494,10 598w | 518,30 664w | 552,40 730w | 585,20 797w | 616,40 863w | 647,40 930w | 694,30 996w |
| EV 5el. H 39,0 | € | 336,10 249w | 387,90 332w | 422,40 415w | 454,70 498w | 481,60 581w | 535,90 664w | 569,50 747w | 597,10 830w | 640,10 913w | 674,70 996w | 711,60 1079w | 750,20 1162w | 804,40 1245w |
| EV 6el. H 46,7 | € | 379,30 299w | 437,60 398w | 478,40 498w | 511,20 598w | 543,80 697w | 607,70 797w | 644,90 896w | 674,70 996w | 726,50 1096w | 766,20 1195w | 808,10 1295w | 851,00 1394w | 914,30 1494w |
| EV 7el. H 54,5 | € | 420,00 349w | 487,10 465w | 533,80 581w | 569,50 697w | 604,40 813w | 679,50 930w | 720,40 1046w | 753,60 1162w | 811,80 1278w | 856,50 1394w | 904,40 1511w | 953,90 1627w | 1025,40 1743w |
| EV 8el. H 62,2 | € | 463,60 398w | 535,90 531w | 589,60 664w | 626,40 797w | 667,20 930w | 751,10 1062w | 797,10 1195w | 831,30 1328w | 899,40 1461w | 947,70 1594w | 1002,20 1726w | 1055,50 1859w | 1135,20 1992w |
| EV 9el. H 70,0 | € | 506,90 448w | 587,10 598w | 644,10 747w | 684,40 896w | 728,70 1046w | 822,60 1195w | 872,40 1345w | 910,40 1494w | 985,70 1643w | 1037,70 1793w | 1096,90 1942w | 1156,10 2092w | 1244,30 2241w |
| EV 10el. H 77,7 | € | 548,40 498w | 636,50 664w | 698,40 830w | 742,70 996w | 791,80 1162w | 893,40 1328w | 947,70 1494w | 988,60 1660w | 1072,20 1826w | 1129,00 1992w | 1193,00 2158w | 1259,10 2324w | 1353,90 2490w |
| EV 11el. H 85,5 | € | 592,30 548w | 684,40 730w | 753,60 913w | 800,40 1096w | 852,30 1278w | 964,80 1461w | 1023,10 1643w | 1067,40 1826w | 1160,00 2009w | 1219,10 2191w | 1289,90 2374w | 1358,90 2556w | 1464,00 2739w |
| EV 12el. H 93,3 | € | 633,20 598w | 733,90 797w | 808,10 996w | 857,60 1195w | 914,30 1394w | 1036,70 1594w | 1098,30 1793w | 1145,50 1992w | 1245,40 2191w | 1310,80 2390w | 1385,00 2590w | 1461,60 2789w | 1575,20 2988w |
| EV 13el. H 101,0 | € | 677,20 647w | 783,20 863w | 863,60 1079w | 915,30 1295w | 977,10 1511w | 1108,60 1726w | 1173,80 1942w | 1223,20 2158w | 1331,70 2374w | 1401,50 2590w | 1482,40 2805w | 1562,60 3021w | 1685,00 3237w |
| EV 14el. H 108,8 | € | 719,40 697w | 833,10 930w | 918,00 1162w | 973,70 1394w | 1037,70 1627w | 1178,40 1859w | 1250,40 2092w | 1302,00 2324w | 1419,70 2556w | 1492,40 2789w | 1578,80 3021w | 1665,10 3254w | 1793,90 3486w |
| EV 15el. H 116,5 | € | 761,00 747w | 883,50 996w | 973,70 1245w | 1031,60 1494w | 1100,00 1743w | 1251,90 1992w | 1326,10 2241w | 1380,30 2490w | 1505,70 2739w | 1582,60 2988w | 1675,60 3237w | 1766,50 3486w | 1903,80 3735w |

Δt different from 50 K: consult Technical data Brem

Mod. Egon vertical manifold n° el (height) length cm
EV 5 EL - 220



EV



DOUBLE VERSION EDV

Is obtained by joining two plates EV
EDV price EV x 2 + 134,50€

Standard EG fitting (delivery on left, at front; return on right, at rear).

Thermal output EDV: single radiator x1,70

PRODUCTION ON REQUEST

Height of plate every 10 cm: thermal index and prices can be obtained by interpolation

Made-to-measure (± 3 mm)

Thermal output by interpolation

Sizes over 15 elements and 3 m: price on request

Length for cm: increased size +20%