

design Luigi Brembilla

The design of the FORM radiator pays a lot of attention not only on the shape of the

manifolds and the extremely reduced sizes of the radiating tubes, but also on the high

technology applied in its construction which allows an impeccable finish.

MODEL F...H


with vertical radiating tubes

H = from 60 to 300 cm (every 20 cm)

L = from 20 to 116 cm (every 6 cm)


Metal reinforced on radiator backs for heights greater than 80 cm.

F2H




1 tube every 2 cm

F3H



2 tubes every 3 cm



MODEL F...V


with horizontal radiating tubes

H = from 20 to 116 cm (every 6 cm)

L = from 60 to 300 cm (every 20 cm)


Metal reinforced on radiator backs for lengths greater than 80 cm.

F2V




1 tube every 2 cm

F3V



2 tubes every 3 cm



FORM F2V 62-280

STANDARD PRODUCTION

SB9016 white sablé paintwork, M4 brackets

Air vent \varnothing 1/8" - Tolerance \pm 3 mm

MAXIMUM OPERATING PRESSURE, 8 BAR

PRODUCTION ON REQUEST

Paintwork to Brem color list with

chrome-plated M4 brackets

Made-to-measure, by estimate


+15/25%

STANDARD FITTINGS

EG \varnothing 1/2", on request 3/8"

Fittings AC or BD on request


Special fittings, page 278





TAPPING CENTRES

EG vertical standard fittings, side fittings on request without extra

MODEL FH



MODEL FV




FIXINGS
Brackets included



| Mod. | a cm | b cm | c cm |
|------|---------|---------|---------|
| FH | 4 | 3,5 | 3,5 |
| FV | 3,5 | 4 | 4 |


□ from H or L 210 cm



RECOMMENDED VALVES


CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer ø 16, copper ø 12, 14)
- n°2 Chrome wall plates ø 48, hole ø 16



KIT ANGLED VALVES TON
page 269

Art. KVS 137,10€




KIT SIDE control VALVES CYL with THERMOSTATIC
option, page 273 Art. KCL 162,50€
Extra for BREM color list 53,40€



SPECIAL FINISHES page 267
Finishes Gold, Bronze, Brushed Nickel for 2 valves
Brushed Nickel FITTING KIT extra Art. RN 30,50€

REMOTE FITTINGS Art. REM 42,10€
Tapping centres: at the rear of radiator ▲▼ EG
DISTANT Valves page 274



KIT SIDE control VALVES TON with Thermostatic
Head, page 269 Art. KTL 203,70€

FORM F2H

PRICE FROM 01.03.2026 +5%

| MOD. | L cm | EN 442 Watt Δt 50K (Δt 40K = $W \times 0,755$) - (Δt 30K = $W \times 0,526$) | | | | | | | | | | | | | |
|-------------|----------------|--|-----------------|-----------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|----|
| | | 20 | 26 | 32 | 38 | 44 | 50 | 56 | 62 | 68 | 74 | 80 | 86 | 92 | 98 |
| H cm (n° t) | (10t) | (13t) | (16t) | (19t) | (22t) | (25t) | (28t) | (31t) | (34t) | (37t) | (40t) | (43t) | (46t) | (49t) | |
| ▲▼ cm | 16 | 22 | 28 | 34 | 40 | 46 | 52 | 58 | 64 | 70 | 76 | 82 | 88 | 94 | |
| F2H 60 € | 286,40 158w | 324,70 206w | 354,70 254w | 383,00 302w | 412,30 349w | 447,30 397w | 501,80 445w | 559,90 492w | 589,60 540w | 613,30 588w | 656,00 635w | 695,70 683w | 743,50 730w | 788,00 778w | |
| F2H 80 € | 305,00 213w | 342,40 276w | 374,60 340w | 406,70 404w | 434,90 468w | 472,10 532w | 526,30 595w | 590,60 659w | 648,40 723w | 707,80 787w | 753,60 850w | 800,40 914w | 837,40 978w | 877,10 1042w | |
| F2H 100 € | 312,60 266w | 354,70 345w | 386,60 425w | 419,00 505w | 449,80 584w | 487,80 664w | 548,40 744w | 610,40 823w | 668,30 903w | 730,40 983w | 793,30 1062w | 852,30 1142w | 911,80 1222w | 973,70 1301w | |
| F2H 120 € | 333,50 317w | 378,10 412w | 411,50 508w | 446,20 603w | 477,10 698w | 518,30 793w | 582,30 888w | 645,80 983w | 711,60 1078w | 775,90 1174w | 840,10 1269w | 905,90 1364w | 968,60 1459w | 1035,10 1554w | |
| F2H 140 € | 358,50 368w | 406,70 478w | 443,40 588w | 477,10 698w | 515,30 809w | 554,70 919w | 623,70 1029w | 694,30 1140w | 762,20 1250w | 833,10 1360w | 903,10 1470w | 971,20 1581w | 1041,30 1691w | 1111,60 1801w | |
| F2H 160 € | 404,10 417w | 455,80 542w | 496,50 667w | 537,70 792w | 576,90 917w | 623,70 1042w | 701,90 1166w | 779,50 1291w | 856,50 1416w | 932,80 1541w | 1012,80 1666w | 1092,10 1791w | 1168,70 1916w | 1247,60 2041w | |
| F2H 180 € | 446,20 464w | 502,50 603w | 547,30 742w | 593,20 882w | 640,10 1021w | 691,50 1160w | 776,80 1299w | 863,60 1438w | 950,20 1578w | 1036,70 1717w | 1122,10 1856w | 1209,40 1995w | 1296,20 2134w | 1381,20 2274w | |
| F2H 190 € | 467,40 486w | 527,20 632w | 574,30 778w | 621,70 923w | 668,30 1069w | 725,10 1215w | 813,00 1361w | 905,90 1507w | 994,60 1652w | 1085,20 1798w | 1177,30 1944w | 1266,40 2090w | 1355,10 2236w | 1447,00 2381w | |
| F2H 200 € | 487,80 510w | 549,70 663w | 600,50 816w | 650,00 969w | 698,40 1122w | 757,20 1275w | 851,00 1427w | 945,40 1580w | 1039,50 1733w | 1133,90 1886w | 1229,50 2039w | 1324,30 2192w | 1418,40 2345w | 1509,60 2498w | |
| F2H 210 € | 506,90 532w | 573,30 692w | 623,70 852w | 678,00 1012w | 727,80 1171w | 788,00 1331w | 885,70 1491w | 985,70 1650w | 1082,60 1810w | 1181,20 1970w | 1278,50 2130w | 1377,60 2289w | 1474,90 2449w | 1572,90 2609w | |
| F2H 220 € | 526,30 554w | 597,10 720w | 648,40 887w | 703,20 1053w | 756,60 1219w | 818,90 1386w | 921,60 1552w | 1023,10 1718w | 1122,10 1884w | 1226,70 2051w | 1329,40 2217w | 1430,70 2383w | 1534,20 2549w | 1635,60 2716w | |
| F2H 240 € | 567,10 597w | 641,20 776w | 696,90 955w | 754,80 1134w | 811,80 1313w | 879,80 1493w | 988,60 1672w | 1095,70 1851w | 1204,70 2030w | 1314,50 2209w | 1425,40 2388w | 1534,20 2567w | 1644,70 2746w | 1754,50 2925w | |
| F2H 260 € | 620,10 638w | 701,90 830w | 763,70 1021w | 827,60 1213w | 889,50 1404w | 963,80 1596w | 1080,80 1788w | 1199,60 1979w | 1319,40 2171w | 1469,00 2362w | 1561,50 2554w | 1681,20 2745w | 1800,10 2937w | 1919,80 3128w | |
| F2H 280 € | 674,70 678w | 762,20 881w | 831,30 1085w | 899,40 1288w | 967,30 1492w | 1046,60 1695w | 1178,40 1898w | 1305,60 2102w | 1436,30 2305w | 1598,50 2509w | 1701,40 2712w | 1832,10 2915w | 1960,40 3119w | 2090,30 3322w | |
| F2H 300 € | 732,80 716w | 830,40 931w | 904,40 1146w | 977,10 1361w | 1051,6 1576w | 1138,90 1791w | 1280,20 2005w | 1421,80 2220w | 1564,10 2435w | 1738,40 2650w | 1849,50 2865w | 1992,80 3080w | 2133,30 3295w | 2275,60 3509w | |


Δt different from 50 K: consult Technical data Brem

HOW TO ORDER State: model, height and width in cm; fitting and color if different from standard.

Mod. Form pitch 2 cm horizontal manifold height cm length cm

F2H 200 - 50

eg. : F2H 200-50, AC \varnothing 3/8", RAL 3003



FORM ONDULATO

| MOD. | L cm | EN 442 Watt Δt 50K (Δt 40K = $W \times 0,755$) - (Δt 30K = $W \times 0,526$) | | | | | | | | | |
|-----------------|-------|--|-------|-------|-------|-------|-------|-------|-------|----|--|
| | | 32 | 38 | 44 | 50 | 56 | 62 | 68 | 74 | 80 | |
| H cm (n° pipes) | (16t) | (19t) | (22t) | (25t) | (28t) | (31t) | (34t) | (37t) | (40t) | | |
| ▲▼ cm | 28 | 34 | 40 | 46 | 52 | 58 | 64 | 70 | 76 | | |

| | | | | | | | | | |
|----------|----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| FO 180 € | 864,80 742w | 909,20 882w | 966,20 1021w | 1016,70 1160w | 1113,30 1299w | 1195,60 1438w | 1291,40 1578w | 1375,80 1717w | 1472,10 1856w |
| FO 190 € | 904,50 778w | 950,10 923w | 994,40 1069w | 1062,30 1215w | 1147,20 1361w | 1249,00 1507w | 1336,20 1652w | 1435,10 1798w | 1525,10 1944w |
| FO 200 € | 941,40 816w | 977,10 969w | 1036,60 1122w | 1093,00 1275w | 1196,60 1427w | 1288,20 1580w | 1391,90 1733w | 1481,90 1886w | 1575,40 2039w |
| FO 210 € | 964,80 852w | 1016,70 1012w | 1064,60 1171w | 1136,20 1331w | 1231,30 1491w | 1339,90 1650w | 1432,50 1810w | 1527,50 1970w | 1623,80 2130w |
| FO 220 € | 988,40 887w | 1041,20 1053w | 1105,60 1219w | 1165,90 1386w | 1276,90 1552w | 1375,80 1718w | 1472,10 1884w | 1573,40 2051w | 1671,80 2217w |

FORM ONDULATO (wavy) is made-to-measure, attach drawing with measurements for estimate.

Brackets M4F..

9/12 cm

FORM F2V

PRICE FROM 01.03.2026 + 5%

EN 442 Watt Δt 50K (Δt 40K = $W \times 0,755$) - (Δt 30K = $W \times 0,526$)

| MOD. (n° t.) | L cm ▲ ▼ | Lengths/Longueurs | | | | | | | | | | | | |
|------------------|-------------|-------------------|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|--------------------|------------------|------------------|------------------|------------------|
| | | 60 | 80 | 100 | 120 | 140 | 160 | 180 | 200 | 220 | 240 | 260 | 280 | 300 |
| F2V 20 (10t) | € | 286,40 156w | 305,00 208w | 312,60 260w | 333,50 312w | 358,50 364w | 404,10 416w | 446,20 468w | 487,80 520w | 526,30 572w | 567,10 624w | 620,10 676w | 674,70 728w | 732,80 780w |
| F2V 26 (13t) | € | 324,70 203w | 342,40 270w | 354,70 338w | 378,10 406w | 406,70 473w | 455,80 541w | 502,50 608w | 549,70 676w | 597,10 744w | 641,20 811w | 701,90 879w | 762,20 946w | 830,40 1014w |
| F2V 32 (16t) | € | 354,70 250w | 374,60 334w | 386,60 417w | 411,50 500w | 443,40 584w | 496,50 667w | 547,30 751w | 600,50 834w | 648,40 917w | 696,90 1001w | 763,70 1084w | 831,30 1168w | 904,40 1251w |
| F2V 38 (19t) | € | 383,00 298w | 406,70 397w | 419,00 496w | 446,20 595w | 477,10 694w | 537,70 794w | 593,20 893w | 650,00 992w | 703,20 1091w | 754,80 1190w | 827,60 1290w | 899,40 1389w | 977,10 1488w |
| F2V 44 (22t) | € | 412,30 344w | 434,90 459w | 449,80 574w | 477,10 689w | 515,30 804w | 576,90 918w | 640,10 1033w | 698,40 1148w | 756,60 1263w | 811,80 1378w | 889,50 1492w | 967,30 1607w | 1051,60 1722w |
| F2V 50 (25t) | € | 447,30 397w | 472,10 529w | 487,80 661w | 518,30 793w | 554,70 925w | 623,70 1058w | 691,50 1190w | 757,20 1322w | 818,90 1454w | 879,80 1586w | 963,80 1719w | 1046,60 1851w | 1138,90 1983w |
| F2V 56 (28t) | € | 489,00 445w | 500,80 593w | 548,40 741w | 582,30 889w | 623,70 1037w | 701,90 1186w | 776,80 1334w | 851,00 1482w | 921,60 1630w | 988,60 1778w | 1080,80 1927w | 1178,40 2075w | 1280,20 2223w |
| F2V 62 (31t) | € | 559,90 494w | 590,60 658w | 610,40 823w | 645,80 988w | 694,30 1152w | 779,50 1317w | 863,60 1481w | 945,40 1646w | 1023,10 1811,00 | 1095,70 1975w | 1199,60 2140w | 1305,60 2304w | 1421,80 2469w |
| F2V 68 (34t) | € | 589,60 541w | 648,40 722w | 668,30 902w | 711,60 1082w | 762,20 1263w | 856,50 1443w | 950,20 1624w | 1039,50 1804w | 1122,10 1984w | 1204,70 2165w | 1319,40 2345w | 1436,30 2526w | 1564,10 2706w |
| F2V 74 (37t) | € | 613,30 590w | 707,80 786w | 730,40 983w | 775,90 1180w | 833,10 1376w | 932,80 1573w | 1036,70 1769w | 1133,90 1966w | 1226,70 2163w | 1314,50 2359w | 1469,00 2556w | 1598,50 2752w | 1738,40 2949w |
| F2V 80 (40t) | € | 656,00 638w | 753,60 850w | 793,30 1063w | 840,10 1276w | 903,10 1488w | 1012,80 1701w | 1122,10 1913w | 1229,50 2126w | 1329,40 2339w | 1425,40 2551w | 1561,50 2764w | 1701,40 2976w | 1849,50 3189w |
| F2V 86 (43t) | € | 695,70 686w | 800,40 914w | 852,30 1143w | 905,90 1372w | 971,20 1600w | 1092,10 1829w | 1209,40 2057w | 1324,30 2286w | 1430,70 2515w | 1534,20 2743w | 1681,20 2972w | 1832,10 3200w | 1992,80 3429w |
| F2V 92 (46t) | € | 743,50 733w | 837,40 978w | 911,80 1222w | 968,60 1466w | 1041,30 1711w | 1168,70 1955w | 1296,20 2200w | 1418,40 2444w | 1534,20 2688w | 1644,70 2933w | 1800,10 3177w | 1960,40 3422w | 2133,30 3666w |
| F2V 98 (49t) | € | 788,00 781w | 877,10 1042w | 973,70 1302w | 1035,10 1562w | 1111,60 1823w | 1247,60 2083w | 1381,20 2344w | 1509,60 2604w | 1635,60 2864w | 1754,50 3125w | 1919,80 3385w | 2090,30 3646w | 2275,60 3906w |
| F2V 104 (52t) | € | 824,10 829w | 914,30 1105w | 1014,20 1381w | 1098,30 1657w | 1181,20 1933w | 1326,10 2210w | 1466,60 2486w | 1607,30 2762w | 1737,10 3038w | 1863,80 3314w | 2040,90 3591w | 2222,80 3867w | 2416,20 4143w |
| F2V 110 (55t) | € | 861,10 877w | 951,60 1169w | 1057,50 1461w | 1163,50 1753w | 1251,90 2045w | 1403,20 2338w | 1555,20 2630w | 1701,40 2922w | 1840,50 3214w | 1973,00 3506w | 2161,20 3799w | 2353,80 4091w | 2561,10 4383w |
| F2V 116 (58t) | € | 897,10 925w | 990,60 1233w | 1113,30 1541w | 1230,30 1849w | 1319,40 2157w | 1481,40 2466w | 1641,90 2774w | 1797,60 3082w | 1944,80 3390w | 2084,20 3698w | 2284,20 4007w | 2486,60 4315w | 2703,10 4623w |

Δt different from 50 K: consult Technical data Brem



PRODUCTION ON REQUEST

Thermal output and prices by interpolation:

- length of manifolds every 2 cm
- height of radiating tubes every 10 cm

Made-to-measure (± 3 mm)

Sizes over 3 m: price on request
Size every 1 cm: increased size +20%



DOUBLE VERSION FDH and FDV is obtained by joining two F2H radiators
PRICE: F2H or F2V x 2 + 134,50€
THERMAL output: F2H or F2V x 1,60

Standard EG fitting: inlet on left, at front; return on right, at rear.

FORM FH DIVIS can be used as:

- partition wall with feet and fixings (p. 276)
- 15 cm H series foot Art. PF15 87,90€
- side fixings Art. F10 83,90€

FORM F3H and F3V has 3 cm between alternating pipes:

- dimensions as F2 every 6 cm
- RESE watt F2 x 1,16 - PRICES € F2 x 1,40

