

KUADRUM

PRICE FROM 1.07.2022 **+15%**

KUADRUM: radiator with 15x15 mm square tubes.

Modern technology for new balance. The square tube offers excellent heat

output and great looks. The series of tubes creates a sense of a full surface.

MODEL K..H

KQH: vertical tubes, squared manifold at front
KCH: vertical tubes, curved manifold at front


H = from 60 to 300 cm (every 20 cm)

L = from 20 to 100 cm (every 5 cm)

Element step = 2,5 cm


Rear metal reinforcement for H > 100 cm

KQH




squared manifolds at front as STANDARD

KCH



curved manifolds at front ON REQUEST



KUADRUM K..H



KQH



KCH

MODEL K..V

KQV: horizontal tubes, squared front manifold
KCV: horizontal tubes, curved front manifold


H = from 20 to 100 cm (every 5 cm)

L = from 60 to 300 cm (every 20 cm)

Element step = 2,5 cm


Rear metal reinforcement for L > 100 cm.

KQV




squared manifolds at front as STANDARD

KCV



curved manifolds at front ON REQUEST



KUADRUM K..V



KQV



KCV

eg. : KQH 180-50, EG ø 1/2", BR 0007

STANDARD PRODUCTION

White sablé paintwork - M4KB brackets

Air vent ø 1/8" - Tolerance ± 3 mm

MAXIMUM WORKING PRESSURE, 8 BAR

190

PRODUCTION ON REQUEST

Paintwork to Brem color list with

chrome-plated M4KC brackets

Made-to-measure, by estimate


+1,5/25%

STANDARD FITTINGS

EG ø 1/2"

Fittings AC or BD on request


Special fittings, page 286




TAPPING CENTRES

EG vertical standard fittings
Side fittings, on request without extra

K..H MODEL




K..V MODEL



* Coupling protrudes 1cm

CD fitting:

▲▼ t.c.= L+8,4 cm, with Brem valves



FIXINGS
Brackets included




KUADRUM KQH 180-50

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:


- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 10,80€



SIDE control QUADRA VALVES KIT
page 279 Art. KQL 166,30€
extra for BREM color list 46,40€

ANGLED MINI VALVES KIT page 278
chrome-plated or white color Art. KMS 107,80€



SIDE control TON VALVES KIT with THERMOSTATIC head Art. KTL 177,10€
SIDE control TON VALVES KIT page 279 Art. KVL 130,90€

REMOTE FITTINGS Art.REM 36,60€
Remote fittings at the rear: ▲▼ EG



1,5±

REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT
Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGt 199,80€

KUADRUM K..H


PRICE FROM 1.07.2022 **+15%**

MOD.	L cm H cm (n°tubes) ▲▼ cm	25	30	35	40	45	50	55	EN 442 Watt Δt 50K (Δt 40K = $W \times 0,755$) - (Δt 30K = $W \times 0,526$)						
		(10t) 21	(12t) 26	(14t) 31	(16t) 36	(18t) 41	(20t) 46	(22t) 51	60 (24t) 56	65 (26t) 61	70 (28t) 66	75 (30t) 71	80 (32t) 76	85 (34t) 81	90 (36t) 86
K..H 60	€	264,10 187w	288,30 224w	311,50 261w	335,20 299w	363,60 336w	407,70 373w	455,10 411w	479,10 448w	498,40 485w	533,10 523w	565,60 560w	604,50 597w	640,60 635w	670,20 672w
K..H 80	€	278,20 252w	304,50 302w	330,60 352w	353,50 403w	383,60 453w	428,00 503w	480,30 554w	527,20 604w	575,30 654w	612,40 705w	650,50 755w	680,60 805w	712,90 856w	743,10 906w
K..H 100	€	288,30 314w	314,50 377w	340,60 440w	365,70 503w	396,40 566w	445,60 629w	495,90 691w	543,30 754w	593,50 817w	644,60 880w	692,60 943w	740,90 1006w	791,50 1068w	824,50 1131w
K..H 120	€	307,40 375w	334,70 449w	362,90 524w	387,60 599w	421,30 674w	473,00 749w	524,80 824w	578,70 899w	630,30 974w	682,80 1049w	736,20 1124w	787,00 1198w	841,30 1273w	892,90 1348w
K..H 140	€	344,50 435w	375,80 522w	404,10 609w	436,70 696w	470,40 783w	528,40 870w	588,40 956w	645,80 1043w	705,60 1130w	765,30 1217w	823,10 1304w	882,40 1391w	942,10 1478w	1000,8 1565w
K..H 160	€	370,50 493w	403,50 591w	436,90 690w	468,80 788w	506,90 887w	570,40 985w	633,70 1084w	695,90 1182w	758,00 1281w	823,20 1379w	887,70 1478w	950,00 1576w	1014,3 1675w	1077,9 1774w
K..H 180	€	408,60 548w	445,00 658w	482,00 767w	520,10 877w	562,10 987w	631,60 1096w	702,00 1206w	772,50 1316w	842,50 1425w	912,00 1535w	983,00 1645w	1053,6 1754w	1122,8 1864w	1191,9 1973w
K..H 190	€	428,50 574w	466,90 689w	505,30 804w	543,30 919w	589,30 1033w	660,70 1148w	736,20 1263w	808,50 1378w	882,00 1493w	956,90 1608w	1029,3 1722w	1101,3 1837w	1175,9 1952w	1249,0 2067w
K..H 200	€	446,70 603w	488,20 723w	528,20 844w	567,40 964w	615,40 1085w	691,80 1205w	768,20 1326w	844,60 1446w	921,50 1567w	999,40 1687w	1076,4 1808w	1152,8 1928w	1227,2 2049w	1306,6 2169w
K..H 210	€	465,80 629w	506,90 754w	551,20 880w	591,70 1006w	640,60 1131w	719,90 1257w	801,20 1383w	879,90 1508w	960,00 1634w	1039,0 1760w	1119,4 1886w	1199,0 2011w	1278,4 2137w	1360,2 2263w
K..H 220	€	485,20 655w	527,20 785w	571,60 916w	615,00 1047w	665,60 1178w	749,10 1309w	831,50 1440w	912,00 1571w	996,90 1702w	1080,7 1833w	1162,9 1964w	1247,0 2094w	1329,4 2225w	1411,8 2356w
K..H 240	€	521,10 705w	566,60 846w	613,50 987w	660,10 1128w	715,20 1270w	803,50 1411w	890,70 1552w	979,20 1693w	1068,4 1834w	1158,6 1975w	1247,0 2116w	1336,7 2257w	1426,0 2398w	1460,0 2539w
K..H 260	€	570,40 754w	620,80 904w	672,80 1055w	723,00 1206w	783,20 1357w	878,50 1507w	975,20 1658w	1072,4 1809w	1194,1 1960w	1269,3 2110w	1366,5 2261w	1463,1 2412w	1560,4 2563w	1658,7 2713w
K..H 280	€	619,50 801w	675,90 961w	731,00 1121w	786,40 1282w	850,60 1442w	957,60 1602w	1061,2 1762w	1167,5 1922w	1299,3 2083w	1383,1 2243w	1489,0 2403w	1593,5 2563w	1699,0 2723w	1806,7 2884w
K..H 300	€	674,90 846w	735,10 1015w	794,40 1184w	854,60 1353w	926,00 1523w	1040,5 1692w	1155,7 1861w	1271,3 2030w	1413,0 2199w	1503,2 2368w	1619,7 2538w	1733,9 2707w	1849,5 2876w	1964,0 3045w

Δt different from 50K: technical data Brem



Mod. KUADRUM Q with square collectors at front - STANDARD PRODUCTION
C with curved collectors at front - PRODUCTION ON REQUEST

K..H 200 - 50
horizontal manifold height cm width cm



PRODUCTION ON REQUEST

Made-to-measure (± 3 mm) with:
- length of manifolds every 2,5 cm
- height of radiating tubes every 10 cm
- thermal output and prices by interpolation.
Height every 1 cm: increased size +20%
Sizes over 3 m: by estimate



DOUBLE VERSION K..DH

Is obtained by joining two KH radiators
K..DH price K..H x 2 + 115,90€

Standard EG fitting (delivery on left, at front, return on right, at rear).

Thermal output K..DH: single radiator x1,60

KUADRUM K..V

PRICE FROM 1.07.2022 **+15%**


EN 442 Watt Δt 50K (Δt 40K = $W \times 0,755$) - (Δt 30K = $W \times 0,526$)

MOD. (n° tubes) ▲▼ cm	Lengths / Longueurs												
	60	80	100	120	140	160	180	200	220	240	260	280	300
K..V 25 (10t) €	264,10 188w	278,20 251w	288,30 314w	307,40 377w	330,60 439w	370,50 502w	408,60 565w	446,70 628w	485,20 691w	521,10 753w	570,40 816w	619,50 879w	674,90 942w
K..V 30 (12t) €	288,30 226w	304,50 301w	314,50 377w	334,70 452w	360,30 527w	403,50 603w	445,00 678w	488,20 753w	527,20 829w	566,60 904w	620,80 979w	675,90 1055w	735,10 1130w
K..V 35 (14t) €	311,50 264w	330,60 352w	340,60 439w	362,90 527w	387,60 615w	436,90 703w	482,00 791w	528,20 879w	571,60 967w	613,50 1055w	672,80 1143w	731,00 1231w	794,40 1318w
K..V 40 (16t) €	335,20 301w	353,50 402w	365,70 502w	387,60 603w	418,90 703w	468,80 804w	520,10 904w	567,40 1005w	615,00 1105w	660,10 1205w	723,00 1306w	786,40 1406w	854,60 1507w
K..V 45 (18t) €	363,60 339w	383,60 452w	396,40 565w	421,30 678w	451,00 791w	506,90 904w	562,10 1017w	615,40 1130w	665,60 1243w	715,20 1356w	783,20 1469w	850,60 1582w	926,00 1695w
K..V 50 (20t) €	397,60 377w	407,00 502w	445,60 628w	473,00 753w	506,90 879w	570,40 1005w	631,60 1130w	691,80 1256w	749,10 1381w	803,50 1507w	878,50 1632w	957,60 1758w	1040,5 1883w
K..V 55 (22t) €	455,10 414w	480,30 552w	495,90 691w	524,80 829w	564,30 967w	633,70 1105w	702,00 1243w	768,20 1381w	831,50 1519w	890,70 1657w	975,20 1796w	1061,2 1934w	1155,7 2072w
K..V 60 (24t) €	479,10 452w	527,20 603w	543,30 753w	578,70 904w	619,50 1055w	695,90 1205w	772,50 1356w	844,60 1507w	912,00 1657w	979,20 1808w	1072,4 1959w	1167,5 2110w	1271,3 2260w
K..V 65 (26t) €	498,40 490w	575,30 653w	593,50 816w	630,30 979w	676,80 1143w	758,00 1306w	842,50 1469w	921,50 1632w	996,90 1796w	1068,4 1959w	1194,1 2122w	1299,3 2285w	1413,0 2449w
K..V 70 (28t) €	533,10 527w	612,40 703w	644,60 879w	682,80 1055w	734,00 1231w	823,20 1406w	912,00 1582w	999,40 1758w	1080,7 1934w	1158,6 2110w	1269,3 2285w	1383,1 2461w	1503,2 2637w
K..V 75 (30t) €	565,60 565w	650,50 753w	692,60 942w	736,20 1130w	789,40 1318w	887,70 1507w	983,00 1695w	1076,4 1883w	1162,9 2072w	1247,0 2260w	1366,5 2449w	1489,0 2637w	1619,7 2825w
K..V 80 (32t) €	604,50 603w	680,60 804w	740,90 1005w	787,00 1205w	846,50 1406w	950,00 1607w	1053,6 1808w	1152,8 2009w	1247,0 2210w	1336,7 2411w	1463,1 2612w	1593,5 2813w	1733,90 3014w
K..V 85 (34t) €	640,60 640w	712,90 854w	791,50 1067w	841,30 1281w	903,50 1494w	1014,3 1708w	1122,8 1921w	1227,2 2135w	1329,4 2348w	1426,0 2562w	1560,4 2775w	1699,0 2988w	1849,5 3202w
K..V 90 (36t) €	670,20 678w	743,10 904w	824,50 1130w	892,90 1356w	960,00 1582w	1077,9 1808w	1191,9 2034w	1306,6 2260w	1411,8 2486w	1515,0 2712w	1658,7 2938w	1806,7 3164w	1964,0 3390w
K..V 95 (38t) €	699,80 716w	773,40 954w	859,40 1193w	945,70 1431w	1017,4 1670w	1140,7 1909w	1264,3 2147w	1383,1 2386w	1496,2 2624w	1603,5 2863w	1756,3 3101w	1913,0 3340w	2081,6 3579w
K..V 100 (40t) €	729,00 753w	805,40 1005w	904,70 1256w	999,80 1507w	1072,4 1758w	1204,2 2009w	1334,6 2260w	1461,0 2511w	1580,7 2762w	1694,0 3014w	1856,5 3265w	2021,2 3516w	2197,2 3767w

Δt different from 50 K: consult Technical data Brem



Mod. KUADRUM Q with square collectors at front - STANDARD PRODUCTION
C with curved collectors at front - PRODUCTION ON REQUEST

K..V 80 - 200
vertical manifold height cm lenght cm



PRODUCTION ON REQUEST

Made-to-measure (± 3 mm) with:
- height of manifolds every 2,5 cm
- lenght of radiating tubes every 10 cm
- thermal output and prices by interpolation.
Lenght every 1 cm: increased size +20%
Sizes over 3 m: by estimate



DOUBLE VERSION K..DV

Is obtained by joining two KV radiators
K..DV price $K..V \times 2 + 115,90\text{€}$

Standard EG fitting (delivery on left, at front, return on right, at rear).

Thermal output K..DV: single radiator $\times 1,65$