


LAMINA: a new very thin and rigorous radiant plate, minimalism and elegance

obtained by hiding valves and air vent, but can be adjustable

The manifolds are white in order to be fitted to the wall.

Height: from 169 to 229 cm
Width: from 32 to 97 cm
Depth: 4,5/6 cm
Depth from wall: 8 cm



LH Vertical panel and horizontal manifolds
LLH Vertical panel with fins


PANELS

EN 442 Watt Δt 50K (Δt 40K = $W \times 0,755$) - (Δt 30K = $W \times 0,526$)

MODEL	L cm	32	40	47	54	61	68	75	82	90	97
	H cm	32,4	39,5	46,7	53,8	61	68,1	75,3	82,4	89,6	96,7
	t.p. \blacktriangle \blacktriangledown cm	15,9	23	30,2	37,3	44,5	51,6	58,8	65,9	73,1	80,2
LH 169	€	760,40 464w	816,50 580w	872,60 696w	928,70 812w	984,80 928w	1040,90 1044w	1097,00 1160w	1153,20 1276w	1209,30 1392w	1265,40 1508w
LLH 169	€	1014,00 612w	1069,70 765w	1125,40 918w	1181,00 1071w	1236,70 1224w	1292,30 1377w	1347,90 1530w	1403,60 1683w	1459,20 1836w	1514,90 1989w
LH 189	€	804,80 520w	864,50 650w	924,30 780w	984,00 910w	1043,70 1040w	1103,50 1170w	1163,20 1300w	1222,90 1430w	1282,70 1560w	1342,40 1690w
LLH 189	€	1059,70 676w	1118,40 845w	1177,00 1014w	1235,70 1183w	1294,30 1352w	1353,00 1521w	1411,50 1690w	1470,20 1859w	1528,80 2028w	1587,50 2197w
LH 209	€	861,10 576w	923,60 720w	985,90 864w	1048,40 1008w	1110,80 1152w	1173,30 1296w	1235,70 1440w	1298,20 1584w	1360,60 1728w	1423,10 1872w
LLH 209	€	1108,10 740w	1170,20 925w	1232,20 1110w	1294,30 1295w	1356,30 1480w	1418,40 1665w	1480,40 1850w	1542,50 2035w	1604,50 2220w	1666,60 2405w
LH 229	€	921,10 632w	985,70 790w	1050,20 948w	1114,80 1106w	1179,40 1264w	1244,00 1422w	1308,50 1580w	1373,10 1738w	1437,60 1896w	1502,30 2054w
LLH 229	€	1182,50 804w	1246,10 1005w	1309,60 1206w	1373,20 1407w	1436,70 1608w	1500,40 1809w	1563,90 2010w	1627,50 2211w	1691,00 2412w	1754,60 2613w

HOW TO ORDER

State: model, (L indicates fins), height and width in cm; fitting and color if different from standard
e.g.: LLH 209 - 46, EG \varnothing 1/2", RAL 3005



HEIGHTS ON REQUEST

Heights every 10 cm:
- thermal outputs and prices by interpolation

STANDARD PRODUCTION

White "sablé" paintwork - EOS brackets
Air vent \varnothing 1/2" - Tolerance \pm 3 mm
Maximum operating pressure 6 bar

PRODUCTION ON REQUEST


Paintwork to Brem list with colored brackets
(white back side and manifolds) +15/25%
Back and manifolds same color of radiator 165€

STANDARD FITTINGS

EG \varnothing 1/2"


Special fittings

page 286




TAPPING CENTRES

EG standard fittings, use side control valves



Panel with valves in sight H - 7cm, on request




RECOMMENDED VALVES

as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers


On request: Polished stainless tube cover (to be cut to right size) Art. CA18 10,80€



SIDE CONTROL TON VALVES KIT nickel-plated chrome-plated handwheel Art. KVLN 91,80€

SIDE CONTROL TON VALVES KIT chrome-plated page 277 Art. KVL 130,90€

SIDE CONTROL QUADRA VALVES page 279
chrome-plated Art. KQL 166,30€
extra for BREM color list 46,40€



SIDE CONTROL TON VALVES KIT nickel-plated with THERMOSTATIC head Art. KTLND 135,00€

SIDE CONTROL TON VALVES KIT chrome-plated with THERMOSTATIC head Art. KTLD 177,10€

REMOTE FITTINGS Art. REM 36,60€
tapping centres (Panel H - 7cm): ▲▼ L- 8,5cm



2,5±



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€





Horizontal version of LAMINA panel made with the exclusive tapered edge that makes

it unique and minimalist. As standard, it is designed to hide from

view the valves used to connect to the heating system.

DIMENSIONS


Heights: from 45 to 95 cm
Lengths: from 53 to 223 cm
Depth: 4,5 /6 cm
Depth from wall: 8 cm



LV Horizontal panel and vertical manifolds



LLV Horizontal panel with fins




EN 442 Watt Δt 50K (Δt 40K = $W \times 0,755$) - (Δt 30K = $W \times 0,526$)

MODELE	L cm	53	63	73	83	93	103	123	143	163	183	203	223
	t.p. ▲ ▽ cm	53,5	63,5	73,5	83,5	93,5	103,5	123,5	143,5	163,5	183,5	203,5	223,5
LV 45	€	629,30	660,70	691,90	723,30	754,70	785,90	817,30	848,50	879,90	911,20	942,50	973,80
	H 45	196w	235w	274w	313w	352w	391w	469w	547w	626w	704w	782w	860w
LLV 45	€	809,90	848,70	887,50	926,40	965,20	1004,10	1042,80	1081,70	1120,60	1159,40	1198,20	1237,00
	H 52,1	323w	388w	452w	517w	581w	646w	715w	775w	834w	893w	952w	1011w
LV 52	€	656,40	690,60	724,60	758,80	793,00	827,00	861,20	895,20	929,40	963,50	997,60	1031,70
	H 52,1	230w	275w	321w	367w	413w	459w	511w	563w	615w	667w	719w	771w
LLV 52	€	859,00	901,70	944,50	987,20	1029,80	1072,50	1115,30	1158,00	1200,60	1243,30	1286,00	1328,70
	H 59,3	378w	453w	529w	604w	680w	755w	830w	905w	980w	1055w	1130w	1205w
LV 59	€	683,50	720,50	757,30	794,30	831,30	868,10	905,10	941,90	978,90	1015,80	1052,70	1089,60
	H 59,3	264w	316w	369w	422w	474w	527w	580w	632w	684w	736w	788w	840w
LLV 59	€	908,30	954,90	1001,40	1048,00	1094,60	1141,10	1187,60	1234,10	1280,70	1327,30	1373,80	1420,40
	H 66,5	431w	517w	603w	689w	775w	861w	947w	1033w	1119w	1205w	1291w	1377w
LV 66	€	710,60	750,40	790,00	829,80	869,60	909,20	949,00	988,60	1028,40	1068,10	1107,80	1147,60
	H 66,5	298w	358w	417w	477w	536w	596w	655w	715w	774w	834w	893w	953w
LLV 66	€	957,50	1007,90	1058,30	1108,80	1159,20	1209,60	1260,00	1310,40	1360,80	1411,30	1461,70	1512,10
	H 73,6	540w	648w	756w	864w	972w	1080w	1188w	1296w	1404w	1512w	1620w	1728w
LV 74	€	737,60	780,20	822,60	865,20	907,80	950,20	992,80	1035,20	1077,80	1120,30	1162,80	1205,30
	H 73,6	333w	399w	466w	532w	599w	665w	732w	798w	864w	930w	996w	1063w
LLV 74	€	1006,80	1061,10	1115,30	1169,60	1223,80	1278,10	1332,40	1386,70	1441,00	1495,30	1549,60	1603,90
	H 80,8	540w	648w	756w	864w	972w	1080w	1188w	1296w	1404w	1512w	1620w	1728w
LV 81	€	764,70	810,10	855,30	900,70	946,10	991,30	1036,70	1081,90	1127,30	1172,60	1217,90	1263,20
	H 80,8	367w	440w	514w	587w	661w	734w	807w	881w	954w	1028w	1101w	1175w
LLV 81	€	1055,90	1114,10	1172,20	1230,30	1288,40	1346,60	1404,80	1462,90	1521,10	1579,20	1637,30	1695,50
	H 87,9	595w	713w	832w	951w	1070w	1189w	1308w	1427w	1546w	1665w	1784w	1903w
LV 88	€	791,80	840,00	888,00	936,20	984,40	1032,40	1080,60	1128,60	1176,80	1224,90	1273,00	1321,20
	H 87,9	402w	482w	562w	642w	723w	803w	884w	964w	1044w	1124w	1204w	1284w
LLV 88	€	1105,20	1167,20	1229,20	1291,10	1353,20	1415,10	1477,20	1539,10	1601,20	1663,10	1725,10	1787,10
	H 95,1	649w	779w	909w	1038w	1168w	1298w	1428w	1558w	1688w	1818w	1948w	2078w
LV 95	€	818,90	869,90	920,80	971,70	1022,70	1073,50	1124,50	1175,30	1226,30	1277,20	1328,10	1379,10
	H 95,1	436w	523w	610w	698w	785w	872w	960w	1047w	1134w	1221w	1308w	1395w
LLV 95	€	1154,40	1220,20	1286,10	1352,00	1417,80	1483,70	1549,50	1615,40	1681,20	1747,10	1812,90	1878,80
		704w	844w	985w	1126w	1266w	1407w	1548w	1688w	1829w	1970w	2110w	2251w

Δt different from 50 K: consult Technical data Brem

HOW TO ORDER

State: model, (L indicates fins), height and width in cm; fitting and color if different from standard
e.g.: LLV 66 - 123, EG \varnothing 1/2", RAL 3005



LENGTHS ON REQUEST

Standard lengths up to 3 m, every 10 cm:
prices and thermal outputs by interpolation
Lengths every 1 cm: by estimate

STANDARD PRODUCTION


White "sablé" paintwork - EOS brackets
Air vent \varnothing 1/2" - Tolerance \pm 3 mm
Maximum operating pressure 6 bar

PRODUCTION ON REQUEST

Paintwork to Brem list with colored brackets
(white back side and manifolds) +15/25%
Back and manifolds same color as radiator 165€


STANDARD FITTINGS

EG \varnothing 1/2"
Special fittings



TAPPING CENTRES

EG standard fittings, use side control valves




Panel with valves in sight H - 7cm, on request

FIXINGS

Brackets included



EOS bracket




RECOMMENDED VALVES

as standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers


On request: Polished stainless tube cover (to be cut to right size) Art. CA18 10,80€



SIDE CONTROL TON VALVES KIT nickel-plated chrome-plated handwheel Art. KVLN 91,80€

SIDE CONTROL TON VALVES KIT chrome-plated page 277 Art. KVL 130,90€


SIDE CONTROL QUADRA VALVES page 279 chrome-plated Art. KQL 166,30€ extra for BREM color list 46,40€



SIDE CONTROL TON VALVES KIT nickel-plated with THERMOSTATIC head Art. KTLDN 135,00€

SIDE CONTROL TON VALVES KIT chrome-plated with THERMOSTATIC head Art. KTLD 177,10€

REMOTE FITTINGS Art. REM 36,60€ tapping centres (Panel H - 7cm): ▲▼ L-8,5cm



REMOTE VALVES ASSEMBLY KIT p. 281 with: - n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE TON VALVES ASSEMBLY KIT Art. KVG 153,60€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVGT 199,80€



LAMINA LV 59-143