

SPH - PLATT

SPH-PLATT is the radiating plate with perfectly flat and smooth surfaces: true

simplicity of form is the greatest thing. Laid vertically in the most traditional

colors SPH-PLATT jolts pure reason into the irrationality of the unexpected.

DIMENSIONS

Lengths: from 28 to 84 cm


Heights: from 160 to 240 cm (every 20 cm)

Depths: SPH 3,7 cm, SPLH 6,2 cm

Depths from wall: SPH 6,8 cm, SPLH 7,8 cm

SPH MODEL


Vertical panel



SPH

SPLH MODEL

Vertical panel with radiating fins at the rear



SPLH



SPH ... SPLH ...



SPH



SPLH

EN 442 Watt Δt 50K (Δt 40K = $W \times 0,755$) (Δt 30K = $W \times 0,526$)

MOD. H cm	L cm ▲ ▼	28	35	42	49	56	63	70	77	84
		24	31	38	45	52	59	66	73	80
SPH 160	€	762,20 420w	839,60 525w	920,90 630w	1003,50 735w	1083,20 840w	1161,90 945w	1244,20 1050w	1324,20 1155w	1404,90 1260w
SPLH 160	€	993,40 629w	1096,60 786w	1200,00 943w	1304,60 1100w	1410,30 1257w	1513,70 1414w	1619,20 1572w	1722,20 1729w	1827,30 1886w
SPH 180	€	810,10 467w	894,50 584w	978,30 701w	1065,70 817w	1151,90 934w	1235,20 1051w	1322,70 1168w	1407,40 1284w	1493,70 1401w
SPLH 180	€	1046,20 689w	1153,30 861w	1250,60 1033w	1369,50 1205w	1477,50 1377w	1584,80 1549w	1693,10 1721w	1801,30 1893w	1906,90 2065w
SPH 200	€	854,00 513w	943,00 642w	1033,50 770w	1118,70 898w	1208,40 1026w	1296,70 1155w	1385,40 1283w	1476,50 1411w	1565,00 1540w
SPLH 200	€	1122,80 742w	1240,20 928w	1355,60 1113w	1481,10 1299w	1588,80 1484w	1704,60 1670w	1820,60 1855w	1934,90 2041w	2050,60 2226w
SPH 220	€	905,70 557w	999,30 697w	1093,90 836w	1200,80 976w	1285,90 1115w	1380,40 1254w	1472,90 1394w	1569,80 1533w	1665,60 1673w
SPLH 220	€	1167,50 802w	1289,80 1003w	1410,10 1204w	1540,60 1404w	1652,70 1605w	1772,70 1806w	1893,40 2006w	2012,30 2207w	2132,80 2407w
SPH 240	€	971,00 601w	1073,10 751w	1175,10 901w	1277,00 1051w	1378,80 1201w	1481,20 1351w	1583,00 1502w	1687,60 1652w	1790,90 1802w

Versions with SUIT measurements on request

Δt different from 50 K: consult technical data Brem

HOW TO ORDER

State: model (whether simple or with fins), height and width; fittings and color.

e.g.: SPH 180 - 35, AC $\varnothing$ 1/2", BR 0007

MAGNETIC ACCESSORIES p. 277

STANDARD PRODUCTION

White sablé SB9016 paintwork, EOS brackets
Tolerance $\pm$ 3mm - Air vent $\varnothing$ 1/8"


MAXIMUM OPERATING PRESSURE 6 BAR

PRODUCTION ON REQUEST


Paintwork to Brem color list +15/25%
S-PLATT INOX, cover panels in satin stainless steel on request

STANDARD FITTING

EG $\varnothing$ 1/2"
Fittings AC or BD with extra
Special fittings, page 278




TAPPING CENTRES



Side fittings on request
Extra

Art. AS 91,20€



FIXINGS
Brackets included



EOS bracket




SPH 200-49

RECOMMENDED VALVES


CHROME VALVES KIT with:

- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Chrome wall plates ø 48, hole ø16




KIT SIDE control VALVES QUADRA
page 271 Art. KQL
Extra for BREM color list

191,20€
53,40€



KIT SIDE control VALVES CYL with THERMOSTATIC
option, page 273 Art. KCL
Extra for BREM color list

162,50€
53,40€



SPECIAL FINISHES page 267
Finishes Gold, Bronze, Brushed Nickel for 2 valves
Brushed Nickel FITTING KIT extra Art. RN 30,50€

REMOTE FITTINGS Art. REM 42,10€
Tapping centres: at the rear ▲▼ EG L-5 cm
DISTANT Valves page 274


KIT SIDE control VALVES TON with Thermostatic
Head, page 269 Art. KTL 203,70€

SPV - PLATT


SP-PLATT is a perfectly flat, smooth radiating plate. It comes in the simple horizontal

version (SPV) or with radiating plates fitted at the back in varying heights (SPLV). S-Platt


plates are painted white sablé as standard. Ideal for artistic rendering, as requested



SPV



SPLV



SPV ... SPLV ...

SPLV ...

		EN 442 Watt Δt 50K (Δt 40K = $W \times 0,755$) - (Δt 30K = $W \times 0,526$)														
MOD.	L cm	50	60	70	80	90	100	110	120	140	160	180	200	220		
H cm	▲▼ cm	46,8	56,8	66,8	76,8	86,8	96,8	106,8	116,8	136,8	156,8	176,8	196,8	216,8		
SPV 35	€	705,00 178w	732,00 213w	756,70 249w	781,10 284w	804,80 320w	832,70 355w	858,30 391w	882,80 426w	929,80 497w	975,40 568w	1004,50 639w	1034,30 710w	1065,30 781w		
SPLV 35/35	€	876,00 367w	909,60 440w	944,60 513w	982,20 586w	1016,10 660w	1053,90 733w	1089,40 806w	1123,50 880w	1191,00 1026w	1258,10 1173w	1298,10 1319w	1337,80 1466w	1378,40 1613w		
SPV 42	€	748,30 217w	778,40 260w	802,00 304w	829,10 347w	857,80 391w	886,40 434w	910,90 477w	941,60 521w	995,50 608w	1058,50 694w	1088,30 781w	1118,50 868w	1151,70 955w		
SPLV 42/28	€	917,30 380w	955,40 456w	992,30 532w	1028,60 608w	1068,70 684w	1106,10 760w	1144,10 836w	1183,40 912w	1257,90 1064w	1338,70 1216w	1380,80 1368w	1422,60 1520w	1464,80 1672w		
SPLV 42/42	€	929,40 417w	973,40 500w	1011,70 584w	1050,20 667w	1092,70 751w	1129,90 834w	1171,20 917w	1213,20 1001w	1289,50 1168w	1376,50 1334w	1419,80 1501w	1462,70 1668w	1507,50 1835w		
SPV 49	€	787,20 246w	818,30 295w	849,30 344w	880,90 394w	911,70 443w	942,90 492w	974,30 541w	1006,40 590w	1069,00 689w	1142,10 787w	1177,20 886w	1212,30 984w	1247,10 1083w		
SPLV 49/28	€	955,70 412w	998,50 494w	1040,00 576w	1080,40 658w	1123,90 741w	1165,10 823w	1205,80 905w	1249,00 988w	1332,10 1152w	1424,60 1317w	1470,60 1481w	1516,50 1646w	1561,50 1811w		
SPLV 49/49	€	987,10 466w	1035,70 559w	1079,30 652w	1123,70 745w	1171,70 838w	1214,40 931w	1261,30 1024w	1308,00 1117w	1396,10 1303w	1493,70 1490w	1541,90 1676w	1589,80 1862w	1639,00 2048w		
SPV 56	€	834,60 276w	869,90 331w	903,30 386w	938,20 441w	974,70 496w	1010,50 551w	1045,60 606w	1081,20 661w	1149,90 771w	1226,20 882w	1264,30 992w	1302,20 1102w	1339,20 1212w		
SPLV 56/28	€	1001,20 444w	1050,00 533w	1093,70 622w	1140,50 710w	1183,60 799w	1229,20 888w	1277,00 977w	1321,60 1066w	1411,00 1243w	1509,30 1421w	1556,70 1598w	1604,10 1776w	1651,10 1954w		
SPLV 56/56	€	1044,30 511w	1098,00 613w	1147,00 715w	1197,30 818w	1250,80 920w	1298,90 1022w	1351,50 1124w	1402,80 1226w	1502,60 1431w	1610,90 1635w	1664,10 1840w	1717,20 2044w	1770,40 2249w		
SPV 63	€	879,20 305w	921,10 366w	961,70 427w	1001,50 488w	1042,30 549w	1081,70 610w	1122,50 671w	1162,80 732w	1237,80 854w	1318,80 976w	1359,60 1098w	1400,20 1220w	1439,30 1342w		
SPLV 63/35	€	1050,30 501w	1101,40 601w	1150,40 701w	1202,30 801w	1250,80 901w	1302,90 1001w	1352,40 1101w	1405,80 1201w	1500,00 1401w	1602,70 1602w	1652,70 1802w	1702,30 2002w	1751,70 2202w		
SPLV 63/63	€	1091,40 557w	1149,50 668w	1202,50 779w	1258,80 890w	1313,60 1002w	1371,40 1113w	1428,10 1224w	1483,30 1336w	1590,20 1558w	1701,50 1781w	1758,00 2003w	1814,10 2226w	1869,70 2449w		
SPV 70	€	958,70 326w	1001,60 391w	1046,90 456w	1088,50 521w	1135,00 586w	1175,80 651w	1220,90 716w	1266,40 781w	1346,40 911w	1436,80 1042w	1480,80 1172w	1524,70 1302w	1568,70 1432w		
SPLV 70/35	€	1127,10 532w	1180,50 638w	1235,00 744w	1290,40 850w	1344,90 957w	1395,70 1063w	1450,20 1169w	1504,50 1276w	1606,50 1488w	1716,80 1701w	1771,80 1913w	1826,80 2126w	1880,50 2339w		
SPLV 70/70	€	1167,20 598w	1226,10 718w	1285,00 837w	1343,90 957w	1403,90 1076w	1463,10 1196w	1523,20 1316w	1582,20 1435w	1694,30 1674w	1817,40 1914w	1876,90 2153w	1936,60 2392w	1995,10 2631w		
SPV 77	€	1023,90 365w	1070,50 437w	1114,60 510w	1161,00 583w	1207,20 656w	1251,50 729w	1298,90 802w	1342,70 875w	1428,90 1021w	1525,80 1166w	1571,80 1312w	1618,40 1458w	1665,00 1604w		
SPLV 77/35	€	1192,80 562w	1249,00 674w	1304,80 787w	1361,70 899w	1415,80 1012w	1474,70 1124w	1531,80 1236w	1587,40 1349w	1693,30 1574w	1810,70 1798w	1866,50 2023w	1922,40 2248w	1980,70 2473w		
SPLV 77/70	€	1232,40 624w	1296,00 749w	1357,40 874w	1418,40 998w	1479,70 1123w	1542,10 1248w	1603,20 1373w	1664,40 1498w	1782,50 1747w	1909,00 1997w	1970,20 2246w	2032,00 2496w	2094,10 2746w		
SPV 84	€	1093,30 394w	1143,30 472w	1192,10 551w	1241,70 630w	1289,30 708w	1338,10 787w	1387,70 866w	1437,90 944w	1532,50 1102w	1630,60 1259w	1681,50 1417w	1732,50 1574w	1781,40 1732w		
SPLV 84/35	€	1262,10 590w	1321,20 708w	1381,00 826w	1440,00 944w	1500,20 1062w	1559,40 1180w	1617,30 1298w	1676,10 1416w	1792,10 1652w	1913,20 1888w	1973,80 2124w	2034,10 2360w	2094,10 2596w		
SPLV 84/70	€	1304,50 652w	1369,20 782w	1433,80 912w	1497,60 1042w	1559,80 1173w	1628,00 1303w	1692,50 1433w	1756,90 1564w	1884,40 1824w	2014,90 2085w	2079,80 2345w	2144,80 2606w	2211,00 2867w		
SPV91	€	1144,90 424w	1199,00 509w	1252,90 594w	1308,00 678w	1359,80 763w	1413,60 848w	1471,30 933w	1523,90 1018w	1626,60 1187w	1732,60 1357w	1785,40 1526w	1838,60 1696w	1890,60 1866w		

Versions with SUIT measurements on request

Δt different from 50 K: consult technical data Brem

STANDARD PRODUCTION

White sablé SB9016 paintwork, EOS brackets
Tolerance ± 3 mm - Air vent $\varnothing 1/8"$

MAXIMUM OPERATING PRESSURE 6 BAR

PRODUCTION ON REQUEST


Paintwork to Brem color list +15/25%
S-PLATT INOX, cover panels in satin stainless steel on request

STANDARD FITTING

EG $\varnothing 1/2"$
Fittings AC or BD with extra
Special fittings, page 278



TAPPING CENTRES




Side fittings on request
Extra

Art. AS 91,20€

FIXINGS

Brackets included




HOW TO ORDER

State: model (whether simple or with fins),
height and width; fittings and color.
es.: SPLV 49/49-180, EG $\varnothing 1/2"$, BR0004
Plate height 49/ fins height 49/ width 180

RECOMMENDED VALVES


CHROME VALVES KIT with:

- n°2 Valves with chrome tailpieces
- n°2 Fittings (multilayer $\varnothing 16$, copper $\varnothing 12$, 14)
- n°2 Chrome wall plates $\varnothing 48$, hole $\varnothing 16$




KIT SIDE control VALVES QUADRA
page 271 Art. KQL
Extra for BREM color list

191,20€
53,40€




KIT SIDE control VALVES CYL with THERMOSTATIC
option, page 273 Art. KCL
Extra for BREM color list

162,50€
53,40€



REMOTE FITTINGS Art. REM 42,10€
Tapping centres: at the rear of radiator $\triangle \nabla$ L - 3,2 cm
DISTANT Valves page 274



KIT SIDE control VALVES TON with Thermostatic
head, page 269 Art. KTL 203,70€



PLATT SPV 35 - 160