

WIND

design Luigi Brembilla

The WIND mini-column radiators are built using elements from three to six columns,

made from circular cross section radiating tubes. Depending on the number requested,

the batteries of elements are obtained by welding the required number together.

ELEMENT STEP: PE = 3 cm


TUBES DIAMETER: $\varnothing = 1,5$ cm

LENGTH OF RADIATORS (± 3 mm):
number of elements x 3 cm

Rear metal reinforcement from 21 elements

H = from 29 to 200 cm

L = from 30 to 108 cm (every 3 cm)




MODEL W 3 with 3 radiating tubes element

MODEL W 4 with 4 radiating tubes element

MODEL W 5 with 5 radiating tubes element


MODEL W 6 with 6 radiating tubes element



STANDARD TAPPING CENTRES

AC - BD / AD - BC $\varnothing 1/2"$

Side fittings $\blacktriangle \nabla = H - 4,6$ cm



TAPPING CENTRES ± 6 CM

Use chrome-plated offset couplings to adjust the tapping centres up to 6 cm (Art. EC.. page 278)



STANDARD PRODUCTION

SB9016 white sablé paintwork, with brackets

Air vent $\varnothing 1/2"$ - Tolerance ± 3 mm

MAXIMUM WORKING PRESSURE, 8 BAR

PRODUCTION ON REQUEST

Brem color chart painting with brackets

in the same color


Batteries with non standard n° of elements.

STANDARD FITTINGS

AC - BD / AD - BC $\varnothing 1/2"$


Fittings EG or GE on request

Special fittings, page 278




SPECIAL FITTINGS ON REQUEST

Connections EG $\varnothing$ 1/2" (GE) with sleeve and baffle
Art. AS 91,20€




W 3 y = 5 cm W 5 y = 7 cm
W 4 y = 5,5 cm W 6 y = 7,5 cm



RECOMMENDED VALVES


CHROME VALVES KIT with:

- n°2 Valves with tailpieces
- n°2 Fittings (multilayer $\varnothing$ 16, copper $\varnothing$ 12, 14)
- n°2 Chrome wall plates $\varnothing$ 48, hole $\varnothing$ 16




ANGLED TON VALVES KIT
page 269

Art. KVS 137,10€



KIT ANGLED VALVES CYL with thermostatic option
page 273
Art. KCS 149,90€
Extra for BREM color list 53,40€



KIT ANGLED VALVES TON with THERMOSTATIC
Head, page 269
Art. KTS 190,30€

SPECIAL FINISHES

page 267

Finishes Gold, Bronze, Brushed Nickel for 2 valves

Brushed Nickel FITTING KIT extra Art. RN 30,50€



WIND 3200 12 el.

WIND

MOD.	H cm	▲▼ cm	p n° el cm L cm	1el (3)	10el (30)	11el (33)	12el (36)	13el (39)	14el (42)	15el (45)	16el (48)	17el (51)	18el (54)	19el (57)	20el (60)
EN 442 Watt Δt 50K (Δt 40K = $W \times 0,755$) - (Δt 30K = $W \times 0,526$)															
W 3065		66,6	62	6,5	€ 30,80 42w	306,20 417w	336,80 459w	367,40 500w	397,80 542w	428,50 584w	459,40 625w	490,00 667w	520,50 709w	551,00 750w	581,60 792w
W 3075		76,6	72	6,5	€ 32,50 48w	323,50 484w	355,80 533w	388,20 581w	420,70 630w	452,80 678w	485,20 727w	517,40 775w	549,80 824w	582,10 872w	614,70 921w
W 3085		86,6	82	6,5	€ 34,00 54w	340,40 541w	374,60 595w	408,80 649w	443,10 703w	476,90 757w	511,10 811w	545,20 865w	579,30 919w	613,20 973w	647,10 1028w
W 3180		178,3	173,7	6,5	€ 66,00 107w	656,40 1070w	721,80 1177w	787,50 1284w	853,20 1391w	918,70 1499w	984,50 1606w	1049,8 1713w	1115,7 1820w	1181,3 1927w	1246,9 2034w
W 3200		198,3	193,7	6,5	€ 73,40 118w	733,30 1183w	806,40 1301w	879,80 1420w	952,90 1538w	1026,5 1656w	1099,7 1775w	1173,2 1893w	1246,1 2011w	1319,6 2129w	1392,7 2248w
W 4065		66,6	62	8,9	€ 35,10 52w	349,30 518w	384,20 570w	419,10 622w	454,20 674w	489,20 726w	523,90 777w	559,00 829w	594,00 881w	629,10 933w	663,70 985w
W 4075		76,6	72	8,9	€ 37,00 60w	366,80 597w	403,40 657w	439,90 717w	476,70 776w	513,20 836w	549,80 896w	586,70 955w	623,20 1015w	659,80 1075w	696,30 1135w
W 4085		86,6	82	8,9	€ 38,30 68w	383,70 676w	422,20 744w	460,50 811w	499,10 879w	537,50 946w	575,90 1014w	614,10 1082w	652,10 1149w	690,60 1217w	729,00 1284w
W 4180		178,3	173,7	8,9	€ 71,50 131w	714,40 1307w	786,00 1438w	857,50 1568w	928,70 1699w	1000,0 1830w	1071,7 1960w	1143,1 2091w	1214,3 2222w	1285,9 2353w	1357,2 2483w
W 4200		198,3	193,7	8,9	€ 79,50 145w	797,10 1453w	876,60 1599w	956,40 1744w	1036,1 1889w	1115,7 2035w	1195,4 2180w	1275,0 2326w	1354,8 2471w	1434,5 2616w	1514,4 2762w
W 5027		29,1	24,5	11,3	€ 33,80 27w	338,80 270w	372,30 297w	406,00 324w	440,30 352w	473,80 379w	507,80 406w	541,90 433w	575,60 460w	609,50 487w	643,10 514w
W 5053		54,6	50	11,3	€ 38,90 53w	388,20 530w	427,10 583w	465,60 635w	504,70 688w	543,20 741w	582,10 794w	621,40 847w	659,80 900w	698,80 953w	737,40 1006w
W 5065		66,6	62	11,3	€ 39,40 63w	394,80 631w	434,20 694w	473,40 757w	513,00 820w	552,40 883w	591,80 946w	631,20 1010w	671,10 1073w	710,30 1136w	749,60 1199w
W 5075		76,6	72	11,3	€ 41,60 73w	416,40 732w	457,60 806w	499,60 879w	541,10 952w	582,70 1025w	624,10 1099w	665,60 1172w	707,40 1245w	749,30 1318w	790,70 1391w
W 5085		86,6	82	11,3	€ 42,90 82w	429,20 822w	472,10 905w	514,90 987w	557,80 1069w	600,50 1151w	643,40 1234w	686,70 1316w	729,10 1398w	772,50 1480w	815,10 1563w
W 6027		29,1	24,5	13,7	€ 37,20 34w	368,70 338w	405,40 372w	442,70 406w	479,00 439w	516,50 473w	553,30 507w	589,90 541w	626,90 575w	663,70 608w	700,30 642w
W 6053		54,6	50	13,7	€ 43,50 64w	433,30 642w	476,80 706w	520,20 771w	563,40 835w	606,70 899w	650,00 963w	693,30 1028w	736,80 1092w	780,00 1156w	823,40 1220w
W 6065		66,6	62	13,7	€ 44,70 77w	446,40 766w	490,80 843w	535,50 919w	580,60 996w	625,10 1073w	669,60 1149w	714,30 1226w	759,00 1302w	803,50 1379w	848,20 1456w
W 6075		76,6	72	13,7	€ 46,30 88w	463,60 879w	509,90 967w	556,40 1055w	602,80 1142w	649,30 1230w	695,40 1318w	741,70 1406w	788,00 1494w	834,50 1582w	881,10 1670w
W 6085		86,6	82	13,7	€ 48,40 97w	481,20 969w	528,90 1066w	577,10 1163w	625,20 1260w	673,00 1357w	721,30 1453w	769,20 1550w	817,60 1647w	865,50 1744w	913,70 1841w


HOW TO ORDER

State: model, number of columns, height in cm, number of elements; connection and color.

Mod. Wind number columns height cm number elements

W 3075 - 19 el

E.g.: W 3075 -19, AC 1/2", BRO007



PRODUCTION ON REQUEST

3 - 9 el. batteries extra charge 29,00€

Batteries with more than 40 el.

extra charge for each radiator 62,20€

